

1_1. How often, if ever, do you... - Smoke marijuana for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	126	126	-	-	56	46	24	80	25	21	35	40	51	69	19	37	47	64	15	116	8
	12%	100%	-	-	83%	24%	3%	67%	19%	3%	58%	32%	6%	26%	15%	6%	16%	12%	9%	22%	2%
		BC*			EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Frequently	59	59	-	-	29	20	10	44	5	11	21	14	24	29	13	18	18	34	7	54	3
	6%	47%	-	-	43%	11%	1%	37%	4%	1%	36%	11%	3%	11%	10%	3%	6%	6%	4%	10%	1%
		BC*			EF*	F		HI*	*		KL*	L*		O	O*					T	
Regularly	66	66	-	-	27	26	14	37	20	10	14	26	27	40	6	19	29	30	7	62	5
	7%	53%	-	-	39%	14%	2%	31%	15%	1%	23%	21%	3%	15%	5%	3%	10%	5%	4%	12%	1%
		BC*			EF*	F		HI*	I*		L*	L*		NO	*			Q		T	
Bottom 2 Box (Net)	879	-	253	626	12	143	721	39	109	727	25	85	765	199	110	568	244	482	153	414	436
	87%	-	100%	100%	17%	75%	97%	33%	81%	97%	42%	68%	94%	74%	85%	94%	83%	88%	91%	78%	98%
		*	A	A	*	D	DE	*	G*	GH	*	J*	JK		M*	MN					S
Occasionally	253	-	253	-	10	125	115	31	91	130	17	65	169	95	51	107	94	135	23	196	52
	25%	-	100%	-	14%	66%	15%	26%	68%	17%	28%	51%	21%	35%	39%	18%	32%	25%	14%	37%	12%
		*	AC		*	DF		*	GI*		*	JL*		O	O*		QR	R		T	
Never	626	-	-	626	2	17	605	8	17	597	8	20	596	104	59	461	149	347	129	218	384
	62%	-	-	100%	3%	9%	81%	7%	13%	80%	13%	16%	73%	39%	45%	76%	51%	63%	77%	41%	86%
		*		AB	*		DE	*	*	GH	*	*	JK	*	*	MN		P	PQ		S
Prefer not to answer	3	-	-	-	-	1	1	-	-	3	-	1	2	1	1	1	1	1	1	2	1
	*	-	-	-	-	*	*	-	-	*	-	1%	*	*	1%	*	*	*	1%	*	*
		*			*			*	*		*	*		*	*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1_2. How often, if ever, do you... - Consume marijuana edibles for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	68	56	10	2	68	-	-	41	15	12	30	24	13	42	15	11	24	34	11	61	7
	7%	45%	4%	*	100%	-	-	35%	11%	2%	50%	19%	2%	15%	12%	2%	8%	6%	6%	11%	2%
		BC*	C		EF*			HI*	I*		KL*	L*		O	O*					T	
Frequently	26	23	2	2	26	-	-	18	4	4	16	2	8	18	7	2	8	12	6	24	3
	3%	18%	1%	*	39%	-	-	15%	3%	1%	26%	2%	1%	7%	5%	*	3%	2%	3%	4%	1%
		BC*			EF*			HI*	I*		KL*	*		O	O*					T	
Regularly	41	33	8	-	41	-	-	24	11	7	15	21	5	24	8	9	15	21	5	37	4
	4%	27%	3%	-	61%	-	-	20%	8%	1%	24%	17%	1%	9%	6%	2%	5%	4%	3%	7%	1%
		BC*	C		EF*			HI*	I*		L*	L*		O	O*					T	
Bottom 2 Box (Net)	935	70	241	623	-	190	745	78	118	737	30	101	801	225	112	596	267	511	157	467	437
	93%	55%	95%	99%	-	100%	100%	65%	88%	98%	50%	81%	98%	84%	86%	98%	91%	93%	93%	88%	98%
		*	A	AB	*	D	D	*	G*	GH	*	J*	JK	*	MN						S
Occasionally	190	46	125	17	-	190	-	46	62	81	18	73	99	79	34	76	73	105	12	151	35
	19%	37%	50%	3%	-	100%	-	39%	47%	11%	29%	58%	12%	29%	26%	13%	25%	19%	7%	28%	8%
		C*	AC		*	DF		I*	I*		L*	JL*		O	O*		R	R		T	
Never	745	24	115	605	-	-	745	32	55	656	12	28	702	146	78	519	194	406	145	316	402
	74%	19%	46%	97%	-	-	100%	26%	41%	87%	20%	23%	86%	54%	60%	86%	66%	74%	86%	59%	91%
		*	A	AB	*		DE	*	G*	GH	*	*	JK	*	*	MN		P	PQ		S
Prefer not to answer	5	-	3	1	-	-	-	-	1	2	-	-	4	2	3	-	1	3	1	5	-
	1%	-	1%	*	-	-	-	-	1%	*	-	-	*	1%	2%	-	*	*	1%	1%	-
		*			*			*	*		*	*		O	O*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1_3. How often, if ever, do you... - Smoke marijuana for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	119	80	31	8	41	46	32	119	-	-	52	31	36	76	22	22	36	59	24	106	11
	12%	64%	12%	1%	61%	24%	4%	100%	-	-	86%	25%	4%	28%	17%	4%	12%	11%	14%	20%	2%
		BC*	C		EF*	F		HI*	*		KL*	L*		NO	O*					T	
Frequently	53	36	12	4	20	21	13	53	-	-	29	14	10	31	15	8	10	29	13	46	6
	5%	29%	5%	1%	29%	11%	2%	45%	-	-	48%	11%	1%	11%	11%	1%	4%	5%	8%	9%	1%
		BC*	C		EF*	F		HI*	*		KL*	L*		O	O*					T	
Regularly	66	44	18	4	22	26	19	66	-	-	23	17	26	45	7	14	26	30	11	60	5
	7%	35%	7%	1%	32%	13%	3%	55%	-	-	38%	14%	3%	17%	6%	2%	9%	5%	6%	11%	1%
		BC*	C		EF*	F		HI*	*		KL*	L*		NO	*					T	
Bottom 2 Box (Net)	885	46	221	615	26	144	711	-	134	751	8	93	779	194	106	583	256	487	141	424	431
	88%	36%	87%	98%	39%	76%	95%	-	100%	100%	14%	74%	95%	72%	82%	96%	88%	89%	84%	80%	97%
		*	A	AB	*	D	DE	*	G*	G	*	J*	JK	*	MN					S	
Occasionally	134	25	91	17	15	62	55	-	134	-	3	66	63	51	27	56	39	84	11	106	27
	13%	20%	36%	3%	22%	33%	7%	-	100%	-	6%	52%	8%	19%	21%	9%	14%	15%	6%	20%	6%
		C*	AC		F*	F		*	GI*		*	JL*		O	O*		R	R		T	
Never	751	21	130	597	12	81	656	-	-	751	5	27	715	143	79	527	217	403	131	319	404
	74%	16%	51%	95%	17%	43%	88%	-	-	100%	8%	22%	87%	53%	61%	87%	74%	74%	78%	60%	91%
		*	A	AB	*	D	DE	*	*	GH	*	*	JK	*	*	MN				S	
Prefer not to answer	4	-	1	3	-	-	3	-	-	-	-	1	3	-	1	2	-	1	3	2	2
	*	-	1%	*	-	-	*	-	-	-	1%	*	*	-	1%	*	-	*	2%	*	*
		*			*			*	*		*	*		*	*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1_4. How often, if ever, do you... - Consume marijuana edibles for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	60	35	17	8	30	18	12	52	3	5	60	-	-	36	17	7	19	24	18	54	7
	6%	28%	7%	1%	45%	9%	2%	44%	3%	1%	100%	-	-	14%	13%	1%	6%	4%	10%	10%	2%
		BC*	C		EF*	F		HI*	*		KL*	*		O	O*		Q		T		
Frequently	18	14	3	1	13	4	2	18	-	-	18	-	-	11	5	2	2	10	6	16	2
	2%	11%	1%	*	19%	2%	*	15%	-	-	30%	-	-	4%	4%	*	1%	2%	3%	3%	*
		BC*			EF*	F		HI*	*		KL*	*		O	O*		Q		T		
Regularly	42	21	14	7	18	14	11	34	3	5	42	-	-	25	12	5	17	13	12	37	5
	4%	17%	6%	1%	26%	7%	1%	28%	3%	1%	70%	-	-	9%	10%	1%	6%	2%	7%	7%	1%
		BC*	C		EF*	F		HI*	*		KL*	*		O	O*		Q		T		
Bottom 2 Box (Net)	943	91	234	616	37	172	730	67	129	743	-	125	818	233	110	599	272	521	150	476	436
	94%	72%	92%	98%	55%	91%	98%	56%	97%	99%	-	100%	100%	86%	85%	99%	93%	95%	89%	89%	98%
		*	A	AB	*	D	DE	*	G*	G	*	J*	J	*	MN		R		S		S
Occasionally	125	40	65	20	24	73	28	31	66	27	-	125	-	54	25	45	35	78	12	105	19
	12%	31%	26%	3%	35%	39%	4%	26%	49%	4%	-	100%	-	20%	19%	7%	12%	14%	7%	20%	4%
		C*	C		F*	F		I*	GI*		*	JL*		O	O*		R		T		
Never	818	51	169	596	13	99	702	36	63	715	-	-	818	179	85	554	237	443	138	371	417
	81%	41%	67%	95%	20%	52%	94%	30%	47%	95%	-	-	100%	67%	66%	91%	81%	81%	82%	70%	94%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK	*	MN				S		S
Prefer not to answer	4	-	2	2	-	-	3	-	1	3	-	-	-	-	2	1	1	2	1	3	1
	*	-	1%	*	-	-	*	-	1%	*	-	-	-	2%	*	*	*	1%	1%	1%	*
		*			*			*	*		*	*		O*							
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1_5. How often, if ever, do you... - Smoke cigarettes or cigars

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	269	69	95	104	42	79	146	76	51	143	36	54	179	269	-	-	99	144	26	192	70
	27%	55%	38%	17%	61%	42%	20%	63%	38%	19%	60%	43%	22%	100%	-	-	34%	26%	16%	36%	16%
		BC*	C		EF*	F		HI*	I*		L*	L*		NO	*		QR	R		T	
Frequently	135	36	51	46	28	39	66	38	26	71	16	30	89	135	-	-	55	69	10	101	26
	13%	29%	20%	7%	41%	21%	9%	32%	19%	9%	26%	24%	11%	50%	-	-	19%	13%	6%	19%	6%
		C*	C		EF*	F		I*	I*		L*	L*		NO	*		QR	R		T	
Regularly	135	32	44	58	14	40	80	37	25	72	21	24	90	135	-	-	44	75	16	90	44
	13%	26%	18%	9%	20%	21%	11%	31%	19%	10%	34%	19%	11%	50%	-	-	15%	14%	10%	17%	10%
		C*	C		*	F		I*	I*		L*	L*		NO	*					T	
Bottom 2 Box (Net)	736	56	158	520	26	110	597	44	83	606	24	70	639	-	129	607	192	403	140	340	373
	73%	45%	62%	83%	39%	58%	80%	37%	62%	81%	40%	56%	78%	-	100%	100%	66%	74%	83%	64%	84%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		M*	M		P	PQ		S
Occasionally	129	19	51	59	15	34	78	22	27	79	17	25	85	-	129	-	38	79	12	78	47
	13%	15%	20%	9%	22%	18%	10%	18%	20%	11%	28%	20%	10%	-	100%	-	13%	14%	7%	15%	11%
		*	C		F*	F		I*	I*		L*	L*			MO*			R			
Never	607	37	107	461	11	76	519	22	56	527	7	45	554	-	-	607	154	324	128	261	326
	60%	30%	42%	74%	17%	40%	70%	18%	42%	70%	11%	36%	68%	-	-	100%	53%	59%	76%	49%	73%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK		*	MN		PQ		S	
Prefer not to answer	2	1	-	2	-	-	2	-	-	2	-	1	-	-	-	-	1	-	2	1	1
	*	*	-	*	-	-	*	-	-	*	-	1%	-	-	-	-	*	-	1%	*	*
		*			*			*	*		*	L*			*				Q		
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
[Table of Contents](#)

1_6. How often, if ever, do you... - Drink alcoholic beverages

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	292	47	94	149	24	73	194	36	39	217	19	35	237	99	38	154	292	-	-	183	105
	29%	38%	37%	24%	35%	39%	26%	30%	29%	29%	31%	28%	29%	37%	30%	25%	100%	-	-	34%	24%
		C*	C		*	F		*	*		*	*		O	*		QR			T	
Frequently	81	17	27	37	11	25	45	15	8	59	6	15	60	38	11	32	81	-	-	50	28
	8%	13%	11%	6%	16%	13%	6%	13%	6%	8%	10%	12%	7%	14%	8%	5%	28%	-	-	9%	6%
		C*	C		F*	F		*	*		*	*		O	*		QR				
Regularly	211	31	67	112	13	48	149	21	32	158	13	20	177	61	27	122	211	-	-	132	77
	21%	24%	27%	18%	18%	25%	20%	18%	24%	21%	21%	16%	22%	23%	21%	20%	72%	-	-	25%	17%
		*	C		*			*	*		*	*			*		QR			T	
Bottom 2 Box (Net)	715	78	159	476	44	116	551	83	94	534	41	90	581	170	91	452	-	547	168	350	339
	71%	62%	63%	76%	65%	61%	74%	70%	71%	71%	69%	72%	71%	63%	70%	75%	-	100%	100%	66%	76%
		*		AB	*		E	*	*		*	*		*	M		P	P		S	
Occasionally	547	64	135	347	34	105	406	59	84	403	24	78	443	144	79	324	-	547	-	286	239
	54%	51%	54%	55%	50%	55%	55%	50%	63%	54%	39%	62%	54%	53%	61%	53%	-	100%	-	54%	54%
		*			*			*	*		*	J*		*	*		PR				
Never	168	15	23	129	11	12	145	24	11	131	18	12	138	26	12	128	-	-	168	64	100
	17%	12%	9%	21%	16%	6%	19%	20%	8%	17%	29%	9%	17%	10%	9%	21%	-	-	100%	12%	23%
		*		AB	*		E	H*	*	H	KL*	*		*	MN		PQ		S		
Prefer not to answer	1	-	-	1	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-	-
		*			*			*	*		*	*		*	*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1. How often, if ever, do you... - Top 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Drink alcoholic beverages	292	47	94	149	24	73	194	36	39	217	19	35	237	99	38	154	292	-	-	183	105
	29%	38%	37%	24%	35%	39%	26%	30%	29%	29%	31%	28%	29%	37%	30%	25%	100%	-	-	34%	24%
		C*	C		*	F		*	*		*	*		O	*		QR			T	
Smoke cigarettes or cigars	269	69	95	104	42	79	146	76	51	143	36	54	179	269	-	-	99	144	26	192	70
	27%	55%	38%	17%	61%	42%	20%	63%	38%	19%	60%	43%	22%	100%	-	-	34%	26%	16%	36%	16%
		BC*	C		EF*	F		HI*	I*		L*	L*		NO	*		QR	R		T	
Smoke marijuana for recreational purposes	126	126	-	-	56	46	24	80	25	21	35	40	51	69	19	37	47	64	15	116	8
	12%	100%	-	-	83%	24%	3%	67%	19%	3%	58%	32%	6%	26%	15%	6%	16%	12%	9%	22%	2%
		BC*			EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Smoke marijuana for medicinal purposes	119	80	31	8	41	46	32	119	-	-	52	31	36	76	22	22	36	59	24	106	11
	12%	64%	12%	1%	61%	24%	4%	100%	-	-	86%	25%	4%	28%	17%	4%	12%	11%	14%	20%	2%
		BC*	C		EF*	F		HI*	*		KL*	L*		NO	O*					T	
Consume marijuana edibles for recreational purposes	68	56	10	2	68	-	-	41	15	12	30	24	13	42	15	11	24	34	11	61	7
	7%	45%	4%	*	100%	-	-	35%	11%	2%	50%	19%	2%	15%	12%	2%	8%	6%	6%	11%	2%
		BC*	C		EF*			HI*	I*		KL*	L*		O	O*					T	
Consume marijuana edibles for medicinal purposes	60	35	17	8	30	18	12	52	3	5	60	-	-	36	17	7	19	24	18	54	7
	6%	28%	7%	1%	45%	9%	2%	44%	3%	1%	100%	-	-	14%	13%	1%	6%	4%	10%	10%	2%
		BC*	C		EF*	F		HI*	*		KL*	*		O	O*			Q		T	

Statistics:
Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1. How often, if ever, do you... - Bottom 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Consume marijuana edibles for medicinal purposes	943	91	234	616	37	172	730	67	129	743	-	125	818	233	110	599	272	521	150	476	436
	94%	72%	92%	98%	55%	91%	98%	56%	97%	99%	-	100%	100%	86%	85%	99%	93%	95%	89%	89%	98%
		*	A	AB	*	D	DE	*	G*	G	*	J*	J	*	MN		R			S	
Consume marijuana edibles for recreational purposes	935	70	241	623	-	190	745	78	118	737	30	101	801	225	112	596	267	511	157	467	437
	93%	55%	95%	99%	-	100%	100%	65%	88%	98%	50%	81%	98%	84%	86%	98%	91%	93%	93%	88%	98%
		*	A	AB	*	D	D	*	G*	GH	*	J*	JK	*	MN					S	
Smoke marijuana for medicinal purposes	885	46	221	615	26	144	711	-	134	751	8	93	779	194	106	583	256	487	141	424	431
	88%	36%	87%	98%	39%	76%	95%	-	100%	100%	14%	74%	95%	72%	82%	96%	88%	89%	84%	80%	97%
		*	A	AB	*	D	DE	*	G*	G	*	J*	JK	*	MN					S	
Smoke marijuana for recreational purposes	879	-	253	626	12	143	721	39	109	727	25	85	765	199	110	568	244	482	153	414	436
	87%	-	100%	100%	17%	75%	97%	33%	81%	97%	42%	68%	94%	74%	85%	94%	83%	88%	91%	78%	98%
		*	A	A	*	D	DE	*	G*	GH	*	J*	JK		M*	MN				S	
Smoke cigarettes or cigars	736	56	158	520	26	110	597	44	83	606	24	70	639	-	129	607	192	403	140	340	373
	73%	45%	62%	83%	39%	58%	80%	37%	62%	81%	40%	56%	78%	-	100%	100%	66%	74%	83%	64%	84%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		M*	M		P	PQ		S
Drink alcoholic beverages	715	78	159	476	44	116	551	83	94	534	41	90	581	170	91	452	-	547	168	350	339
	71%	62%	63%	76%	65%	61%	74%	70%	71%	71%	69%	72%	71%	63%	70%	75%	-	100%	100%	66%	76%
		*		AB	*		E	*	*		*	*		*	M		P	P		S	

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1x_1. How often, if ever, do you... - Smoke marijuana for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	998	117	249	632	61	189	745	105	127	763	54	128	812	241	128	626	317	524	156	504	467
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1005	126	253	626	68	189	744	119	134	748	60	124	816	268	128	606	291	546	167	530	443
Top 2 Box (Net)	126	126	-	-	56	46	24	80	25	21	35	40	51	69	19	37	47	64	15	116	8
	13%	100%	-	-	83%	24%	3%	67%	19%	3%	58%	32%	6%	26%	15%	6%	16%	12%	9%	22%	2%
		BC*			EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Frequently	59	59	-	-	29	20	10	44	5	11	21	14	24	29	13	18	18	34	7	54	3
	6%	47%	-	-	43%	11%	1%	37%	4%	1%	36%	11%	3%	11%	10%	3%	6%	6%	4%	10%	1%
		BC*			EF*	F		HI*	*		KL*	L*		O	O*					T	
Regularly	66	66	-	-	27	26	14	37	20	10	14	26	27	40	6	19	29	30	7	62	5
	7%	53%	-	-	39%	14%	2%	31%	15%	1%	23%	21%	3%	15%	5%	3%	10%	5%	4%	12%	1%
		BC*			EF*	F		HI*	I*		L*	L*		NO	*		Q			T	
Bottom 2 Box (Net)	879	-	253	626	12	143	721	39	109	727	25	85	765	199	110	568	244	482	153	414	436
	87%	-	100%	100%	17%	76%	97%	33%	81%	97%	42%	68%	94%	74%	85%	94%	84%	88%	91%	78%	98%
		*	A	A	*	D	DE	*	G*	GH	*	J*	JK		M*	MN				S	
Occasionally	253	-	253	-	10	125	115	31	91	130	17	65	169	95	51	107	94	135	23	196	52
	25%	-	100%	-	14%	66%	15%	26%	68%	17%	28%	52%	21%	35%	40%	18%	32%	25%	14%	37%	12%
		*	AC		*	DF		*	GI*		*	JL*		O	O*		QR	R		T	
Never	626	-	-	626	2	17	605	8	17	597	8	20	596	104	59	461	149	347	129	218	384
	62%	-	-	100%	3%	9%	81%	7%	13%	80%	13%	16%	73%	39%	46%	76%	51%	64%	77%	41%	87%
		*		AB	*		DE	*	*	GH	*	*	JK		*	MN		P	PQ		S
Sigma	1005	126	253	626	68	189	744	119	134	748	60	124	816	268	128	606	291	546	167	530	443
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
[Table of Contents](#)

1x_2. How often, if ever, do you... - Consume marijuana edibles for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	997	117	247	631	61	190	746	105	126	764	54	129	811	240	127	627	317	523	156	502	468
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1003	126	250	625	68	190	745	119	133	748	60	125	814	267	127	607	290	545	167	528	444
Top 2 Box (Net)	68	56	10	2	68	-	-	41	15	12	30	24	13	42	15	11	24	34	11	61	7
	7%	45%	4%	*	100%	-	-	35%	11%	2%	50%	19%	2%	16%	12%	2%	8%	6%	6%	12%	2%
		BC*	C		EF*			HJ*	I*		KL*	L*		O	O*					T	
Frequently	26	23	2	2	26	-	-	18	4	4	16	2	8	18	7	2	8	12	6	24	3
	3%	18%	1%	*	39%	-	-	15%	3%	1%	26%	2%	1%	7%	5%	*	3%	2%	3%	4%	1%
		BC*			EF*			HI*	I*		KL*	*		O	O*					T	
Regularly	41	33	8	-	41	-	-	24	11	7	15	21	5	24	8	9	15	21	5	37	4
	4%	27%	3%	-	61%	-	-	20%	8%	1%	24%	17%	1%	9%	6%	2%	5%	4%	3%	7%	1%
		BC*	C		EF*			HI*	I*		L*	L*		O	O*					T	
Bottom 2 Box (Net)	935	70	241	623	-	190	745	78	118	737	30	101	801	225	112	596	267	511	157	467	437
	93%	55%	96%	100%	-	100%	100%	65%	89%	98%	50%	81%	98%	84%	88%	98%	92%	94%	94%	88%	98%
		*	A	AB	*	D	D	*	G*	GH	*	J*	JK		*	MN					S
Occasionally	190	46	125	17	-	190	-	46	62	81	18	73	99	79	34	76	73	105	12	151	35
	19%	37%	50%	3%	-	100%	-	39%	47%	11%	29%	58%	12%	30%	27%	13%	25%	19%	7%	29%	8%
		C*	AC		*	DF		I*	I*		L*	JL*		O	O*		R	R		T	
Never	745	24	115	605	-	-	745	32	55	656	12	28	702	146	78	519	194	406	145	316	402
	74%	19%	46%	97%	-	-	100%	26%	42%	88%	20%	23%	86%	55%	61%	86%	67%	75%	87%	60%	91%
		*	A	AB	*		DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Sigma	1003	126	250	625	68	190	745	119	133	748	60	125	814	267	127	607	290	545	167	528	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1x_3. How often, if ever, do you... - Smoke marijuana for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	998	117	248	630	61	190	744	105	127	766	54	128	812	242	128	626	318	524	155	504	467
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1004	126	252	623	68	190	742	119	134	751	60	125	815	269	128	605	292	546	165	530	442
Top 2 Box (Net)	119	80	31	8	41	46	32	119	-	-	52	31	36	76	22	22	36	59	24	106	11
	12%	64%	12%	1%	61%	24%	4%	100%	-	-	86%	25%	4%	28%	17%	4%	12%	11%	15%	20%	3%
		BC*	C		EF*	F		HI*	*		KL*	L*		NO	O*					T	
Frequently	53	36	12	4	20	21	13	53	-	-	29	14	10	31	15	8	10	29	13	46	6
	5%	29%	5%	1%	29%	11%	2%	45%	-	-	48%	11%	1%	11%	11%	1%	4%	5%	8%	9%	1%
		BC*	C		EF*	F		HI*	*		KL*	L*		O	O*					T	
Regularly	66	44	18	4	22	26	19	66	-	-	23	17	26	45	7	14	26	30	11	60	5
	7%	35%	7%	1%	32%	13%	3%	55%	-	-	38%	14%	3%	17%	6%	2%	9%	5%	6%	11%	1%
		BC*	C		EF*	F		HI*	*		KL*	L*		NO	*					T	
Bottom 2 Box (Net)	885	46	221	615	26	144	711	-	134	751	8	93	779	194	106	583	256	487	141	424	431
	88%	36%	88%	99%	39%	76%	96%	-	100%	100%	14%	75%	96%	72%	83%	96%	88%	89%	85%	80%	97%
		*	A	AB	*	D	DE	*	G*	G	*	J*	JK		M*	MN				S	
Occasionally	134	25	91	17	15	62	55	-	134	-	3	66	63	51	27	56	39	84	11	106	27
	13%	20%	36%	3%	22%	33%	7%	-	100%	-	6%	53%	8%	19%	21%	9%	14%	15%	6%	20%	6%
		C*	AC		F*	F		*	GI*		*	JL*		O	O*		R	R		T	
Never	751	21	130	597	12	81	656	-	-	751	5	27	715	143	79	527	217	403	131	319	404
	75%	16%	52%	96%	17%	43%	88%	-	-	100%	8%	22%	88%	53%	62%	87%	74%	74%	79%	60%	91%
		*	A	AB	*	D	DE	*	*	GH	*	*	JK		*	MN				S	
Sigma	1004	126	252	623	68	190	742	119	134	751	60	125	815	269	128	605	292	546	165	530	442
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1x_4. How often, if ever, do you... - Consume marijuana edibles for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	997	117	247	630	61	190	743	105	126	763	54	129	814	242	127	626	317	523	156	503	467
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1004	126	251	624	68	190	742	119	133	748	60	125	818	269	127	606	291	545	167	529	443
Top 2 Box (Net)	60	35	17	8	30	18	12	52	3	5	60	-	-	36	17	7	19	24	18	54	7
	6%	28%	7%	1%	45%	9%	2%	44%	3%	1%	100%	-	-	14%	13%	1%	7%	4%	11%	10%	2%
		BC*	C		EF*	F		HI*	*		KL*	*		O	O*				Q	T	
Frequently	18	14	3	1	13	4	2	18	-	-	18	-	-	11	5	2	2	10	6	16	2
	2%	11%	1%	*	19%	2%	*	15%	-	-	30%	-	-	4%	4%	*	1%	2%	3%	3%	*
		BC*			EF*	F		HI*	*		KL*	*		O	O*				Q	T	
Regularly	42	21	14	7	18	14	11	34	3	5	42	-	-	25	12	5	17	13	12	37	5
	4%	17%	6%	1%	26%	7%	1%	28%	3%	1%	70%	-	-	9%	10%	1%	6%	2%	7%	7%	1%
		BC*	C		EF*	F		HI*	*		KL*	*		O	O*				Q	Q	T
Bottom 2 Box (Net)	943	91	234	616	37	172	730	67	129	743	-	125	818	233	110	599	272	521	150	476	436
	94%	72%	93%	99%	55%	91%	98%	56%	97%	99%	-	100%	100%	86%	87%	99%	93%	96%	89%	90%	98%
		*	A	AB	*	D	DE	*	G*	G	*	J*	J		*	MN			R		S
Occasionally	125	40	65	20	24	73	28	31	66	27	-	125	-	54	25	45	35	78	12	105	19
	12%	31%	26%	3%	35%	39%	4%	26%	50%	4%	-	100%	-	20%	20%	7%	12%	14%	7%	20%	4%
		C*	C		F*	F		I*	GI*		*	JL*		O	O*				R		T
Never	818	51	169	596	13	99	702	36	63	715	-	-	818	179	85	554	237	443	138	371	417
	81%	41%	67%	95%	20%	52%	95%	30%	48%	96%	-	-	100%	67%	67%	91%	81%	81%	82%	70%	94%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN					S
Sigma	1004	126	251	624	68	190	742	119	133	748	60	125	818	269	127	606	291	545	167	529	443
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1x_5. How often, if ever, do you... - Smoke cigarettes or cigars

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	998	116	249	630	61	190	743	105	127	764	54	127	814	242	129	627	317	525	155	504	467
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1005	125	253	624	68	190	743	119	134	749	60	124	818	269	129	607	291	547	166	531	443
Top 2 Box (Net)	269	69	95	104	42	79	146	76	51	143	36	54	179	269	-	-	99	144	26	192	70
	27%	55%	38%	17%	61%	42%	20%	63%	38%	19%	60%	43%	22%	100%	-	-	34%	26%	16%	36%	16%
		BC*	C		EF*	F		HJ*	I*		L*	L*		NO	*		QR	R		T	
Frequently	135	36	51	46	28	39	66	38	26	71	16	30	89	135	-	-	55	69	10	101	26
	13%	29%	20%	7%	41%	21%	9%	32%	19%	9%	26%	24%	11%	50%	-	-	19%	13%	6%	19%	6%
		C*	C		EF*	F		I*	I*		L*	L*		NO	*		QR			T	
Regularly	135	32	44	58	14	40	80	37	25	72	21	24	90	135	-	-	44	75	16	90	44
	13%	26%	18%	9%	20%	21%	11%	31%	19%	10%	34%	19%	11%	50%	-	-	15%	14%	10%	17%	10%
		C*	C		*	F		I*	I*		L*	L*		NO	*					T	
Bottom 2 Box (Net)	736	56	158	520	26	110	597	44	83	606	24	70	639	-	129	607	192	403	140	340	373
	73%	45%	62%	83%	39%	58%	80%	37%	62%	81%	40%	57%	78%	-	100%	100%	66%	74%	84%	64%	84%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		M*	M		P	PQ		S
Occasionally	129	19	51	59	15	34	78	22	27	79	17	25	85	-	129	-	38	79	12	78	47
	13%	15%	20%	9%	22%	18%	10%	18%	20%	11%	28%	20%	10%	-	100%	-	13%	14%	7%	15%	11%
		*	C		F*	F		I*	I*		L*	L*			MO*			R			
Never	607	37	107	461	11	76	519	22	56	527	7	45	554	-	-	607	154	324	128	261	326
	60%	30%	42%	74%	17%	40%	70%	18%	42%	70%	11%	37%	68%	-	-	100%	53%	59%	77%	49%	73%
		*		AB	*	D	DE	*	G*	GH	*	J*	JK		*	MN			PQ		S
Sigma	1005	125	253	624	68	190	743	119	134	749	60	124	818	269	129	607	291	547	166	531	443
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1x_6. How often, if ever, do you... - Drink alcoholic beverages

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	1000	117	249	631	61	190	745	105	127	765	54	129	813	242	129	626	318	525	157	506	468
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1007	126	253	625	68	190	745	119	134	750	60	125	817	269	129	606	292	547	168	533	444
Top 2 Box (Net)	292	47	94	149	24	73	194	36	39	217	19	35	237	99	38	154	292	-	-	183	105
	29%	38%	37%	24%	35%	39%	26%	30%	29%	29%	31%	28%	29%	37%	30%	25%	100%	-	-	34%	24%
		C*	C		*	F		*	*		*	*		O	*		QR			T	
Frequently	81	17	27	37	11	25	45	15	8	59	6	15	60	38	11	32	81	-	-	50	28
	8%	13%	11%	6%	16%	13%	6%	13%	6%	8%	10%	12%	7%	14%	8%	5%	28%	-	-	9%	6%
		C*	C		F*	F		*	*		*	*		O	*		QR				
Regularly	211	31	67	112	13	48	149	21	32	158	13	20	177	61	27	122	211	-	-	132	77
	21%	24%	27%	18%	18%	25%	20%	18%	24%	21%	21%	16%	22%	23%	21%	20%	72%	-	-	25%	17%
		*	C		*			*	*		*	*		*	*		QR			T	
Bottom 2 Box (Net)	715	78	159	476	44	116	551	83	94	534	41	90	581	170	91	452	-	547	168	350	339
	71%	62%	63%	76%	65%	61%	74%	70%	71%	71%	69%	72%	71%	63%	70%	75%	-	100%	100%	66%	76%
		*		AB	*		E	*	*		*	*		*	M		P		P		S
Occasionally	547	64	135	347	34	105	406	59	84	403	24	78	443	144	79	324	-	547	-	286	239
	54%	51%	54%	55%	50%	55%	55%	50%	63%	54%	39%	62%	54%	53%	61%	54%	-	100%	-	54%	54%
		*			*			*	*		*	J*			*			PR			
Never	168	15	23	129	11	12	145	24	11	131	18	12	138	26	12	128	-	-	168	64	100
	17%	12%	9%	21%	16%	6%	19%	20%	8%	17%	29%	9%	17%	10%	9%	21%	-	-	100%	12%	23%
		*		AB	*		E	H*	*	H	KL*	*		*	MN				PQ		S
Sigma	1007	126	253	625	68	190	745	119	134	750	60	125	817	269	129	606	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
[Table of Contents](#)

1x. How often, if ever, do you... - Top 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Total Respondents(Unweighted)	1026	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Smoke marijuana for recreational purposes	126	126	-	-	56	46	24	80	25	21	35	40	51	69	19	37	47	64	15	116	8
	13%	100%	-	-	83%	24%	3%	67%	19%	3%	58%	32%	6%	26%	15%	6%	16%	12%	9%	22%	2%
		BC*			EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Consume marijuana edibles for recreational purposes	68	56	10	2	68	-	-	41	15	12	30	24	13	42	15	11	24	34	11	61	7
	7%	45%	4%	*	100%	-	-	35%	11%	2%	50%	19%	2%	16%	12%	2%	8%	6%	6%	12%	2%
		BC*	C		EF*			HI*	I*		KL*	L*		O	O*					T	
Smoke marijuana for medicinal purposes	119	80	31	8	41	46	32	119	-	-	52	31	36	76	22	22	36	59	24	106	11
	12%	64%	12%	1%	61%	24%	4%	100%	-	-	86%	25%	4%	28%	17%	4%	12%	11%	15%	20%	3%
		BC*	C		EF*	F		HI*	*		KL*	L*		NO	O*					T	
Consume marijuana edibles for medicinal purposes	60	35	17	8	30	18	12	52	3	5	60	-	-	36	17	7	19	24	18	54	7
	6%	28%	7%	1%	45%	9%	2%	44%	3%	1%	100%	-	-	14%	13%	1%	7%	4%	11%	10%	2%
		BC*	C		EF*	F		HI*	*		KL*	*		O	O*					Q	T
Smoke cigarettes or cigars	269	69	95	104	42	79	146	76	51	143	36	54	179	269	-	-	99	144	26	192	70
	27%	55%	38%	17%	61%	42%	20%	63%	38%	19%	60%	43%	22%	100%	-	-	34%	26%	16%	36%	16%
		BC*	C		EF*	F		HI*	I*		L*	L*		NO	*		QR	R		T	
Drink alcoholic beverages	292	47	94	149	24	73	194	36	39	217	19	35	237	99	38	154	292	-	-	183	105
	29%	38%	37%	24%	35%	39%	26%	30%	29%	29%	31%	28%	29%	37%	30%	25%	100%	-	-	34%	24%
		C*	C		*	F		*	*		*	*		O	*		QR			T	

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

1x. How often, if ever, do you... - Bottom 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Total Respondents(Unweighted)	1026	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Smoke marijuana for recreational purposes	879	-	253	626	12	143	721	39	109	727	25	85	765	199	110	568	244	482	153	414	436
	87%	-	100%	100%	17%	76%	97%	33%	81%	97%	42%	68%	94%	74%	85%	94%	84%	88%	91%	78%	98%
		*	A	A	*	D	DE	*	G*	GH	*	J*	JK		M*	MN					S
Consume marijuana edibles for recreational purposes	935	70	241	623	-	190	745	78	118	737	30	101	801	225	112	596	267	511	157	467	437
	93%	55%	96%	100%	-	100%	100%	65%	89%	98%	50%	81%	98%	84%	88%	98%	92%	94%	94%	88%	98%
		*	A	AB	*	D	D	*	G*	GH	*	J*	JK		*	MN					S
Smoke marijuana for medicinal purposes	885	46	221	615	26	144	711	-	134	751	8	93	779	194	106	583	256	487	141	424	431
	88%	36%	88%	99%	39%	76%	96%	-	100%	100%	14%	75%	96%	72%	83%	96%	88%	89%	85%	80%	97%
		*	A	AB	*	D	DE	*	G*	G	*	J*	JK		M*	MN					S
Consume marijuana edibles for medicinal purposes	943	91	234	616	37	172	730	67	129	743	-	125	818	233	110	599	272	521	150	476	436
	94%	72%	93%	99%	55%	91%	98%	56%	97%	99%	-	100%	100%	86%	87%	99%	93%	96%	89%	90%	98%
		*	A	AB	*	D	DE	*	G*	G	*	J*	J		*	MN		R			S
Smoke cigarettes or cigars	736	56	158	520	26	110	597	44	83	606	24	70	639	-	129	607	192	403	140	340	373
	73%	45%	62%	83%	39%	58%	80%	37%	62%	81%	40%	57%	78%	-	100%	100%	66%	74%	84%	64%	84%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		M*	M		P	PQ		S
Drink alcoholic beverages	715	78	159	476	44	116	551	83	94	534	41	90	581	170	91	452	-	547	168	350	339
	71%	62%	63%	76%	65%	61%	74%	70%	71%	71%	69%	72%	71%	63%	70%	75%	-	100%	100%	66%	76%
		*		AB	*		E	*	*		*	*		*	M		P	P			S

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

2. Why do you currently not consume marijuana?

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: All Answering (unwtd)	582	-	-	582	-	-	582	-	-	582	-	-	582	80	44	458	151	315	115	175	388
Base: All Answering (wtd)	572	-	-	572	-	-	572	-	-	572	-	-	572	87	49	436	136	318	118	185	364
Not interested	440	-	-	440	-	-	440	-	-	440	-	-	440	51	35	354	101	240	99	115	308
	77%	-	-	77%	-	-	77%	-	-	77%	-	-	77%	59%	72%	81%	74%	75%	84%	62%	85%
														*	*	M			*	S	
Don't know who to approach to buy	12	-	-	12	-	-	12	-	-	12	-	-	12	4	-	7	5	2	5	4	7
	2%	-	-	2%	-	-	2%	-	-	2%	-	-	2%	5%	-	2%	3%	1%	4%	2%	2%
														*	*				Q*		
Respect for the current law	110	-	-	110	-	-	110	-	-	110	-	-	110	18	7	85	31	56	24	27	79
	19%	-	-	19%	-	-	19%	-	-	19%	-	-	19%	21%	14%	19%	23%	17%	20%	14%	22%
														*	*				*		
Afraid of getting caught while it's still illegal	28	-	-	28	-	-	28	-	-	28	-	-	28	9	1	18	10	10	7	10	16
	5%	-	-	5%	-	-	5%	-	-	5%	-	-	5%	10%	2%	4%	8%	3%	6%	5%	4%
														*	*				*		
Concern about potential negative impact on health	181	-	-	181	-	-	181	-	-	181	-	-	181	19	13	150	48	98	35	46	135
	32%	-	-	32%	-	-	32%	-	-	32%	-	-	32%	22%	26%	34%	35%	31%	30%	25%	37%
														*	*				*	S	
I used marijuana in the past, but not anymore	78	-	-	78	-	-	78	-	-	78	-	-	78	19	11	48	25	43	10	50	28
	14%	-	-	14%	-	-	14%	-	-	14%	-	-	14%	22%	23%	11%	18%	14%	9%	27%	8%
														O*	O*				*	T	
Prefer not to answer	3	-	-	3	-	-	3	-	-	3	-	-	3	-	-	3	-	3	-	2	-
	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	1%	-	1%	-	1%	-
														*	*				*		
Sigma	851	-	-	851	-	-	851	-	-	851	-	-	851	119	66	665	219	452	180	254	573
	149%	-	-	149%	-	-	149%	-	-	149%	-	-	149%	137%	137%	152%	161%	142%	153%	137%	158%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

2x. Why do you currently not consume marijuana?

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: All Answering (Excluding 'Prefer Not to Answer') (unwtd)	580	-	-	580	-	-	580	-	-	580	-	-	580	80	44	456	151	313	115	174	388
Base: All Answering (Excluding 'Prefer Not to Answer') (wtd)	569	-	-	569	-	-	569	-	-	569	-	-	569	87	49	434	136	315	118	183	364
Not interested	440	-	-	440	-	-	440	-	-	440	-	-	440	51	35	354	101	240	99	115	308
	77%	-	-	77%	-	-	77%	-	-	77%	-	-	77%	59%	72%	82%	74%	76%	84%	63%	85%
														*	*	M			*		S
Don't know who to approach to buy	12	-	-	12	-	-	12	-	-	12	-	-	12	4	-	7	5	2	5	4	7
	2%	-	-	2%	-	-	2%	-	-	2%	-	-	2%	5%	-	2%	3%	1%	4%	2%	2%
														*	*				Q*		
Respect for the current law	110	-	-	110	-	-	110	-	-	110	-	-	110	18	7	85	31	56	24	27	79
	19%	-	-	19%	-	-	19%	-	-	19%	-	-	19%	21%	14%	20%	23%	18%	20%	15%	22%
														*	*				*		
Afraid of getting caught while it's still illegal	28	-	-	28	-	-	28	-	-	28	-	-	28	9	1	18	10	10	7	10	16
	5%	-	-	5%	-	-	5%	-	-	5%	-	-	5%	10%	2%	4%	8%	3%	6%	5%	4%
														*	*				*		
Concern about potential negative impact on health	181	-	-	181	-	-	181	-	-	181	-	-	181	19	13	150	48	98	35	46	135
	32%	-	-	32%	-	-	32%	-	-	32%	-	-	32%	22%	26%	35%	35%	31%	30%	25%	37%
														*	*				*		S
I used marijuana in the past, but not anymore	78	-	-	78	-	-	78	-	-	78	-	-	78	19	11	48	25	43	10	50	28
	14%	-	-	14%	-	-	14%	-	-	14%	-	-	14%	22%	23%	11%	18%	14%	9%	27%	8%
														Q*	*				*		T
Sigma	848	-	-	848	-	-	848	-	-	848	-	-	848	119	66	663	219	449	180	252	573
	149%	-	-	149%	-	-	149%	-	-	149%	-	-	149%	137%	137%	153%	161%	143%	153%	137%	158%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_1. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Smoke marijuana for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	343	121	185	35	64	138	137	103	91	148	50	83	208	153	64	125	142	167	33	294	44
	34%	96%	73%	6%	95%	73%	18%	86%	68%	20%	82%	66%	25%	57%	50%	21%	49%	31%	20%	55%	10%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Very likely	163	95	58	10	47	61	54	73	46	44	36	41	86	78	32	52	53	87	23	153	7
	16%	76%	23%	2%	70%	32%	7%	62%	34%	6%	59%	33%	10%	29%	25%	9%	18%	16%	13%	29%	2%
		BC*	C		EF*	F		HI*	I*		KL*	L*		O	O*					T	
Somewhat likely	180	26	128	25	17	77	83	30	45	104	14	41	123	75	32	73	89	81	11	141	37
	18%	20%	50%	4%	25%	40%	11%	25%	34%	14%	23%	33%	15%	28%	25%	12%	30%	15%	6%	26%	8%
		C*	AC		F*	F		I*	I*		*	L*		O	O*		QR	R		T	
Bottom 2 Box (Net)	659	5	68	585	4	52	602	16	43	597	11	43	603	113	65	479	149	377	132	238	399
	65%	4%	27%	93%	5%	27%	81%	14%	32%	79%	18%	34%	74%	42%	50%	79%	51%	69%	79%	45%	90%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Not very likely	155	4	48	102	4	37	114	14	18	123	7	24	124	40	28	87	50	86	18	87	65
	15%	3%	19%	16%	5%	20%	15%	12%	13%	16%	11%	19%	15%	15%	22%	14%	17%	16%	11%	16%	15%
		*	A	A	*	D		*	*		*	*		*	*						
Not at all likely	504	1	19	483	-	15	488	2	25	473	4	19	479	73	37	392	99	291	114	152	334
	50%	1%	8%	77%	-	8%	65%	2%	19%	63%	7%	15%	59%	27%	29%	65%	34%	53%	68%	29%	75%
		*	A	AB	*		DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Prefer not to answer	6	-	-	6	-	-	6	-	-	6	-	-	6	3	-	3	1	3	2	-	1
	1%	-	-	1%	-	-	1%	-	-	1%	-	-	1%	1%	-	*	*	1%	1%	-	*
		*			*			*	*		*	*		*	*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_2. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Consume marijuana edibles for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	291	110	133	48	64	131	91	93	74	123	48	82	160	130	53	108	110	153	27	251	36
	29%	87%	52%	8%	95%	69%	12%	78%	55%	16%	80%	65%	20%	48%	41%	18%	38%	28%	16%	47%	8%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Very likely	111	67	34	10	45	40	25	53	30	28	26	38	47	58	20	32	35	62	14	102	6
	11%	53%	13%	2%	67%	21%	3%	44%	22%	4%	44%	30%	6%	21%	15%	5%	12%	11%	8%	19%	1%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Somewhat likely	181	43	99	38	19	92	66	40	44	95	22	44	113	72	34	75	75	92	14	149	30
	18%	34%	39%	6%	28%	48%	9%	34%	33%	13%	37%	35%	14%	27%	26%	12%	26%	17%	8%	28%	7%
		C*	C		F*	DF		I*	I*		L*	L*		O	O*		QR	R		T	
Bottom 2 Box (Net)	713	16	120	574	3	58	650	26	60	624	12	44	654	136	76	499	180	391	141	282	407
	71%	13%	48%	92%	5%	31%	87%	22%	45%	83%	20%	35%	80%	51%	59%	82%	62%	71%	84%	53%	92%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK	*	*	MN	*	P	PQ	*	S
Not very likely	187	11	64	110	3	39	143	19	31	136	10	31	144	56	31	100	58	101	27	121	61
	19%	9%	25%	18%	5%	21%	19%	16%	23%	18%	17%	25%	18%	21%	24%	16%	20%	19%	16%	23%	14%
		*	AC	A	*	D	D	*	*		*	*		*	*		*			T	
Not at all likely	526	4	56	465	-	19	507	7	28	488	2	12	510	80	46	399	122	290	114	161	346
	52%	4%	22%	74%	-	10%	68%	6%	21%	65%	3%	10%	62%	30%	35%	66%	42%	53%	68%	30%	78%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK	*	*	MN	*	P	PQ	*	S
Prefer not to answer	4	-	-	4	-	-	4	-	-	4	-	-	4	3	-	1	1	3	-	-	1
	*	-	-	1%	-	-	1%	-	-	1%	-	-	*	1%	-	*	*	1%	-	-	*
		*			*			*	*		*	*		*	*		*				
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_3. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Smoke marijuana for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	315	110	124	81	59	108	143	117	96	101	56	89	168	149	51	114	102	170	43	256	51
	31%	87%	49%	13%	88%	57%	19%	98%	72%	13%	92%	71%	21%	55%	40%	19%	35%	31%	25%	48%	11%
		BC*	C		EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Very likely	142	70	50	22	37	51	51	87	37	17	34	49	58	81	23	39	39	79	25	130	10
	14%	56%	20%	4%	55%	27%	7%	73%	28%	2%	57%	39%	7%	30%	17%	6%	13%	14%	15%	24%	2%
		BC*	C		EF*	F		HI*	I*		L*	L*		NO	O*					T	
Somewhat likely	172	40	74	58	22	57	92	30	59	84	21	40	109	69	29	75	63	91	17	126	41
	17%	32%	29%	9%	33%	30%	12%	25%	44%	11%	35%	32%	13%	25%	22%	12%	22%	17%	10%	24%	9%
		C*	C		F*	F		I*	GI*		L*	L*		O	O*					T	
Bottom 2 Box (Net)	687	16	129	539	8	81	596	3	38	644	5	36	644	118	78	489	190	372	125	273	393
	68%	13%	51%	86%	12%	43%	80%	2%	28%	86%	8%	29%	79%	44%	60%	81%	65%	68%	75%	51%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK		M*	MN					S
Not very likely	185	11	55	117	7	41	136	2	18	165	4	23	158	46	33	107	70	101	15	105	78
	18%	9%	22%	19%	10%	22%	18%	2%	14%	22%	7%	19%	19%	17%	26%	18%	24%	18%	9%	20%	17%
		*	A	A	*			*	G*	G	*	*	J		*		R	R			
Not at all likely	502	5	74	422	1	40	460	1	20	479	1	13	486	72	45	383	120	271	111	168	316
	50%	4%	29%	67%	2%	21%	62%	*	15%	64%	1%	11%	59%	27%	35%	63%	41%	50%	66%	32%	71%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Prefer not to answer	6	-	-	6	-	-	6	-	-	6	-	-	6	2	-	4	-	6	-	3	-
	1%	-	-	1%	-	-	1%	-	-	1%	-	-	1%	1%	-	1%	-	1%	-	1%	-
		*			*			*	*		*	*		*	*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_4. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Consume marijuana edibles for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	285	92	99	93	55	104	124	96	80	106	56	90	139	131	47	106	90	160	36	232	48
	28%	73%	39%	15%	81%	55%	17%	81%	60%	14%	93%	72%	17%	49%	36%	18%	31%	29%	21%	44%	11%
		BC*	C		EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Very likely	106	49	28	29	32	33	42	60	24	21	40	36	31	64	14	27	19	64	24	96	10
	11%	39%	11%	5%	47%	17%	6%	51%	18%	3%	67%	28%	4%	24%	11%	4%	6%	12%	14%	18%	2%
		BC*	C		EF*	F		HI*	I*		KL*	L*		NO	O*			P	P	T	
Somewhat likely	179	43	71	64	23	71	82	36	56	85	16	54	109	67	32	80	71	96	12	136	39
	18%	34%	28%	10%	34%	38%	11%	30%	42%	11%	26%	43%	13%	25%	25%	13%	24%	18%	7%	26%	9%
		C*	C		F*	F		I*	I*		L*	L*		O	O*			QR	R	T	
Bottom 2 Box (Net)	714	33	150	528	13	83	617	23	52	637	4	35	672	136	81	497	200	382	132	295	396
	71%	27%	59%	84%	19%	44%	83%	19%	39%	85%	7%	28%	82%	51%	62%	82%	68%	70%	79%	55%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK	*	MN				P	P	S
Not very likely	214	20	66	127	10	42	161	13	26	175	4	22	187	52	30	132	68	119	27	129	81
	21%	16%	26%	20%	14%	22%	22%	11%	19%	23%	7%	17%	23%	19%	23%	22%	23%	22%	16%	24%	18%
		*			*			*	*	G	*	*	J	*	*						
Not at all likely	500	13	85	401	3	41	456	9	26	462	-	14	484	84	51	364	132	263	105	166	315
	50%	11%	33%	64%	5%	22%	61%	8%	20%	62%	-	11%	59%	31%	39%	60%	45%	48%	62%	31%	71%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK	*	MN				PQ	P	S
Prefer not to answer	8	-	3	5	-	2	5	-	1	7	-	-	7	2	2	4	2	5	-	5	-
	1%	-	1%	1%	-	1%	1%	-	1%	1%	-	-	1%	1%	2%	1%	1%	1%	-	1%	-
		*			*			*	*		*	*		*	*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Top 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Smoke marijuana for recreational purposes	343	121	185	35	64	138	137	103	91	148	50	83	208	153	64	125	142	167	33	294	44
	34%	96%	73%	6%	95%	73%	18%	86%	68%	20%	82%	66%	25%	57%	50%	21%	49%	31%	20%	55%	10%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Smoke marijuana for medicinal purposes	315	110	124	81	59	108	143	117	96	101	56	89	168	149	51	114	102	170	43	256	51
	31%	87%	49%	13%	88%	57%	19%	98%	72%	13%	92%	71%	21%	55%	40%	19%	35%	31%	25%	48%	11%
		BC*	C		EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Consume marijuana edibles for recreational purposes	291	110	133	48	64	131	91	93	74	123	48	82	160	130	53	108	110	153	27	251	36
	29%	87%	52%	8%	95%	69%	12%	78%	55%	16%	80%	65%	20%	48%	41%	18%	38%	28%	16%	47%	8%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Consume marijuana edibles for medicinal purposes	285	92	99	93	55	104	124	96	80	106	56	90	139	131	47	106	90	160	36	232	48
	28%	73%	39%	15%	81%	55%	17%	81%	60%	14%	93%	72%	17%	49%	36%	18%	31%	29%	21%	44%	11%
		BC*	C		EF*	F		HI*	I*		KL*	L*		NO	O*					T	

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Bottom 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Consume marijuana edibles for medicinal purposes	714	33	150	528	13	83	617	23	52	637	4	35	672	136	81	497	200	382	132	295	396
	71%	27%	59%	84%	19%	44%	83%	19%	39%	85%	7%	28%	82%	51%	62%	82%	68%	70%	79%	55%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK	*	MN		P				S
Consume marijuana edibles for recreational purposes	713	16	120	574	3	58	650	26	60	624	12	44	654	136	76	499	180	391	141	282	407
	71%	13%	48%	92%	5%	31%	87%	22%	45%	83%	20%	35%	80%	51%	59%	82%	62%	71%	84%	53%	92%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK	*	MN		P		PQ		S
Smoke marijuana for medicinal purposes	687	16	129	539	8	81	596	3	38	644	5	36	644	118	78	489	190	372	125	273	393
	68%	13%	51%	86%	12%	43%	80%	2%	28%	86%	8%	29%	79%	44%	60%	81%	65%	68%	75%	51%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK	*	M*	MN					S
Smoke marijuana for recreational purposes	659	5	68	585	4	52	602	16	43	597	11	43	603	113	65	479	149	377	132	238	399
	65%	4%	27%	93%	5%	27%	81%	14%	32%	79%	18%	34%	74%	42%	50%	79%	51%	69%	79%	45%	90%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK	*	MN		P		PQ		S

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3x_1. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Smoke marijuana for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	997	117	249	628	61	190	742	105	127	762	54	129	810	240	129	625	317	523	156	506	467
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1002	126	253	620	68	190	739	119	134	744	60	125	812	266	129	604	291	544	166	533	443
Top 2 Box (Net)	343	121	185	35	64	138	137	103	91	148	50	83	208	153	64	125	142	167	33	294	44
	34%	96%	73%	6%	95%	73%	19%	86%	68%	20%	82%	66%	26%	58%	50%	21%	49%	31%	20%	55%	10%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Very likely	163	95	58	10	47	61	54	73	46	44	36	41	86	78	32	52	53	87	23	153	7
	16%	76%	23%	2%	70%	32%	7%	62%	34%	6%	59%	33%	11%	29%	25%	9%	18%	16%	14%	29%	2%
		BC*	C		EF*	F		HI*	I*		KL*	L*		O	O*					T	
Somewhat likely	180	26	128	25	17	77	83	30	45	104	14	41	123	75	32	73	89	81	11	141	37
	18%	20%	50%	4%	25%	40%	11%	25%	34%	14%	23%	33%	15%	28%	25%	12%	31%	15%	6%	26%	8%
		C*	AC		F*	F		I*	I*		*	L*		O	O*		QR	R		T	
Bottom 2 Box (Net)	659	5	68	585	4	52	602	16	43	597	11	43	603	113	65	479	149	377	132	238	399
	66%	4%	27%	94%	5%	27%	81%	14%	32%	80%	18%	34%	74%	42%	50%	79%	51%	69%	80%	45%	90%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Not very likely	155	4	48	102	4	37	114	14	18	123	7	24	124	40	28	87	50	86	18	87	65
	15%	3%	19%	16%	5%	20%	15%	12%	13%	17%	11%	19%	15%	15%	22%	14%	17%	16%	11%	16%	15%
		*	A	A	*	D		*	*		*	*			*						
Not at all likely	504	1	19	483	-	15	488	2	25	473	4	19	479	73	37	392	99	291	114	152	334
	50%	1%	8%	78%	-	8%	66%	2%	19%	64%	7%	15%	59%	27%	29%	65%	34%	53%	69%	29%	75%
		*	A	AB	*		DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Sigma	1002	126	253	620	68	190	739	119	134	744	60	125	812	266	129	604	291	544	166	533	443
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3x_2. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Consume marijuana edibles for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	998	117	249	629	61	190	743	105	127	763	54	129	811	240	129	626	317	523	157	506	467
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1004	126	253	622	68	190	741	119	134	747	60	125	814	266	129	606	291	544	168	533	443
Top 2 Box (Net)	291	110	133	48	64	131	91	93	74	123	48	82	160	130	53	108	110	153	27	251	36
	29%	87%	52%	8%	95%	69%	12%	78%	55%	16%	80%	65%	20%	49%	41%	18%	38%	28%	16%	47%	8%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Very likely	111	67	34	10	45	40	25	53	30	28	26	38	47	58	20	32	35	62	14	102	6
	11%	53%	13%	2%	67%	21%	3%	44%	22%	4%	44%	30%	6%	22%	15%	5%	12%	11%	8%	19%	1%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Somewhat likely	181	43	99	38	19	92	66	40	44	95	22	44	113	72	34	75	75	92	14	149	30
	18%	34%	39%	6%	28%	48%	9%	34%	33%	13%	37%	35%	14%	27%	26%	12%	26%	17%	8%	28%	7%
		C*	C		F*	DF		I*	I*		L*	L*		O	O*		QR	R		T	
Bottom 2 Box (Net)	713	16	120	574	3	58	650	26	60	624	12	44	654	136	76	499	180	391	141	282	407
	71%	13%	48%	92%	5%	31%	88%	22%	45%	84%	20%	35%	80%	51%	59%	82%	62%	72%	84%	53%	92%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Not very likely	187	11	64	110	3	39	143	19	31	136	10	31	144	56	31	100	58	101	27	121	61
	19%	9%	25%	18%	5%	21%	19%	16%	23%	18%	17%	25%	18%	21%	24%	16%	20%	19%	16%	23%	14%
		*	AC	A	*	D	D	*	*		*	*			*					T	
Not at all likely	526	4	56	465	-	19	507	7	28	488	2	12	510	80	46	399	122	290	114	161	346
	52%	4%	22%	75%	-	10%	68%	6%	21%	65%	3%	10%	63%	30%	35%	66%	42%	53%	68%	30%	78%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Sigma	1004	126	253	622	68	190	741	119	134	747	60	125	814	266	129	606	291	544	168	533	443
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3x_3. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Smoke marijuana for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	996	117	249	627	61	190	741	105	127	761	54	129	809	241	129	623	318	521	157	504	468
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1002	126	253	620	68	190	739	119	134	745	60	125	812	267	129	603	292	542	168	530	444
Top 2 Box (Net)	315	110	124	81	59	108	143	117	96	101	56	89	168	149	51	114	102	170	43	256	51
	31%	87%	49%	13%	88%	57%	19%	98%	72%	14%	92%	71%	21%	56%	40%	19%	35%	31%	25%	48%	11%
		BC*	C		EF*	F		HJ*	I*		KL*	L*		NO	O*					T	
Very likely	142	70	50	22	37	51	51	87	37	17	34	49	58	81	23	39	39	79	25	130	10
	14%	56%	20%	4%	55%	27%	7%	73%	28%	2%	57%	39%	7%	30%	17%	6%	13%	14%	15%	25%	2%
		BC*	C		EF*	F		HI*	I*		L*	L*		NO	O*					T	
Somewhat likely	172	40	74	58	22	57	92	30	59	84	21	40	109	69	29	75	63	91	17	126	41
	17%	32%	29%	9%	33%	30%	12%	25%	44%	11%	35%	32%	13%	26%	22%	12%	22%	17%	10%	24%	9%
		C*	C		F*	F		I*	GI*		L*	L*		O	O*					T	
Bottom 2 Box (Net)	687	16	129	539	8	81	596	3	38	644	5	36	644	118	78	489	190	372	125	273	393
	69%	13%	51%	87%	12%	43%	81%	2%	28%	86%	8%	29%	79%	44%	60%	81%	65%	69%	75%	52%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK		M*	MN				S	
Not very likely	185	11	55	117	7	41	136	2	18	165	4	23	158	46	33	107	70	101	15	105	78
	18%	9%	22%	19%	10%	22%	18%	2%	14%	22%	7%	19%	19%	17%	26%	18%	24%	19%	9%	20%	17%
		*	A	A	*			*	G*	G	*	*	J		*		R	R			
Not at all likely	502	5	74	422	1	40	460	1	20	479	1	13	486	72	45	383	120	271	111	168	316
	50%	4%	29%	68%	2%	21%	62%	*	15%	64%	1%	11%	60%	27%	35%	63%	41%	50%	66%	32%	71%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Sigma	1002	126	253	620	68	190	739	119	134	745	60	125	812	267	129	603	292	542	168	530	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3x_4. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Consume marijuana edibles for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	994	117	247	627	61	189	741	105	126	760	54	129	808	241	127	623	317	520	157	502	468
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	1000	126	250	621	68	187	741	119	133	744	60	125	811	267	127	603	290	542	168	528	444
Top 2 Box (Net)	285	92	99	93	55	104	124	96	80	106	56	90	139	131	47	106	90	160	36	232	48
	29%	73%	40%	15%	81%	56%	17%	81%	61%	14%	93%	72%	17%	49%	37%	18%	31%	30%	21%	44%	11%
		BC*	C		EF*	F		HI*	I*		KL*	L*		O	O*					T	
Very likely	106	49	28	29	32	33	42	60	24	21	40	36	31	64	14	27	19	64	24	96	10
	11%	39%	11%	5%	47%	17%	6%	51%	18%	3%	67%	28%	4%	24%	11%	4%	7%	12%	14%	18%	2%
		BC*	C		EF*	F		HI*	I*		KL*	L*		NO	O*			P	P	T	
Somewhat likely	179	43	71	64	23	71	82	36	56	85	16	54	109	67	32	80	71	96	12	136	39
	18%	34%	28%	10%	34%	38%	11%	30%	43%	11%	26%	43%	13%	25%	25%	13%	24%	18%	7%	26%	9%
		C*	C		F*	F		I*	I*		L*	L*		O	O*			QR	R	T	
Bottom 2 Box (Net)	714	33	150	528	13	83	617	23	52	637	4	35	672	136	81	497	200	382	132	295	396
	71%	27%	60%	85%	19%	44%	83%	19%	39%	86%	7%	28%	83%	51%	63%	82%	69%	70%	79%	56%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK		*	MN					S
Not very likely	214	20	66	127	10	42	161	13	26	175	4	22	187	52	30	132	68	119	27	129	81
	21%	16%	26%	20%	14%	23%	22%	11%	20%	24%	7%	17%	23%	19%	24%	22%	23%	22%	16%	24%	18%
		*			*			*	*	G	*	*	J		*						T
Not at all likely	500	13	85	401	3	41	456	9	26	462	-	14	484	84	51	364	132	263	105	166	315
	50%	11%	34%	65%	5%	22%	62%	8%	20%	62%	-	11%	60%	32%	40%	60%	46%	49%	62%	32%	71%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK		*	MN			PQ		S
Sigma	1000	126	250	621	68	187	741	119	133	744	60	125	811	267	127	603	290	542	168	528	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3x. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Top 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Total Respondents(Unweighted)	1026	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Smoke marijuana for recreational purposes	343	121	185	35	64	138	137	103	91	148	50	83	208	153	64	125	142	167	33	294	44
	34%	96%	73%	6%	95%	73%	19%	86%	68%	20%	82%	66%	26%	58%	50%	21%	49%	31%	20%	55%	10%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Consume marijuana edibles for recreational purposes	291	110	133	48	64	131	91	93	74	123	48	82	160	130	53	108	110	153	27	251	36
	29%	87%	52%	8%	95%	69%	12%	78%	55%	16%	80%	65%	20%	49%	41%	18%	38%	28%	16%	47%	8%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Smoke marijuana for medicinal purposes	315	110	124	81	59	108	143	117	96	101	56	89	168	149	51	114	102	170	43	256	51
	31%	87%	49%	13%	88%	57%	19%	98%	72%	14%	92%	71%	21%	56%	40%	19%	35%	31%	25%	48%	11%
		BC*	C		EF*	F		HI*	I*		KL*	L*		NO	O*					T	
Consume marijuana edibles for medicinal purposes	285	92	99	93	55	104	124	96	80	106	56	90	139	131	47	106	90	160	36	232	48
	29%	73%	40%	15%	81%	56%	17%	81%	61%	14%	93%	72%	17%	49%	37%	18%	31%	30%	21%	44%	11%
		BC*	C		EF*	F		HI*	I*		KL*	L*		O	O*					T	

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3x. As you may know, the Canadian Federal government has pledged to legalize marijuana by mid-2018. Once the use of recreational marijuana is fully legalized in Canada, how likely are you to do each of the following, even if just once? - Bottom 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Total Respondents(Unweighted)	1026	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Smoke marijuana for recreational purposes	659	5	68	585	4	52	602	16	43	597	11	43	603	113	65	479	149	377	132	238	399
	66%	4%	27%	94%	5%	27%	81%	14%	32%	80%	18%	34%	74%	42%	50%	79%	51%	69%	80%	45%	90%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Consume marijuana edibles for recreational purposes	713	16	120	574	3	58	650	26	60	624	12	44	654	136	76	499	180	391	141	282	407
	71%	13%	48%	92%	5%	31%	88%	22%	45%	84%	20%	35%	80%	51%	59%	82%	62%	72%	84%	53%	92%
		*	A	AB	*	D	DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Smoke marijuana for medicinal purposes	687	16	129	539	8	81	596	3	38	644	5	36	644	118	78	489	190	372	125	273	393
	69%	13%	51%	87%	12%	43%	81%	2%	28%	86%	8%	29%	79%	44%	60%	81%	65%	69%	75%	52%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK		M*	MN					S
Consume marijuana edibles for medicinal purposes	714	33	150	528	13	83	617	23	52	637	4	35	672	136	81	497	200	382	132	295	396
	71%	27%	60%	85%	19%	44%	83%	19%	39%	86%	7%	28%	83%	51%	63%	82%	69%	70%	79%	56%	89%
		*	A	AB	*	D	DE	*	G*	GH	*	J*	JK		*	MN					S

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4_1. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your use of marijuana for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
More	114	32	52	30	24	41	47	28	23	63	16	25	73	41	26	46	49	54	11	90	23
	11%	25%	20%	5%	35%	22%	6%	24%	17%	8%	26%	20%	9%	15%	20%	8%	17%	10%	6%	17%	5%
		C*	C		F*	F		I*	I*		L*	L*		O	O*		QR		T		
About the same	755	88	183	483	40	131	581	88	97	566	43	87	621	193	95	465	205	417	132	403	334
	75%	70%	72%	77%	59%	69%	78%	74%	72%	75%	70%	70%	76%	72%	73%	77%	70%	76%	79%	76%	75%
		*			*		DE	*	*		*	*		*	*						
Less	16	2	13	-	2	14	-	-	11	5	-	10	6	8	2	6	8	8	-	10	7
	2%	2%	5%	-	3%	7%	-	-	8%	1%	-	8%	1%	3%	2%	1%	3%	1%	-	2%	2%
		C*	C		F*	F		*	GI*		*	L*		*	*						
Prefer not to answer	123	4	5	113	2	4	117	3	3	116	2	3	118	28	6	89	29	68	25	31	80
	12%	3%	2%	18%	3%	2%	16%	3%	3%	15%	4%	2%	14%	10%	5%	15%	10%	13%	15%	6%	18%
		*		AB	*		DE	*	*	GH	*	*	K		*	N					S
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4_2. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your use of marijuana for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
More	126	32	42	52	25	32	69	34	26	66	22	35	69	55	19	50	37	72	17	101	25
	13%	25%	17%	8%	38%	17%	9%	28%	19%	9%	37%	28%	8%	21%	15%	8%	13%	13%	10%	19%	6%
		C*	C		EF*	F		I*	I*		L*	L*		O	O*					T	
About the same	762	89	194	477	39	145	573	81	102	576	35	82	641	188	103	470	227	409	126	403	340
	76%	71%	77%	76%	57%	76%	77%	68%	76%	77%	57%	66%	78%	70%	80%	78%	78%	75%	75%	76%	77%
		*			*	D	D	*	*		*	*	JK	*	*	M					
Less	9	3	6	-	3	6	-	3	5	-	3	6	-	7	1	1	4	5	-	2	7
	1%	2%	2%	-	4%	3%	-	3%	4%	-	4%	5%	-	2%	*	*	1%	1%	-	*	1%
		C*	C		F*	F		I*	I*		L*	L*		O	*						
Prefer not to answer	111	3	11	96	1	7	103	1	1	109	1	2	108	20	6	85	24	62	25	27	72
	11%	2%	4%	15%	1%	4%	14%	1%	*	15%	1%	2%	13%	7%	5%	14%	8%	11%	15%	5%	16%
		*		AB	*		DE	*	*	GH	*	*	JK	*	*	MN					S
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4_3. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your consumption of alcohol

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
More	23	6	10	7	6	7	10	8	3	12	3	5	14	11	4	7	15	8	-	16	7
	2%	5%	4%	1%	9%	4%	1%	7%	2%	2%	6%	4%	2%	4%	3%	1%	5%	1%	-	3%	2%
		C*	C		F*			I*	*		*	*		O	*		QR				
About the same	861	92	214	553	47	152	656	90	105	662	46	98	713	230	110	520	257	466	138	455	386
	85%	73%	84%	88%	70%	80%	88%	75%	78%	88%	76%	78%	87%	85%	85%	86%	88%	85%	82%	85%	87%
		*	A	A	*		DE	*	*	GH	*	*	JK	*	*						
Less	71	22	26	23	11	27	33	16	25	30	8	21	42	25	13	34	15	56	-	49	21
	7%	17%	10%	4%	16%	14%	4%	13%	19%	4%	14%	17%	5%	9%	10%	6%	5%	10%	-	9%	5%
		C*	C		F*	F		I*	I*		L*	L*			*		R	PR		T	
Prefer not to answer	52	6	3	43	3	3	46	5	1	46	3	1	48	4	3	46	5	17	30	13	30
	5%	5%	1%	7%	5%	2%	6%	4%	1%	6%	4%	1%	6%	1%	2%	8%	2%	3%	18%	2%	7%
		*		B	*		E	*	*	H	*	*			*	M			PQ		S
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4_4. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your use of cigarettes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
More	21	8	10	3	9	7	4	8	6	7	5	9	7	14	4	2	16	4	1	15	5
	2%	6%	4%	*	13%	4%	1%	7%	4%	1%	8%	7%	1%	5%	3%	*	5%	1%	*	3%	1%
		C*	C		EF*	F		I*	I*		L*	L*		O	O*		QR				
About the same	785	88	187	508	39	147	595	73	100	608	33	96	653	204	88	491	221	437	127	411	356
	78%	70%	74%	81%	57%	78%	80%	61%	75%	81%	54%	76%	80%	76%	68%	81%	76%	80%	76%	77%	80%
		*		AB	*	D	D	*	*	G	*	J*	J	*	*	N					
Less	85	25	39	21	19	24	41	35	20	29	21	14	49	49	36	-	23	47	16	63	21
	8%	20%	16%	3%	28%	13%	5%	30%	15%	4%	34%	11%	6%	18%	28%	-	8%	9%	9%	12%	5%
		C*	C		EF*	F		HI*	I*		KL*	*		O	O*		T				
Prefer not to answer	117	5	18	94	1	11	105	3	8	106	2	7	108	2	2	113	32	59	25	43	63
	12%	4%	7%	15%	1%	6%	14%	3%	6%	14%	3%	5%	13%	1%	1%	19%	11%	11%	15%	8%	14%
		*		AB	*		DE	*	*	GH	*	*	K	*	*	MN					S
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4x_1. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your use of marijuana for recreational purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	901	114	247	538	60	188	649	103	124	671	53	126	718	223	122	553	297	471	133	483	401
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	885	122	248	513	66	186	628	116	130	634	58	122	700	242	123	518	263	479	143	502	364
More	114	32	52	30	24	41	47	28	23	63	16	25	73	41	26	46	49	54	11	90	23
	13%	26%	21%	6%	36%	22%	7%	24%	18%	10%	27%	21%	10%	17%	21%	9%	19%	11%	8%	18%	6%
		C*	C		F*	F		I*	I*		L*	L*		O	O*		QR		*	T	
About the same	755	88	183	483	40	131	581	88	97	566	43	87	621	193	95	465	205	417	132	403	334
	85%	72%	74%	94%	61%	70%	93%	76%	74%	89%	73%	71%	89%	80%	77%	90%	78%	87%	92%	80%	92%
		*		AB	*		DE	*	*	GH	*	*	JK		*	MN		P	P*	S	
Less	16	2	13	-	2	14	-	-	11	5	-	10	6	8	2	6	8	8	-	10	7
	2%	2%	5%	-	3%	8%	-	-	8%	1%	-	8%	1%	3%	2%	1%	3%	2%	-	2%	2%
		C*	C		F*	F		*	GI*		*	L*			*				*		
Sigma	885	122	248	513	66	186	628	116	130	634	58	122	700	242	123	518	263	479	143	502	364
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4x_2. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your use of marijuana for medicinal purposes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	902	114	239	547	60	183	655	103	126	670	53	126	719	226	121	552	295	474	133	481	404
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	896	123	242	529	67	183	642	118	133	641	60	123	710	249	123	522	268	485	143	505	372
More	126	32	42	52	25	32	69	34	26	66	22	35	69	55	19	50	37	72	17	101	25
	14%	26%	18%	10%	38%	17%	11%	29%	19%	10%	38%	28%	10%	22%	16%	10%	14%	15%	12%	20%	7%
		C*	C		EF*	F		I*	I*		L*	L*		O	*				*	T	
About the same	762	89	194	477	39	145	573	81	102	576	35	82	641	188	103	470	227	409	126	403	340
	85%	72%	80%	90%	58%	79%	89%	69%	77%	90%	58%	67%	90%	75%	84%	90%	85%	84%	88%	80%	91%
		*		AB	*	D	DE	*	*	GH	*	*	JK		*	M			*	S	
Less	9	3	6	-	3	6	-	3	5	-	3	6	-	7	1	1	4	5	-	2	7
	1%	2%	2%	-	4%	3%	-	3%	4%	-	4%	5%	-	3%	*	*	1%	1%	-	*	2%
		C*	C		F*	F		I*	I*		L*	L*		O	*				*		
Sigma	896	123	242	529	67	183	642	118	133	641	60	123	710	249	123	522	268	485	143	505	372
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4x_3. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your consumption of alcohol

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	952	111	246	592	58	186	704	100	125	724	52	127	769	237	127	585	313	509	130	495	438
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	955	119	250	583	64	187	699	114	133	704	58	124	770	266	126	561	287	530	138	519	414
More	23	6	10	7	6	7	10	8	3	12	3	5	14	11	4	7	15	8	-	16	7
	2%	5%	4%	1%	9%	4%	1%	7%	2%	2%	6%	4%	2%	4%	3%	1%	5%	2%	-	3%	2%
		C*	C		F*			I*	*		*	*		O	*		QR		*		
About the same	861	92	214	553	47	152	656	90	105	662	46	98	713	230	110	520	257	466	138	455	386
	90%	77%	86%	95%	74%	82%	94%	79%	79%	94%	80%	79%	93%	86%	87%	93%	89%	88%	100%	88%	93%
		*		AB	*		DE	*	*	GH	*	*	JK		*	M			PQ*		S
Less	71	22	26	23	11	27	33	16	25	30	8	21	42	25	13	34	15	56	-	49	21
	7%	18%	10%	4%	17%	14%	5%	14%	19%	4%	15%	17%	5%	9%	10%	6%	5%	11%	-	9%	5%
		C*	C		F*	F		I*	I*		L*	L*			*		R	PR	*	T	
Sigma	955	119	250	583	64	187	699	114	133	704	58	124	770	266	126	561	287	530	138	519	414
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

4x_4. How will the legalization of marijuana impact your consumption and use of the following? Will it make you consume... - Your use of cigarettes

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	896	111	232	551	60	179	653	101	119	673	51	122	719	239	127	527	289	474	133	470	409
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	891	121	236	532	67	179	640	116	126	644	58	119	710	267	128	493	260	488	143	490	381
More	21	8	10	3	9	7	4	8	6	7	5	9	7	14	4	2	16	4	1	15	5
	2%	7%	4%	1%	14%	4%	1%	7%	5%	1%	8%	7%	1%	5%	3%	*	6%	1%	*	3%	1%
		C*	C		EF*	F		I*	I*		L*	L*		O	O*		QR		*		
About the same	785	88	187	508	39	147	595	73	100	608	33	96	653	204	88	491	221	437	127	411	356
	88%	73%	79%	95%	58%	82%	93%	63%	79%	94%	56%	81%	92%	76%	69%	100%	85%	90%	89%	84%	93%
		*		AB	*	D	DE	*	G*	GH	*	J*	JK		*	MN		*			S
Less	85	25	39	21	19	24	41	35	20	29	21	14	49	49	36	-	23	47	16	63	21
	10%	20%	17%	4%	29%	14%	6%	31%	16%	29%	36%	12%	7%	18%	28%	-	9%	10%	11%	13%	5%
		C*	C		EF*	F		HI*	I*		KL*	*		O	O*				*		T
Sigma	891	121	236	532	67	179	640	116	126	644	58	119	710	267	128	493	260	488	143	490	381
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5_1. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Now, when it is still illegal

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	533	116	196	218	61	151	316	106	106	319	54	105	371	192	78	261	183	286	64	533	-
	53%	92%	77%	35%	90%	80%	42%	89%	79%	42%	89%	84%	45%	71%	61%	43%	63%	52%	38%	100%	-
		BC*	C		F*	F		I*	I*		L*	L*		O	O*		QR	R		T	
Strongly approve	243	88	96	58	51	85	105	77	54	111	34	64	146	108	41	94	82	129	32	243	-
	24%	70%	38%	9%	75%	45%	14%	65%	40%	15%	56%	51%	18%	40%	32%	15%	28%	24%	19%	46%	-
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*					T	
Somewhat approve	289	28	100	160	10	66	211	29	51	208	19	42	225	83	37	167	100	158	31	289	-
	29%	22%	39%	26%	14%	35%	28%	24%	38%	28%	32%	33%	27%	31%	29%	28%	34%	29%	19%	54%	-
		*	AC		*	D	D	*	GI*		*	*		*	*		R	R		T	
Bottom 2 Box (Net)	444	8	52	384	7	35	402	11	27	404	7	19	417	70	47	326	105	239	100	-	444
	44%	6%	20%	61%	10%	18%	54%	9%	20%	54%	11%	15%	51%	26%	36%	54%	36%	44%	60%	-	100%
		*	A	AB	*		DE	*	G*	GH	*	*	JK	*	*	MN			PQ		S
Somewhat disapprove	188	6	41	141	6	28	154	9	14	163	6	17	165	38	30	120	60	94	35	-	188
	19%	5%	16%	23%	9%	15%	21%	7%	11%	22%	10%	14%	20%	14%	24%	20%	20%	17%	21%	-	42%
		*	A	A	*			*	*	GH	*	*			M*						S
Strongly disapprove	256	2	11	243	1	7	248	2	13	240	1	2	252	33	17	205	45	145	65	-	256
	25%	1%	4%	39%	1%	4%	33%	2%	10%	32%	2%	2%	31%	12%	13%	34%	15%	27%	39%	-	58%
		*		AB	*		DE	*	G*	GH	*	*	JK	*	*	MN		P	PQ		S
Prefer not to answer	31	2	6	23	-	4	27	2	1	28	-	1	30	7	4	20	5	22	4	-	-
	3%	2%	2%	4%	-	2%	4%	2%	1%	4%	-	1%	4%	3%	3%	3%	2%	4%	3%	-	-
		*			*			*	*		*	*			*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5_2. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Next year, once it is legal

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Top 2 Box (Net)	615	116	214	282	64	162	385	112	111	389	55	109	448	207	92	315	201	336	78	512	96
	61%	93%	84%	45%	94%	85%	52%	94%	83%	52%	91%	87%	55%	77%	71%	52%	69%	61%	47%	96%	22%
		C*	C		F*	F		HI*	I*		L*	L*		O	O*		R	R		T	
Strongly approve	309	98	119	91	55	99	152	92	64	152	42	75	193	127	49	134	101	168	40	292	15
	31%	78%	47%	15%	81%	52%	20%	77%	48%	20%	69%	60%	24%	47%	38%	22%	34%	31%	24%	55%	3%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		R	R		T	
Somewhat approve	306	19	95	191	9	62	234	19	47	237	14	34	255	81	43	181	101	167	38	220	81
	30%	15%	38%	31%	13%	33%	31%	16%	35%	32%	22%	27%	31%	30%	33%	30%	34%	31%	23%	41%	18%
		*	A	A	*	D	D	*	G*	G	*	*			*		R	R		T	
Bottom 2 Box (Net)	366	7	34	325	4	26	336	7	23	336	5	16	344	55	34	276	85	196	86	20	345
	36%	6%	13%	52%	6%	14%	45%	6%	17%	45%	9%	13%	42%	20%	26%	46%	29%	36%	51%	4%	78%
		*		AB	*		DE	*	G*	GH	*	*	JK		*	MN			PQ		S
Somewhat disapprove	160	7	29	125	4	24	132	6	15	139	5	15	141	32	21	107	55	85	20	15	146
	16%	6%	11%	20%	6%	13%	18%	5%	12%	19%	9%	12%	17%	12%	16%	18%	19%	16%	12%	3%	33%
		*		AB	*		D	*	*	G	*	*			*						S
Strongly disapprove	206	*	5	200	-	2	204	1	8	197	-	2	203	22	13	169	30	111	65	6	199
	20%	*	2%	32%	-	1%	27%	*	6%	26%	-	1%	25%	8%	10%	28%	10%	20%	39%	1%	45%
		*		AB	*		DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Prefer not to answer	26	2	6	18	-	2	24	1	-	25	-	-	26	8	3	16	6	16	4	-	3
	3%	2%	2%	3%	-	1%	3%	1%	-	3%	-	-	3%	3%	2%	3%	2%	3%	3%	-	1%
		*			*			*	*		*	*			*						
Sigma	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Top 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Next year, once it is legal	615	116	214	282	64	162	385	112	111	389	55	109	448	207	92	315	201	336	78	512	96
	61%	93%	84%	45%	94%	85%	52%	94%	83%	52%	91%	87%	55%	77%	71%	52%	69%	61%	47%	96%	22%
		C*	C		F*	F		HI*	I*		L*	L*		O	O*		R	R		T	
Now, when it is still illegal	533	116	196	218	61	151	316	106	106	319	54	105	371	192	78	261	183	286	64	533	-
	53%	92%	77%	35%	90%	80%	42%	89%	79%	42%	89%	84%	45%	71%	61%	43%	63%	52%	38%	100%	-
		BC*	C		F*	F		I*	I*		L*	L*		O	O*		QR	R		T	

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Bottom 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (unwtd)	1001	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Base: Qualified Respondents (wtd)	1008	126	253	626	68	190	745	119	134	751	60	125	818	269	129	607	292	547	168	533	444
Now, when it is still illegal	444	8	52	384	7	35	402	11	27	404	7	19	417	70	47	326	105	239	100	-	444
	44%	6%	20%	61%	10%	18%	54%	9%	20%	54%	11%	15%	51%	26%	36%	54%	36%	44%	60%	-	100%
		*	A	AB	*		DE	*	G*	GH	*	*	JK		*	MN			PQ		S
Next year, once it is legal	366	7	34	325	4	26	336	7	23	336	5	16	344	55	34	276	85	196	86	20	345
	36%	6%	13%	52%	6%	14%	45%	6%	17%	45%	9%	13%	42%	20%	26%	46%	29%	36%	51%	4%	78%
		*		AB	*		DE	*	G*	GH	*	*	JK		*	MN			PQ		S

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5x_1. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Now, when it is still illegal

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	974	115	244	612	61	186	723	103	126	742	54	128	788	236	126	609	314	507	153	506	468
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	977	124	248	602	68	186	718	117	133	722	60	124	788	262	126	587	287	526	164	533	444
Top 2 Box (Net)	533	116	196	218	61	151	316	106	106	319	54	105	371	192	78	261	183	286	64	533	-
	55%	94%	79%	36%	90%	81%	44%	91%	79%	44%	89%	85%	47%	73%	62%	44%	64%	54%	39%	100%	-
		BC*	C		F*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Strongly approve	243	88	96	58	51	85	105	77	54	111	34	64	146	108	41	94	82	129	32	243	-
	25%	71%	39%	10%	75%	46%	15%	66%	41%	15%	56%	51%	18%	41%	33%	16%	29%	24%	20%	46%	-
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*					T	
Somewhat approve	289	28	100	160	10	66	211	29	51	208	19	42	225	83	37	167	100	158	31	289	-
	30%	23%	40%	27%	14%	36%	29%	25%	39%	29%	32%	33%	29%	32%	30%	29%	35%	30%	19%	54%	-
		*	AC		*	D	D	*	*		*	*			*		R	R		T	
Bottom 2 Box (Net)	444	8	52	384	7	35	402	11	27	404	7	19	417	70	47	326	105	239	100	-	444
	45%	6%	21%	64%	10%	19%	56%	9%	21%	56%	11%	15%	53%	27%	38%	56%	36%	46%	61%	-	100%
		*	A	AB	*		DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Somewhat disapprove	188	6	41	141	6	28	154	9	14	163	6	17	165	38	30	120	60	94	35	-	188
	19%	5%	16%	23%	9%	15%	21%	8%	11%	23%	10%	14%	21%	14%	24%	20%	21%	18%	21%	-	42%
		*	A	A	*		D	*	*	GH	*	*			M*						S
Strongly disapprove	256	2	11	243	1	7	248	2	13	240	1	2	252	33	17	205	45	145	65	-	256
	26%	2%	4%	40%	1%	4%	35%	2%	10%	33%	2%	2%	32%	12%	13%	35%	16%	28%	40%	-	58%
		*		AB	*		DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Sigma	977	124	248	602	68	186	718	117	133	722	60	124	788	262	126	587	287	526	164	533	444
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5x_2. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Next year, once it is legal

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (unwtd)	979	115	245	616	61	188	726	104	127	745	54	129	792	236	127	613	312	514	153	506	465
Base: Qualified Respondents (Excluding 'Prefer Not to Answer') (wtd)	982	124	247	608	68	188	721	118	134	725	60	125	792	262	127	591	286	532	164	533	441
Top 2 Box (Net)	615	116	214	282	64	162	385	112	111	389	55	109	448	207	92	315	201	336	78	512	96
	63%	94%	86%	46%	94%	86%	53%	94%	83%	54%	91%	87%	57%	79%	73%	53%	70%	63%	48%	96%	22%
		C*	C		F*	F		HI*	I*		L*	L*		O	O*		R	R		T	
Strongly approve	309	98	119	91	55	99	152	92	64	152	42	75	193	127	49	134	101	168	40	292	15
	32%	79%	48%	15%	81%	53%	21%	78%	48%	21%	69%	60%	24%	48%	39%	23%	35%	32%	25%	55%	3%
		BC*	C		EF*	F		HI*	I*		L*	L*		O	O*		R	R		T	
Somewhat approve	306	19	95	191	9	62	234	19	47	237	14	34	255	81	43	181	101	167	38	220	81
	31%	15%	38%	32%	13%	33%	32%	16%	35%	33%	22%	27%	32%	31%	34%	31%	35%	31%	23%	41%	18%
		*	A	A	*	D	D	*	G*	G	*	*			*		R			T	
Bottom 2 Box (Net)	366	7	34	325	4	26	336	7	23	336	5	16	344	55	34	276	85	196	86	20	345
	37%	6%	14%	54%	6%	14%	47%	6%	17%	46%	9%	13%	43%	21%	27%	47%	30%	37%	52%	4%	78%
		*		AB	*		DE	*	G*	GH	*	*	JK		*	MN			PQ		S
Somewhat disapprove	160	7	29	125	4	24	132	6	15	139	5	15	141	32	21	107	55	85	20	15	146
	16%	6%	12%	21%	6%	13%	18%	5%	12%	19%	9%	12%	18%	12%	16%	18%	19%	16%	12%	3%	33%
		*		AB	*		D	*	*	G	*	*			*						S
Strongly disapprove	206	*	5	200	-	2	204	1	8	197	-	2	203	22	13	169	30	111	65	6	199
	21%	*	2%	33%	-	1%	28%	*	6%	27%	-	1%	26%	8%	11%	29%	10%	21%	40%	1%	45%
		*		AB	*		DE	*	*	GH	*	*	JK		*	MN		P	PQ		S
Sigma	982	124	247	608	68	188	721	118	134	725	60	125	792	262	127	591	286	532	164	533	441
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5x. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Top 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Total Respondents(Unweighted)	1026	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Now, when it is still illegal	533	116	196	218	61	151	316	106	106	319	54	105	371	192	78	261	183	286	64	533	-
	55%	94%	79%	36%	90%	81%	44%	91%	79%	44%	89%	85%	47%	73%	62%	44%	64%	54%	39%	100%	-
		BC*	C		F*	F		HI*	I*		L*	L*		O	O*		QR	R		T	
Next year, once it is legal	615	116	214	282	64	162	385	112	111	389	55	109	448	207	92	315	201	336	78	512	96
	63%	94%	86%	46%	94%	86%	53%	94%	83%	54%	91%	87%	57%	79%	73%	53%	70%	63%	48%	96%	22%
		C*	C		F*	F		HI*	I*		L*	L*		O	O*		R	R		T	

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

5x. Do you personally approve or disapprove of the consumption of marijuana by your friends or family now (when it is still illegal)? How about next year once marijuana is fully legalized in Canada? - Bottom 2 Box Summary

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: Total Respondents(Unweighted)	1026	117	249	632	61	190	746	105	127	766	54	129	814	242	129	627	318	525	157	506	468
Now, when it is still illegal	444	8	52	384	7	35	402	11	27	404	7	19	417	70	47	326	105	239	100	-	444
	45%	6%	21%	64%	10%	19%	56%	9%	21%	56%	11%	15%	53%	27%	38%	56%	36%	46%	61%	-	100%
		*	A	AB	*		DE	*	G*	GH	*	*	JK		*	MN		P	PQ		S
Next year, once it is legal	366	7	34	325	4	26	336	7	23	336	5	16	344	55	34	276	85	196	86	20	345
	37%	6%	14%	54%	6%	14%	47%	6%	17%	46%	9%	13%	43%	21%	27%	47%	30%	37%	52%	4%	78%
		*		AB	*		DE	*	G*	GH	*	*	JK		*	MN		PQ			S

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

6. Forgetting for a moment your personal views about the legalization of marijuana, to what extent do you support or oppose the Ontario government's plans for the sale of marijuana in Ontario, once it is legalized?

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: All Answering (unwtd)	360	42	87	230	23	70	267	34	46	280	21	50	287	83	46	229	107	196	57	178	173
Base: All Answering (wtd)	394	45	96	252	26	72	296	39	48	307	24	49	319	93	51	248	112	214	69	201	182
Top 2 Box (Net)	227	29	73	124	20	51	155	26	40	161	18	38	170	67	28	131	75	127	25	150	69
	58%	65%	76%	49%	78%	72%	52%	66%	83%	53%	75%	78%	53%	73%	54%	53%	67%	60%	36%	75%	38%
		*	C*		**	F*		**	I*		**	L*		O*	*		R*	R	*	T	
Strongly support	88	14	36	37	16	20	52	16	23	50	13	18	57	36	10	42	34	42	12	67	20
	22%	30%	38%	15%	59%	29%	18%	40%	47%	16%	55%	38%	18%	39%	20%	17%	31%	20%	17%	33%	11%
		C*	C*		**	*		**	I*		**	L*		O*	*		*	*	*	T	
Somewhat support	138	16	37	86	5	31	102	10	17	111	5	20	113	31	17	89	40	85	13	83	49
	35%	34%	38%	34%	18%	43%	35%	26%	36%	36%	19%	41%	35%	33%	34%	36%	36%	40%	19%	41%	27%
		*	*		**	*		**	*		**	*		*	*		R*	R	*	T	
Bottom 2 Box (Net)	158	15	22	122	6	18	134	12	7	139	6	9	142	25	23	109	37	79	43	48	108
	40%	33%	23%	48%	22%	25%	45%	32%	15%	45%	25%	19%	44%	27%	46%	44%	33%	37%	63%	24%	59%
		*	*	B	**	*		**	*	H	**	*	K	*	*	M	*	*	PQ*		S
Somewhat oppose	59	5	11	43	5	5	49	6	4	49	5	6	48	9	15	35	16	33	10	22	36
	15%	12%	11%	17%	20%	7%	16%	15%	7%	16%	22%	12%	15%	10%	29%	14%	14%	15%	14%	11%	20%
		*	*		**	*		**	*		**	*		*	MO*		*	*	*		S
Strongly oppose	100	10	11	79	1	13	86	7	4	90	1	4	94	16	9	74	21	46	33	27	72
	25%	21%	12%	31%	2%	19%	29%	17%	8%	29%	4%	8%	30%	17%	17%	30%	18%	22%	48%	13%	39%
		*	*	B	**	*		**	*	H	**	*	K	*	*		*	*	PQ*		S
Prefer not to answer	9	1	1	7	-	2	7	1	1	7	-	1	8	1	-	8	-	8	1	3	5
	2%	2%	1%	3%	-	3%	2%	2%	2%	2%	-	2%	2%	1%	-	3%	-	4%	1%	1%	3%
		*	*		**	*		**	*		**	*		*	*		*	*	*		
Sigma	394	45	96	252	26	72	296	39	48	307	24	49	319	93	51	248	112	214	69	201	182
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

6x. Forgetting for a moment your personal views about the legalization of marijuana, to what extent do you support or oppose the Ontario government's plans for the sale of marijuana in Ontario, once it is legalized?

	Total	Smoke marijuana for recreational			Consume marijuana edibles for			Smoke marijuana for medicinal purposes			Consume marijuana edibles for medicinal			Smoke cigarettes or cigars			Drink alcoholic beverages			Consumption Of Marijuana	
		Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	Frequently/R egularly	Occasionally	Never	T2B (Approve)	L2B (Disapprove)
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Base: All Answering (Excluding 'Prefer Not to Answer') (unwtd)	352	41	85	225	23	67	262	33	44	275	21	48	281	82	46	222	107	189	56	176	168
Base: All Answering (Excluding 'Prefer Not to Answer') (wtd)	385	44	95	245	26	70	289	38	47	300	24	48	311	93	51	240	112	206	68	198	177
Top 2 Box (Net)	227	29	73	124	20	51	155	26	40	161	18	38	170	67	28	131	75	127	25	150	69
	59%	66%	77%	50%	78%	74%	54%	67%	85%	54%	75%	80%	54%	73%	54%	55%	67%	62%	37%	76%	39%
		*	C*		**	F*		**	I*		**	L*		O*	*		R*	R	*	T	
Strongly support	88	14	36	37	16	20	52	16	23	50	13	18	57	36	10	42	34	42	12	67	20
	23%	31%	38%	15%	59%	29%	18%	41%	48%	17%	55%	38%	18%	39%	20%	17%	31%	21%	17%	34%	11%
		C*	C*		**	*		**	I*		**	L*		O*	*		*	*	*	T	
Somewhat support	138	16	37	86	5	31	102	10	17	111	5	20	113	31	17	89	40	85	13	83	49
	36%	35%	39%	35%	18%	45%	35%	26%	36%	37%	19%	42%	36%	34%	34%	37%	36%	41%	19%	42%	28%
		*	*		**	*		**	*		**	*		*	*		*	R	*	T	
Bottom 2 Box (Net)	158	15	22	122	6	18	134	12	7	139	6	9	142	25	23	109	37	79	43	48	108
	41%	34%	23%	50%	22%	26%	46%	33%	15%	22%	46%	25%	20%	46%	27%	46%	45%	33%	38%	63%	24%
		*	*	B	**	*	E	**	*	H	**	*	K	*	*	M	*		PQ*		S
Somewhat oppose	59	5	11	43	5	5	49	6	4	49	5	6	48	9	15	35	16	33	10	22	36
	15%	12%	11%	17%	20%	7%	17%	15%	8%	16%	22%	12%	15%	10%	29%	15%	14%	16%	15%	11%	21%
		*	*		**	*		**	*		**	*		*	M*		*	*	*	S	
Strongly oppose	100	10	11	79	1	13	86	7	4	90	1	4	94	16	9	74	21	46	33	27	72
	26%	22%	12%	32%	2%	19%	30%	17%	8%	30%	4%	8%	30%	17%	17%	31%	18%	22%	49%	13%	41%
		*	*	B	**	*		**	*	H	**	*	K	*	*	M	*		PQ*		S
Sigma	385	44	95	245	26	70	289	38	47	300	24	48	311	93	51	240	112	206	68	198	177
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:
 Overlap formula used
 - Column Proportions:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C, D/E/F, G/H/I, J/K/L, M/N/O, P/Q/R, S/T
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)