

Table: 4
QS3. We'd like to know about your experience with Parkinson's disease. Which, if any, apply to you?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Total	1478	579	341	74
I was personally diagnosed with Parkinson's disease	579	579	14	1
	39%	100%	4%	1%
		BCDEFGH		*
I personally provide care/assistance for a family member or friend who has Parkinson's disease or have done so in the past	341	14	341	13
	23%	2%	100%	18%
			ACDEFGH	A*
I work in a health and/or social service setting and work with people who have Parkinson's disease and/or caregivers	74	1	13	74
	5%	*	4%	100%
			AE	ABDEFGH*
A family member/friend was diagnosed with Parkinson's disease	628	51	187	23
	42%	9%	55%	31%
			ACEG	A*
I volunteer/work at an organization offering programs that benefit people with Parkinson's disease	104	22	31	15
	7%	4%	9%	20%
			AEF	ABDEFH*
Donated to Parkinson's organization	643	194	183	33
	44%	34%	54%	45%
			AE	*
Other	69	15	7	3
	5%	3%	2%	4%
				*
None of the above	15	-	-	-
	1%	-	-	-
				*
Sigma	2453	876	776	162
	166%	151%	228%	219%
Summary				
Group 1 Living with Parkinson's/Care Provider	906	579	341	13
	61%	100%	100%	18%
		CDFGH	CDFGH	*
Other	981	216	236	43
	66%	37%	69%	58%
			AE	A*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 5
QA1. When ... first noticed potential symptoms of Parkinson's disease, did ... seek medical advice immediately or did ... wait before seeking medical advice?

	Experience with Parkinson's			
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Immediately got medical advice	266	153	117	1
	29%	26%	34%	8%
			ADEH	**
Waited a few weeks	126	85	43	3
	14%	15%	13%	23%
				**
Waited a couple of months	147	101	49	3
	16%	17%	14%	23%
				**
Waited roughly 6 months	128	84	47	3
	14%	15%	14%	23%
				**
Waited roughly a year or more	171	115	58	-
	19%	20%	17%	-
				**
Don't remember	64	38	26	3
	7%	7%	8%	23%
				**
Prefer not to answer	4	3	1	-
	*	1%	*	-
		D		**
Sigma	906	579	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 6

QA1. When ... first noticed potential symptoms of Parkinson's disease, did ... seek medical advice immediately or did ... wait before seeking medical advice? - Excl Don't remember/Prefer not to answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl Don't Remember/Prefer Not To Answer	838	538	314	10
Immediately got medical advice	266	153	117	1
	32%	28%	37%	10%
			ADEH	**
Waited a few weeks	126	85	43	3
	15%	16%	14%	30%
				**
Waited a couple of months	147	101	49	3
	18%	19%	16%	30%
				**
Waited roughly 6 months	128	84	47	3
	15%	16%	15%	30%
				**
Waited roughly a year or more	171	115	58	-
	20%	21%	18%	-
				**
Don't remember	-	-	-	-
	-	-	-	-
				**
Prefer not to answer	-	-	-	-
	-	-	-	-
				**
Sigma	838	538	314	10
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 7

QA2. How long after ... first medical consultation to discuss ... Parkinson's disease symptoms did it take for ... to receive a formal Parkinson's disease diagnosis?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
1-3 months	402	261	149	7
	44%	45%	44%	54%
				**
4-6 months	159	103	60	3
	18%	18%	18%	23%
				**
7-9 months	50	37	14	-
	6%	6%	4%	-
		F		**
10-12 months	75	55	20	1
	8%	9%	6%	8%
		B		**
1-2 years	95	55	41	1
	10%	9%	12%	8%
			DF	**
2-3 years	38	22	16	-
	4%	4%	5%	-
				**
Longer than 3 years	39	29	10	-
	4%	5%	3%	-
				**
Don't remember	44	16	28	1
	5%	3%	8%	8%
			AE	**
Prefer not to answer	4	1	3	-
	*	*	1%	-
				**
Sigma	906	579	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 8

QA2. How long after ... first medical consultation to discuss ... Parkinson's disease symptoms did it take for ... to receive a formal Parkinson's disease diagnosis? - Excl Don't remember/Prefer not to answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl Don't Remember/Prefer Not To Answer	858	562	310	12
1-3 months	402	261	149	7
	47%	46%	48%	58%
				**
4-6 months	159	103	60	3
	19%	18%	19%	25%
				**
7-9 months	50	37	14	-
	6%	7%	5%	-
		F		**
10-12 months	75	55	20	1
	9%	10%	6%	8%
				**
1-2 years	95	55	41	1
	11%	10%	13%	8%
			DH	**
2-3 years	38	22	16	-
	4%	4%	5%	-
				**
Longer than 3 years	39	29	10	-
	5%	5%	3%	-
				**
Don't remember	-	-	-	-
	-	-	-	-
				**
Prefer not to answer	-	-	-	-
	-	-	-	-
				**
Sigma	858	562	310	12
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 9

QA2a. Following your family member/friend's diagnosis, did you try to seek additional information to understand the disease from anv of the following?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 And Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Family doctor	176	9	176	3
	52%	64%	52%	23%
		**		**
Parkinson's organization and/or support group	202	9	202	8
	59%	64%	59%	62%
		**		**
Online information source	218	10	218	10
	64%	71%	64%	77%
		**		**
Neurologist	21	1	21	1
	6%	7%	6%	8%
		**		**
Medical specialists (unspecified)	8	-	8	-
	2%	-	2%	-
		**		**
Other	18	-	18	-
	5%	-	5%	-
		**		**
Other mentions	21	2	21	2
	6%	14%	6%	15%
		**		**
None	-	-	-	-
	-	-	-	-
		**		**
Don't know	2	-	2	-
	1%	-	1%	-
		**		**
Sigma	666	31	666	24
	195%	221%	195%	185%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 51

QA6. Which, if any, of the following emotional changes ... experienced since being diagnosed with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Depression	357	190	171	6
	39%	33%	50%	46%
			ADEH	**
Sadness	457	261	204	7
	50%	45%	60%	54%
			ADEH	**
Anxiety	532	319	222	8
	59%	55%	65%	62%
			AE	**
Stress	479	299	188	7
	53%	52%	55%	54%
				**
Apathy	302	177	132	5
	33%	31%	39%	38%
			AE	**
Loss of confidence	518	303	224	10
	57%	52%	66%	77%
			ADEH	**
Changes in relationships with family, partners	299	153	150	6
	33%	26%	44%	46%
			ADEFH	**
Changes in relationships with friends or coworkers	296	154	148	6
	33%	27%	43%	46%
			ADEH	**
Other	14	9	5	-
	2%	2%	1%	-
				**
Loneliness/ isolation	9	2	7	-
	1%	*	2%	-
			AE	**
Other mentions	30	14	16	1
	3%	2%	5%	8%
				**
None	99	86	14	-
	11%	15%	4%	-
		BDEFGH		**
Prefer not to answer	8	6	2	-
	1%	1%	1%	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	3400	1973	1483	56
	375%	341%	435%	431%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 52

QA6. Which, if any, of the following emotional changes ... experienced since being diagnosed with Parkinson's disease? - Excl None/Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl None/Prefer Not To Answer	799	487	325	13
Depression	357	190	171	6
	45%	39%	53%	46%
			ADEH	**
Sadness	457	261	204	7
	57%	54%	63%	54%
			AE	**
Anxiety	532	319	222	8
	67%	66%	68%	62%
				**
Stress	479	299	188	7
	60%	61%	58%	54%
				**
Apathy	302	177	132	5
	38%	36%	41%	38%
				**
Loss of confidence	518	303	224	10
	65%	62%	69%	77%
			AE	**
Changes in relationships with family, partners	299	153	150	6
	37%	31%	46%	46%
			ADEH	**
Changes in relationships with friends or coworkers	296	154	148	6
	37%	32%	46%	46%
			AEH	**
Other	14	9	5	-
	2%	2%	2%	-
				**
Loneliness/ isolation	9	2	7	-
	1%	*	2%	-
			AE	**
Other mentions	30	14	16	1
	4%	3%	5%	8%
				**
None	-	-	-	-
	-	-	-	-
				**
Prefer not to answer	-	-	-	-
	-	-	-	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	3293	1881	1467	56
	412%	386%	451%	431%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 95

QA10. What services or resources would help ... live better with Parkinson's disease?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Support groups (e.g., peer to peer support)	387	233	159	4
	43%	40%	47%	31%
				**
Transportation services	238	120	122	6
	26%	21%	36%	46%
			ADEH	**
Nutritional/dietary counselling	275	172	108	5
	30%	30%	32%	38%
				**
Counselling/support groups	325	173	156	6
	36%	30%	46%	46%
			ADEH	**
Education/information and resources (e.g., about Parkinson's disease and care planning)	357	219	143	7
	39%	38%	42%	54%
				**
In home support to complete household tasks (e.g., laundry, cleaning, cooking)	278	140	141	4
	31%	24%	41%	31%
			ADEH	**
Supportive technology (e.g., medication timers, GPS locator, etc.)	243	136	108	5
	27%	23%	32%	38%
			ADE	**
Home care (e.g., personal support for daily living activities)	253	88	167	5
	28%	15%	49%	38%
			ADEFH	**
Physiotherapy	475	281	201	7
	52%	49%	59%	54%
			AE	**
Occupational therapy	229	96	134	7
	25%	17%	39%	54%
			ADEH	**
Speech-language therapy	276	144	138	6
	30%	25%	40%	46%
			ADEH	**
Regular appointments with a family doctor/nurse practitioner	273	142	138	4
	30%	25%	40%	31%
			ADEH	**
Regular appointments with specialists (e.g. Neurologist)	452	266	196	5
	50%	46%	57%	38%
			AE	**
Physical activities/Exercise programs	649	394	263	9
	72%	68%	77%	69%
			AE	**
Assistance in applying for government financial support	242	148	97	7
	27%	26%	28%	54%
				**
Assistance in navigating the health care system	259	131	129	7
	29%	23%	38%	54%
			ADEFH	**
Assistance in transitions/changing settings (e.g. housing, hospital, long term care)	152	54	99	2
	17%	9%	29%	15%
			ADEFH	**
Massage therapy	8	7	1	-
	1%	1%	*	-
		H		**
All/ everything is helpful/ important	6	1	5	-
	1%	*	1%	-
			AE	**
Other	20	13	7	-
	2%	2%	2%	-
				**
Other mentions	3	1	2	-
	*	*	1%	-
			F	**
None	6	3	3	-
	1%	1%	1%	-
				**
Don't know	43	38	6	-
	5%	7%	2%	-
		BDEFGH		**
Sigma	5449	3000	2523	96
	601%	518%	740%	738%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 96
QA10. What services or resources would help ... live better with Parkinson's disease? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	857	538	332	13
Support groups (e.g., peer to peer support)	387	233	159	4
	45%	43%	48%	31%
Transportation services				**
	238	120	122	6
	28%	22%	37%	46%
Nutritional/dietary counselling			ADEH	**
	275	172	108	5
	32%	32%	33%	38%
Counselling/support groups				**
	325	173	156	6
	38%	32%	47%	46%
Education/information and resources (e.g., about Parkinson's disease and care planning)			ADEH	**
	357	219	143	7
	42%	41%	43%	54%
In home support to complete household tasks (e.g., laundry, cleaning, cooking)				**
	278	140	141	4
	32%	26%	42%	31%
Supportive technology (e.g., medication timers, GPS locator, etc.)			ADEH	**
	243	136	108	5
	28%	25%	33%	38%
Home care (e.g., personal support for daily living activities)			AE	**
	253	88	167	5
	30%	16%	50%	38%
Physiotherapy			ADEFH	**
	475	281	201	7
	55%	52%	61%	54%
Occupational therapy			AE	**
	229	96	134	7
	27%	18%	40%	54%
Speech-language therapy			ADEH	**
	276	144	138	6
	32%	27%	42%	46%
Regular appointments with a family doctor/nurse practitioner			ADEH	**
	273	142	138	4
	32%	26%	42%	31%
Regular appointments with specialists (e.g. Neurologist)			ADE	**
	452	266	196	5
	53%	49%	59%	38%
Physical activities/Exercise programs			AE	**
	649	394	263	9
	76%	73%	79%	69%
Assistance in applying for government financial support			A	**
	242	148	97	7
	28%	28%	29%	54%
Assistance in navigating the health care system				**
	259	131	129	7
	30%	24%	39%	54%
Assistance in transitions/changing settings (e.g. housing, hospital, long term care)			ADEFH	**
	152	54	99	2
	18%	10%	30%	15%
Massage therapy				**
	8	7	1	-
	1%	1%	*	-
All/ everything is helpful/ important			H	**
	6	1	5	-
	1%	*	2%	-
Other			A	**
	20	13	7	-
	2%	2%	2%	-
Other mentions				**
	3	1	2	-
	*	*	1%	-
None			F	**
	-	-	-	-
	-	-	-	-
Don't know				**
	-	-	-	-
	-	-	-	-
Sigma	5400	2959	2514	96
	630%	550%	757%	738%

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

Table: 178

QA16_1. [Denial about the diagnosis] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	3	-	3	-
	1%	-	1%	-
		**		**
Sometimes	26	2	26	-
	8%	14%	8%	-
		**	H	**
Rarely	69	2	69	2
	20%	14%	20%	15%
		**		**
Never	241	9	241	11
	71%	64%	71%	85%
		**		**
Prefer not to answer	2	1	2	-
	1%	7%	1%	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 179

QA16_2. [Frustration towards the person with Parkinson's] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	76	2	76	2
	22%	14%	22%	15%
		**	F	**
Sometimes	169	4	169	6
	50%	29%	50%	46%
		**		**
Rarely	55	3	55	3
	16%	21%	16%	23%
		**		**
Never	40	4	40	2
	12%	29%	12%	15%
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 180

QA16_3. [Guilty that you're not doing enough] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	106	3	106	8
	31%	21%	31%	62%
		**		**
Sometimes	104	2	104	2
	30%	14%	30%	15%
		**		**
Rarely	72	4	72	2
	21%	29%	21%	15%
		**		**
Never	58	4	58	1
	17%	29%	17%	8%
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 181

QA16_4. [Exhaustion/fatigue] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	120	3	120	3
	35%	21%	35%	23%
		**		**
Sometimes	130	6	130	5
	38%	43%	38%	38%
		**		**
Rarely	64	3	64	4
	19%	21%	19%	31%
		**		**
Never	26	1	26	1
	8%	7%	8%	8%
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 182

QA16_5. [Social withdrawal] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	44	-	44	1
	13%	-	13%	8%
		**	D	**
Sometimes	142	9	142	5
	42%	64%	42%	38%
		**		**
Rarely	69	1	69	2
	20%	7%	20%	15%
		**		**
Never	85	3	85	5
	25%	21%	25%	38%
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 183

QA16_6. [Depressed] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	57	1	57	2
	17%	7%	17%	15%
		**	D	**
Sometimes	126	5	126	5
	37%	36%	37%	38%
		**		**
Rarely	88	5	88	3
	26%	36%	26%	23%
		**		**
Never	69	2	69	3
	20%	14%	20%	23%
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 184

QA16_7. [Anxious] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	73	2	73	2
	21%	14%	21%	15%
		**		**
Sometimes	154	5	154	2
	45%	36%	45%	15%
		**	H	**
Rarely	85	5	85	6
	25%	36%	25%	46%
		**		**
Never	28	1	28	3
	8%	7%	8%	23%
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 185

QA16_8. [Stressed] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	139	3	139	5
	41%	21%	41%	38%
		**		**
Sometimes	145	6	145	6
	43%	43%	43%	46%
		**		**
Rarely	44	4	44	2
	13%	29%	13%	15%
		**		**
Never	12	-	12	-
	4%	-	4%	-
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 186

QA16_9. [Hopeless] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	53	3	53	2
	16%	21%	16%	15%
		**		**
Sometimes	96	2	96	3
	28%	14%	28%	23%
		**		**
Rarely	107	5	107	6
	31%	36%	31%	46%
		**		**
Never	82	3	82	2
	24%	21%	24%	15%
		**		**
Prefer not to answer	3	1	3	-
	1%	7%	1%	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 187

QA16_10. [Helpless] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Often	78	2	78	1
	23%	14%	23%	8%
		**	D	**
Sometimes	122	4	122	7
	36%	29%	36%	54%
		**		**
Rarely	77	4	77	3
	23%	29%	23%	23%
		**		**
Never	63	3	63	2
	18%	21%	18%	15%
		**		**
Prefer not to answer	1	1	1	-
	*	7%	*	-
		**		**
Sigma	341	14	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 188

QA16. [SUMMARY - Often] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Denial about the diagnosis	3	-	3	-
	1%	-	1%	-
		**		**
Frustration towards the person with Parkinson’s	76	2	76	2
	22%	14%	22%	15%
		**	F	**
Guilty that you’re not doing enough	106	3	106	8
	31%	21%	31%	62%
		**		**
Exhaustion/fatigue	120	3	120	3
	35%	21%	35%	23%
		**		**
Social withdrawal	44	-	44	1
	13%	-	13%	8%
		**	D	**
Depressed	57	1	57	2
	17%	7%	17%	15%
		**	D	**
Anxious	73	2	73	2
	21%	14%	21%	15%
		**		**
Stressed	139	3	139	5
	41%	21%	41%	38%
		**		**
Hopeless	53	3	53	2
	16%	21%	16%	15%
		**		**
Helpless	78	2	78	1
	23%	14%	23%	8%
		**	D	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 189
QA16. [SUMMARY - Sometimes] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Denial about the diagnosis	26	2	26	-
	8%	14%	8%	-
		**	H	**
Frustration towards the person with Parkinson’s	169	4	169	6
	50%	29%	50%	46%
		**		**
Guilty that you’re not doing enough	104	2	104	2
	30%	14%	30%	15%
		**		**
Exhaustion/fatigue	130	6	130	5
	38%	43%	38%	38%
		**		**
Social withdrawal	142	9	142	5
	42%	64%	42%	38%
		**		**
Depressed	126	5	126	5
	37%	36%	37%	38%
		**		**
Anxious	154	5	154	2
	45%	36%	45%	15%
		**	H	**
Stressed	145	6	145	6
	43%	43%	43%	46%
		**		**
Hopeless	96	2	96	3
	28%	14%	28%	23%
		**		**
Helpless	122	4	122	7
	36%	29%	36%	54%
		**		**

Overlap formula used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 190

QA16. [SUMMARY - Rarely] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Denial about the diagnosis	69	2	69	2
	20%	14%	20%	15%
		**		**
Frustration towards the person with Parkinson’s	55	3	55	3
	16%	21%	16%	23%
		**		**
Guilty that you’re not doing enough	72	4	72	2
	21%	29%	21%	15%
		**		**
Exhaustion/fatigue	64	3	64	4
	19%	21%	19%	31%
		**		**
Social withdrawal	69	1	69	2
	20%	7%	20%	15%
		**		**
Depressed	88	5	88	3
	26%	36%	26%	23%
		**		**
Anxious	85	5	85	6
	25%	36%	25%	46%
		**		**
Stressed	44	4	44	2
	13%	29%	13%	15%
		**		**
Hopeless	107	5	107	6
	31%	36%	31%	46%
		**		**
Helpless	77	4	77	3
	23%	29%	23%	23%
		**		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 191

QA16. [SUMMARY - Never] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Denial about the diagnosis	241	9	241	11
	71%	64%	71%	85%
		**		**
Frustration towards the person with Parkinson’s	40	4	40	2
	12%	29%	12%	15%
		**		**
Guilty that you’re not doing enough	58	4	58	1
	17%	29%	17%	8%
		**		**
Exhaustion/fatigue	26	1	26	1
	8%	7%	8%	8%
		**		**
Social withdrawal	85	3	85	5
	25%	21%	25%	38%
		**		**
Depressed	69	2	69	3
	20%	14%	20%	23%
		**		**
Anxious	28	1	28	3
	8%	7%	8%	23%
		**		**
Stressed	12	-	12	-
	4%	-	4%	-
		**		**
Hopeless	82	3	82	2
	24%	21%	24%	15%
		**		**
Helpless	63	3	63	2
	18%	21%	18%	15%
		**		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 192

QA16. [SUMMARY - Prefer not to answer] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease	341	14	341	13
Denial about the diagnosis				
	2	1	2	-
	1%	7%	1%	-
Frustration towards the person with Parkinson’s		**		**
	1	1	1	-
	*	7%	*	-
Guilty that you’re not doing enough		**		**
	1	1	1	-
	*	7%	*	-
Exhaustion/fatigue		**		**
	1	1	1	-
	*	7%	*	-
Social withdrawal		**		**
	1	1	1	-
	*	7%	*	-
Depressed		**		**
	1	1	1	-
	*	7%	*	-
Anxious		**		**
	1	1	1	-
	*	7%	*	-
Stressed		**		**
	1	1	1	-
	*	7%	*	-
Hopeless		**		**
	3	1	3	-
	1%	7%	1%	-
Helpless		**		**
	1	1	1	-
	*	7%	*	-
		**		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 193

QA16_1. [Denial about the diagnosis] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	339	13	339	13
Often	3	-	3	-
	1%	-	1%	-
		**		**
Sometimes	26	2	26	-
	8%	15%	8%	-
		**	H	**
Rarely	69	2	69	2
	20%	15%	20%	15%
		**		**
Never	241	9	241	11
	71%	69%	71%	85%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	339	13	339	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 194

QA16_2. [Frustration towards the person with Parkinson's] How often, if ever, have you felt... - Excl

Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	76	2	76	2
	22%	15%	22%	15%
		**	F	**
Sometimes	169	4	169	6
	50%	31%	50%	46%
		**		**
Rarely	55	3	55	3
	16%	23%	16%	23%
		**		**
Never	40	4	40	2
	12%	31%	12%	15%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 195

QA16_3. [Guilty that you're not doing enough] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	106	3	106	8
	31%	23%	31%	62%
		**		**
Sometimes	104	2	104	2
	31%	15%	31%	15%
		**		**
Rarely	72	4	72	2
	21%	31%	21%	15%
		**		**
Never	58	4	58	1
	17%	31%	17%	8%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 196

QA16_4. [Exhaustion/fatigue] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	120	3	120	3
	35%	23%	35%	23%
		**		**
Sometimes	130	6	130	5
	38%	46%	38%	38%
		**		**
Rarely	64	3	64	4
	19%	23%	19%	31%
		**		**
Never	26	1	26	1
	8%	8%	8%	8%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 197

QA16_5. [Social withdrawal] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	44	-	44	1
	13%	-	13%	8%
		**	D	**
Sometimes	142	9	142	5
	42%	69%	42%	38%
		**		**
Rarely	69	1	69	2
	20%	8%	20%	15%
		**		**
Never	85	3	85	5
	25%	23%	25%	38%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 198

QA16_6. [Depressed] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	57	1	57	2
	17%	8%	17%	15%
		**	D	**
Sometimes	126	5	126	5
	37%	38%	37%	38%
		**		**
Rarely	88	5	88	3
	26%	38%	26%	23%
		**		**
Never	69	2	69	3
	20%	15%	20%	23%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 199

QA16_7. [Anxious] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	73	2	73	2
	21%	15%	21%	15%
		**		**
Sometimes	154	5	154	2
	45%	38%	45%	15%
		**	H	**
Rarely	85	5	85	6
	25%	38%	25%	46%
		**		**
Never	28	1	28	3
	8%	8%	8%	23%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 200

QA16_8. [Stressed] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	139	3	139	5
	41%	23%	41%	38%
		**		**
Sometimes	145	6	145	6
	43%	46%	43%	46%
		**		**
Rarely	44	4	44	2
	13%	31%	13%	15%
		**		**
Never	12	-	12	-
	4%	-	4%	-
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 201

QA16_9. [Hopeless] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	338	13	338	13
Often	53	3	53	2
	16%	23%	16%	15%
		**		**
Sometimes	96	2	96	3
	28%	15%	28%	23%
		**		**
Rarely	107	5	107	6
	32%	38%	32%	46%
		**		**
Never	82	3	82	2
	24%	23%	24%	15%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	338	13	338	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 202

QA16_10. [Helpless] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Those Who Have Provided Care/Assistance For A Family Member Or Friend Who Has Parkinson's Disease - Excl Prefer Not To Answer	340	13	340	13
Often	78	2	78	1
	23%	15%	23%	8%
		**	D	**
Sometimes	122	4	122	7
	36%	31%	36%	54%
		**		**
Rarely	77	4	77	3
	23%	31%	23%	23%
		**		**
Never	63	3	63	2
	19%	23%	19%	15%
		**		**
Prefer not to answer	-	-	-	-
	-	-	-	-
		**		**
Sigma	340	13	340	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 203
QA16. [SUMMARY - Often] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Denial about the diagnosis	3	-	3	-
	1%	-	1%	-
		**		**
Frustration towards the person with Parkinson’s	76	2	76	2
	22%	15%	22%	15%
		**	F	**
Guilty that you’re not doing enough	106	3	106	8
	31%	23%	31%	62%
		**		**
Exhaustion/fatigue	120	3	120	3
	35%	23%	35%	23%
		**		**
Social withdrawal	44	-	44	1
	13%	-	13%	8%
		**	D	**
Depressed	57	1	57	2
	17%	8%	17%	15%
		**	D	**
Anxious	73	2	73	2
	21%	15%	21%	15%
		**		**
Stressed	139	3	139	5
	41%	23%	41%	38%
		**		**
Hopeless	53	3	53	2
	16%	23%	16%	15%
		**		**
Helpless	78	2	78	1
	23%	15%	23%	8%
		**	D	**

Overlap formula used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 204

QA16. [SUMMARY - Sometimes] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Denial about the diagnosis	26	2	26	-
	8%	15%	8%	-
		**	H	**
Frustration towards the person with Parkinson’s	169	4	169	6
	50%	31%	50%	46%
		**		**
Guilty that you’re not doing enough	104	2	104	2
	31%	15%	31%	15%
		**		**
Exhaustion/fatigue	130	6	130	5
	38%	46%	38%	38%
		**		**
Social withdrawal	142	9	142	5
	42%	69%	42%	38%
		**		**
Depressed	126	5	126	5
	37%	38%	37%	38%
		**		**
Anxious	154	5	154	2
	45%	38%	45%	15%
		**	H	**
Stressed	145	6	145	6
	43%	46%	43%	46%
		**		**
Hopeless	96	2	96	3
	28%	15%	28%	23%
		**		**
Helpless	122	4	122	7
	36%	31%	36%	54%
		**		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 205

QA16. [SUMMARY - Rarely] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Denial about the diagnosis	69	2	69	2
	20%	15%	20%	15%
		**		**
Frustration towards the person with Parkinson’s	55	3	55	3
	16%	23%	16%	23%
		**		**
Guilty that you’re not doing enough	72	4	72	2
	21%	31%	21%	15%
		**		**
Exhaustion/fatigue	64	3	64	4
	19%	23%	19%	31%
		**		**
Social withdrawal	69	1	69	2
	20%	8%	20%	15%
		**		**
Depressed	88	5	88	3
	26%	38%	26%	23%
		**		**
Anxious	85	5	85	6
	25%	38%	25%	46%
		**		**
Stressed	44	4	44	2
	13%	31%	13%	15%
		**		**
Hopeless	107	5	107	6
	32%	38%	32%	46%
		**		**
Helpless	77	4	77	3
	23%	31%	23%	23%
		**		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 206
QA16. [SUMMARY - Never] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Denial about the diagnosis	241	9	241	11
	71%	69%	71%	85%
		**		**
Frustration towards the person with Parkinson’s	40	4	40	2
	12%	31%	12%	15%
		**		**
Guilty that you’re not doing enough	58	4	58	1
	17%	31%	17%	8%
		**		**
Exhaustion/fatigue	26	1	26	1
	8%	8%	8%	8%
		**		**
Social withdrawal	85	3	85	5
	25%	23%	25%	38%
		**		**
Depressed	69	2	69	3
	20%	15%	20%	23%
		**		**
Anxious	28	1	28	3
	8%	8%	8%	23%
		**		**
Stressed	12	-	12	-
	4%	-	4%	-
		**		**
Hopeless	82	3	82	2
	24%	23%	24%	15%
		**		**
Helpless	63	3	63	2
	19%	23%	19%	15%
		**		**

Overlap formula used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 207

QA16. [SUMMARY - Prefer not to answer] How often, if ever, have you felt... - Excl Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Denial about the diagnosis	2	1	2	-
	1%	8%	1%	-
		**		**
Frustration towards the person with Parkinson’s	1	1	1	-
	*	8%	*	-
		**		**
Guilty that you’re not doing enough	1	1	1	-
	*	8%	*	-
		**		**
Exhaustion/fatigue	1	1	1	-
	*	8%	*	-
		**		**
Social withdrawal	1	1	1	-
	*	8%	*	-
		**		**
Depressed	1	1	1	-
	*	8%	*	-
		**		**
Anxious	1	1	1	-
	*	8%	*	-
		**		**
Stressed	1	1	1	-
	*	8%	*	-
		**		**
Hopeless	3	1	3	-
	1%	8%	1%	-
		**		**
Helpless	1	1	1	-
	*	8%	*	-
		**		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 208
QB1. Which of the following services/treatments, if any, ... used for Parkinson's?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Medication	797	505	304	13
	88%	87%	89%	100%
				**
Surgery (e.g., Deep Brain Stimulation)	72	39	34	3
	8%	7%	10%	23%
				**
Physiotherapy therapy	410	230	185	7
	45%	40%	54%	54%
			ADEH	**
Occupational therapy	190	78	113	6
	21%	13%	33%	46%
			ADEFH	**
Speech language or swallowing therapy	204	97	111	4
	23%	17%	33%	31%
			ADEFH	**
Palliative care	56	4	53	3
	6%	1%	16%	23%
			ADEH	**
Mental health services (counselling, psychiatrist, etc.)	155	96	60	2
	17%	17%	18%	15%
				**
Dietician	144	66	79	2
	16%	11%	23%	15%
			ADEH	**
Exercise	688	452	247	8
	76%	78%	72%	62%
		E		**
Advanced care planning	66	13	54	5
	7%	2%	16%	38%
			ADEH	**
Other	26	17	9	-
	3%	3%	3%	-
				**
Massage therapy	9	8	1	-
	1%	1%	*	-
				**
Other mentions	35	24	13	1
	4%	4%	4%	8%
				**
None of the above	20	16	5	-
	2%	3%	1%	-
				**
Prefer not to answer	3	3	-	-
	*	1%	-	-
		D		**
None	-	-	-	-
	-	-	-	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	2875	1648	1268	54
	317%	285%	372%	415%

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 209

QB1. Which of the following services/treatments, if any, ... used for Parkinson's? - Excl None/Prefer Not To Answer

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl None/Prefer Not To Answer	883	560	336	13
Medication	797	505	304	13
	90%	90%	90%	100%
				**
Surgery (e.g., Deep Brain Stimulation)	72	39	34	3
	8%	7%	10%	23%
				**
Physiotherapy therapy	410	230	185	7
	46%	41%	55%	54%
			ADEH	**
Occupational therapy	190	78	113	6
	22%	14%	34%	46%
			ADEFH	**
Speech language or swallowing therapy	204	97	111	4
	23%	17%	33%	31%
			ADEFH	**
Palliative care	56	4	53	3
	6%	1%	16%	23%
			ADEH	**
Mental health services (counselling, psychiatrist, etc.)	155	96	60	2
	18%	17%	18%	15%
				**
Dietician	144	66	79	2
	16%	12%	24%	15%
			ADEH	**
Exercise	688	452	247	8
	78%	81%	74%	62%
		BE		**
Advanced care planning	66	13	54	5
	7%	2%	16%	38%
			ADEH	**
Other	26	17	9	-
	3%	3%	3%	-
				**
Massage therapy	9	8	1	-
	1%	1%	*	-
				**
Other mentions	35	24	13	1
	4%	4%	4%	8%
				**
None of the above	-	-	-	-
	-	-	-	-
				**
Prefer not to answer	-	-	-	-
	-	-	-	-
				**
None	-	-	-	-
	-	-	-	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	2852	1629	1263	54
	323%	291%	376%	415%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 210

QB2_1. [Medication] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	796	505	303	13
Paid out of pocket	271	171	104	4
	34%	34%	34%	31%
				**
Paid for by family member/friends	9	4	5	1
	1%	1%	2%	8%
				**
Government health insurance	439	251	197	6
	55%	50%	65%	46%
			ADEH	**
Workplace insurance	235	161	80	6
	30%	32%	26%	46%
				**
Private insurance	126	83	45	2
	16%	16%	15%	15%
				**
Other	4	3	1	-
	1%	1%	*	-
				**
Prefer not to answer	1	-	1	-
	*	-	*	-
				**
Sigma	1085	673	433	19
	136%	133%	143%	146%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 211
QB2_2. [Surgery (e.g., Deep Brain Stimulation)] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	72	39	34	3
Paid out of pocket	3	1	2	-
	4%	3%	6%	-
		*	*	**
Paid for by family member/friends	-	-	-	-
	-	-	-	-
		*	*	**
Government health insurance	68	38	31	3
	94%	97%	91%	100%
		*	*	**
Workplace insurance	3	1	2	-
	4%	3%	6%	-
		*	H*	**
Private insurance	1	-	1	-
	1%	-	3%	-
		*	*	**
Other	2	1	1	-
	3%	3%	3%	-
		*	*	**
Prefer not to answer	-	-	-	-
	-	-	-	-
		*	*	**
Sigma	77	41	37	3
	107%	105%	109%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 212
QB2_3. [Physiotherapy therapy] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	407	230	182	7
Paid out of pocket	179	110	72	3
	44%	48%	40%	43%
				**
Paid for by family member/friends	7	2	5	-
	2%	1%	3%	-
				**
Government health insurance	164	77	91	3
	40%	33%	50%	43%
			ADEH	**
Workplace insurance	91	56	37	2
	22%	24%	20%	29%
				**
Private insurance	53	31	22	2
	13%	13%	12%	29%
				**
Other	3	2	1	-
	1%	1%	1%	-
				**
Prefer not to answer	1	-	1	-
	*	-	1%	-
				**
Sigma	498	278	229	10
	122%	121%	126%	143%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 213

QB2_4. [Occupational therapy] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	188	77	112	6
Paid out of pocket	31	10	21	-
	16%	13%	19%	-
		*		**
Paid for by family member/friends	4	2	2	1
	2%	3%	2%	17%
		*		**
Government health insurance	140	58	83	4
	74%	75%	74%	67%
		*		**
Workplace insurance	17	3	14	1
	9%	4%	12%	17%
		*	A	**
Private insurance	7	2	5	-
	4%	3%	4%	-
		*		**
Other	8	5	3	-
	4%	6%	3%	-
		*		**
Prefer not to answer	2	-	2	-
	1%	-	2%	-
		*	H	**
Sigma	209	80	130	6
	111%	104%	116%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 214

QB2_5. [Speech language or swallowing therapy] ...And how did ... pay for these treatments?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	203	96	111	4
Paid out of pocket	42	24	19	-
	21%	25%	17%	-
		*		**
Paid for by family member/friends	1	1	-	-
	*	1%	-	-
		*		**
Government health insurance	142	63	82	3
	70%	66%	74%	75%
		*		**
Workplace insurance	17	8	9	1
	8%	8%	8%	25%
		*		**
Private insurance	6	3	3	-
	3%	3%	3%	-
		*		**
Other	7	3	4	-
	3%	3%	4%	-
		*		**
Prefer not to answer	2	-	2	-
	1%	-	2%	-
		*		**
Sigma	217	102	119	4
	107%	106%	107%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 215
QB2_6. [Palliative care] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	56	4	53	3
Paid out of pocket	16	-	16	1
	29%	-	30%	33%
		**	*	**
Paid for by family member/friends	2	-	2	-
	4%	-	4%	-
		**	*	**
Government health insurance	41	2	39	3
	73%	50%	74%	100%
		**	*	**
Workplace insurance	5	1	4	-
	9%	25%	8%	-
		**	*	**
Private insurance	2	-	2	1
	4%	-	4%	33%
		**	*	**
Other	4	1	4	-
	7%	25%	8%	-
		**	DH*	**
Prefer not to answer	1	-	1	-
	2%	-	2%	-
		**	D*	**
Sigma	71	4	68	5
	127%	100%	128%	167%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 216

QB2_7. [Mental health services (counselling, psychiatrist, etc.)] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	155	96	60	2
Paid out of pocket	26	14	13	1
	17%	15%	22%	50%
		*	*	**
Paid for by family member/friends	5	3	2	1
	3%	3%	3%	50%
		*	*	**
Government health insurance	101	57	44	-
	65%	59%	73%	-
		*	*	**
Workplace insurance	29	22	7	-
	19%	23%	12%	-
		*	*	**
Private insurance	3	2	1	-
	2%	2%	2%	-
		*	*	**
Other	6	3	3	-
	4%	3%	5%	-
		*	*	**
Prefer not to answer	1	1	-	-
	1%	1%	-	-
		*	*	**
Sigma	171	102	70	2
	110%	106%	117%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 217

QB2_8. [Dietician] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	142	66	77	2
Paid out of pocket	23	15	8	-
	16%	23%	10%	-
		B*	*	**
Paid for by family member/friends	1	-	1	-
	1%	-	1%	-
		*	*	**
Government health insurance	106	44	63	2
	75%	67%	82%	100%
		*	ADE*	**
Workplace insurance	7	2	5	-
	5%	3%	6%	-
		*	*	**
Private insurance	-	-	-	-
	-	-	-	-
		*	*	**
Other	13	7	6	-
	9%	11%	8%	-
		*	*	**
Prefer not to answer	1	1	-	-
	1%	2%	-	-
		*	*	**
Sigma	151	69	83	2
	106%	105%	108%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 218

QB2_9. [Exercise] ...And how did ... pay for these treatments?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	688	452	247	8
Paid out of pocket	511	366	150	6
	74%	81%	61%	75%
		BDEFH		**
Paid for by family member/friends	25	10	15	2
	4%	2%	6%	25%
			ADEH	**
Government health insurance	99	38	64	1
	14%	8%	26%	12%
			ADEH	**
Workplace insurance	19	9	11	-
	3%	2%	4%	-
				**
Private insurance	14	7	8	1
	2%	2%	3%	12%
				**
Other	56	36	21	-
	8%	8%	9%	-
				**
Prefer not to answer	9	5	4	-
	1%	1%	2%	-
				**
Sigma	733	471	273	10
	107%	104%	111%	125%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 219

QB2_10. [Advanced care planning] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	62	12	51	4
Paid out of pocket	33	8	25	2
	53%	67%	49%	50%
		**	*	**
Paid for by family member/friends	4	-	4	1
	6%	-	8%	25%
		**	*	**
Government health insurance	19	4	16	-
	31%	33%	31%	-
		**	*	**
Workplace insurance	1	-	1	1
	2%	-	2%	25%
		**	D*	**
Private insurance	-	-	-	-
	-	-	-	-
		**	*	**
Other	6	-	6	-
	10%	-	12%	-
		**	*	**
Prefer not to answer	2	-	2	-
	3%	-	4%	-
		**	H*	**
Sigma	65	12	54	4
	105%	100%	106%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 220

QB2_11. [Other] ...And how did ... pay for these treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Valid Selection At B1	76	52	28	1
Paid out of pocket	48	32	18	1
	63%	62%	64%	100%
		*	**	**
Paid for by family member/friends	3	2	1	-
	4%	4%	4%	-
		*	**	**
Government health insurance	16	8	9	1
	21%	15%	32%	100%
		*	**	**
Workplace insurance	7	6	1	-
	9%	12%	4%	-
		*	**	**
Private insurance	5	3	2	1
	7%	6%	7%	100%
		*	**	**
Other	12	10	3	-
	16%	19%	11%	-
		*	**	**
Prefer not to answer	-	-	-	-
	-	-	-	-
		*	**	**
Sigma	91	61	34	3
	120%	117%	121%	300%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 221

QB2. [SUMMARY - Paid out of pocket] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Medication	271	171	104	4
	34%	34%	34%	31%
				**
Surgery (e.g., Deep Brain Stimulation)	3	1	2	-
	4%	3%	6%	-
		*	*	**
Physiotherapy therapy	179	110	72	3
	44%	48%	40%	43%
				**
Occupational therapy	31	10	21	-
	16%	13%	19%	-
		*		**
Speech language or swallowing therapy	42	24	19	-
	21%	25%	17%	-
		*		**
Palliative care	16	-	16	1
	29%	-	30%	33%
		**	*	**
Mental health services (counselling, psychiatrist, etc.)	26	14	13	1
	17%	15%	22%	50%
		*	*	**
Dietician	23	15	8	-
	16%	23%	10%	-
		B*	*	**
Exercise	511	366	150	6
	74%	81%	61%	75%
		BDEFH		**
Advanced care planning	33	8	25	2
	53%	67%	49%	50%
		**	*	**
Other	48	32	18	1
	63%	62%	64%	100%
		*	**	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 222

QB2. [SUMMARY - Paid for by family member/friends] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Medication	9	4	5	1
	1%	1%	2%	8%
				**
Surgery (e.g., Deep Brain Stimulation)	-	-	-	-
	-	-	-	-
		*	*	**
Physiotherapy therapy	7	2	5	-
	2%	1%	3%	-
				**
Occupational therapy	4	2	2	1
	2%	3%	2%	17%
		*		**
Speech language or swallowing therapy	1	1	-	-
	*	1%	-	-
		*		**
Palliative care	2	-	2	-
	4%	-	4%	-
		**	*	**
Mental health services (counselling, psychiatrist, etc.)	5	3	2	1
	3%	3%	3%	50%
		*	*	**
Dietician	1	-	1	-
	1%	-	1%	-
		*	*	**
Exercise	25	10	15	2
	4%	2%	6%	25%
			ADEH	**
Advanced care planning	4	-	4	1
	6%	-	8%	25%
		**	*	**
Other	3	2	1	-
	4%	4%	4%	-
		*	**	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 223

QB2. [SUMMARY - Government health insurance] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Medication	439	251	197	6
	55%	50%	65%	46%
			ADEH	**
Surgery (e.g., Deep Brain Stimulation)	68	38	31	3
	94%	97%	91%	100%
		*	*	**
Physiotherapy therapy	164	77	91	3
	40%	33%	50%	43%
			ADEH	**
Occupational therapy	140	58	83	4
	74%	75%	74%	67%
		*		**
Speech language or swallowing therapy	142	63	82	3
	70%	66%	74%	75%
		*		**
Palliative care	41	2	39	3
	73%	50%	74%	100%
		**	*	**
Mental health services (counselling, psychiatrist, etc.)	101	57	44	-
	65%	59%	73%	-
		*	*	**
Dietician	106	44	63	2
	75%	67%	82%	100%
		*	ADE*	**
Exercise	99	38	64	1
	14%	8%	26%	12%
			ADEH	**
Advanced care planning	19	4	16	-
	31%	33%	31%	-
		**	*	**
Other	16	8	9	1
	21%	15%	32%	100%
		*	**	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 224

QB2. [SUMMARY - Workplace insurance] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Medication	235	161	80	6
	30%	32%	26%	46%
				**
Surgery (e.g., Deep Brain Stimulation)	3	1	2	-
	4%	3%	6%	-
		*	H*	**
Physiotherapy therapy	91	56	37	2
	22%	24%	20%	29%
				**
Occupational therapy	17	3	14	1
	9%	4%	12%	17%
		*	A	**
Speech language or swallowing therapy	17	8	9	1
	8%	8%	8%	25%
		*		**
Palliative care	5	1	4	-
	9%	25%	8%	-
		**	*	**
Mental health services (counselling, psychiatrist, etc.)	29	22	7	-
	19%	23%	12%	-
		*	*	**
Dietician	7	2	5	-
	5%	3%	6%	-
		*	*	**
Exercise	19	9	11	-
	3%	2%	4%	-
				**
Advanced care planning	1	-	1	1
	2%	-	2%	25%
		**	D*	**
Other	7	6	1	-
	9%	12%	4%	-
		*	**	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 225
QB2. [SUMMARY - Private insurance] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Medication	126	83	45	2
	16%	16%	15%	15%
				**
Surgery (e.g., Deep Brain Stimulation)	1	-	1	-
	1%	-	3%	-
		*	*	**
Physiotherapy therapy	53	31	22	2
	13%	13%	12%	29%
				**
Occupational therapy	7	2	5	-
	4%	3%	4%	-
		*		**
Speech language or swallowing therapy	6	3	3	-
	3%	3%	3%	-
		*		**
Palliative care	2	-	2	1
	4%	-	4%	33%
		**	*	**
Mental health services (counselling, psychiatrist, etc.)	3	2	1	-
	2%	2%	2%	-
		*	*	**
Dietician	-	-	-	-
	-	-	-	-
		*	*	**
Exercise	14	7	8	1
	2%	2%	3%	12%
				**
Advanced care planning	-	-	-	-
	-	-	-	-
		**	*	**
Other	5	3	2	1
	7%	6%	7%	100%
		*	**	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 226
QB2. [SUMMARY - Other] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Medication	4	3	1	-
	1%	1%	*	-
				**
Surgery (e.g., Deep Brain Stimulation)	2	1	1	-
	3%	3%	3%	-
		*	*	**
Physiotherapy therapy	3	2	1	-
	1%	1%	1%	-
				**
Occupational therapy	8	5	3	-
	4%	6%	3%	-
		*		**
Speech language or swallowing therapy	7	3	4	-
	3%	3%	4%	-
		*		**
Palliative care	4	1	4	-
	7%	25%	8%	-
		**	DH*	**
Mental health services (counselling, psychiatrist, etc.)	6	3	3	-
	4%	3%	5%	-
		*	*	**
Dietician	13	7	6	-
	9%	11%	8%	-
		*	*	**
Exercise	56	36	21	-
	8%	8%	9%	-
				**
Advanced care planning	6	-	6	-
	10%	-	12%	-
		**	*	**
Other	12	10	3	-
	16%	19%	11%	-
		*	**	**

Overlap formula used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 227

QB2. [SUMMARY - Prefer not to answer] How often, if ever, have you felt...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Medication	1	-	1	-
	*	-	*	-
				**
Surgery (e.g., Deep Brain Stimulation)	-	-	-	-
	-	-	-	-
		*	*	**
Physiotherapy therapy	1	-	1	-
	*	-	1%	-
				**
Occupational therapy	2	-	2	-
	1%	-	2%	-
		*	H	**
Speech language or swallowing therapy	2	-	2	-
	1%	-	2%	-
		*		**
Palliative care	1	-	1	-
	2%	-	2%	-
		**	D*	**
Mental health services (counselling, psychiatrist, etc.)	1	1	-	-
	1%	1%	-	-
		*	*	**
Dietician	1	1	-	-
	1%	2%	-	-
		*	*	**
Exercise	9	5	4	-
	1%	1%	2%	-
				**
Advanced care planning	2	-	2	-
	3%	-	4%	-
		**	H*	**
Other	-	-	-	-
	-	-	-	-
		*	**	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 228

QB3_1. [It is difficult to pay for health care bills (e.g., medication, visits to specialists, physiotherapy, etc.) related to Parkinson's disease] How much do you agree or disagree with the following?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Strongly agree	89	64	26	-
	10%	11%	8%	-
		F		**
Somewhat agree	220	141	82	1
	24%	24%	24%	8%
				**
Somewhat disagree	186	127	63	6
	21%	22%	18%	46%
				**
Strongly disagree	194	131	68	2
	21%	23%	20%	15%
				**
Not applicable	203	109	95	2
	22%	19%	28%	15%
			AEG	**
Prefer not to answer	14	7	7	2
	2%	1%	2%	15%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top2Box (Strongly/ Somewhat agree)	309	205	108	1
	34%	35%	32%	8%
		F		**
Low2Box (Somewhat/ Strongly disagree)	380	258	131	8
	42%	45%	38%	62%
		E		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 229

QB3_2. [I/my family member/friend experience(d) difficulty getting insurance coverage for my/their needs after being diagnosed with Parkinson's disease] How much do you agree or disagree with the

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Strongly agree	58	34	25	2
	6%	6%	7%	15%
				**
Somewhat agree	110	80	31	2
	12%	14%	9%	15%
		BDEFH		**
Somewhat disagree	103	76	29	2
	11%	13%	9%	15%
		BE		**
Strongly disagree	192	135	60	2
	21%	23%	18%	15%
		BE		**
Not applicable	420	243	184	3
	46%	42%	54%	23%
			ADEH	**
Prefer not to answer	23	11	12	2
	3%	2%	4%	15%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top2Box (Strongly/ Somewhat agree)	168	114	56	4
	19%	20%	16%	31%
		DH		**
Low2Box (Somewhat/ Strongly disagree)	295	211	89	4
	33%	36%	26%	31%
		BEF		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 230

QB3_3. [My/my family member/friend''s insurance covers most of my/their Parkinson''s treatment needs] How much do you agree or disagree with the following?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Strongly agree	241	163	80	4
	27%	28%	23%	31%
				**
Somewhat agree	304	196	117	5
	34%	34%	34%	38%
				**
Somewhat disagree	108	63	46	2
	12%	11%	13%	15%
				**
Strongly disagree	106	73	35	-
	12%	13%	10%	-
				**
Not applicable	133	79	54	-
	15%	14%	16%	-
			H	**
Prefer not to answer	14	5	9	2
	2%	1%	3%	15%
			A	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top2Box (Strongly/ Somewhat agree)	545	359	197	9
	60%	62%	58%	69%
				**
Low2Box (Somewhat/ Strongly disagree)	214	136	81	2
	24%	23%	24%	15%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 231

QB3. [SUMMARY - TOP2BOX (STRONGLY/ SOMEWHAT AGREE)] How much do you agree or disagree with the following?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
It is difficult to pay for health care bills (e.g., medication, visits to specialists, physiotherapy, etc.) related to Parkinson's disease	309	205	108	1
	34%	35%	32%	8%
		F		**
I/my family member/friend experience(d) difficulty getting insurance coverage for my/their needs after being diagnosed with Parkinson's disease	168	114	56	4
	19%	20%	16%	31%
		DH		**
My/my family member/friend's insurance covers most of my/their Parkinson's treatment needs	545	359	197	9
	60%	62%	58%	69%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 232

QB3. [SUMMARY - LOW2BOX (SOMEWHAT/ STRONGLY DISAGREE)] How much do you agree or disagree with the following?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
It is difficult to pay for health care bills (e.g., medication, visits to specialists, physiotherapy, etc.) related to Parkinson's disease	380	258	131	8
	42%	45%	38%	62%
		E		**
I/my family member/friend experience(d) difficulty getting insurance coverage for my/their needs after being diagnosed with Parkinson's disease	295	211	89	4
	33%	36%	26%	31%
		BEF		**
My/my family member/friend's insurance covers most of my/their Parkinson's treatment needs	214	136	81	2
	24%	23%	24%	15%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 233

QB3_1. [It is difficult to pay for health care bills (e.g., medication, visits to specialists, physiotherapy, etc.) related to Parkinson's disease] How much do you agree or disagree with the following? - Excl

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl NA/Prefer Not To Answer	689	463	239	9
Strongly agree	89	64	26	-
	13%	14%	11%	-
				**
Somewhat agree	220	141	82	1
	32%	30%	34%	11%
				**
Somewhat disagree	186	127	63	6
	27%	27%	26%	67%
				**
Strongly disagree	194	131	68	2
	28%	28%	28%	22%
				**
Not applicable	-	-	-	-
	-	-	-	-
				**
Prefer not to answer	-	-	-	-
	-	-	-	-
				**
Sigma	689	463	239	9
	100%	100%	100%	100%
Summary				
Top2Box (Strongly/ Somewhat agree)	309	205	108	1
	45%	44%	45%	11%
				**
Low2Box (Somewhat/ Strongly disagree)	380	258	131	8
	55%	56%	55%	89%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 234

QB3_2. [I/my family member/friend experience(d) difficulty getting insurance coverage for my/their needs after being diagnosed with Parkinson's disease] How much do you agree or disagree with the

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl NA/Prefer Not To Answer	463	325	145	8
Strongly agree	58	34	25	2
	13%	10%	17%	25%
			ADEH	**
Somewhat agree	110	80	31	2
	24%	25%	21%	25%
				**
Somewhat disagree	103	76	29	2
	22%	23%	20%	25%
				**
Strongly disagree	192	135	60	2
	41%	42%	41%	25%
				**
Not applicable	-	-	-	-
	-	-	-	-
				**
Prefer not to answer	-	-	-	-
	-	-	-	-
				**
Sigma	463	325	145	8
	100%	100%	100%	100%
Summary				
Top2Box (Strongly/ Somewhat agree)	168	114	56	4
	36%	35%	39%	50%
			H	**
Low2Box (Somewhat/ Strongly disagree)	295	211	89	4
	64%	65%	61%	50%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 235

QB3_3. [My/my family member/friend''s insurance covers most of my/their Parkinson''s treatment needs] How much do you agree or disagree with the following? - Excl NA/Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl NA/Prefer Not To Answer	759	495	278	11
Strongly agree	241	163	80	4
	32%	33%	29%	36%
				**
Somewhat agree	304	196	117	5
	40%	40%	42%	45%
				**
Somewhat disagree	108	63	46	2
	14%	13%	17%	18%
				**
Strongly disagree	106	73	35	-
	14%	15%	13%	-
				**
Not applicable	-	-	-	-
	-	-	-	-
				**
Prefer not to answer	-	-	-	-
	-	-	-	-
				**
Sigma	759	495	278	11
	100%	100%	100%	100%
Summary				
Top2Box (Strongly/ Somewhat agree)	545	359	197	9
	72%	73%	71%	82%
				**
Low2Box (Somewhat/ Strongly disagree)	214	136	81	2
	28%	27%	29%	18%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 236

QB3. [SUMMARY - TOP2BOX (STRONGLY/ SOMEWHAT AGREE)] How much do you agree or disagree with the following? - Excl NA/Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
It is difficult to pay for health care bills (e.g., medication, visits to specialists, physiotherapy, etc.) related to Parkinson's disease	309	205	108	1
	45%	44%	45%	11%
				**
I/my family member/friend experience(d) difficulty getting insurance coverage for my/their needs after being diagnosed with Parkinson's disease	168	114	56	4
	36%	35%	39%	50%
			H	**
My/my family member/friend's insurance covers most of my/their Parkinson's treatment needs	545	359	197	9
	72%	73%	71%	82%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 237

QB3. [SUMMARY - LOW2BOX (SOMEWHAT/ STRONGLY DISAGREE)] How much do you agree or disagree with the following? - Excl NA/Prefer Not To Answer

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
It is difficult to pay for health care bills (e.g., medication, visits to specialists, physiotherapy, etc.) related to Parkinson's disease	380	258	131	8
	55%	56%	55%	89%
				**
I/my family member/friend experience(d) difficulty getting insurance coverage for my/their needs after being diagnosed with Parkinson's disease	295	211	89	4
	64%	65%	61%	50%
				**
My/my family member/friend's insurance covers most of my/their Parkinson's treatment needs	214	136	81	2
	28%	27%	29%	18%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 238

QB4_1. [Medication] If ... were not reimbursed by public or private insurance for treatments for Parkinson's disease, how much of a financial burden would it be for you (and/or your family) to pay for it?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
5 - A major burden	410	241	174	2
	45%	42%	51%	15%
			ADEFH	**
4	164	105	62	5
	18%	18%	18%	38%
				**
3	159	109	55	5
	18%	19%	16%	38%
				**
2	91	68	24	1
	10%	12%	7%	8%
		BE		**
1 - No burden at all	82	56	26	-
	9%	10%	8%	-
		H		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top2Box (4-5)	574	346	236	7
	63%	60%	69%	54%
			AEF	**
Low2Box (1-2)	173	124	50	1
	19%	21%	15%	8%
		BDEH		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 239

QB4_2. [Other treatments (e.g., physiotherapy, occupational therapy, counselling, speech therapy, etc.)) If ... were not reimbursed by public or private insurance for treatments for Parkinson's disease,

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
5 - A major burden	353	213	144	3
	39%	37%	42%	23%
			DH	**
4	223	136	92	4
	25%	23%	27%	31%
				**
3	174	118	60	5
	19%	20%	18%	38%
				**
2	86	60	27	1
	9%	10%	8%	8%
				**
1 - No burden at all	70	52	18	-
	8%	9%	5%	-
		BDH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top2Box (4-5)	576	349	236	7
	64%	60%	69%	54%
			ADEFH	**
Low2Box (1-2)	156	112	45	1
	17%	19%	13%	8%
		BE		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 240

QB4. [SUMMARY - TOP2BOX (4-5)] If ... were not reimbursed by public or private insurance for treatments for Parkinson's disease, how much of a financial burden would it be for you (and/or your

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Medication	574	346	236	7
	63%	60%	69%	54%
			AEF	**
Other treatments (e.g., physiotherapy, occupational therapy, counselling, speech therapy, etc.)	576	349	236	7
	64%	60%	69%	54%
			ADEFH	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 241

QB4. [SUMMARY - LOW2BOX (1-2)] If ... were not reimbursed by public or private insurance for treatments for Parkinson's disease, how much of a financial burden would it be for you (and/or your

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Medication	173	124	50	1
	19%	21%	15%	8%
		BDEH		**
Other treatments (e.g., physiotherapy, occupational therapy, counselling, speech therapy, etc.)	156	112	45	1
	17%	19%	13%	8%
		BE		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 242

QC1_1. [Oral medication treatments for Parkinson’s disease] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	164	115	52	1
	18%	20%	15%	8%
				**
Very good	311	197	121	6
	34%	34%	35%	46%
				**
Good	250	156	97	3
	28%	27%	28%	23%
				**
Fair	71	40	31	2
	8%	7%	9%	15%
				**
Poor	14	10	4	-
	2%	2%	1%	-
				**
Very poor	15	10	5	-
	2%	2%	1%	-
				**
Don't know	81	51	31	1
	9%	9%	9%	8%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	725	468	270	10
	80%	81%	79%	77%
				**
Top2Box (Excellent/ Very good)	475	312	173	7
	52%	54%	51%	54%
				**
Low3Box (Fair/ Poor/ Very poor)	100	60	40	2
	11%	10%	12%	15%
				**
Low2Box (Poor/ Very poor)	29	20	9	-
	3%	3%	3%	-
		H		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 243

QC1_2. [Duodopa (e.g., intestinal pump)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent				
	10	6	4	-
	1%	1%	1%	-
				**
Very good				
	14	9	5	-
	2%	2%	1%	-
				**
Good				
	44	37	8	1
	5%	6%	2%	8%
		BE		**
Fair				
	45	34	11	-
	5%	6%	3%	-
		F		**
Poor				
	30	18	12	3
	3%	3%	4%	23%
				**
Very poor				
	24	16	8	-
	3%	3%	2%	-
				**
Don't know				
	739	459	293	9
	82%	79%	86%	69%
			ADEG	**
Sigma				
	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)				
	68	52	17	1
	8%	9%	5%	8%
		BE		**
Top2Box (Excellent/ Very good)				
	24	15	9	-
	3%	3%	3%	-
				**
Low3Box (Fair/ Poor/ Very poor)				
	99	68	31	3
	11%	12%	9%	23%
				**
Low2Box (Poor/ Very poor)				
	54	34	20	3
	6%	6%	6%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 244

QC1_3. [Other non-oral medication (e.g., Neupro patch)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	15	10	5	-
	2%	2%	1%	-
				**
Very good	32	16	17	-
	4%	3%	5%	-
				**
Good	80	55	27	-
	9%	9%	8%	-
				**
Fair	63	40	23	1
	7%	7%	7%	8%
				**
Poor	40	27	13	4
	4%	5%	4%	31%
				**
Very poor	29	14	16	-
	3%	2%	5%	-
			DFH	**
Don't know	647	417	240	8
	71%	72%	70%	62%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	127	81	49	-
	14%	14%	14%	-
				**
Top2Box (Excellent/ Very good)	47	26	22	-
	5%	4%	6%	-
				**
Low3Box (Fair/ Poor/ Very poor)	132	81	52	5
	15%	14%	15%	38%
				**
Low2Box (Poor/ Very poor)	69	41	29	4
	8%	7%	9%	31%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 245

QC1_4. [Imaging tests (e.g., CT, MRI, PET)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	40	26	15	-
	4%	4%	4%	-
				**
Very good	112	71	42	-
	12%	12%	12%	-
				**
Good	233	144	94	2
	26%	25%	28%	15%
				**
Fair	197	127	73	7
	22%	22%	21%	54%
				**
Poor	99	65	35	3
	11%	11%	10%	23%
				**
Very poor	45	28	17	-
	5%	5%	5%	-
				**
Don't know	180	118	65	1
	20%	20%	19%	8%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	385	241	151	2
	42%	42%	44%	15%
				**
Top2Box (Excellent/ Very good)	152	97	57	-
	17%	17%	17%	-
				**
Low3Box (Fair/ Poor/ Very poor)	341	220	125	10
	38%	38%	37%	77%
				**
Low2Box (Poor/ Very poor)	144	93	52	3
	16%	16%	15%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 246

QC1_5. [Medical specialists (e.g., movement disorder specialists)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	83	58	27	-
	9%	10%	8%	-
				**
Very good	129	81	50	2
	14%	14%	15%	15%
				**
Good	178	118	61	3
	20%	20%	18%	23%
				**
Fair	181	99	82	6
	20%	17%	24%	46%
			AE	**
Poor	103	73	30	-
	11%	13%	9%	-
				**
Very poor	63	37	27	1
	7%	6%	8%	8%
				**
Don't know	169	113	64	1
	19%	20%	19%	8%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	390	257	138	5
	43%	44%	40%	38%
				**
Top2Box (Excellent/ Very good)	212	139	77	2
	23%	24%	23%	15%
				**
Low3Box (Fair/ Poor/ Very poor)	347	209	139	7
	38%	36%	41%	54%
				**
Low2Box (Poor/ Very poor)	166	110	57	1
	18%	19%	17%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 247

QC1_6. [Physical therapy] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	55	36	20	1
	6%	6%	6%	8%
				**
Very good	140	88	56	-
	15%	15%	16%	-
				**
Good	240	142	99	4
	26%	25%	29%	31%
				**
Fair	163	100	64	5
	18%	17%	19%	38%
				**
Poor	67	36	33	1
	7%	6%	10%	8%
			DEH	**
Very poor	26	16	11	1
	3%	3%	3%	8%
				**
Don't know	215	161	58	1
	24%	28%	17%	8%
		BDEFH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	435	266	175	5
	48%	46%	51%	38%
				**
Top2Box (Excellent/ Very good)	195	124	76	1
	22%	21%	22%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	256	152	108	7
	28%	26%	32%	54%
			H	**
Low2Box (Poor/ Very poor)	93	52	44	2
	10%	9%	13%	15%
			DEH	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 248

QC1_7. [Occupational therapy] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	22	14	8	-
	2%	2%	2%	-
				**
Very good	65	34	32	-
	7%	6%	9%	-
			A	**
Good	186	106	81	4
	21%	18%	24%	31%
			A	**
Fair	150	79	72	7
	17%	14%	21%	54%
			ADEFH	**
Poor	59	36	23	1
	7%	6%	7%	8%
				**
Very poor	16	5	11	-
	2%	1%	3%	-
			AE	**
Don't know	408	305	114	1
	45%	53%	33%	8%
		BDEFGH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	273	154	121	4
	30%	27%	35%	31%
			AEH	**
Top2Box (Excellent/ Very good)	87	48	40	-
	10%	8%	12%	-
				**
Low3Box (Fair/ Poor/ Very poor)	225	120	106	8
	25%	21%	31%	62%
			ADEH	**
Low2Box (Poor/ Very poor)	75	41	34	1
	8%	7%	10%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 249

QC1_8. [Speech language and swallowing therapy] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	25	12	13	-
	3%	2%	4%	-
				**
Very good	82	47	36	-
	9%	8%	11%	-
			F	**
Good	146	86	63	5
	16%	15%	18%	38%
				**
Fair	122	75	49	1
	13%	13%	14%	8%
				**
Poor	69	43	26	4
	8%	7%	8%	31%
				**
Very poor	33	20	14	1
	4%	3%	4%	8%
				**
Don't know	429	296	140	2
	47%	51%	41%	15%
		BDEFGH	G	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	253	145	112	5
	28%	25%	33%	38%
			AE	**
Top2Box (Excellent/ Very good)	107	59	49	-
	12%	10%	14%	-
				**
Low3Box (Fair/ Poor/ Very poor)	224	138	89	6
	25%	24%	26%	46%
				**
Low2Box (Poor/ Very poor)	102	63	40	5
	11%	11%	12%	38%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 250

QC1_9. [Surgery (e.g., Deep Brain Stimulation)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	17	13	5	-
	2%	2%	1%	-
				**
Very good	44	27	18	3
	5%	5%	5%	23%
				**
Good	64	40	24	2
	7%	7%	7%	15%
				**
Fair	69	45	24	-
	8%	8%	7%	-
				**
Poor	67	44	24	2
	7%	8%	7%	15%
				**
Very poor	48	27	22	2
	5%	5%	6%	15%
				**
Don't know	597	383	224	4
	66%	66%	66%	31%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	125	80	47	5
	14%	14%	14%	38%
				**
Top2Box (Excellent/ Very good)	61	40	23	3
	7%	7%	7%	23%
				**
Low3Box (Fair/ Poor/ Very poor)	184	116	70	4
	20%	20%	21%	31%
				**
Low2Box (Poor/ Very poor)	115	71	46	4
	13%	12%	13%	31%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 251

QC1_10. [Family Doctor] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	206	134	76	-
	23%	23%	22%	-
				**
Very good	279	171	113	4
	31%	30%	33%	31%
				**
Good	254	161	97	6
	28%	28%	28%	46%
				**
Fair	111	73	38	2
	12%	13%	11%	15%
				**
Poor	32	24	9	1
	4%	4%	3%	8%
				**
Very poor	15	8	7	-
	2%	1%	2%	-
				**
Don't know	9	8	1	-
	1%	1%	*	-
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	739	466	286	10
	82%	80%	84%	77%
				**
Top2Box (Excellent/ Very good)	485	305	189	4
	54%	53%	55%	31%
				**
Low3Box (Fair/ Poor/ Very poor)	158	105	54	3
	17%	18%	16%	23%
				**
Low2Box (Poor/ Very poor)	47	32	16	1
	5%	6%	5%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 252

QC1_11. [Parkinson’s nurse specialist] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	33	26	7	-
	4%	4%	2%	-
		DFH		**
Very good	71	48	25	-
	8%	8%	7%	-
				**
Good	115	75	41	3
	13%	13%	12%	23%
				**
Fair	103	65	39	2
	11%	11%	11%	15%
				**
Poor	82	54	28	3
	9%	9%	8%	23%
				**
Very poor	50	25	25	-
	6%	4%	7%	-
			A	**
Don't know	452	286	176	5
	50%	49%	52%	38%
		G	G	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	219	149	73	3
	24%	26%	21%	23%
		DH		**
Top2Box (Excellent/ Very good)	104	74	32	-
	11%	13%	9%	-
				**
Low3Box (Fair/ Poor/ Very poor)	235	144	92	5
	26%	25%	27%	38%
				**
Low2Box (Poor/ Very poor)	132	79	53	3
	15%	14%	16%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 253

QC1_12. [Dietician] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	18	12	6	-
	2%	2%	2%	-
				**
Very good	81	47	35	1
	9%	8%	10%	8%
				**
Good	194	120	77	4
	21%	21%	23%	31%
				**
Fair	129	77	54	3
	14%	13%	16%	23%
				**
Poor	39	26	13	-
	4%	4%	4%	-
		H		**
Very poor	23	16	7	1
	3%	3%	2%	8%
				**
Don't know	422	281	149	4
	47%	49%	44%	31%
		FG		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	293	179	118	5
	32%	31%	35%	38%
				**
Top2Box (Excellent/ Very good)	99	59	41	1
	11%	10%	12%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	191	119	74	4
	21%	21%	22%	31%
				**
Low2Box (Poor/ Very poor)	62	42	20	1
	7%	7%	6%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 254

QC1_13. [Social worker] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	13	7	6	-
	1%	1%	2%	-
				**
Very good	53	30	24	-
	6%	5%	7%	-
				**
Good	166	94	72	2
	18%	16%	21%	15%
				**
Fair	145	83	64	5
	16%	14%	19%	38%
				**
Poor	42	27	15	1
	5%	5%	4%	8%
				**
Very poor	28	9	20	-
	3%	2%	6%	-
			ADEH	**
Don't know	459	329	140	5
	51%	57%	41%	38%
		BDEFGH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	232	131	102	2
	26%	23%	30%	15%
			AEH	**
Top2Box (Excellent/ Very good)	66	37	30	-
	7%	6%	9%	-
			H	**
Low3Box (Fair/ Poor/ Very poor)	215	119	99	6
	24%	21%	29%	46%
			AE	**
Low2Box (Poor/ Very poor)	70	36	35	1
	8%	6%	10%	8%
			AE	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 255

QC1_14. [Mental health services (counselling, psychiatrist, etc.)) Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	20	12	8	-
	2%	2%	2%	-
				**
Very good	57	41	17	-
	6%	7%	5%	-
				**
Good	139	91	49	2
	15%	16%	14%	15%
				**
Fair	145	89	58	2
	16%	15%	17%	15%
				**
Poor	73	45	29	3
	8%	8%	9%	23%
				**
Very poor	44	19	25	1
	5%	3%	7%	8%
			ADEH	**
Don't know	428	282	155	5
	47%	49%	45%	38%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	216	144	74	2
	24%	25%	22%	15%
				**
Top2Box (Excellent/ Very good)	77	53	25	-
	8%	9%	7%	-
				**
Low3Box (Fair/ Poor/ Very poor)	262	153	112	6
	29%	26%	33%	46%
			AE	**
Low2Box (Poor/ Very poor)	117	64	54	4
	13%	11%	16%	31%
			AE	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 256

QC1_15. [Long-term care facilities] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	14	7	7	-
	2%	1%	2%	-
			DH	**
Very good	24	10	15	-
	3%	2%	4%	-
			AE	**
Good	83	36	49	2
	9%	6%	14%	15%
			ADEH	**
Fair	112	66	46	5
	12%	11%	13%	38%
				**
Poor	105	60	47	2
	12%	10%	14%	15%
				**
Very poor	66	20	49	1
	7%	3%	14%	8%
			ADEH	**
Don't know	502	380	128	3
	55%	66%	38%	23%
		BDEFGH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	121	53	71	2
	13%	9%	21%	15%
			ADEH	**
Top2Box (Excellent/ Very good)	38	17	22	-
	4%	3%	6%	-
			ADEH	**
Low3Box (Fair/ Poor/ Very poor)	283	146	142	8
	31%	25%	42%	62%
			ADEH	**
Low2Box (Poor/ Very poor)	171	80	96	3
	19%	14%	28%	23%
			ADEH	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 257

QC1_16. [Palliative care] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	20	5	15	1
	2%	1%	4%	8%
			ADEH	**
Very good	51	21	32	-
	6%	4%	9%	-
			AE	**
Good	83	44	40	-
	9%	8%	12%	-
			AE	**
Fair	81	56	27	5
	9%	10%	8%	38%
				**
Poor	41	26	15	2
	5%	4%	4%	15%
				**
Very poor	21	10	11	1
	2%	2%	3%	8%
			DH	**
Don't know	609	417	201	4
	67%	72%	59%	31%
		BDEFGH	G	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	154	70	87	1
	17%	12%	26%	8%
			AEH	**
Top2Box (Excellent/ Very good)	71	26	47	1
	8%	4%	14%	8%
			AE	**
Low3Box (Fair/ Poor/ Very poor)	143	92	53	8
	16%	16%	16%	62%
				**
Low2Box (Poor/ Very poor)	62	36	26	3
	7%	6%	8%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 258

QC1_17. [Movement disorder clinics] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	85	54	33	-
	9%	9%	10%	-
				**
Very good	104	70	36	2
	11%	12%	11%	15%
				**
Good	135	90	47	3
	15%	16%	14%	23%
				**
Fair	145	91	54	3
	16%	16%	16%	23%
				**
Poor	118	78	40	2
	13%	13%	12%	15%
				**
Very poor	64	37	28	1
	7%	6%	8%	8%
			D	**
Don't know	255	159	103	2
	28%	27%	30%	15%
			G	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	324	214	116	5
	36%	37%	34%	38%
				**
Top2Box (Excellent/ Very good)	189	124	69	2
	21%	21%	20%	15%
				**
Low3Box (Fair/ Poor/ Very poor)	327	206	122	6
	36%	36%	36%	46%
				**
Low2Box (Poor/ Very poor)	182	115	68	3
	20%	20%	20%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 259

QC1. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

	Experience with Parkinson's			
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	725	468	270	10
	80%	81%	79%	77%
Duodopa (e.g., intestinal pump)	68	52	17	1
	8%	9%	5%	8%
		BE		**
Other non-oral medication (e.g., Neupro patch)	127	81	49	-
	14%	14%	14%	-
				**
Imaging tests (e.g., CT, MRI, PET)	385	241	151	2
	42%	42%	44%	15%
				**
Medical specialists (e.g., movement disorder specialists)	390	257	138	5
	43%	44%	40%	38%
				**
Physical therapy	435	266	175	5
	48%	46%	51%	38%
				**
Occupational therapy	273	154	121	4
	30%	27%	35%	31%
			AEH	**
Speech language and swallowing therapy	253	145	112	5
	28%	25%	33%	38%
			AE	**
Surgery (e.g., Deep Brain Stimulation)	125	80	47	5
	14%	14%	14%	38%
				**
Family Doctor	739	466	286	10
	82%	80%	84%	77%
				**
Parkinson's nurse specialist	219	149	73	3
	24%	26%	21%	23%
		DH		**
Dietician	293	179	118	5
	32%	31%	35%	38%
				**
Social worker	232	131	102	2
	26%	23%	30%	15%
			AEH	**
Mental health services (counselling, psychiatrist, etc.)	216	144	74	2
	24%	25%	22%	15%
				**
Long-term care facilities	121	53	71	2
	13%	9%	21%	15%
			ADEH	**
Palliative care	154	70	87	1
	17%	12%	26%	8%
			AEH	**
Movement disorder clinics	324	214	116	5
	36%	37%	34%	38%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 260

QC1. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access to the following services/treatments?

	Experience with Parkinson's			
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	475	312	173	7
	52%	54%	51%	54%
Duodopa (e.g., intestinal pump)	24	15	9	-
	3%	3%	3%	-
Other non-oral medication (e.g., Neupro patch)	47	26	22	-
	5%	4%	6%	-
Imaging tests (e.g., CT, MRI, PET)	152	97	57	-
	17%	17%	17%	-
Medical specialists (e.g., movement disorder specialists)	212	139	77	2
	23%	24%	23%	15%
Physical therapy	195	124	76	1
	22%	21%	22%	8%
Occupational therapy	87	48	40	-
	10%	8%	12%	-
Speech language and swallowing therapy	107	59	49	-
	12%	10%	14%	-
Surgery (e.g., Deep Brain Stimulation)	61	40	23	3
	7%	7%	7%	23%
Family Doctor	485	305	189	4
	54%	53%	55%	31%
Parkinson's nurse specialist	104	74	32	-
	11%	13%	9%	-
Dietician	99	59	41	1
	11%	10%	12%	8%
Social worker	66	37	30	-
	7%	6%	9%	-
Mental health services (counselling, psychiatrist, etc.)	77	53	25	-
	8%	9%	7%	-
Long-term care facilities	38	17	22	-
	4%	3%	6%	-
Palliative care	71	26	47	1
	8%	4%	14%	8%
Movement disorder clinics	189	124	69	2
	21%	21%	20%	15%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 261

QC1. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	100	60	40	2
	11%	10%	12%	15%
Duodopa (e.g., intestinal pump)	99	68	31	3
	11%	12%	9%	23%
Other non-oral medication (e.g., Neupro patch)	132	81	52	5
	15%	14%	15%	38%
Imaging tests (e.g., CT, MRI, PET)	341	220	125	10
	38%	38%	37%	77%
Medical specialists (e.g., movement disorder specialists)	347	209	139	7
	38%	36%	41%	54%
Physical therapy	256	152	108	7
	28%	26%	32%	54%
Occupational therapy	225	120	106	8
	25%	21%	31%	62%
Speech language and swallowing therapy	224	138	89	6
	25%	24%	26%	46%
Surgery (e.g., Deep Brain Stimulation)	184	116	70	4
	20%	20%	21%	31%
Family Doctor	158	105	54	3
	17%	18%	16%	23%
Parkinson's nurse specialist	235	144	92	5
	26%	25%	27%	38%
Dietician	191	119	74	4
	21%	21%	22%	31%
Social worker	215	119	99	6
	24%	21%	29%	46%
Mental health services (counselling, psychiatrist, etc.)	262	153	112	6
	29%	26%	33%	46%
Long-term care facilities	283	146	142	8
	31%	25%	42%	62%
Palliative care	143	92	53	8
	16%	16%	16%	62%
Movement disorder clinics	327	206	122	6
	36%	36%	36%	46%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 262

QC1. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the

	Experience with Parkinson's			
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	29	20	9	-
	3%	3%	3%	-
		H		**
Duodopa (e.g., intestinal pump)	54	34	20	3
	6%	6%	6%	23%
				**
Other non-oral medication (e.g., Neupro patch)	69	41	29	4
	8%	7%	9%	31%
				**
Imaging tests (e.g., CT, MRI, PET)	144	93	52	3
	16%	16%	15%	23%
				**
Medical specialists (e.g., movement disorder specialists)	166	110	57	1
	18%	19%	17%	8%
				**
Physical therapy	93	52	44	2
	10%	9%	13%	15%
			DEH	**
Occupational therapy	75	41	34	1
	8%	7%	10%	8%
				**
Speech language and swallowing therapy	102	63	40	5
	11%	11%	12%	38%
				**
Surgery (e.g., Deep Brain Stimulation)	115	71	46	4
	13%	12%	13%	31%
				**
Family Doctor	47	32	16	1
	5%	6%	5%	8%
				**
Parkinson's nurse specialist	132	79	53	3
	15%	14%	16%	23%
				**
Dietician	62	42	20	1
	7%	7%	6%	8%
				**
Social worker	70	36	35	1
	8%	6%	10%	8%
			AE	**
Mental health services (counselling, psychiatrist, etc.)	117	64	54	4
	13%	11%	16%	31%
			AE	**
Long-term care facilities	171	80	96	3
	19%	14%	28%	23%
			ADEH	**
Palliative care	62	36	26	3
	7%	6%	8%	23%
				**
Movement disorder clinics	182	115	68	3
	20%	20%	20%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 263

QC1_1. [Oral medication treatments for Parkinson’s disease] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	825	528	310	12
Excellent	164	115	52	1
	20%	22%	17%	8%
				**
Very good	311	197	121	6
	38%	37%	39%	50%
				**
Good	250	156	97	3
	30%	30%	31%	25%
				**
Fair	71	40	31	2
	9%	8%	10%	17%
				**
Poor	14	10	4	-
	2%	2%	1%	-
				**
Very poor	15	10	5	-
	2%	2%	2%	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	825	528	310	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	725	468	270	10
	88%	89%	87%	83%
				**
Top2Box (Excellent/ Very good)	475	312	173	7
	58%	59%	56%	58%
				**
Low3Box (Fair/ Poor/ Very poor)	100	60	40	2
	12%	11%	13%	17%
				**
Low2Box (Poor/ Very poor)	29	20	9	-
	4%	4%	3%	-
		H		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 264

QC1_2. [Duodopa (e.g., intestinal pump)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access to ...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	167	120	48	4
Excellent	10	6	4	-
	6%	5%	8%	-
			*	**
Very good	14	9	5	-
	8%	8%	10%	-
			*	**
Good	44	37	8	1
	26%	31%	17%	25%
		E	*	**
Fair	45	34	11	-
	27%	28%	23%	-
			*	**
Poor	30	18	12	3
	18%	15%	25%	75%
			*	**
Very poor	24	16	8	-
	14%	13%	17%	-
			*	**
Don't know	-	-	-	-
	-	-	-	-
			*	**
Sigma	167	120	48	4
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	68	52	17	1
	41%	43%	35%	25%
			*	**
Top2Box (Excellent/ Very good)	24	15	9	-
	14%	12%	19%	-
			*	**
Low3Box (Fair/ Poor/ Very poor)	99	68	31	3
	59%	57%	65%	75%
			*	**
Low2Box (Poor/ Very poor)	54	34	20	3
	32%	28%	42%	75%
			*	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 265

QC1_3. [Other non-oral medication (e.g., Neupro patch)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	259	162	101	5
Excellent	15	10	5	-
	6%	6%	5%	-
				**
Very good	32	16	17	-
	12%	10%	17%	-
				**
Good	80	55	27	-
	31%	34%	27%	-
				**
Fair	63	40	23	1
	24%	25%	23%	20%
				**
Poor	40	27	13	4
	15%	17%	13%	80%
				**
Very poor	29	14	16	-
	11%	9%	16%	-
			DFH	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	259	162	101	5
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	127	81	49	-
	49%	50%	49%	-
				**
Top2Box (Excellent/ Very good)	47	26	22	-
	18%	16%	22%	-
				**
Low3Box (Fair/ Poor/ Very poor)	132	81	52	5
	51%	50%	51%	100%
				**
Low2Box (Poor/ Very poor)	69	41	29	4
	27%	25%	29%	80%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 266

QC1_4. [Imaging tests (e.g., CT, MRI, PET)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access to these services/treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	726	461	276	12
Excellent	40	26	15	-
	6%	6%	5%	-
				**
Very good	112	71	42	-
	15%	15%	15%	-
				**
Good	233	144	94	2
	32%	31%	34%	17%
				**
Fair	197	127	73	7
	27%	28%	26%	58%
				**
Poor	99	65	35	3
	14%	14%	13%	25%
				**
Very poor	45	28	17	-
	6%	6%	6%	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	726	461	276	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	385	241	151	2
	53%	52%	55%	17%
				**
Top2Box (Excellent/ Very good)	152	97	57	-
	21%	21%	21%	-
				**
Low3Box (Fair/ Poor/ Very poor)	341	220	125	10
	47%	48%	45%	83%
				**
Low2Box (Poor/ Very poor)	144	93	52	3
	20%	20%	19%	25%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 267

QC1_5. [Medical specialists (e.g., movement disorder specialists)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	737	466	277	12
Excellent	83	58	27	-
	11%	12%	10%	-
				**
Very good	129	81	50	2
	18%	17%	18%	17%
				**
Good	178	118	61	3
	24%	25%	22%	25%
				**
Fair	181	99	82	6
	25%	21%	30%	50%
			AE	**
Poor	103	73	30	-
	14%	16%	11%	-
				**
Very poor	63	37	27	1
	9%	8%	10%	8%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	737	466	277	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	390	257	138	5
	53%	55%	50%	42%
				**
Top2Box (Excellent/ Very good)	212	139	77	2
	29%	30%	28%	17%
				**
Low3Box (Fair/ Poor/ Very poor)	347	209	139	7
	47%	45%	50%	58%
				**
Low2Box (Poor/ Very poor)	166	110	57	1
	23%	24%	21%	8%
		G		**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 268

QC1_6. [Physical therapy] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	691	418	283	12
Excellent	55	36	20	1
	8%	9%	7%	8%
				**
Very good	140	88	56	-
	20%	21%	20%	-
				**
Good	240	142	99	4
	35%	34%	35%	33%
				**
Fair	163	100	64	5
	24%	24%	23%	42%
				**
Poor	67	36	33	1
	10%	9%	12%	8%
			DH	**
Very poor	26	16	11	1
	4%	4%	4%	8%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	691	418	283	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	435	266	175	5
	63%	64%	62%	42%
				**
Top2Box (Excellent/ Very good)	195	124	76	1
	28%	30%	27%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	256	152	108	7
	37%	36%	38%	58%
				**
Low2Box (Poor/ Very poor)	93	52	44	2
	13%	12%	16%	17%
			H	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 269

QC1_7. [Occupational therapy] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	498	274	227	12
Excellent	22	14	8	-
	4%	5%	4%	-
				**
Very good	65	34	32	-
	13%	12%	14%	-
				**
Good	186	106	81	4
	37%	39%	36%	33%
				**
Fair	150	79	72	7
	30%	29%	32%	58%
				**
Poor	59	36	23	1
	12%	13%	10%	8%
				**
Very poor	16	5	11	-
	3%	2%	5%	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	498	274	227	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	273	154	121	4
	55%	56%	53%	33%
				**
Top2Box (Excellent/ Very good)	87	48	40	-
	17%	18%	18%	-
				**
Low3Box (Fair/ Poor/ Very poor)	225	120	106	8
	45%	44%	47%	67%
				**
Low2Box (Poor/ Very poor)	75	41	34	1
	15%	15%	15%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 270

QC1_8. [Speech language and swallowing therapy] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	477	283	201	11
Excellent	25	12	13	-
	5%	4%	6%	-
				**
Very good	82	47	36	-
	17%	17%	18%	-
				**
Good	146	86	63	5
	31%	30%	31%	45%
				**
Fair	122	75	49	1
	26%	27%	24%	9%
				**
Poor	69	43	26	4
	14%	15%	13%	36%
				**
Very poor	33	20	14	1
	7%	7%	7%	9%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	477	283	201	11
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	253	145	112	5
	53%	51%	56%	45%
				**
Top2Box (Excellent/ Very good)	107	59	49	-
	22%	21%	24%	-
				**
Low3Box (Fair/ Poor/ Very poor)	224	138	89	6
	47%	49%	44%	55%
		G		**
Low2Box (Poor/ Very poor)	102	63	40	5
	21%	22%	20%	45%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 271

QC1_9. [Surgery (e.g., Deep Brain Stimulation)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	309	196	117	9
Excellent	17	13	5	-
	6%	7%	4%	-
				**
Very good	44	27	18	3
	14%	14%	15%	33%
				**
Good	64	40	24	2
	21%	20%	21%	22%
				**
Fair	69	45	24	-
	22%	23%	21%	-
				**
Poor	67	44	24	2
	22%	22%	21%	22%
				**
Very poor	48	27	22	2
	16%	14%	19%	22%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	309	196	117	9
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	125	80	47	5
	40%	41%	40%	56%
				**
Top2Box (Excellent/ Very good)	61	40	23	3
	20%	20%	20%	33%
				**
Low3Box (Fair/ Poor/ Very poor)	184	116	70	4
	60%	59%	60%	44%
				**
Low2Box (Poor/ Very poor)	115	71	46	4
	37%	36%	39%	44%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 272

QC1_10. [Family Doctor] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	897	571	340	13
Excellent	206	134	76	-
	23%	23%	22%	-
				**
Very good	279	171	113	4
	31%	30%	33%	31%
				**
Good	254	161	97	6
	28%	28%	29%	46%
				**
Fair	111	73	38	2
	12%	13%	11%	15%
				**
Poor	32	24	9	1
	4%	4%	3%	8%
				**
Very poor	15	8	7	-
	2%	1%	2%	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	897	571	340	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	739	466	286	10
	82%	82%	84%	77%
				**
Top2Box (Excellent/ Very good)	485	305	189	4
	54%	53%	56%	31%
				**
Low3Box (Fair/ Poor/ Very poor)	158	105	54	3
	18%	18%	16%	23%
				**
Low2Box (Poor/ Very poor)	47	32	16	1
	5%	6%	5%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 273

QC1_11. [Parkinson’s nurse specialist] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... -

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	454	293	165	8
Excellent	33	26	7	-
	7%	9%	4%	-
		DFH		**
Very good	71	48	25	-
	16%	16%	15%	-
				**
Good	115	75	41	3
	25%	26%	25%	38%
				**
Fair	103	65	39	2
	23%	22%	24%	25%
				**
Poor	82	54	28	3
	18%	18%	17%	38%
				**
Very poor	50	25	25	-
	11%	9%	15%	-
			AE	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	454	293	165	8
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	219	149	73	3
	48%	51%	44%	38%
				**
Top2Box (Excellent/ Very good)	104	74	32	-
	23%	25%	19%	-
				**
Low3Box (Fair/ Poor/ Very poor)	235	144	92	5
	52%	49%	56%	62%
				**
Low2Box (Poor/ Very poor)	132	79	53	3
	29%	27%	32%	38%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 274

QC1_12. [Dietician] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	484	298	192	9
Excellent	18	12	6	-
	4%	4%	3%	-
				**
Very good	81	47	35	1
	17%	16%	18%	11%
				**
Good	194	120	77	4
	40%	40%	40%	44%
				**
Fair	129	77	54	3
	27%	26%	28%	33%
				**
Poor	39	26	13	-
	8%	9%	7%	-
		H		**
Very poor	23	16	7	1
	5%	5%	4%	11%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	484	298	192	9
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	293	179	118	5
	61%	60%	61%	56%
				**
Top2Box (Excellent/ Very good)	99	59	41	1
	20%	20%	21%	11%
				**
Low3Box (Fair/ Poor/ Very poor)	191	119	74	4
	39%	40%	39%	44%
				**
Low2Box (Poor/ Very poor)	62	42	20	1
	13%	14%	10%	11%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 275

QC1_13. [Social worker] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	447	250	201	8
Excellent	13	7	6	-
	3%	3%	3%	-
				**
Very good	53	30	24	-
	12%	12%	12%	-
				**
Good	166	94	72	2
	37%	38%	36%	25%
				**
Fair	145	83	64	5
	32%	33%	32%	62%
				**
Poor	42	27	15	1
	9%	11%	7%	12%
				**
Very poor	28	9	20	-
	6%	4%	10%	-
			ADEH	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	447	250	201	8
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	232	131	102	2
	52%	52%	51%	25%
				**
Top2Box (Excellent/ Very good)	66	37	30	-
	15%	15%	15%	-
				**
Low3Box (Fair/ Poor/ Very poor)	215	119	99	6
	48%	48%	49%	75%
				**
Low2Box (Poor/ Very poor)	70	36	35	1
	16%	14%	17%	12%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 276

QC1_14. [Mental health services (counselling, psychiatrist, etc.)) Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	478	297	186	8
Excellent	20	12	8	-
	4%	4%	4%	-
				**
Very good	57	41	17	-
	12%	14%	9%	-
				**
Good	139	91	49	2
	29%	31%	26%	25%
				**
Fair	145	89	58	2
	30%	30%	31%	25%
			F	**
Poor	73	45	29	3
	15%	15%	16%	38%
				**
Very poor	44	19	25	1
	9%	6%	13%	12%
			ADEH	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	478	297	186	8
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	216	144	74	2
	45%	48%	40%	25%
				**
Top2Box (Excellent/ Very good)	77	53	25	-
	16%	18%	13%	-
				**
Low3Box (Fair/ Poor/ Very poor)	262	153	112	6
	55%	52%	60%	75%
				**
Low2Box (Poor/ Very poor)	117	64	54	4
	24%	22%	29%	50%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 277

QC1_15. [Long-term care facilities] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... -

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	404	199	213	10
Excellent	14	7	7	-
	3%	4%	3%	-
			H	**
Very good	24	10	15	-
	6%	5%	7%	-
				**
Good	83	36	49	2
	21%	18%	23%	20%
				**
Fair	112	66	46	5
	28%	33%	22%	50%
		BDEF		**
Poor	105	60	47	2
	26%	30%	22%	20%
				**
Very poor	66	20	49	1
	16%	10%	23%	10%
			AEH	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	404	199	213	10
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	121	53	71	2
	30%	27%	33%	20%
				**
Top2Box (Excellent/ Very good)	38	17	22	-
	9%	9%	10%	-
				**
Low3Box (Fair/ Poor/ Very poor)	283	146	142	8
	70%	73%	67%	80%
				**
Low2Box (Poor/ Very poor)	171	80	96	3
	42%	40%	45%	30%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 278

QC1_16. [Palliative care] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	297	162	140	9
Excellent	20	5	15	1
	7%	3%	11%	11%
			ADEH	**
Very good	51	21	32	-
	17%	13%	23%	-
			AE	**
Good	83	44	40	-
	28%	27%	29%	-
				**
Fair	81	56	27	5
	27%	35%	19%	56%
		BDEFH		**
Poor	41	26	15	2
	14%	16%	11%	22%
				**
Very poor	21	10	11	1
	7%	6%	8%	11%
			H	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	297	162	140	9
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	154	70	87	1
	52%	43%	62%	11%
			AE	**
Top2Box (Excellent/ Very good)	71	26	47	1
	24%	16%	34%	11%
			AE	**
Low3Box (Fair/ Poor/ Very poor)	143	92	53	8
	48%	57%	38%	89%
		BDEFH		**
Low2Box (Poor/ Very poor)	62	36	26	3
	21%	22%	19%	33%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 279

QC1_17. [Movement disorder clinics] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access for... -

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	651	420	238	11
Excellent	85	54	33	-
	13%	13%	14%	-
				**
Very good	104	70	36	2
	16%	17%	15%	18%
				**
Good	135	90	47	3
	21%	21%	20%	27%
				**
Fair	145	91	54	3
	22%	22%	23%	27%
				**
Poor	118	78	40	2
	18%	19%	17%	18%
				**
Very poor	64	37	28	1
	10%	9%	12%	9%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	651	420	238	11
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	324	214	116	5
	50%	51%	49%	45%
				**
Top2Box (Excellent/ Very good)	189	124	69	2
	29%	30%	29%	18%
				**
Low3Box (Fair/ Poor/ Very poor)	327	206	122	6
	50%	49%	51%	55%
				**
Low2Box (Poor/ Very poor)	182	115	68	3
	28%	27%	29%	27%
		G	G	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 280

QC1. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	725	468	270	10
	88%	89%	87%	83%
				**
Duodopa (e.g., intestinal pump)	68	52	17	1
	41%	43%	35%	25%
			*	**
Other non-oral medication (e.g., Neupro patch)	127	81	49	-
	49%	50%	49%	-
				**
Imaging tests (e.g., CT, MRI, PET)	385	241	151	2
	53%	52%	55%	17%
				**
Medical specialists (e.g., movement disorder specialists)	390	257	138	5
	53%	55%	50%	42%
				**
Physical therapy	435	266	175	5
	63%	64%	62%	42%
				**
Occupational therapy	273	154	121	4
	55%	56%	53%	33%
				**
Speech language and swallowing therapy	253	145	112	5
	53%	51%	56%	45%
				**
Surgery (e.g., Deep Brain Stimulation)	125	80	47	5
	40%	41%	40%	56%
				**
Family Doctor	739	466	286	10
	82%	82%	84%	77%
				**
Parkinson's nurse specialist	219	149	73	3
	48%	51%	44%	38%
				**
Dietician	293	179	118	5
	61%	60%	61%	56%
				**
Social worker	232	131	102	2
	52%	52%	51%	25%
				**
Mental health services (counselling, psychiatrist, etc.)	216	144	74	2
	45%	48%	40%	25%
				**
Long-term care facilities	121	53	71	2
	30%	27%	33%	20%
				**
Palliative care	154	70	87	1
	52%	43%	62%	11%
			AE	**
Movement disorder clinics	324	214	116	5
	50%	51%	49%	45%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 281

QC1. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	475	312	173	7
	58%	59%	56%	58%
				**
Duodopa (e.g., intestinal pump)	24	15	9	-
	14%	12%	19%	-
			*	**
Other non-oral medication (e.g., Neupro patch)	47	26	22	-
	18%	16%	22%	-
				**
Imaging tests (e.g., CT, MRI, PET)	152	97	57	-
	21%	21%	21%	-
				**
Medical specialists (e.g., movement disorder specialists)	212	139	77	2
	29%	30%	28%	17%
				**
Physical therapy	195	124	76	1
	28%	30%	27%	8%
				**
Occupational therapy	87	48	40	-
	17%	18%	18%	-
				**
Speech language and swallowing therapy	107	59	49	-
	22%	21%	24%	-
				**
Surgery (e.g., Deep Brain Stimulation)	61	40	23	3
	20%	20%	20%	33%
				**
Family Doctor	485	305	189	4
	54%	53%	56%	31%
				**
Parkinson's nurse specialist	104	74	32	-
	23%	25%	19%	-
				**
Dietician	99	59	41	1
	20%	20%	21%	11%
				**
Social worker	66	37	30	-
	15%	15%	15%	-
				**
Mental health services (counselling, psychiatrist, etc.)	77	53	25	-
	16%	18%	13%	-
				**
Long-term care facilities	38	17	22	-
	9%	9%	10%	-
				**
Palliative care	71	26	47	1
	24%	16%	34%	11%
			AE	**
Movement disorder clinics	189	124	69	2
	29%	30%	29%	18%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 282

QC1. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them.

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	100	60	40	2
	12%	11%	13%	17%
				**
Duodopa (e.g., intestinal pump)	99	68	31	3
	59%	57%	65%	75%
			*	**
Other non-oral medication (e.g., Neupro patch)	132	81	52	5
	51%	50%	51%	100%
				**
Imaging tests (e.g., CT, MRI, PET)	341	220	125	10
	47%	48%	45%	83%
				**
Medical specialists (e.g., movement disorder specialists)	347	209	139	7
	47%	45%	50%	58%
				**
Physical therapy	256	152	108	7
	37%	36%	38%	58%
				**
Occupational therapy	225	120	106	8
	45%	44%	47%	67%
				**
Speech language and swallowing therapy	224	138	89	6
	47%	49%	44%	55%
		G		**
Surgery (e.g., Deep Brain Stimulation)	184	116	70	4
	60%	59%	60%	44%
				**
Family Doctor	158	105	54	3
	18%	18%	16%	23%
				**
Parkinson's nurse specialist	235	144	92	5
	52%	49%	56%	62%
				**
Dietician	191	119	74	4
	39%	40%	39%	44%
				**
Social worker	215	119	99	6
	48%	48%	49%	75%
				**
Mental health services (counselling, psychiatrist, etc.)	262	153	112	6
	55%	52%	60%	75%
				**
Long-term care facilities	283	146	142	8
	70%	73%	67%	80%
				**
Palliative care	143	92	53	8
	48%	57%	38%	89%
		BDEFH		**
Movement disorder clinics	327	206	122	6
	50%	49%	51%	55%
				**

Overlap formula used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 283

QC1. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] Whether ... have used these services/treatments or not, we would like to know how you rate the access to them if ... needed them. How would you rate the access to these services/treatments?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	29	20	9	-
	4%	4%	3%	-
		H		**
Duodopa (e.g., intestinal pump)	54	34	20	3
	32%	28%	42%	75%
			*	**
Other non-oral medication (e.g., Neupro patch)	69	41	29	4
	27%	25%	29%	80%
				**
Imaging tests (e.g., CT, MRI, PET)	144	93	52	3
	20%	20%	19%	25%
				**
Medical specialists (e.g., movement disorder specialists)	166	110	57	1
	23%	24%	21%	8%
		G		**
Physical therapy	93	52	44	2
	13%	12%	16%	17%
			H	**
Occupational therapy	75	41	34	1
	15%	15%	15%	8%
				**
Speech language and swallowing therapy	102	63	40	5
	21%	22%	20%	45%
				**
Surgery (e.g., Deep Brain Stimulation)	115	71	46	4
	37%	36%	39%	44%
				**
Family Doctor	47	32	16	1
	5%	6%	5%	8%
				**
Parkinson's nurse specialist	132	79	53	3
	29%	27%	32%	38%
				**
Dietician	62	42	20	1
	13%	14%	10%	11%
				**
Social worker	70	36	35	1
	16%	14%	17%	12%
				**
Mental health services (counselling, psychiatrist, etc.)	117	64	54	4
	24%	22%	29%	50%
				**
Long-term care facilities	171	80	96	3
	42%	40%	45%	30%
				**
Palliative care	62	36	26	3
	21%	22%	19%	33%
				**
Movement disorder clinics	182	115	68	3
	28%	27%	29%	27%
		G	G	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 284

QC2_1. [Oral medication treatments for Parkinson’s disease] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	158	100	63	2
	17%	17%	18%	15%
				**
Very good	257	169	90	2
	28%	29%	26%	15%
				**
Good	270	177	98	3
	30%	31%	29%	23%
		G		**
Fair	86	54	32	4
	9%	9%	9%	31%
				**
Poor	15	9	6	1
	2%	2%	2%	8%
				**
Very poor	18	9	9	-
	2%	2%	3%	-
			H	**
Don't know	102	61	43	1
	11%	11%	13%	8%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	685	446	251	7
	76%	77%	74%	54%
				**
Top2Box (Excellent/ Very good)	415	269	153	4
	46%	46%	45%	31%
				**
Low3Box (Fair/ Poor/ Very poor)	119	72	47	5
	13%	12%	14%	38%
				**
Low2Box (Poor/ Very poor)	33	18	15	1
	4%	3%	4%	8%
			H	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 285

QC2_2. [Duodopa (e.g., intestinal pump)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	6	2	4	-
	1%	*	1%	-
			H	**
Very good	10	6	4	-
	1%	1%	1%	-
				**
Good	41	35	7	1
	5%	6%	2%	8%
		BEF		**
Fair	63	44	19	2
	7%	8%	6%	15%
				**
Poor	36	28	8	1
	4%	5%	2%	8%
				**
Very poor	30	15	15	1
	3%	3%	4%	8%
				**
Don't know	720	449	284	8
	79%	78%	83%	62%
			ADE	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	57	43	15	1
	6%	7%	4%	8%
				**
Top2Box (Excellent/ Very good)	16	8	8	-
	2%	1%	2%	-
				**
Low3Box (Fair/ Poor/ Very poor)	129	87	42	4
	14%	15%	12%	31%
				**
Low2Box (Poor/ Very poor)	66	43	23	2
	7%	7%	7%	15%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 286

QC2_3. [Other non-oral medication (e.g., Neupro patch)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	17	8	9	-
	2%	1%	3%	-
				**
Very good	28	18	10	-
	3%	3%	3%	-
				**
Good	73	51	25	2
	8%	9%	7%	15%
				**
Fair	82	63	19	1
	9%	11%	6%	8%
		BDEH		**
Poor	37	29	8	1
	4%	5%	2%	8%
		B		**
Very poor	26	15	13	-
	3%	3%	4%	-
				**
Don't know	643	395	257	9
	71%	68%	75%	69%
			ADEH	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	118	77	44	2
	13%	13%	13%	15%
				**
Top2Box (Excellent/ Very good)	45	26	19	-
	5%	4%	6%	-
				**
Low3Box (Fair/ Poor/ Very poor)	145	107	40	2
	16%	18%	12%	15%
		BEH		**
Low2Box (Poor/ Very poor)	63	44	21	1
	7%	8%	6%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 287

QC2_4. [Imaging tests (e.g., CT, MRI, PET)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	21	17	5	-
	2%	3%	1%	-
		DH		**
Very good	90	53	40	1
	10%	9%	12%	8%
				**
Good	218	135	85	2
	24%	23%	25%	15%
				**
Fair	197	125	73	4
	22%	22%	21%	31%
				**
Poor	99	70	30	3
	11%	12%	9%	23%
				**
Very poor	62	35	27	1
	7%	6%	8%	8%
				**
Don't know	219	144	81	2
	24%	25%	24%	15%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	329	205	130	3
	36%	35%	38%	23%
				**
Top2Box (Excellent/ Very good)	111	70	45	1
	12%	12%	13%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	358	230	130	8
	40%	40%	38%	62%
				**
Low2Box (Poor/ Very poor)	161	105	57	4
	18%	18%	17%	31%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 288

QC2_5. [Medical specialists (e.g., movement disorder specialists)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	56	37	20	-
	6%	6%	6%	-
				**
Very good	98	66	33	1
	11%	11%	10%	8%
				**
Good	137	87	53	2
	15%	15%	16%	15%
				**
Fair	166	106	61	6
	18%	18%	18%	46%
				**
Poor	154	95	60	3
	17%	16%	18%	23%
				**
Very poor	81	54	28	-
	9%	9%	8%	-
				**
Don't know	214	134	86	1
	24%	23%	25%	8%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	291	190	106	3
	32%	33%	31%	23%
				**
Top2Box (Excellent/ Very good)	154	103	53	1
	17%	18%	16%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	401	255	149	9
	44%	44%	44%	69%
				**
Low2Box (Poor/ Very poor)	235	149	88	3
	26%	26%	26%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 289

QC2_6. [Physical therapy] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	53	35	20	-
	6%	6%	6%	-
				**
Very good	115	73	44	-
	13%	13%	13%	-
				**
Good	247	154	95	4
	27%	27%	28%	31%
				**
Fair	172	105	69	5
	19%	18%	20%	38%
				**
Poor	57	29	29	1
	6%	5%	9%	8%
			AEH	**
Very poor	31	16	15	1
	3%	3%	4%	8%
				**
Don't know	231	167	69	2
	25%	29%	20%	15%
		BDEFH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	415	262	159	4
	46%	45%	47%	31%
				**
Top2Box (Excellent/ Very good)	168	108	64	-
	19%	19%	19%	-
				**
Low3Box (Fair/ Poor/ Very poor)	260	150	113	7
	29%	26%	33%	54%
			AE	**
Low2Box (Poor/ Very poor)	88	45	44	2
	10%	8%	13%	15%
			AEG	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 290
QC2_7. [Occupational therapy] And how would you rate the wait times for these services/treatments?
Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	12	6	6	-
	1%	1%	2%	-
				**
Very good	58	32	26	1
	6%	6%	8%	8%
				**
Good	177	94	84	2
	20%	16%	25%	15%
			ADE	**
Fair	167	101	68	5
	18%	17%	20%	38%
				**
Poor	50	27	23	2
	6%	5%	7%	15%
			H	**
Very poor	34	15	19	1
	4%	3%	6%	8%
			AE	**
Don't know	408	304	115	2
	45%	53%	34%	15%
		BDEFGH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	247	132	116	3
	27%	23%	34%	23%
			ADE	**
Top2Box (Excellent/ Very good)	70	38	32	1
	8%	7%	9%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	251	143	110	8
	28%	25%	32%	62%
			AE	**
Low2Box (Poor/ Very poor)	84	42	42	3
	9%	7%	12%	23%
			AEH	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 291

QC2_8. [Speech language and swallowing therapy] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	16	8	8	-
	2%	1%	2%	-
				**
Very good	68	41	28	1
	8%	7%	8%	8%
				**
Good	133	76	59	3
	15%	13%	17%	23%
			DF	**
Fair	148	91	59	4
	16%	16%	17%	31%
				**
Poor	72	44	28	2
	8%	8%	8%	15%
				**
Very poor	31	18	14	1
	3%	3%	4%	8%
				**
Don't know	438	301	145	2
	48%	52%	43%	15%
		BDEFGH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	217	125	95	4
	24%	22%	28%	31%
			ADEF	**
Top2Box (Excellent/ Very good)	84	49	36	1
	9%	8%	11%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	251	153	101	7
	28%	26%	30%	54%
				**
Low2Box (Poor/ Very poor)	103	62	42	3
	11%	11%	12%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 292

QC2_9. [Surgery (e.g., Deep Brain Stimulation)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	11	10	2	-
	1%	2%	1%	-
		H		**
Very good	21	14	7	2
	2%	2%	2%	15%
				**
Good	51	29	22	-
	6%	5%	6%	-
			F	**
Fair	80	57	24	4
	9%	10%	7%	31%
				**
Poor	81	55	26	-
	9%	9%	8%	-
				**
Very poor	71	46	27	1
	8%	8%	8%	8%
				**
Don't know	591	368	233	6
	65%	64%	68%	46%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	83	53	31	2
	9%	9%	9%	15%
				**
Top2Box (Excellent/ Very good)	32	24	9	2
	4%	4%	3%	15%
				**
Low3Box (Fair/ Poor/ Very poor)	232	158	77	5
	26%	27%	23%	38%
				**
Low2Box (Poor/ Very poor)	152	101	53	1
	17%	17%	16%	8%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 293

QC2_10. [Family Doctor] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	190	120	73	1
	21%	21%	21%	8%
				**
Very good	248	157	96	2
	27%	27%	28%	15%
				**
Good	270	171	103	4
	30%	30%	30%	31%
				**
Fair	114	80	35	4
	13%	14%	10%	31%
				**
Poor	30	21	9	1
	3%	4%	3%	8%
		H		**
Very poor	24	12	13	-
	3%	2%	4%	-
			H	**
Don't know	30	18	12	1
	3%	3%	4%	8%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	708	448	272	7
	78%	77%	80%	54%
			G	**
Top2Box (Excellent/ Very good)	438	277	169	3
	48%	48%	50%	23%
				**
Low3Box (Fair/ Poor/ Very poor)	168	113	57	5
	19%	20%	17%	38%
				**
Low2Box (Poor/ Very poor)	54	33	22	1
	6%	6%	6%	8%
			H	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 294

QC2_11. [Parkinson’s nurse specialist] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	23	19	5	-
	3%	3%	1%	-
		F		**
Very good	58	39	19	-
	6%	7%	6%	-
				**
Good	103	77	27	-
	11%	13%	8%	-
		BDE		**
Fair	126	84	44	6
	14%	15%	13%	46%
				**
Poor	74	44	30	2
	8%	8%	9%	15%
				**
Very poor	54	27	27	-
	6%	5%	8%	-
			A	**
Don't know	468	289	189	5
	52%	50%	55%	38%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	184	135	51	-
	20%	23%	15%	-
		BDEFH		**
Top2Box (Excellent/ Very good)	81	58	24	-
	9%	10%	7%	-
				**
Low3Box (Fair/ Poor/ Very poor)	254	155	101	8
	28%	27%	30%	62%
				**
Low2Box (Poor/ Very poor)	128	71	57	2
	14%	12%	17%	15%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 295

QC2_12. [Dietician] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	17	9	8	-
	2%	2%	2%	-
				**
Very good	61	37	24	-
	7%	6%	7%	-
				**
Good	185	112	75	3
	20%	19%	22%	23%
				**
Fair	157	99	62	5
	17%	17%	18%	38%
				**
Poor	39	25	14	-
	4%	4%	4%	-
				**
Very poor	27	13	15	2
	3%	2%	4%	15%
				**
Don't know	420	284	143	3
	46%	49%	42%	23%
		BDEFH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	263	158	107	3
	29%	27%	31%	23%
				**
Top2Box (Excellent/ Very good)	78	46	32	-
	9%	8%	9%	-
				**
Low3Box (Fair/ Poor/ Very poor)	223	137	91	7
	25%	24%	27%	54%
				**
Low2Box (Poor/ Very poor)	66	38	29	2
	7%	7%	9%	15%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 296

QC2_13. [Social worker] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	9	3	6	-
	1%	1%	2%	-
				**
Very good	57	28	29	-
	6%	5%	9%	-
			AEH	**
Good	148	92	56	2
	16%	16%	16%	15%
				**
Fair	159	96	64	4
	18%	17%	19%	31%
				**
Poor	62	33	29	3
	7%	6%	9%	23%
				**
Very poor	29	11	19	-
	3%	2%	6%	-
			AE	**
Don't know	442	316	138	4
	49%	55%	40%	31%
		BDEFGH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	214	123	91	2
	24%	21%	27%	15%
				**
Top2Box (Excellent/ Very good)	66	31	35	-
	7%	5%	10%	-
			AEH	**
Low3Box (Fair/ Poor/ Very poor)	250	140	112	7
	28%	24%	33%	54%
			AE	**
Low2Box (Poor/ Very poor)	91	44	48	3
	10%	8%	14%	23%
			AE	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 297

QC2_14. [Mental health services (counselling, psychiatrist, etc.)) And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	14	6	8	-
	2%	1%	2%	-
				**
Very good	38	25	13	-
	4%	4%	4%	-
				**
Good	137	93	46	2
	15%	16%	13%	15%
				**
Fair	142	95	48	3
	16%	16%	14%	23%
				**
Poor	97	60	37	3
	11%	10%	11%	23%
				**
Very poor	55	24	31	-
	6%	4%	9%	-
			ADEH	**
Don't know	423	276	158	5
	47%	48%	46%	38%
				**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	189	124	67	2
	21%	21%	20%	15%
				**
Top2Box (Excellent/ Very good)	52	31	21	-
	6%	5%	6%	-
				**
Low3Box (Fair/ Poor/ Very poor)	294	179	116	6
	32%	31%	34%	46%
				**
Low2Box (Poor/ Very poor)	152	84	68	3
	17%	15%	20%	23%
			A	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 298

QC2_15. [Long-term care facilities] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	4	2	2	-
	*	*	1%	-
			H	**
Very good	20	9	11	-
	2%	2%	3%	-
				**
Good	62	32	31	3
	7%	6%	9%	23%
			AE	**
Fair	123	73	52	4
	14%	13%	15%	31%
				**
Poor	125	80	46	3
	14%	14%	13%	23%
				**
Very poor	112	45	70	2
	12%	8%	21%	15%
			ADEH	**
Don't know	460	338	129	1
	51%	58%	38%	8%
		BDEFGH		**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	86	43	44	3
	9%	7%	13%	23%
			AEH	**
Top2Box (Excellent/ Very good)	24	11	13	-
	3%	2%	4%	-
				**
Low3Box (Fair/ Poor/ Very poor)	360	198	168	9
	40%	34%	49%	69%
			AE	**
Low2Box (Poor/ Very poor)	237	125	116	5
	26%	22%	34%	38%
			AEH	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 299

QC2_16. [Palliative care] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	11	3	8	-
	1%	1%	2%	-
			ADE	**
Very good	32	12	20	1
	4%	2%	6%	8%
			AE	**
Good	77	47	31	1
	8%	8%	9%	8%
				**
Fair	91	62	32	4
	10%	11%	9%	31%
				**
Poor	59	36	23	2
	7%	6%	7%	15%
				**
Very poor	39	19	20	1
	4%	3%	6%	8%
				**
Don't know	597	400	207	4
	66%	69%	61%	31%
		BDEFGH	G	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	120	62	59	2
	13%	11%	17%	15%
			AE	**
Top2Box (Excellent/ Very good)	43	15	28	1
	5%	3%	8%	8%
			AE	**
Low3Box (Fair/ Poor/ Very poor)	189	117	75	7
	21%	20%	22%	54%
				**
Low2Box (Poor/ Very poor)	98	55	43	3
	11%	9%	13%	23%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 300

QC2_17. [Movement disorder clinics] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Excellent	53	34	20	-
	6%	6%	6%	-
				**
Very good	79	52	28	1
	9%	9%	8%	8%
				**
Good	130	88	43	1
	14%	15%	13%	8%
				**
Fair	165	104	62	7
	18%	18%	18%	54%
				**
Poor	126	80	46	1
	14%	14%	13%	8%
				**
Very poor	89	55	36	1
	10%	9%	11%	8%
				**
Don't know	264	166	106	2
	29%	29%	31%	15%
			G	**
Sigma	906	579	341	13
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	262	174	91	2
	29%	30%	27%	15%
				**
Top2Box (Excellent/ Very good)	132	86	48	1
	15%	15%	14%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	380	239	144	9
	42%	41%	42%	69%
				**
Low2Box (Poor/ Very poor)	215	135	82	2
	24%	23%	24%	15%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 301
QC2. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	685	446	251	7
	76%	77%	74%	54%
Duodopa (e.g., intestinal pump)	57	43	15	1
	6%	7%	4%	8%
Other non-oral medication (e.g., Neupro patch)	118	77	44	2
	13%	13%	13%	15%
Imaging tests (e.g., CT, MRI, PET)	329	205	130	3
	36%	35%	38%	23%
Medical specialists (e.g., movement disorder specialists)	291	190	106	3
	32%	33%	31%	23%
Physical therapy	415	262	159	4
	46%	45%	47%	31%
Occupational therapy	247	132	116	3
	27%	23%	34%	23%
Speech language and swallowing therapy	217	125	95	4
	24%	22%	28%	31%
Surgery (e.g., Deep Brain Stimulation)	83	53	31	2
	9%	9%	9%	15%
Family Doctor	708	448	272	7
	78%	77%	80%	54%
Parkinson's nurse specialist	184	135	51	-
	20%	23%	15%	-
Dietician	263	158	107	3
	29%	27%	31%	23%
Social worker	214	123	91	2
	24%	21%	27%	15%
Mental health services (counselling, psychiatrist, etc.)	189	124	67	2
	21%	21%	20%	15%
Long-term care facilities	86	43	44	3
	9%	7%	13%	23%
Palliative care	120	62	59	2
	13%	11%	17%	15%
Movement disorder clinics	262	174	91	2
	29%	30%	27%	15%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 302
QC2. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

	Experience with Parkinson's			
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	415	269	153	4
	46%	46%	45%	31%
Duodopa (e.g., intestinal pump)	16	8	8	-
	2%	1%	2%	-
Other non-oral medication (e.g., Neupro patch)	45	26	19	-
	5%	4%	6%	-
Imaging tests (e.g., CT, MRI, PET)	111	70	45	1
	12%	12%	13%	8%
Medical specialists (e.g., movement disorder specialists)	154	103	53	1
	17%	18%	16%	8%
Physical therapy	168	108	64	-
	19%	19%	19%	-
Occupational therapy	70	38	32	1
	8%	7%	9%	8%
Speech language and swallowing therapy	84	49	36	1
	9%	8%	11%	8%
Surgery (e.g., Deep Brain Stimulation)	32	24	9	2
	4%	4%	3%	15%
Family Doctor	438	277	169	3
	48%	48%	50%	23%
Parkinson's nurse specialist	81	58	24	-
	9%	10%	7%	-
Dietician	78	46	32	-
	9%	8%	9%	-
Social worker	66	31	35	-
	7%	5%	10%	-
Mental health services (counselling, psychiatrist, etc.)	52	31	21	-
	6%	5%	6%	-
Long-term care facilities	24	11	13	-
	3%	2%	4%	-
Palliative care	43	15	28	1
	5%	3%	8%	8%
Movement disorder clinics	132	86	48	1
	15%	15%	14%	8%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 303

QC2. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think they would be for those who use them.

	Experience with Parkinson's			
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	119	72	47	5
	13%	12%	14%	38%
Duodopa (e.g., intestinal pump)	129	87	42	4
	14%	15%	12%	31%
Other non-oral medication (e.g., Neupro patch)	145	107	40	2
	16%	18%	12%	15%
Imaging tests (e.g., CT, MRI, PET)	358	230	130	8
	40%	40%	38%	62%
Medical specialists (e.g., movement disorder specialists)	401	255	149	9
	44%	44%	44%	69%
Physical therapy	260	150	113	7
	29%	26%	33%	54%
Occupational therapy	251	143	110	8
	28%	25%	32%	62%
Speech language and swallowing therapy	251	153	101	7
	28%	26%	30%	54%
Surgery (e.g., Deep Brain Stimulation)	232	158	77	5
	26%	27%	23%	38%
Family Doctor	168	113	57	5
	19%	20%	17%	38%
Parkinson's nurse specialist	254	155	101	8
	28%	27%	30%	62%
Dietician	223	137	91	7
	25%	24%	27%	54%
Social worker	250	140	112	7
	28%	24%	33%	54%
Mental health services (counselling, psychiatrist, etc.)	294	179	116	6
	32%	31%	34%	46%
Long-term care facilities	360	198	168	9
	40%	34%	49%	69%
Palliative care	189	117	75	7
	21%	20%	22%	54%
Movement disorder clinics	380	239	144	9
	42%	41%	42%	69%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 304

QC2. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

	Experience with Parkinson's			
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Oral medication treatments for Parkinson's disease	33	18	15	1
	4%	3%	4%	8%
			H	**
Duodopa (e.g., intestinal pump)	66	43	23	2
	7%	7%	7%	15%
				**
Other non-oral medication (e.g., Neupro patch)	63	44	21	1
	7%	8%	6%	8%
				**
Imaging tests (e.g., CT, MRI, PET)	161	105	57	4
	18%	18%	17%	31%
				**
Medical specialists (e.g., movement disorder specialists)	235	149	88	3
	26%	26%	26%	23%
				**
Physical therapy	88	45	44	2
	10%	8%	13%	15%
			AEG	**
Occupational therapy	84	42	42	3
	9%	7%	12%	23%
			AEH	**
Speech language and swallowing therapy	103	62	42	3
	11%	11%	12%	23%
				**
Surgery (e.g., Deep Brain Stimulation)	152	101	53	1
	17%	17%	16%	8%
				**
Family Doctor	54	33	22	1
	6%	6%	6%	8%
			H	**
Parkinson's nurse specialist	128	71	57	2
	14%	12%	17%	15%
				**
Dietician	66	38	29	2
	7%	7%	9%	15%
				**
Social worker	91	44	48	3
	10%	8%	14%	23%
			AE	**
Mental health services (counselling, psychiatrist, etc.)	152	84	68	3
	17%	15%	20%	23%
			A	**
Long-term care facilities	237	125	116	5
	26%	22%	34%	38%
			AEH	**
Palliative care	98	55	43	3
	11%	9%	13%	23%
				**
Movement disorder clinics	215	135	82	2
	24%	23%	24%	15%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 305

QC2_1. [Oral medication treatments for Parkinson’s disease] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	804	518	298	12
Excellent	158	100	63	2
	20%	19%	21%	17%
				**
Very good	257	169	90	2
	32%	33%	30%	17%
				**
Good	270	177	98	3
	34%	34%	33%	25%
				**
Fair	86	54	32	4
	11%	10%	11%	33%
				**
Poor	15	9	6	1
	2%	2%	2%	8%
				**
Very poor	18	9	9	-
	2%	2%	3%	-
			H	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	804	518	298	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	685	446	251	7
	85%	86%	84%	58%
				**
Top2Box (Excellent/ Very good)	415	269	153	4
	52%	52%	51%	33%
				**
Low3Box (Fair/ Poor/ Very poor)	119	72	47	5
	15%	14%	16%	42%
				**
Low2Box (Poor/ Very poor)	33	18	15	1
	4%	3%	5%	8%
			H	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 306

QC2_2. [Duodopa (e.g., intestinal pump)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	186	130	57	5
Excellent	6	2	4	-
	3%	2%	7%	-
			DH*	**
Very good	10	6	4	-
	5%	5%	7%	-
			*	**
Good	41	35	7	1
	22%	27%	12%	20%
		BEF	*	**
Fair	63	44	19	2
	34%	34%	33%	40%
			*	**
Poor	36	28	8	1
	19%	22%	14%	20%
			*	**
Very poor	30	15	15	1
	16%	12%	26%	20%
			AE*	**
Don't know	-	-	-	-
	-	-	-	-
			*	**
Sigma	186	130	57	5
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	57	43	15	1
	31%	33%	26%	20%
			*	**
Top2Box (Excellent/ Very good)	16	8	8	-
	9%	6%	14%	-
			D*	**
Low3Box (Fair/ Poor/ Very poor)	129	87	42	4
	69%	67%	74%	80%
			*	**
Low2Box (Poor/ Very poor)	66	43	23	2
	35%	33%	40%	40%
			*	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 307

QC2_3. [Other non-oral medication (e.g., Neupro patch)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	263	184	84	4
Excellent	17	8	9	-
	6%	4%	11%	-
			AFH*	**
Very good	28	18	10	-
	11%	10%	12%	-
			*	**
Good	73	51	25	2
	28%	28%	30%	50%
			*	**
Fair	82	63	19	1
	31%	34%	23%	25%
		DH	*	**
Poor	37	29	8	1
	14%	16%	10%	25%
			*	**
Very poor	26	15	13	-
	10%	8%	15%	-
			DH*	**
Don't know	-	-	-	-
	-	-	-	-
			*	**
Sigma	263	184	84	4
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	118	77	44	2
	45%	42%	52%	50%
			*	**
Top2Box (Excellent/ Very good)	45	26	19	-
	17%	14%	23%	-
			*	**
Low3Box (Fair/ Poor/ Very poor)	145	107	40	2
	55%	58%	48%	50%
		DH	*	**
Low2Box (Poor/ Very poor)	63	44	21	1
	24%	24%	25%	25%
			*	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 308

QC2_4. [Imaging tests (e.g., CT, MRI, PET)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	687	435	260	11
Excellent	21	17	5	-
	3%	4%	2%	-
		DH		**
Very good	90	53	40	1
	13%	12%	15%	9%
				**
Good	218	135	85	2
	32%	31%	33%	18%
				**
Fair	197	125	73	4
	29%	29%	28%	36%
				**
Poor	99	70	30	3
	14%	16%	12%	27%
		GH		**
Very poor	62	35	27	1
	9%	8%	10%	9%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	687	435	260	11
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	329	205	130	3
	48%	47%	50%	27%
				**
Top2Box (Excellent/ Very good)	111	70	45	1
	16%	16%	17%	9%
				**
Low3Box (Fair/ Poor/ Very poor)	358	230	130	8
	52%	53%	50%	73%
				**
Low2Box (Poor/ Very poor)	161	105	57	4
	23%	24%	22%	36%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 309

QC2_5. [Medical specialists (e.g., movement disorder specialists)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	692	445	255	12
Excellent	56	37	20	-
	8%	8%	8%	-
				**
Very good	98	66	33	1
	14%	15%	13%	8%
				**
Good	137	87	53	2
	20%	20%	21%	17%
				**
Fair	166	106	61	6
	24%	24%	24%	50%
				**
Poor	154	95	60	3
	22%	21%	24%	25%
				**
Very poor	81	54	28	-
	12%	12%	11%	-
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	692	445	255	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	291	190	106	3
	42%	43%	42%	25%
				**
Top2Box (Excellent/ Very good)	154	103	53	1
	22%	23%	21%	8%
				**
Low3Box (Fair/ Poor/ Very poor)	401	255	149	9
	58%	57%	58%	75%
				**
Low2Box (Poor/ Very poor)	235	149	88	3
	34%	33%	35%	25%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 310

QC2_6. [Physical therapy] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	675	412	272	11
Excellent	53	35	20	-
	8%	8%	7%	-
				**
Very good	115	73	44	-
	17%	18%	16%	-
				**
Good	247	154	95	4
	37%	37%	35%	36%
				**
Fair	172	105	69	5
	25%	25%	25%	45%
				**
Poor	57	29	29	1
	8%	7%	11%	9%
			H	**
Very poor	31	16	15	1
	5%	4%	6%	9%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	675	412	272	11
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	415	262	159	4
	61%	64%	58%	36%
				**
Top2Box (Excellent/ Very good)	168	108	64	-
	25%	26%	24%	-
				**
Low3Box (Fair/ Poor/ Very poor)	260	150	113	7
	39%	36%	42%	64%
			H	**
Low2Box (Poor/ Very poor)	88	45	44	2
	13%	11%	16%	18%
			AGH	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 311
QC2_7. [Occupational therapy] And how would you rate the wait times for these services/treatments?
Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	498	275	226	11
Excellent				
	12	6	6	-
	2%	2%	3%	-
Very good				**
	58	32	26	1
	12%	12%	12%	9%
Good				**
	177	94	84	2
	36%	34%	37%	18%
Fair				**
	167	101	68	5
	34%	37%	30%	45%
Poor				**
	50	27	23	2
	10%	10%	10%	18%
Very poor				**
	34	15	19	1
	7%	5%	8%	9%
Don't know				**
	-	-	-	-
	-	-	-	-
Sigma				**
	498	275	226	11
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	247	132	116	3
	50%	48%	51%	27%
				**
Top2Box (Excellent/ Very good)	70	38	32	1
	14%	14%	14%	9%
				**
Low3Box (Fair/ Poor/ Very poor)	251	143	110	8
	50%	52%	49%	73%
				**
Low2Box (Poor/ Very poor)	84	42	42	3
	17%	15%	19%	27%
			G	**

Overlap formula used

- Column Proportions:
 - Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
 - Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
 - Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
 - Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 312

QC2_8. [Speech language and swallowing therapy] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	468	278	196	11
Excellent	16	8	8	-
	3%	3%	4%	-
				**
Very good	68	41	28	1
	15%	15%	14%	9%
				**
Good	133	76	59	3
	28%	27%	30%	27%
			F	**
Fair	148	91	59	4
	32%	33%	30%	36%
				**
Poor	72	44	28	2
	15%	16%	14%	18%
				**
Very poor	31	18	14	1
	7%	6%	7%	9%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	468	278	196	11
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	217	125	95	4
	46%	45%	48%	36%
			F	**
Top2Box (Excellent/ Very good)	84	49	36	1
	18%	18%	18%	9%
				**
Low3Box (Fair/ Poor/ Very poor)	251	153	101	7
	54%	55%	52%	64%
				**
Low2Box (Poor/ Very poor)	103	62	42	3
	22%	22%	21%	27%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 313

QC2_9. [Surgery (e.g., Deep Brain Stimulation)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	315	211	108	7
Excellent	11	10	2	-
	3%	5%	2%	-
				**
Very good	21	14	7	2
	7%	7%	6%	29%
				**
Good	51	29	22	-
	16%	14%	20%	-
			F	**
Fair	80	57	24	4
	25%	27%	22%	57%
				**
Poor	81	55	26	-
	26%	26%	24%	-
				**
Very poor	71	46	27	1
	23%	22%	25%	14%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	315	211	108	7
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	83	53	31	2
	26%	25%	29%	29%
			F	**
Top2Box (Excellent/ Very good)	32	24	9	2
	10%	11%	8%	29%
				**
Low3Box (Fair/ Poor/ Very poor)	232	158	77	5
	74%	75%	71%	71%
				**
Low2Box (Poor/ Very poor)	152	101	53	1
	48%	48%	49%	14%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 314

QC2_10. [Family Doctor] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	876	561	329	12
Excellent	190	120	73	1
	22%	21%	22%	8%
				**
Very good	248	157	96	2
	28%	28%	29%	17%
				**
Good	270	171	103	4
	31%	30%	31%	33%
				**
Fair	114	80	35	4
	13%	14%	11%	33%
				**
Poor	30	21	9	1
	3%	4%	3%	8%
				**
Very poor	24	12	13	-
	3%	2%	4%	-
			H	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	876	561	329	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	708	448	272	7
	81%	80%	83%	58%
				**
Top2Box (Excellent/ Very good)	438	277	169	3
	50%	49%	51%	25%
				**
Low3Box (Fair/ Poor/ Very poor)	168	113	57	5
	19%	20%	17%	42%
				**
Low2Box (Poor/ Very poor)	54	33	22	1
	6%	6%	7%	8%
			H	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 315

QC2_11. [Parkinson’s nurse specialist] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	438	290	152	8
Excellent	23	19	5	-
	5%	7%	3%	-
		F		**
Very good	58	39	19	-
	13%	13%	12%	-
				**
Good	103	77	27	-
	24%	27%	18%	-
		BE		**
Fair	126	84	44	6
	29%	29%	29%	75%
				**
Poor	74	44	30	2
	17%	15%	20%	25%
				**
Very poor	54	27	27	-
	12%	9%	18%	-
			ADE	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	438	290	152	8
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	184	135	51	-
	42%	47%	34%	-
		BDEF		**
Top2Box (Excellent/ Very good)	81	58	24	-
	18%	20%	16%	-
				**
Low3Box (Fair/ Poor/ Very poor)	254	155	101	8
	58%	53%	66%	100%
			AE	**
Low2Box (Poor/ Very poor)	128	71	57	2
	29%	24%	38%	25%
			AE	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 316

QC2_12. [Dietician] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	486	295	198	10
Excellent	17	9	8	-
	3%	3%	4%	-
				**
Very good	61	37	24	-
	13%	13%	12%	-
				**
Good	185	112	75	3
	38%	38%	38%	30%
				**
Fair	157	99	62	5
	32%	34%	31%	50%
				**
Poor	39	25	14	-
	8%	8%	7%	-
				**
Very poor	27	13	15	2
	6%	4%	8%	20%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	486	295	198	10
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	263	158	107	3
	54%	54%	54%	30%
				**
Top2Box (Excellent/ Very good)	78	46	32	-
	16%	16%	16%	-
				**
Low3Box (Fair/ Poor/ Very poor)	223	137	91	7
	46%	46%	46%	70%
				**
Low2Box (Poor/ Very poor)	66	38	29	2
	14%	13%	15%	20%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 317

QC2_13. [Social worker] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	464	263	203	9
Excellent	9	3	6	-
	2%	1%	3%	-
				**
Very good	57	28	29	-
	12%	11%	14%	-
				**
Good	148	92	56	2
	32%	35%	28%	22%
		F		**
Fair	159	96	64	4
	34%	37%	32%	44%
				**
Poor	62	33	29	3
	13%	13%	14%	33%
				**
Very poor	29	11	19	-
	6%	4%	9%	-
			AE	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	464	263	203	9
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	214	123	91	2
	46%	47%	45%	22%
				**
Top2Box (Excellent/ Very good)	66	31	35	-
	14%	12%	17%	-
				**
Low3Box (Fair/ Poor/ Very poor)	250	140	112	7
	54%	53%	55%	78%
				**
Low2Box (Poor/ Very poor)	91	44	48	3
	20%	17%	24%	33%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 318

QC2_14. [Mental health services (counselling, psychiatrist, etc.)) And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	483	303	183	8
Excellent	14	6	8	-
	3%	2%	4%	-
				**
Very good	38	25	13	-
	8%	8%	7%	-
				**
Good	137	93	46	2
	28%	31%	25%	25%
				**
Fair	142	95	48	3
	29%	31%	26%	38%
				**
Poor	97	60	37	3
	20%	20%	20%	38%
				**
Very poor	55	24	31	-
	11%	8%	17%	-
			ADEGH	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	483	303	183	8
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	189	124	67	2
	39%	41%	37%	25%
				**
Top2Box (Excellent/ Very good)	52	31	21	-
	11%	10%	11%	-
				**
Low3Box (Fair/ Poor/ Very poor)	294	179	116	6
	61%	59%	63%	75%
				**
Low2Box (Poor/ Very poor)	152	84	68	3
	31%	28%	37%	38%
			AE	**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 319

QC2_15. [Long-term care facilities] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	446	241	212	12
Excellent	4	2	2	-
	1%	1%	1%	-
			H	**
Very good	20	9	11	-
	4%	4%	5%	-
				**
Good	62	32	31	3
	14%	13%	15%	25%
				**
Fair	123	73	52	4
	28%	30%	25%	33%
				**
Poor	125	80	46	3
	28%	33%	22%	25%
		BE		**
Very poor	112	45	70	2
	25%	19%	33%	17%
			ADEH	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	446	241	212	12
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	86	43	44	3
	19%	18%	21%	25%
				**
Top2Box (Excellent/ Very good)	24	11	13	-
	5%	5%	6%	-
				**
Low3Box (Fair/ Poor/ Very poor)	360	198	168	9
	81%	82%	79%	75%
				**
Low2Box (Poor/ Very poor)	237	125	116	5
	53%	52%	55%	42%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 320

QC2_16. [Palliative care] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think ... have to wait for these

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	309	179	134	9
Excellent	11	3	8	-
	4%	2%	6%	-
			AD	**
Very good	32	12	20	1
	10%	7%	15%	11%
			AE	**
Good	77	47	31	1
	25%	26%	23%	11%
				**
Fair	91	62	32	4
	29%	35%	24%	44%
		BEF		**
Poor	59	36	23	2
	19%	20%	17%	22%
				**
Very poor	39	19	20	1
	13%	11%	15%	11%
			D	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	309	179	134	9
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	120	62	59	2
	39%	35%	44%	22%
				**
Top2Box (Excellent/ Very good)	43	15	28	1
	14%	8%	21%	11%
			ADEH	**
Low3Box (Fair/ Poor/ Very poor)	189	117	75	7
	61%	65%	56%	78%
				**
Low2Box (Poor/ Very poor)	98	55	43	3
	32%	31%	32%	33%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 321

QC2_17. [Movement disorder clinics] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you think

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	642	413	235	11
Excellent	53	34	20	-
	8%	8%	9%	-
				**
Very good	79	52	28	1
	12%	13%	12%	9%
				**
Good	130	88	43	1
	20%	21%	18%	9%
				**
Fair	165	104	62	7
	26%	25%	26%	64%
				**
Poor	126	80	46	1
	20%	19%	20%	9%
				**
Very poor	89	55	36	1
	14%	13%	15%	9%
				**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	642	413	235	11
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	262	174	91	2
	41%	42%	39%	18%
				**
Top2Box (Excellent/ Very good)	132	86	48	1
	21%	21%	20%	9%
				**
Low3Box (Fair/ Poor/ Very poor)	380	239	144	9
	59%	58%	61%	82%
				**
Low2Box (Poor/ Very poor)	215	135	82	2
	33%	33%	35%	18%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 322

QC2. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	685	446	251	7
	85%	86%	84%	58%
				**
Duodopa (e.g., intestinal pump)	57	43	15	1
	31%	33%	26%	20%
			*	**
Other non-oral medication (e.g., Neupro patch)	118	77	44	2
	45%	42%	52%	50%
			*	**
Imaging tests (e.g., CT, MRI, PET)	329	205	130	3
	48%	47%	50%	27%
				**
Medical specialists (e.g., movement disorder specialists)	291	190	106	3
	42%	43%	42%	25%
				**
Physical therapy	415	262	159	4
	61%	64%	58%	36%
				**
Occupational therapy	247	132	116	3
	50%	48%	51%	27%
				**
Speech language and swallowing therapy	217	125	95	4
	46%	45%	48%	36%
			F	**
Surgery (e.g., Deep Brain Stimulation)	83	53	31	2
	26%	25%	29%	29%
			F	**
Family Doctor	708	448	272	7
	81%	80%	83%	58%
				**
Parkinson's nurse specialist	184	135	51	-
	42%	47%	34%	-
		BDEF		**
Dietician	263	158	107	3
	54%	54%	54%	30%
				**
Social worker	214	123	91	2
	46%	47%	45%	22%
				**
Mental health services (counselling, psychiatrist, etc.)	189	124	67	2
	39%	41%	37%	25%
				**
Long-term care facilities	86	43	44	3
	19%	18%	21%	25%
				**
Palliative care	120	62	59	2
	39%	35%	44%	22%
				**
Movement disorder clinics	262	174	91	2
	41%	42%	39%	18%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 323

QC2. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	415	269	153	4
	52%	52%	51%	33%
				**
Duodopa (e.g., intestinal pump)	16	8	8	-
	9%	6%	14%	-
			D*	**
Other non-oral medication (e.g., Neupro patch)	45	26	19	-
	17%	14%	23%	-
			*	**
Imaging tests (e.g., CT, MRI, PET)	111	70	45	1
	16%	16%	17%	9%
				**
Medical specialists (e.g., movement disorder specialists)	154	103	53	1
	22%	23%	21%	8%
				**
Physical therapy	168	108	64	-
	25%	26%	24%	-
				**
Occupational therapy	70	38	32	1
	14%	14%	14%	9%
				**
Speech language and swallowing therapy	84	49	36	1
	18%	18%	18%	9%
				**
Surgery (e.g., Deep Brain Stimulation)	32	24	9	2
	10%	11%	8%	29%
				**
Family Doctor	438	277	169	3
	50%	49%	51%	25%
				**
Parkinson's nurse specialist	81	58	24	-
	18%	20%	16%	-
				**
Dietician	78	46	32	-
	16%	16%	16%	-
				**
Social worker	66	31	35	-
	14%	12%	17%	-
				**
Mental health services (counselling, psychiatrist, etc.)	52	31	21	-
	11%	10%	11%	-
				**
Long-term care facilities	24	11	13	-
	5%	5%	6%	-
				**
Palliative care	43	15	28	1
	14%	8%	21%	11%
			ADEH	**
Movement disorder clinics	132	86	48	1
	21%	21%	20%	9%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 324

QC2. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	119	72	47	5
	15%	14%	16%	42%
				**
Duodopa (e.g., intestinal pump)	129	87	42	4
	69%	67%	74%	80%
			*	**
Other non-oral medication (e.g., Neupro patch)	145	107	40	2
	55%	58%	48%	50%
		DH	*	**
Imaging tests (e.g., CT, MRI, PET)	358	230	130	8
	52%	53%	50%	73%
				**
Medical specialists (e.g., movement disorder specialists)	401	255	149	9
	58%	57%	58%	75%
				**
Physical therapy	260	150	113	7
	39%	36%	42%	64%
			H	**
Occupational therapy	251	143	110	8
	50%	52%	49%	73%
				**
Speech language and swallowing therapy	251	153	101	7
	54%	55%	52%	64%
				**
Surgery (e.g., Deep Brain Stimulation)	232	158	77	5
	74%	75%	71%	71%
				**
Family Doctor	168	113	57	5
	19%	20%	17%	42%
				**
Parkinson's nurse specialist	254	155	101	8
	58%	53%	66%	100%
			AE	**
Dietician	223	137	91	7
	46%	46%	46%	70%
				**
Social worker	250	140	112	7
	54%	53%	55%	78%
				**
Mental health services (counselling, psychiatrist, etc.)	294	179	116	6
	61%	59%	63%	75%
				**
Long-term care facilities	360	198	168	9
	81%	82%	79%	75%
				**
Palliative care	189	117	75	7
	61%	65%	56%	78%
				**
Movement disorder clinics	380	239	144	9
	59%	58%	61%	82%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 325

QC2. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments? Again, ... may not have use them, but we're looking for how short or long you

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	33	18	15	1
	4%	3%	5%	8%
			H	**
Duodopa (e.g., intestinal pump)	66	43	23	2
	35%	33%	40%	40%
			*	**
Other non-oral medication (e.g., Neupro patch)	63	44	21	1
	24%	24%	25%	25%
			*	**
Imaging tests (e.g., CT, MRI, PET)	161	105	57	4
	23%	24%	22%	36%
				**
Medical specialists (e.g., movement disorder specialists)	235	149	88	3
	34%	33%	35%	25%
				**
Physical therapy	88	45	44	2
	13%	11%	16%	18%
			AGH	**
Occupational therapy	84	42	42	3
	17%	15%	19%	27%
			G	**
Speech language and swallowing therapy	103	62	42	3
	22%	22%	21%	27%
				**
Surgery (e.g., Deep Brain Stimulation)	152	101	53	1
	48%	48%	49%	14%
				**
Family Doctor	54	33	22	1
	6%	6%	7%	8%
			H	**
Parkinson's nurse specialist	128	71	57	2
	29%	24%	38%	25%
			AE	**
Dietician	66	38	29	2
	14%	13%	15%	20%
				**
Social worker	91	44	48	3
	20%	17%	24%	33%
				**
Mental health services (counselling, psychiatrist, etc.)	152	84	68	3
	31%	28%	37%	38%
			AE	**
Long-term care facilities	237	125	116	5
	53%	52%	55%	42%
				**
Palliative care	98	55	43	3
	32%	31%	32%	33%
				**
Movement disorder clinics	215	135	82	2
	33%	33%	35%	18%
				**

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 326

QC3. Are ... a patient of a movement disorder clinic?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1	906	579	341	13
Yes, currently	376	275	107	7
	42%	47%	31%	54%
		BDEFH		**
No, but I was/they were in the past	92	39	53	2
	10%	7%	16%	15%
			ADE	**
No	416	252	172	4
	46%	44%	50%	31%
		G	AEG	**
Don't know	22	13	9	-
	2%	2%	3%	-
				**
Sigma	906	579	341	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 327

QC3. Are ... a patient of a movement disorder clinic? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 1 - Excl DK	884	566	332	13
Yes, currently	376	275	107	7
	43%	49%	32%	54%
		BDEFH		**
No, but I was/they were in the past	92	39	53	2
	10%	7%	16%	15%
			ADEH	**
No	416	252	172	4
	47%	45%	52%	31%
		G	AEG	**
Don't know	-	-	-	-
	-	-	-	-
				**
Sigma	884	566	332	13
	100%	100%	100%	100%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 328
QD1. What services or resources would help people live better with Parkinson's disease?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Support groups (e.g., peer to peer support)	41	-	7	41
	55%	-	54%	55%
Transportation services	40	-	8	40
	54%	-	62%	54%
Nutritional/dietary counselling	39	-	8	39
	53%	-	62%	53%
Counselling/support groups	42	-	7	42
	57%	-	54%	57%
Education/information and resources (e.g., about Parkinson's disease and care planning)	53	-	8	53
	72%	-	62%	72%
In home support to complete household tasks (e.g., laundry, cleaning, cooking)	37	1	7	37
	50%	100%	54%	50%
Supportive technology (e.g., medication timers, GPS locator)	38	-	7	38
	51%	-	54%	51%
Home care (e.g., personal support for daily living activities)	42	1	9	42
	57%	100%	69%	57%
Physiotherapy	54	-	10	54
	73%	-	77%	73%
Occupational therapy	45	-	9	45
	61%	-	69%	61%
Speech-language therapy	43	-	8	43
	58%	-	62%	58%
Regular appointments with a family doctor/nurse practitioner	32	1	7	32
	43%	100%	54%	43%
Regular appointments with specialists (e.g. Neurologist)	43	-	8	43
	58%	-	62%	58%
Physical activities/Exercise programs	57	1	11	57
	77%	100%	85%	77%
Assistance in applying for government financial support	33	1	7	33
	45%	100%	54%	45%
Assistance in navigating the health care system	40	-	9	40
	54%	-	69%	54%
Assistance in transitions/changing settings (e.g. housing, hospital, long term care)	33	-	5	33
	45%	-	38%	45%
Other	2	-	-	2
	3%	-	-	3%
Other mentions	5	-	1	5
	7%	-	8%	7%
None	-	-	-	-
	-	-	-	-
Don't know	2	-	-	2
	3%	-	-	3%
Sigma	721	5	136	721
	974%	500%	1046%	974%

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 329
QD1. What services or resources would help people live better with Parkinson's disease? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	72	1	13	72
Support groups (e.g., peer to peer support)	41	-	7	41
	57%	-	54%	57%
Transportation services	40	-	8	40
	56%	-	62%	56%
Nutritional/dietary counselling	39	-	8	39
	54%	-	62%	54%
Counselling/support groups	42	-	7	42
	58%	-	54%	58%
Education/information and resources (e.g., about Parkinson's disease and care planning)	53	-	8	53
	74%	-	62%	74%
In home support to complete household tasks (e.g., laundry, cleaning, cooking)	37	1	7	37
	51%	100%	54%	51%
Supportive technology (e.g., medication timers, GPS locator)	38	-	7	38
	53%	-	54%	53%
Home care (e.g., personal support for daily living activities)	42	1	9	42
	58%	100%	69%	58%
Physiotherapy	54	-	10	54
	75%	-	77%	75%
Occupational therapy	45	-	9	45
	62%	-	69%	62%
Speech-language therapy	43	-	8	43
	60%	-	62%	60%
Regular appointments with a family doctor/nurse practitioner	32	1	7	32
	44%	100%	54%	44%
Regular appointments with specialists (e.g. Neurologist)	43	-	8	43
	60%	-	62%	60%
Physical activities/Exercise programs	57	1	11	57
	79%	100%	85%	79%
Assistance in applying for government financial support	33	1	7	33
	46%	100%	54%	46%
Assistance in navigating the health care system	40	-	9	40
	56%	-	69%	56%
Assistance in transitions/changing settings (e.g. housing, hospital, long term care)	33	-	5	33
	46%	-	38%	46%
Other	2	-	-	2
	3%	-	-	3%
Other mentions	5	-	1	5
	7%	-	8%	7%
None	-	-	-	-
	-	-	-	-
Don't know	-	-	-	-
	-	-	-	-
Sigma	719	5	136	719
	999%	500%	1046%	999%

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 351
QD3. In your opinion, what are the biggest barriers to people living with Parkinson's disease receiving the care they need?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	56	1	13	56
Not enough information	1	-	-	1
	2%	-	-	2%
		**	**	*
More information/ better understanding of Parkinson	13	1	3	13
	23%	100%	23%	23%
		**	**	*
Education on resources available	12	-	1	12
	21%	-	8%	21%
		**	**	*
Lack of support groups/ counseling	8	-	1	8
	14%	-	8%	14%
		**	**	*
Lack of doctors/ medical specialists	8	-	1	8
	14%	-	8%	14%
		**	**	*
Lack of financial support	4	-	-	4
	7%	-	-	7%
		**	**	*
Lack of exercise programs/ activities	3	-	-	3
	5%	-	-	5%
		**	**	*
Insufficient home care support	5	-	1	5
	9%	-	8%	9%
		**	**	*
Difficulty with transportation	4	-	-	4
	7%	-	-	7%
		**	**	*
Navigating health care system	3	-	-	3
	5%	-	-	5%
		**	**	*
Long waiting time for an appointment	3	-	2	3
	5%	-	15%	5%
		**	**	*
Physical barrier mentions	3	-	1	3
	5%	-	8%	5%
		**	**	*
Other mentions	3	-	1	3
	5%	-	8%	5%
		**	**	*
None	-	-	-	-
	-	-	-	-
		**	**	*
Nothing	-	-	-	-
	-	-	-	-
		**	**	*
Don't know	16	-	5	16
	29%	-	38%	29%
		**	**	*
Sigma	86	1	16	86
	154%	100%	123%	154%

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 352

QD3. In your opinion, what are the biggest barriers to people living with Parkinson's disease receiving the care they need? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	40	1	8	40
Not enough information	1	-	-	1
	2%	-	-	2%
		**	**	*
More information/ better understanding of Parkinson	13	1	3	13
	32%	100%	38%	32%
		**	**	*
Education on resources available	12	-	1	12
	30%	-	12%	30%
		**	**	*
Lack of support groups/ counseling	8	-	1	8
	20%	-	12%	20%
		**	**	*
Lack of doctors/ medical specialists	8	-	1	8
	20%	-	12%	20%
		**	**	*
Lack of financial support	4	-	-	4
	10%	-	-	10%
		**	**	*
Lack of exercise programs/ activities	3	-	-	3
	8%	-	-	8%
		**	**	*
Insufficient home care support	5	-	1	5
	12%	-	12%	12%
		**	**	*
Difficulty with transportation	4	-	-	4
	10%	-	-	10%
		**	**	*
Navigating health care system	3	-	-	3
	8%	-	-	8%
		**	**	*
Long waiting time for an appointment	3	-	2	3
	8%	-	25%	8%
		**	**	*
Physical barrier mentions	3	-	1	3
	8%	-	12%	8%
		**	**	*
Other mentions	3	-	1	3
	8%	-	12%	8%
		**	**	*
None	-	-	-	-
	-	-	-	-
		**	**	*
Nothing	-	-	-	-
	-	-	-	-
		**	**	*
Don't know	-	-	-	-
	-	-	-	-
		**	**	*
Sigma	70	1	11	70
	175%	100%	138%	175%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 353

QD4_1. [Oral medication treatments for Parkinson’s disease] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	7	-	2	7
	9%	-	15%	9%
		**	**	*
Very good	12	-	-	12
	16%	-	-	16%
		**	**	*
Good	28	-	5	28
	38%	-	38%	38%
		**	**	*
Fair	13	1	4	13
	18%	100%	31%	18%
		**	**	*
Poor	4	-	2	4
	5%	-	15%	5%
		**	**	*
Very poor	1	-	-	1
	1%	-	-	1%
		**	**	*
Don't know	9	-	-	9
	12%	-	-	12%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	47	-	7	47
	64%	-	54%	64%
		**	**	*
Top2Box (Excellent/ Very good)	19	-	2	19
	26%	-	15%	26%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	18	1	6	18
	24%	100%	46%	24%
		**	**	*
Low2Box (Poor/ Very poor)	5	-	2	5
	7%	-	15%	7%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 354

QD4_2. [Duodopa (e.g., intestinal pump)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	2	-	-	2
	3%	-	-	3%
		**	**	D*
Very good	1	-	-	1
	1%	-	-	1%
		**	**	*
Good	7	-	1	7
	9%	-	8%	9%
		**	**	*
Fair	12	-	3	12
	16%	-	23%	16%
		**	**	*
Poor	15	-	1	15
	20%	-	8%	20%
		**	**	*
Very poor	2	-	-	2
	3%	-	-	3%
		**	**	*
Don't know	35	1	8	35
	47%	100%	62%	47%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	1	10
	14%	-	8%	14%
		**	**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	4%	-	-	4%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	29	-	4	29
	39%	-	31%	39%
		**	**	*
Low2Box (Poor/ Very poor)	17	-	1	17
	23%	-	8%	23%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 355

QD4_3. [Other non-oral medication (e.g., Neupro patch)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	3	-	-	3
	4%	-	-	4%
		**	**	*
Good	7	-	1	7
	9%	-	8%	9%
		**	**	*
Fair	16	-	3	16
	22%	-	23%	22%
		**	**	*
Poor	12	-	2	12
	16%	-	15%	16%
		**	**	*
Very poor	3	-	-	3
	4%	-	-	4%
		**	**	*
Don't know	33	1	7	33
	45%	100%	54%	45%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	1	10
	14%	-	8%	14%
		**	**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	4%	-	-	4%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	31	-	5	31
	42%	-	38%	42%
		**	**	*
Low2Box (Poor/ Very poor)	15	-	2	15
	20%	-	15%	20%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 356

QD4_4. [Imaging tests (e.g., CT, MRI, PET)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	2	-	-	2
	3%	-	-	3%
		**	**	D*
Very good	6	-	-	6
	8%	-	-	8%
		**	**	*
Good	17	1	3	17
	23%	100%	23%	23%
		**	**	*
Fair	26	-	6	26
	35%	-	46%	35%
		**	**	*
Poor	9	-	2	9
	12%	-	15%	12%
		**	**	*
Very poor	1	-	1	1
	1%	-	8%	1%
		**	**	*
Don't know	13	-	1	13
	18%	-	8%	18%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	25	1	3	25
	34%	100%	23%	34%
		**	**	*
Top2Box (Excellent/ Very good)	8	-	-	8
	11%	-	-	11%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	36	-	9	36
	49%	-	69%	49%
		**	**	*
Low2Box (Poor/ Very poor)	10	-	3	10
	14%	-	23%	14%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 357

QD4_5. [Medical specialists (e.g., movement disorder specialists)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	1	-	-	1
	1%	-	-	1%
		**	**	*
Very good	1	-	-	1
	1%	-	-	1%
		**	**	*
Good	16	-	3	16
	22%	-	23%	22%
		**	**	*
Fair	18	-	5	18
	24%	-	38%	24%
		**	**	*
Poor	19	-	4	19
	26%	-	31%	26%
		**	**	*
Very poor	6	-	-	6
	8%	-	-	8%
		**	**	*
Don't know	13	1	1	13
	18%	100%	8%	18%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	18	-	3	18
	24%	-	23%	24%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	3%	-	-	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	43	-	9	43
	58%	-	69%	58%
		**	**	*
Low2Box (Poor/ Very poor)	25	-	4	25
	34%	-	31%	34%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 358

QD4_6. [Physical therapy] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	6	-	1	6
	8%	-	8%	8%
		**	**	*
Good	17	-	2	17
	23%	-	15%	23%
		**	**	*
Fair	23	-	6	23
	31%	-	46%	31%
		**	**	*
Poor	9	-	1	9
	12%	-	8%	12%
		**	**	*
Very poor	3	-	1	3
	4%	-	8%	4%
		**	**	*
Don't know	16	1	2	16
	22%	100%	15%	22%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	23	-	3	23
	31%	-	23%	31%
		**	**	*
Top2Box (Excellent/ Very good)	6	-	1	6
	8%	-	8%	8%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	35	-	8	35
	47%	-	62%	47%
		**	**	*
Low2Box (Poor/ Very poor)	12	-	2	12
	16%	-	15%	16%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 359

QD4_7. [Occupational therapy] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	2	-	1	2
	3%	-	8%	3%
		**	**	*
Good	14	-	1	14
	19%	-	8%	19%
		**	**	H*
Fair	23	-	6	23
	31%	-	46%	31%
		**	**	*
Poor	11	-	2	11
	15%	-	15%	15%
		**	**	*
Very poor	8	-	1	8
	11%	-	8%	11%
		**	**	*
Don't know	16	1	2	16
	22%	100%	15%	22%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	16	-	2	16
	22%	-	15%	22%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	3%	-	8%	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	42	-	9	42
	57%	-	69%	57%
		**	**	*
Low2Box (Poor/ Very poor)	19	-	3	19
	26%	-	23%	26%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 360
QD4_8. [Speech language and swallowing therapy] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	1	-	-	1
	1%	-	-	1%
		**	**	*
Very good	3	-	1	3
	4%	-	8%	4%
		**	**	*
Good	11	-	2	11
	15%	-	15%	15%
		**	**	*
Fair	25	-	5	25
	34%	-	38%	34%
		**	**	*
Poor	10	-	2	10
	14%	-	15%	14%
		**	**	*
Very poor	6	-	1	6
	8%	-	8%	8%
		**	**	*
Don't know	18	1	2	18
	24%	100%	15%	24%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	15	-	3	15
	20%	-	23%	20%
		**	**	*
Top2Box (Excellent/ Very good)	4	-	1	4
	5%	-	8%	5%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	41	-	8	41
	55%	-	62%	55%
		**	**	*
Low2Box (Poor/ Very poor)	16	-	3	16
	22%	-	23%	22%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 361
QD4_9. [Surgery (e.g., Deep Brain Stimulation)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	2	-	1	2
	3%	-	8%	3%
		**	**	*
Very good	3	-	-	3
	4%	-	-	4%
		**	**	*
Good	16	-	2	16
	22%	-	15%	22%
		**	**	*
Fair	16	-	4	16
	22%	-	31%	22%
		**	**	*
Poor	6	-	-	6
	8%	-	-	8%
		**	**	DH*
Very poor	9	-	2	9
	12%	-	15%	12%
		**	**	*
Don't know	22	1	4	22
	30%	100%	31%	30%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	21	-	3	21
	28%	-	23%	28%
		**	**	*
Top2Box (Excellent/ Very good)	5	-	1	5
	7%	-	8%	7%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	31	-	6	31
	42%	-	46%	42%
		**	**	*
Low2Box (Poor/ Very poor)	15	-	2	15
	20%	-	15%	20%
		**	**	D*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 362
QD4_10. [Family Doctor] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	5	-	1	5
	7%	-	8%	7%
		**	**	*
Very good	6	-	1	6
	8%	-	8%	8%
		**	**	*
Good	30	1	3	30
	41%	100%	23%	41%
		**	**	*
Fair	17	-	7	17
	23%	-	54%	23%
		**	**	*
Poor	4	-	1	4
	5%	-	8%	5%
		**	**	*
Very poor	2	-	-	2
	3%	-	-	3%
		**	**	*
Don't know	10	-	-	10
	14%	-	-	14%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	41	1	5	41
	55%	100%	38%	55%
		**	**	*
Top2Box (Excellent/ Very good)	11	-	2	11
	15%	-	15%	15%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	23	-	8	23
	31%	-	62%	31%
		**	**	*
Low2Box (Poor/ Very poor)	6	-	1	6
	8%	-	8%	8%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 363

QD4_11. [Parkinson’s nurse specialist] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	2	-	-	2
	3%	-	-	3%
		**	**	*
Good	8	-	-	8
	11%	-	-	11%
		**	**	*
Fair	19	-	6	19
	26%	-	46%	26%
		**	**	*
Poor	19	-	2	19
	26%	-	15%	26%
		**	**	*
Very poor	4	-	-	4
	5%	-	-	5%
		**	**	*
Don't know	22	1	5	22
	30%	100%	38%	30%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	-	10
	14%	-	-	14%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	3%	-	-	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	42	-	8	42
	57%	-	62%	57%
		**	**	*
Low2Box (Poor/ Very poor)	23	-	2	23
	31%	-	15%	31%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 364

QD4_12. [Dietician] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	5	-	-	5
	7%	-	-	7%
		**	**	*
Good	19	-	2	19
	26%	-	15%	26%
		**	**	D*
Fair	19	-	6	19
	26%	-	46%	26%
		**	**	*
Poor	9	-	1	9
	12%	-	8%	12%
		**	**	*
Very poor	7	1	2	7
	9%	100%	15%	9%
		**	**	*
Don't know	15	-	2	15
	20%	-	15%	20%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	24	-	2	24
	32%	-	15%	32%
		**	**	D*
Top2Box (Excellent/ Very good)	5	-	-	5
	7%	-	-	7%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	35	1	9	35
	47%	100%	69%	47%
		**	**	*
Low2Box (Poor/ Very poor)	16	1	3	16
	22%	100%	23%	22%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 365
QD4_13. [Social worker] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	2	-	-	2
	3%	-	-	3%
		**	**	*
Good	20	-	2	20
	27%	-	15%	27%
		**	**	*
Fair	15	-	5	15
	20%	-	38%	20%
		**	**	*
Poor	15	-	3	15
	20%	-	23%	20%
		**	**	*
Very poor	7	-	-	7
	9%	-	-	9%
		**	**	*
Don't know	15	1	3	15
	20%	100%	23%	20%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	22	-	2	22
	30%	-	15%	30%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	3%	-	-	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	37	-	8	37
	50%	-	62%	50%
		**	**	*
Low2Box (Poor/ Very poor)	22	-	3	22
	30%	-	23%	30%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 366

QD4_14. [Mental health services (counselling, psychiatrist, etc.)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	1	-	-	1
	1%	-	-	1%
		**	**	*
Good	10	-	2	10
	14%	-	15%	14%
		**	**	*
Fair	14	-	4	14
	19%	-	31%	19%
		**	**	*
Poor	24	-	2	24
	32%	-	15%	32%
		**	**	*
Very poor	9	-	1	9
	12%	-	8%	12%
		**	**	*
Don't know	16	1	4	16
	22%	100%	31%	22%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	11	-	2	11
	15%	-	15%	15%
		**	**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	1%	-	-	1%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	47	-	7	47
	64%	-	54%	64%
		**	**	*
Low2Box (Poor/ Very poor)	33	-	3	33
	45%	-	23%	45%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 367

QD4_15. [Long-term care facilities] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	1	-	1	1
	1%	-	8%	1%
		**	**	*
Good	17	-	2	17
	23%	-	15%	23%
		**	**	*
Fair	19	-	4	19
	26%	-	31%	26%
		**	**	*
Poor	17	-	2	17
	23%	-	15%	23%
		**	**	*
Very poor	7	1	2	7
	9%	100%	15%	9%
		**	**	*
Don't know	13	-	2	13
	18%	-	15%	18%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	18	-	3	18
	24%	-	23%	24%
		**	**	*
Top2Box (Excellent/ Very good)	1	-	1	1
	1%	-	8%	1%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	43	1	8	43
	58%	100%	62%	58%
		**	**	*
Low2Box (Poor/ Very poor)	24	1	4	24
	32%	100%	31%	32%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 368
QD4_16. [Palliative care] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	2	-	1	2
	3%	-	8%	3%
		**	**	*
Good	12	-	2	12
	16%	-	15%	16%
		**	**	*
Fair	22	-	4	22
	30%	-	31%	30%
		**	**	*
Poor	12	-	2	12
	16%	-	15%	16%
		**	**	*
Very poor	6	-	1	6
	8%	-	8%	8%
		**	**	*
Don't know	20	1	3	20
	27%	100%	23%	27%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	14	-	3	14
	19%	-	23%	19%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	3%	-	8%	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	40	-	7	40
	54%	-	54%	54%
		**	**	*
Low2Box (Poor/ Very poor)	18	-	3	18
	24%	-	23%	24%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 369

QD4_17. [Movement disorder clinics] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	1	-	-	1
	1%	-	-	1%
		**	**	*
Good	11	-	1	11
	15%	-	8%	15%
		**	**	*
Fair	16	-	6	16
	22%	-	46%	22%
		**	**	*
Poor	23	-	2	23
	31%	-	15%	31%
		**	**	*
Very poor	7	-	2	7
	9%	-	15%	9%
		**	**	*
Don't know	16	1	2	16
	22%	100%	15%	22%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	12	-	1	12
	16%	-	8%	16%
		**	**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	1%	-	-	1%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	46	-	10	46
	62%	-	77%	62%
		**	**	*
Low2Box (Poor/ Very poor)	30	-	4	30
	41%	-	31%	41%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 370
QD4. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson’s disease				
	47	-	7	47
	64%	-	54%	64%
Duodopa (e.g., intestinal pump)		**	**	*
	10	-	1	10
	14%	-	8%	14%
Other non-oral medication (e.g., Neupro patch)		**	**	*
	10	-	1	10
	14%	-	8%	14%
Imaging tests (e.g., CT, MRI, PET)		**	**	*
	25	1	3	25
	34%	100%	23%	34%
Medical specialists (e.g., movement disorder specialists)		**	**	*
	18	-	3	18
	24%	-	23%	24%
Physical therapy		**	**	*
	23	-	3	23
	31%	-	23%	31%
Occupational therapy		**	**	*
	16	-	2	16
	22%	-	15%	22%
Speech language and swallowing therapy		**	**	*
	15	-	3	15
	20%	-	23%	20%
Surgery (e.g., Deep Brain Stimulation)		**	**	*
	21	-	3	21
	28%	-	23%	28%
Family Doctor		**	**	*
	41	1	5	41
	55%	100%	38%	55%
Parkinson’s nurse specialist		**	**	*
	10	-	-	10
	14%	-	-	14%
Dietician		**	**	*
	24	-	2	24
	32%	-	15%	32%
Social worker		**	**	D*
	22	-	2	22
	30%	-	15%	30%
Mental health services (counselling, psychiatrist, etc.)		**	**	*
	11	-	2	11
	15%	-	15%	15%
Long-term care facilities		**	**	*
	18	-	3	18
	24%	-	23%	24%
Palliative care		**	**	*
	14	-	3	14
	19%	-	23%	19%
Movement disorder clinics		**	**	*
	12	-	1	12
	16%	-	8%	16%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 371
QD4. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson's disease				
	19	-	2	19
	26%	-	15%	26%
Duodopa (e.g., intestinal pump)		**	**	*
	3	-	-	3
	4%	-	-	4%
Other non-oral medication (e.g., Neupro patch)		**	**	*
	3	-	-	3
	4%	-	-	4%
Imaging tests (e.g., CT, MRI, PET)		**	**	*
	8	-	-	8
	11%	-	-	11%
Medical specialists (e.g., movement disorder specialists)		**	**	*
	2	-	-	2
	3%	-	-	3%
Physical therapy		**	**	*
	6	-	1	6
	8%	-	8%	8%
Occupational therapy		**	**	*
	2	-	1	2
	3%	-	8%	3%
Speech language and swallowing therapy		**	**	*
	4	-	1	4
	5%	-	8%	5%
Surgery (e.g., Deep Brain Stimulation)		**	**	*
	5	-	1	5
	7%	-	8%	7%
Family Doctor		**	**	*
	11	-	2	11
	15%	-	15%	15%
Parkinson's nurse specialist		**	**	*
	2	-	-	2
	3%	-	-	3%
Dietician		**	**	*
	5	-	-	5
	7%	-	-	7%
Social worker		**	**	*
	2	-	-	2
	3%	-	-	3%
Mental health services (counselling, psychiatrist, etc.)		**	**	*
	1	-	-	1
	1%	-	-	1%
Long-term care facilities		**	**	*
	1	-	1	1
	1%	-	8%	1%
Palliative care		**	**	*
	2	-	1	2
	3%	-	8%	3%
Movement disorder clinics		**	**	*
	1	-	-	1
	1%	-	-	1%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 372
QD4. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson's disease	18	1	6	18
	24%	100%	46%	24%
		**	**	*
Duodopa (e.g., intestinal pump)	29	-	4	29
	39%	-	31%	39%
		**	**	*
Other non-oral medication (e.g., Neupro patch)	31	-	5	31
	42%	-	38%	42%
		**	**	*
Imaging tests (e.g., CT, MRI, PET)	36	-	9	36
	49%	-	69%	49%
		**	**	*
Medical specialists (e.g., movement disorder specialists)	43	-	9	43
	58%	-	69%	58%
		**	**	*
Physical therapy	35	-	8	35
	47%	-	62%	47%
		**	**	*
Occupational therapy	42	-	9	42
	57%	-	69%	57%
		**	**	*
Speech language and swallowing therapy	41	-	8	41
	55%	-	62%	55%
		**	**	*
Surgery (e.g., Deep Brain Stimulation)	31	-	6	31
	42%	-	46%	42%
		**	**	*
Family Doctor	23	-	8	23
	31%	-	62%	31%
		**	**	*
Parkinson's nurse specialist	42	-	8	42
	57%	-	62%	57%
		**	**	*
Dietician	35	1	9	35
	47%	100%	69%	47%
		**	**	*
Social worker	37	-	8	37
	50%	-	62%	50%
		**	**	*
Mental health services (counselling, psychiatrist, etc.)	47	-	7	47
	64%	-	54%	64%
		**	**	*
Long-term care facilities	43	1	8	43
	58%	100%	62%	58%
		**	**	*
Palliative care	40	-	7	40
	54%	-	54%	54%
		**	**	*
Movement disorder clinics	46	-	10	46
	62%	-	77%	62%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 373
QD4. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] How would you rate the access people living with Parkinson's disease have to...

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson's disease				
	5	-	2	5
	7%	-	15%	7%
Duodopa (e.g., intestinal pump)		**	**	*
	17	-	1	17
	23%	-	8%	23%
Other non-oral medication (e.g., Neupro patch)		**	**	*
	15	-	2	15
	20%	-	15%	20%
Imaging tests (e.g., CT, MRI, PET)		**	**	*
	10	-	3	10
	14%	-	23%	14%
Medical specialists (e.g., movement disorder specialists)		**	**	*
	25	-	4	25
	34%	-	31%	34%
Physical therapy		**	**	*
	12	-	2	12
	16%	-	15%	16%
Occupational therapy		**	**	*
	19	-	3	19
	26%	-	23%	26%
Speech language and swallowing therapy		**	**	*
	16	-	3	16
	22%	-	23%	22%
Surgery (e.g., Deep Brain Stimulation)		**	**	*
	15	-	2	15
	20%	-	15%	20%
Family Doctor		**	**	D*
	6	-	1	6
	8%	-	8%	8%
Parkinson's nurse specialist		**	**	*
	23	-	2	23
	31%	-	15%	31%
Dietician		**	**	*
	16	1	3	16
	22%	100%	23%	22%
Social worker		**	**	*
	22	-	3	22
	30%	-	23%	30%
Mental health services (counselling, psychiatrist, etc.)		**	**	*
	33	-	3	33
	45%	-	23%	45%
Long-term care facilities		**	**	*
	24	1	4	24
	32%	100%	31%	32%
Palliative care		**	**	*
	18	-	3	18
	24%	-	23%	24%
Movement disorder clinics		**	**	*
	30	-	4	30
	41%	-	31%	41%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 374

QD4_1. [Oral medication treatments for Parkinson’s disease] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	65	1	13	65
Excellent	7	-	2	7
	11%	-	15%	11%
		**	**	*
Very good	12	-	-	12
	18%	-	-	18%
		**	**	*
Good	28	-	5	28
	43%	-	38%	43%
		**	**	*
Fair	13	1	4	13
	20%	100%	31%	20%
		**	**	*
Poor	4	-	2	4
	6%	-	15%	6%
		**	**	*
Very poor	1	-	-	1
	2%	-	-	2%
		**	**	*
Don't know	-	-	-	-
	-	-	-	-
		**	**	*
Sigma	65	1	13	65
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	47	-	7	47
	72%	-	54%	72%
		**	**	*
Top2Box (Excellent/ Very good)	19	-	2	19
	29%	-	15%	29%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	18	1	6	18
	28%	100%	46%	28%
		**	**	*
Low2Box (Poor/ Very poor)	5	-	2	5
	8%	-	15%	8%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 375

QD4_2. [Duodopa (e.g., intestinal pump)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	39	-	5	39
Excellent	2	-	-	2
	5%	-	-	5%
			**	*
Very good	1	-	-	1
	3%	-	-	3%
			**	*
Good	7	-	1	7
	18%	-	20%	18%
			**	*
Fair	12	-	3	12
	31%	-	60%	31%
			**	*
Poor	15	-	1	15
	38%	-	20%	38%
			**	*
Very poor	2	-	-	2
	5%	-	-	5%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	39	-	5	39
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	1	10
	26%	-	20%	26%
			**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	8%	-	-	8%
			**	*
Low3Box (Fair/ Poor/ Very poor)	29	-	4	29
	74%	-	80%	74%
			**	*
Low2Box (Poor/ Very poor)	17	-	1	17
	44%	-	20%	44%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 376

QD4_3. [Other non-oral medication (e.g., Neupro patch)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	41	-	6	41
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	3	-	-	3
	7%	-	-	7%
			**	*
Good	7	-	1	7
	17%	-	17%	17%
			**	*
Fair	16	-	3	16
	39%	-	50%	39%
			**	*
Poor	12	-	2	12
	29%	-	33%	29%
			**	*
Very poor	3	-	-	3
	7%	-	-	7%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	41	-	6	41
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	1	10
	24%	-	17%	24%
			**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	7%	-	-	7%
			**	*
Low3Box (Fair/ Poor/ Very poor)	31	-	5	31
	76%	-	83%	76%
			**	*
Low2Box (Poor/ Very poor)	15	-	2	15
	37%	-	33%	37%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 377

QD4_4. [Imaging tests (e.g., CT, MRI, PET)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	61	1	12	61
Excellent	2	-	-	2
	3%	-	-	3%
		**	**	D*
Very good	6	-	-	6
	10%	-	-	10%
		**	**	*
Good	17	1	3	17
	28%	100%	25%	28%
		**	**	*
Fair	26	-	6	26
	43%	-	50%	43%
		**	**	*
Poor	9	-	2	9
	15%	-	17%	15%
		**	**	*
Very poor	1	-	1	1
	2%	-	8%	2%
		**	**	*
Don't know	-	-	-	-
	-	-	-	-
		**	**	*
Sigma	61	1	12	61
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	25	1	3	25
	41%	100%	25%	41%
		**	**	*
Top2Box (Excellent/ Very good)	8	-	-	8
	13%	-	-	13%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	36	-	9	36
	59%	-	75%	59%
		**	**	*
Low2Box (Poor/ Very poor)	10	-	3	10
	16%	-	25%	16%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 378

QD4_5. [Medical specialists (e.g., movement disorder specialists)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	61	-	12	61
Excellent	1	-	-	1
	2%	-	-	2%
			**	*
Very good	1	-	-	1
	2%	-	-	2%
			**	*
Good	16	-	3	16
	26%	-	25%	26%
			**	*
Fair	18	-	5	18
	30%	-	42%	30%
			**	*
Poor	19	-	4	19
	31%	-	33%	31%
			**	*
Very poor	6	-	-	6
	10%	-	-	10%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	61	-	12	61
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	18	-	3	18
	30%	-	25%	30%
			**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	3%	-	-	3%
			**	*
Low3Box (Fair/ Poor/ Very poor)	43	-	9	43
	70%	-	75%	70%
			**	*
Low2Box (Poor/ Very poor)	25	-	4	25
	41%	-	33%	41%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 379
QD4_6. [Physical therapy] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	58	-	11	58
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	6	-	1	6
	10%	-	9%	10%
			**	*
Good	17	-	2	17
	29%	-	18%	29%
			**	*
Fair	23	-	6	23
	40%	-	55%	40%
			**	*
Poor	9	-	1	9
	16%	-	9%	16%
			**	*
Very poor	3	-	1	3
	5%	-	9%	5%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	58	-	11	58
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	23	-	3	23
	40%	-	27%	40%
			**	*
Top2Box (Excellent/ Very good)	6	-	1	6
	10%	-	9%	10%
			**	*
Low3Box (Fair/ Poor/ Very poor)	35	-	8	35
	60%	-	73%	60%
			**	*
Low2Box (Poor/ Very poor)	12	-	2	12
	21%	-	18%	21%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 380

QD4_7. [Occupational therapy] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	58	-	11	58
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	2	-	1	2
	3%	-	9%	3%
			**	*
Good	14	-	1	14
	24%	-	9%	24%
			**	*
Fair	23	-	6	23
	40%	-	55%	40%
			**	*
Poor	11	-	2	11
	19%	-	18%	19%
			**	*
Very poor	8	-	1	8
	14%	-	9%	14%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	58	-	11	58
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	16	-	2	16
	28%	-	18%	28%
			**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	3%	-	9%	3%
			**	*
Low3Box (Fair/ Poor/ Very poor)	42	-	9	42
	72%	-	82%	72%
			**	*
Low2Box (Poor/ Very poor)	19	-	3	19
	33%	-	27%	33%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 381

QD4_8. [Speech language and swallowing therapy] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	56	-	11	56
Excellent	1	-	-	1
	2%	-	-	2%
			**	*
Very good	3	-	1	3
	5%	-	9%	5%
			**	*
Good	11	-	2	11
	20%	-	18%	20%
			**	*
Fair	25	-	5	25
	45%	-	45%	45%
			**	*
Poor	10	-	2	10
	18%	-	18%	18%
			**	*
Very poor	6	-	1	6
	11%	-	9%	11%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	56	-	11	56
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	15	-	3	15
	27%	-	27%	27%
			**	*
Top2Box (Excellent/ Very good)	4	-	1	4
	7%	-	9%	7%
			**	*
Low3Box (Fair/ Poor/ Very poor)	41	-	8	41
	73%	-	73%	73%
			**	*
Low2Box (Poor/ Very poor)	16	-	3	16
	29%	-	27%	29%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 382

QD4_9. [Surgery (e.g., Deep Brain Stimulation)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	52	-	9	52
Excellent	2	-	1	2
	4%	-	11%	4%
			**	*
Very good	3	-	-	3
	6%	-	-	6%
			**	*
Good	16	-	2	16
	31%	-	22%	31%
			**	*
Fair	16	-	4	16
	31%	-	44%	31%
			**	*
Poor	6	-	-	6
	12%	-	-	12%
			**	D*
Very poor	9	-	2	9
	17%	-	22%	17%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	52	-	9	52
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	21	-	3	21
	40%	-	33%	40%
			**	*
Top2Box (Excellent/ Very good)	5	-	1	5
	10%	-	11%	10%
			**	*
Low3Box (Fair/ Poor/ Very poor)	31	-	6	31
	60%	-	67%	60%
			**	*
Low2Box (Poor/ Very poor)	15	-	2	15
	29%	-	22%	29%
			**	D*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 383
QD4_10. [Family Doctor] How would you rate the access people living with Parkinson's disease have to... -
Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	64	1	13	64
Excellent	5	-	1	5
	8%	-	8%	8%
		**	**	*
Very good	6	-	1	6
	9%	-	8%	9%
		**	**	*
Good	30	1	3	30
	47%	100%	23%	47%
		**	**	*
Fair	17	-	7	17
	27%	-	54%	27%
		**	**	*
Poor	4	-	1	4
	6%	-	8%	6%
		**	**	*
Very poor	2	-	-	2
	3%	-	-	3%
		**	**	*
Don't know	-	-	-	-
	-	-	-	-
		**	**	*
Sigma	64	1	13	64
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	41	1	5	41
	64%	100%	38%	64%
		**	**	*
Top2Box (Excellent/ Very good)	11	-	2	11
	17%	-	15%	17%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	23	-	8	23
	36%	-	62%	36%
		**	**	*
Low2Box (Poor/ Very poor)	6	-	1	6
	9%	-	8%	9%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 384

QD4_11. [Parkinson’s nurse specialist] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	52	-	8	52
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	2	-	-	2
	4%	-	-	4%
			**	*
Good	8	-	-	8
	15%	-	-	15%
			**	*
Fair	19	-	6	19
	37%	-	75%	37%
			**	*
Poor	19	-	2	19
	37%	-	25%	37%
			**	*
Very poor	4	-	-	4
	8%	-	-	8%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	52	-	8	52
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	-	10
	19%	-	-	19%
			**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	4%	-	-	4%
			**	*
Low3Box (Fair/ Poor/ Very poor)	42	-	8	42
	81%	-	100%	81%
			**	*
Low2Box (Poor/ Very poor)	23	-	2	23
	44%	-	25%	44%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 385

QD4_12. [Dietician] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	59	1	11	59
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	5	-	-	5
	8%	-	-	8%
		**	**	*
Good	19	-	2	19
	32%	-	18%	32%
		**	**	*
Fair	19	-	6	19
	32%	-	55%	32%
		**	**	*
Poor	9	-	1	9
	15%	-	9%	15%
		**	**	*
Very poor	7	1	2	7
	12%	100%	18%	12%
		**	**	*
Don't know	-	-	-	-
	-	-	-	-
		**	**	*
Sigma	59	1	11	59
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	24	-	2	24
	41%	-	18%	41%
		**	**	*
Top2Box (Excellent/ Very good)	5	-	-	5
	8%	-	-	8%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	35	1	9	35
	59%	100%	82%	59%
		**	**	*
Low2Box (Poor/ Very poor)	16	1	3	16
	27%	100%	27%	27%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 386
QD4_13. [Social worker] How would you rate the access people living with Parkinson's disease have to... -
Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	59	-	10	59
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	2	-	-	2
	3%	-	-	3%
			**	*
Good	20	-	2	20
	34%	-	20%	34%
			**	*
Fair	15	-	5	15
	25%	-	50%	25%
			**	*
Poor	15	-	3	15
	25%	-	30%	25%
			**	*
Very poor	7	-	-	7
	12%	-	-	12%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	59	-	10	59
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	22	-	2	22
	37%	-	20%	37%
			**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	3%	-	-	3%
			**	*
Low3Box (Fair/ Poor/ Very poor)	37	-	8	37
	63%	-	80%	63%
			**	*
Low2Box (Poor/ Very poor)	22	-	3	22
	37%	-	30%	37%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 387

QD4_14. [Mental health services (counselling, psychiatrist, etc.)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	58	-	9	58
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	1	-	-	1
	2%	-	-	2%
			**	*
Good	10	-	2	10
	17%	-	22%	17%
			**	*
Fair	14	-	4	14
	24%	-	44%	24%
			**	*
Poor	24	-	2	24
	41%	-	22%	41%
			**	*
Very poor	9	-	1	9
	16%	-	11%	16%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	58	-	9	58
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	11	-	2	11
	19%	-	22%	19%
			**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	2%	-	-	2%
			**	*
Low3Box (Fair/ Poor/ Very poor)	47	-	7	47
	81%	-	78%	81%
			**	*
Low2Box (Poor/ Very poor)	33	-	3	33
	57%	-	33%	57%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 388

QD4_15. [Long-term care facilities] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	61	1	11	61
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	1	-	1	1
	2%	-	9%	2%
		**	**	*
Good	17	-	2	17
	28%	-	18%	28%
		**	**	*
Fair	19	-	4	19
	31%	-	36%	31%
		**	**	*
Poor	17	-	2	17
	28%	-	18%	28%
		**	**	*
Very poor	7	1	2	7
	11%	100%	18%	11%
		**	**	*
Don't know	-	-	-	-
	-	-	-	-
		**	**	*
Sigma	61	1	11	61
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	18	-	3	18
	30%	-	27%	30%
		**	**	*
Top2Box (Excellent/ Very good)	1	-	1	1
	2%	-	9%	2%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	43	1	8	43
	70%	100%	73%	70%
		**	**	*
Low2Box (Poor/ Very poor)	24	1	4	24
	39%	100%	36%	39%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 389

QD4_16. [Palliative care] How would you rate the access people living with Parkinson's disease have to... -
Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	54	-	10	54
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	2	-	1	2
	4%	-	10%	4%
			**	*
Good	12	-	2	12
	22%	-	20%	22%
			**	*
Fair	22	-	4	22
	41%	-	40%	41%
			**	*
Poor	12	-	2	12
	22%	-	20%	22%
			**	*
Very poor	6	-	1	6
	11%	-	10%	11%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	54	-	10	54
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	14	-	3	14
	26%	-	30%	26%
			**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	4%	-	10%	4%
			**	*
Low3Box (Fair/ Poor/ Very poor)	40	-	7	40
	74%	-	70%	74%
			**	*
Low2Box (Poor/ Very poor)	18	-	3	18
	33%	-	30%	33%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 390
QD4_17. [Movement disorder clinics] How would you rate the access people living with Parkinson's disease have to... - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	58	-	11	58
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	1	-	-	1
	2%	-	-	2%
			**	*
Good	11	-	1	11
	19%	-	9%	19%
			**	*
Fair	16	-	6	16
	28%	-	55%	28%
			**	*
Poor	23	-	2	23
	40%	-	18%	40%
			**	*
Very poor	7	-	2	7
	12%	-	18%	12%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	58	-	11	58
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	12	-	1	12
	21%	-	9%	21%
			**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	2%	-	-	2%
			**	*
Low3Box (Fair/ Poor/ Very poor)	46	-	10	46
	79%	-	91%	79%
			**	*
Low2Box (Poor/ Very poor)	30	-	4	30
	52%	-	36%	52%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 391

QD4. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	47	-	7	47
	72%	-	54%	72%
		**	**	*
Duodopa (e.g., intestinal pump)	10	-	1	10
	26%	-	20%	26%
			**	*
Other non-oral medication (e.g., Neupro patch)	10	-	1	10
	24%	-	17%	24%
			**	*
Imaging tests (e.g., CT, MRI, PET)	25	1	3	25
	41%	100%	25%	41%
		**	**	*
Medical specialists (e.g., movement disorder specialists)	18	-	3	18
	30%	-	25%	30%
			**	*
Physical therapy	23	-	3	23
	40%	-	27%	40%
			**	*
Occupational therapy	16	-	2	16
	28%	-	18%	28%
			**	*
Speech language and swallowing therapy	15	-	3	15
	27%	-	27%	27%
			**	*
Surgery (e.g., Deep Brain Stimulation)	21	-	3	21
	40%	-	33%	40%
			**	*
Family Doctor	41	1	5	41
	64%	100%	38%	64%
		**	**	*
Parkinson's nurse specialist	10	-	-	10
	19%	-	-	19%
			**	*
Dietician	24	-	2	24
	41%	-	18%	41%
		**	**	*
Social worker	22	-	2	22
	37%	-	20%	37%
			**	*
Mental health services (counselling, psychiatrist, etc.)	11	-	2	11
	19%	-	22%	19%
			**	*
Long-term care facilities	18	-	3	18
	30%	-	27%	30%
		**	**	*
Palliative care	14	-	3	14
	26%	-	30%	26%
			**	*
Movement disorder clinics	12	-	1	12
	21%	-	9%	21%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 392
QD4. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	19	-	2	19
	29%	-	15%	29%
		**	**	*
Duodopa (e.g., intestinal pump)	3	-	-	3
	8%	-	-	8%
			**	*
Other non-oral medication (e.g., Neupro patch)	3	-	-	3
	7%	-	-	7%
			**	*
Imaging tests (e.g., CT, MRI, PET)	8	-	-	8
	13%	-	-	13%
		**	**	*
Medical specialists (e.g., movement disorder specialists)	2	-	-	2
	3%	-	-	3%
			**	*
Physical therapy	6	-	1	6
	10%	-	9%	10%
			**	*
Occupational therapy	2	-	1	2
	3%	-	9%	3%
			**	*
Speech language and swallowing therapy	4	-	1	4
	7%	-	9%	7%
			**	*
Surgery (e.g., Deep Brain Stimulation)	5	-	1	5
	10%	-	11%	10%
			**	*
Family Doctor	11	-	2	11
	17%	-	15%	17%
		**	**	*
Parkinson's nurse specialist	2	-	-	2
	4%	-	-	4%
			**	*
Dietician	5	-	-	5
	8%	-	-	8%
		**	**	*
Social worker	2	-	-	2
	3%	-	-	3%
			**	*
Mental health services (counselling, psychiatrist, etc.)	1	-	-	1
	2%	-	-	2%
			**	*
Long-term care facilities	1	-	1	1
	2%	-	9%	2%
		**	**	*
Palliative care	2	-	1	2
	4%	-	10%	4%
			**	*
Movement disorder clinics	1	-	-	1
	2%	-	-	2%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 393
QD4. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	18	1	6	18
	28%	100%	46%	28%
		**	**	*
Duodopa (e.g., intestinal pump)	29	-	4	29
	74%	-	80%	74%
			**	*
Other non-oral medication (e.g., Neupro patch)	31	-	5	31
	76%	-	83%	76%
			**	*
Imaging tests (e.g., CT, MRI, PET)	36	-	9	36
	59%	-	75%	59%
		**	**	*
Medical specialists (e.g., movement disorder specialists)	43	-	9	43
	70%	-	75%	70%
			**	*
Physical therapy	35	-	8	35
	60%	-	73%	60%
			**	*
Occupational therapy	42	-	9	42
	72%	-	82%	72%
			**	*
Speech language and swallowing therapy	41	-	8	41
	73%	-	73%	73%
			**	*
Surgery (e.g., Deep Brain Stimulation)	31	-	6	31
	60%	-	67%	60%
			**	*
Family Doctor	23	-	8	23
	36%	-	62%	36%
		**	**	*
Parkinson's nurse specialist	42	-	8	42
	81%	-	100%	81%
			**	*
Dietician	35	1	9	35
	59%	100%	82%	59%
		**	**	*
Social worker	37	-	8	37
	63%	-	80%	63%
			**	*
Mental health services (counselling, psychiatrist, etc.)	47	-	7	47
	81%	-	78%	81%
			**	*
Long-term care facilities	43	1	8	43
	70%	100%	73%	70%
		**	**	*
Palliative care	40	-	7	40
	74%	-	70%	74%
			**	*
Movement disorder clinics	46	-	10	46
	79%	-	91%	79%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 394

QD4. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] How would you rate the access people living with Parkinson's disease have to... - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	5	-	2	5
	8%	-	15%	8%
		**	**	*
Duodopa (e.g., intestinal pump)	17	-	1	17
	44%	-	20%	44%
			**	*
Other non-oral medication (e.g., Neupro patch)	15	-	2	15
	37%	-	33%	37%
			**	*
Imaging tests (e.g., CT, MRI, PET)	10	-	3	10
	16%	-	25%	16%
		**	**	*
Medical specialists (e.g., movement disorder specialists)	25	-	4	25
	41%	-	33%	41%
			**	*
Physical therapy	12	-	2	12
	21%	-	18%	21%
			**	*
Occupational therapy	19	-	3	19
	33%	-	27%	33%
			**	*
Speech language and swallowing therapy	16	-	3	16
	29%	-	27%	29%
			**	*
Surgery (e.g., Deep Brain Stimulation)	15	-	2	15
	29%	-	22%	29%
			**	D*
Family Doctor	6	-	1	6
	9%	-	8%	9%
		**	**	*
Parkinson's nurse specialist	23	-	2	23
	44%	-	25%	44%
			**	*
Dietician	16	1	3	16
	27%	100%	27%	27%
		**	**	*
Social worker	22	-	3	22
	37%	-	30%	37%
			**	*
Mental health services (counselling, psychiatrist, etc.)	33	-	3	33
	57%	-	33%	57%
			**	*
Long-term care facilities	24	1	4	24
	39%	100%	36%	39%
		**	**	*
Palliative care	18	-	3	18
	33%	-	30%	33%
			**	*
Movement disorder clinics	30	-	4	30
	52%	-	36%	52%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 395

QD5_1. [Oral medication treatments for Parkinson’s disease] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	8	-	2	8
	11%	-	15%	11%
		**	**	*
Very good	10	-	1	10
	14%	-	8%	14%
		**	**	*
Good	19	-	2	19
	26%	-	15%	26%
		**	**	*
Fair	20	-	5	20
	27%	-	38%	27%
		**	**	*
Poor	4	-	2	4
	5%	-	15%	5%
		**	**	*
Very poor	-	-	-	-
	-	-	-	-
		**	**	*
Don't know	13	1	1	13
	18%	100%	8%	18%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	37	-	5	37
	50%	-	38%	50%
		**	**	*
Top2Box (Excellent/ Very good)	18	-	3	18
	24%	-	23%	24%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	24	-	7	24
	32%	-	54%	32%
		**	**	*
Low2Box (Poor/ Very poor)	4	-	2	4
	5%	-	15%	5%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 396

QD5_2. [Duodopa (e.g., intestinal pump)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	1	-	-	1
	1%	-	-	1%
		**	**	*
Very good	-	-	-	-
	-	-	-	-
		**	**	*
Good	4	-	-	4
	5%	-	-	5%
		**	**	*
Fair	12	-	3	12
	16%	-	23%	16%
		**	**	*
Poor	13	-	2	13
	18%	-	15%	18%
		**	**	*
Very poor	4	-	-	4
	5%	-	-	5%
		**	**	*
Don't know	40	1	8	40
	54%	100%	62%	54%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	5	-	-	5
	7%	-	-	7%
		**	**	D*
Top2Box (Excellent/ Very good)	1	-	-	1
	1%	-	-	1%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	29	-	5	29
	39%	-	38%	39%
		**	**	*
Low2Box (Poor/ Very poor)	17	-	2	17
	23%	-	15%	23%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 397

QD5_3. [Other non-oral medication (e.g., Neupro patch)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	2	-	-	2
	3%	-	-	3%
		**	**	*
Good	8	-	-	8
	11%	-	-	11%
		**	**	*
Fair	13	-	3	13
	18%	-	23%	18%
		**	**	*
Poor	9	-	2	9
	12%	-	15%	12%
		**	**	*
Very poor	4	-	-	4
	5%	-	-	5%
		**	**	DH*
Don't know	38	1	8	38
	51%	100%	62%	51%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	-	10
	14%	-	-	14%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	3%	-	-	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	26	-	5	26
	35%	-	38%	35%
		**	**	*
Low2Box (Poor/ Very poor)	13	-	2	13
	18%	-	15%	18%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 398

QD5_4. [Imaging tests (e.g., CT, MRI, PET)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	1	-	-	1
	1%	-	-	1%
		**	**	*
Very good	3	-	-	3
	4%	-	-	4%
		**	**	*
Good	9	-	1	9
	12%	-	8%	12%
		**	**	*
Fair	22	-	6	22
	30%	-	46%	30%
		**	**	*
Poor	15	-	3	15
	20%	-	23%	20%
		**	**	*
Very poor	3	-	-	3
	4%	-	-	4%
		**	**	*
Don't know	21	1	3	21
	28%	100%	23%	28%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	13	-	1	13
	18%	-	8%	18%
		**	**	D*
Top2Box (Excellent/ Very good)	4	-	-	4
	5%	-	-	5%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	40	-	9	40
	54%	-	69%	54%
		**	**	*
Low2Box (Poor/ Very poor)	18	-	3	18
	24%	-	23%	24%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 399

QD5_5. [Medical specialists (e.g., movement disorder specialists)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	1	-	-	1
	1%	-	-	1%
		**	**	*
Good	8	-	2	8
	11%	-	15%	11%
		**	**	*
Fair	15	-	5	15
	20%	-	38%	20%
		**	**	*
Poor	22	-	4	22
	30%	-	31%	30%
		**	**	*
Very poor	13	-	1	13
	18%	-	8%	18%
		**	**	D*
Don't know	15	1	1	15
	20%	100%	8%	20%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	9	-	2	9
	12%	-	15%	12%
		**	**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	1%	-	-	1%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	50	-	10	50
	68%	-	77%	68%
		**	**	*
Low2Box (Poor/ Very poor)	35	-	5	35
	47%	-	38%	47%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 400

QD5_6. [Physical therapy] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	1	-	-	1
	1%	-	-	1%
		**	**	*
Very good	4	-	1	4
	5%	-	8%	5%
		**	**	*
Good	12	-	1	12
	16%	-	8%	16%
		**	**	D*
Fair	22	-	6	22
	30%	-	46%	30%
		**	**	*
Poor	11	-	3	11
	15%	-	23%	15%
		**	**	*
Very poor	3	-	-	3
	4%	-	-	4%
		**	**	*
Don't know	21	1	2	21
	28%	100%	15%	28%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	17	-	2	17
	23%	-	15%	23%
		**	**	*
Top2Box (Excellent/ Very good)	5	-	1	5
	7%	-	8%	7%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	36	-	9	36
	49%	-	69%	49%
		**	**	*
Low2Box (Poor/ Very poor)	14	-	3	14
	19%	-	23%	19%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 401

QD5_7. [Occupational therapy] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	3	-	1	3
	4%	-	8%	4%
		**	**	*
Good	12	-	2	12
	16%	-	15%	16%
		**	**	*
Fair	18	-	6	18
	24%	-	46%	24%
		**	**	*
Poor	18	-	3	18
	24%	-	23%	24%
		**	**	*
Very poor	5	-	-	5
	7%	-	-	7%
		**	**	*
Don't know	18	1	1	18
	24%	100%	8%	24%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	15	-	3	15
	20%	-	23%	20%
		**	**	*
Top2Box (Excellent/ Very good)	3	-	1	3
	4%	-	8%	4%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	41	-	9	41
	55%	-	69%	55%
		**	**	*
Low2Box (Poor/ Very poor)	23	-	3	23
	31%	-	23%	31%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 402

QD5_8. [Speech language and swallowing therapy] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	2	-	1	2
	3%	-	8%	3%
		**	**	*
Good	10	-	2	10
	14%	-	15%	14%
		**	**	*
Fair	20	-	4	20
	27%	-	31%	27%
		**	**	*
Poor	12	-	3	12
	16%	-	23%	16%
		**	**	*
Very poor	7	-	1	7
	9%	-	8%	9%
		**	**	*
Don't know	23	1	2	23
	31%	100%	15%	31%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	12	-	3	12
	16%	-	23%	16%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	3%	-	8%	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	39	-	8	39
	53%	-	62%	53%
		**	**	*
Low2Box (Poor/ Very poor)	19	-	4	19
	26%	-	31%	26%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 403

QD5_9. [Surgery (e.g., Deep Brain Stimulation)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	1	-	1	1
	1%	-	8%	1%
		**	**	*
Very good	2	-	-	2
	3%	-	-	3%
		**	**	*
Good	11	-	1	11
	15%	-	8%	15%
		**	**	*
Fair	13	-	4	13
	18%	-	31%	18%
		**	**	*
Poor	11	-	2	11
	15%	-	15%	15%
		**	**	H*
Very poor	11	-	-	11
	15%	-	-	15%
		**	**	*
Don't know	25	1	5	25
	34%	100%	38%	34%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	14	-	2	14
	19%	-	15%	19%
		**	**	*
Top2Box (Excellent/ Very good)	3	-	1	3
	4%	-	8%	4%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	35	-	6	35
	47%	-	46%	47%
		**	**	*
Low2Box (Poor/ Very poor)	22	-	2	22
	30%	-	15%	30%
		**	**	H*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 404

QD5_10. [Family Doctor] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	3	-	1	3
	4%	-	8%	4%
		**	**	*
Very good	6	-	1	6
	8%	-	8%	8%
		**	**	*
Good	24	-	3	24
	32%	-	23%	32%
		**	**	*
Fair	20	-	6	20
	27%	-	46%	27%
		**	**	*
Poor	4	-	-	4
	5%	-	-	5%
		**	**	*
Very poor	4	-	1	4
	5%	-	8%	5%
		**	**	*
Don't know	13	1	1	13
	18%	100%	8%	18%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	33	-	5	33
	45%	-	38%	45%
		**	**	*
Top2Box (Excellent/ Very good)	9	-	2	9
	12%	-	15%	12%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	28	-	7	28
	38%	-	54%	38%
		**	**	*
Low2Box (Poor/ Very poor)	8	-	1	8
	11%	-	8%	11%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 405

QD5_11. [Parkinson’s nurse specialist] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	1	-	-	1
	1%	-	-	1%
		**	**	*
Good	7	-	-	7
	9%	-	-	9%
		**	**	*
Fair	13	-	5	13
	18%	-	38%	18%
		**	**	*
Poor	18	-	3	18
	24%	-	23%	24%
		**	**	*
Very poor	5	-	-	5
	7%	-	-	7%
		**	**	*
Don't know	30	1	5	30
	41%	100%	38%	41%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	8	-	-	8
	11%	-	-	11%
		**	**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	1%	-	-	1%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	36	-	8	36
	49%	-	62%	49%
		**	**	*
Low2Box (Poor/ Very poor)	23	-	3	23
	31%	-	23%	31%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 406

QD5_12. [Dietician] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	3	-	-	3
	4%	-	-	4%
		**	**	*
Good	15	-	2	15
	20%	-	15%	20%
		**	**	*
Fair	16	-	4	16
	22%	-	31%	22%
		**	**	*
Poor	11	-	3	11
	15%	-	23%	15%
		**	**	*
Very poor	5	-	1	5
	7%	-	8%	7%
		**	**	DH*
Don't know	24	1	3	24
	32%	100%	23%	32%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	18	-	2	18
	24%	-	15%	24%
		**	**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	4%	-	-	4%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	32	-	8	32
	43%	-	62%	43%
		**	**	*
Low2Box (Poor/ Very poor)	16	-	4	16
	22%	-	31%	22%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 407

QD5_13. [Social worker] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	3	-	-	3
	4%	-	-	4%
		**	**	*
Good	10	-	1	10
	14%	-	8%	14%
		**	**	D*
Fair	19	-	6	19
	26%	-	46%	26%
		**	**	*
Poor	18	-	3	18
	24%	-	23%	24%
		**	**	*
Very poor	6	-	-	6
	8%	-	-	8%
		**	**	*
Don't know	18	1	3	18
	24%	100%	23%	24%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	13	-	1	13
	18%	-	8%	18%
		**	**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	4%	-	-	4%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	43	-	9	43
	58%	-	69%	58%
		**	**	*
Low2Box (Poor/ Very poor)	24	-	3	24
	32%	-	23%	32%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 408

QD5_14. [Mental health services (counselling, psychiatrist, etc.)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	1	-	-	1
	1%	-	-	1%
		**	**	*
Good	7	-	1	7
	9%	-	8%	9%
		**	**	*
Fair	13	-	4	13
	18%	-	31%	18%
		**	**	*
Poor	20	-	2	20
	27%	-	15%	27%
		**	**	*
Very poor	12	-	1	12
	16%	-	8%	16%
		**	**	*
Don't know	21	1	5	21
	28%	100%	38%	28%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	8	-	1	8
	11%	-	8%	11%
		**	**	H*
Top2Box (Excellent/ Very good)	1	-	-	1
	1%	-	-	1%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	45	-	7	45
	61%	-	54%	61%
		**	**	*
Low2Box (Poor/ Very poor)	32	-	3	32
	43%	-	23%	43%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 409

QD5_15. [Long-term care facilities] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	2	-	1	2
	3%	-	8%	3%
		**	**	*
Good	7	-	1	7
	9%	-	8%	9%
		**	**	*
Fair	16	-	4	16
	22%	-	31%	22%
		**	**	*
Poor	17	-	4	17
	23%	-	31%	23%
		**	**	*
Very poor	12	-	1	12
	16%	-	8%	16%
		**	**	*
Don't know	20	1	2	20
	27%	100%	15%	27%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	9	-	2	9
	12%	-	15%	12%
		**	**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	3%	-	8%	3%
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	45	-	9	45
	61%	-	69%	61%
		**	**	*
Low2Box (Poor/ Very poor)	29	-	5	29
	39%	-	38%	39%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 410
QD5_16. [Palliative care] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	-	-	-	-
	-	-	-	-
		**	**	*
Good	10	-	1	10
	14%	-	8%	14%
		**	**	*
Fair	18	-	5	18
	24%	-	38%	24%
		**	**	*
Poor	12	-	2	12
	16%	-	15%	16%
		**	**	*
Very poor	4	-	1	4
	5%	-	8%	5%
		**	**	DH*
Don't know	30	1	4	30
	41%	100%	31%	41%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	1	10
	14%	-	8%	14%
		**	**	*
Top2Box (Excellent/ Very good)	-	-	-	-
	-	-	-	-
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	34	-	8	34
	46%	-	62%	46%
		**	**	*
Low2Box (Poor/ Very poor)	16	-	3	16
	22%	-	23%	22%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 411

QD5_17. [Movement disorder clinics] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Excellent	-	-	-	-
	-	-	-	-
		**	**	*
Very good	-	-	-	-
	-	-	-	-
		**	**	*
Good	9	-	1	9
	12%	-	8%	12%
		**	**	*
Fair	15	-	5	15
	20%	-	38%	20%
		**	**	*
Poor	15	-	5	15
	20%	-	38%	20%
		**	**	*
Very poor	16	-	-	16
	22%	-	-	22%
		**	**	D*
Don't know	19	1	2	19
	26%	100%	15%	26%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	9	-	1	9
	12%	-	8%	12%
		**	**	*
Top2Box (Excellent/ Very good)	-	-	-	-
	-	-	-	-
		**	**	*
Low3Box (Fair/ Poor/ Very poor)	46	-	10	46
	62%	-	77%	62%
		**	**	*
Low2Box (Poor/ Very poor)	31	-	5	31
	42%	-	38%	42%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 412
QD5. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson's disease				
	37	-	5	37
	50%	-	38%	50%
Duodopa (e.g., intestinal pump)				
	5	-	-	5
	7%	-	-	7%
Other non-oral medication (e.g., Neupro patch)				
	10	-	-	10
	14%	-	-	14%
Imaging tests (e.g., CT, MRI, PET)				
	13	-	1	13
	18%	-	8%	18%
Medical specialists (e.g., movement disorder specialists)				
	9	-	2	9
	12%	-	15%	12%
Physical therapy				
	17	-	2	17
	23%	-	15%	23%
Occupational therapy				
	15	-	3	15
	20%	-	23%	20%
Speech language and swallowing therapy				
	12	-	3	12
	16%	-	23%	16%
Surgery (e.g., Deep Brain Stimulation)				
	14	-	2	14
	19%	-	15%	19%
Family Doctor				
	33	-	5	33
	45%	-	38%	45%
Parkinson's nurse specialist				
	8	-	-	8
	11%	-	-	11%
Dietician				
	18	-	2	18
	24%	-	15%	24%
Social worker				
	13	-	1	13
	18%	-	8%	18%
Mental health services (counselling, psychiatrist, etc.)				
	8	-	1	8
	11%	-	8%	11%
Long-term care facilities				
	9	-	2	9
	12%	-	15%	12%
Palliative care				
	10	-	1	10
	14%	-	8%	14%
Movement disorder clinics				
	9	-	1	9
	12%	-	8%	12%

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 413
QD5. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson’s disease	18	-	3	18
	24%	-	23%	24%
		**	**	*
Duodopa (e.g., intestinal pump)	1	-	-	1
	1%	-	-	1%
		**	**	*
Other non-oral medication (e.g., Neupro patch)	2	-	-	2
	3%	-	-	3%
		**	**	*
Imaging tests (e.g., CT, MRI, PET)	4	-	-	4
	5%	-	-	5%
		**	**	*
Medical specialists (e.g., movement disorder specialists)	1	-	-	1
	1%	-	-	1%
		**	**	*
Physical therapy	5	-	1	5
	7%	-	8%	7%
		**	**	*
Occupational therapy	3	-	1	3
	4%	-	8%	4%
		**	**	*
Speech language and swallowing therapy	2	-	1	2
	3%	-	8%	3%
		**	**	*
Surgery (e.g., Deep Brain Stimulation)	3	-	1	3
	4%	-	8%	4%
		**	**	*
Family Doctor	9	-	2	9
	12%	-	15%	12%
		**	**	*
Parkinson’s nurse specialist	1	-	-	1
	1%	-	-	1%
		**	**	*
Dietician	3	-	-	3
	4%	-	-	4%
		**	**	*
Social worker	3	-	-	3
	4%	-	-	4%
		**	**	*
Mental health services (counselling, psychiatrist, etc.)	1	-	-	1
	1%	-	-	1%
		**	**	*
Long-term care facilities	2	-	1	2
	3%	-	8%	3%
		**	**	*
Palliative care	-	-	-	-
	-	-	-	-
		**	**	*
Movement disorder clinics	-	-	-	-
	-	-	-	-
		**	**	*

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 414
QD5. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson’s disease				
	24	-	7	24
	32%	-	54%	32%
Duodopa (e.g., intestinal pump)		**	**	*
	29	-	5	29
	39%	-	38%	39%
Other non-oral medication (e.g., Neupro patch)		**	**	*
	26	-	5	26
	35%	-	38%	35%
Imaging tests (e.g., CT, MRI, PET)		**	**	*
	40	-	9	40
	54%	-	69%	54%
Medical specialists (e.g., movement disorder specialists)		**	**	*
	50	-	10	50
	68%	-	77%	68%
Physical therapy		**	**	*
	36	-	9	36
	49%	-	69%	49%
Occupational therapy		**	**	*
	41	-	9	41
	55%	-	69%	55%
Speech language and swallowing therapy		**	**	*
	39	-	8	39
	53%	-	62%	53%
Surgery (e.g., Deep Brain Stimulation)		**	**	*
	35	-	6	35
	47%	-	46%	47%
Family Doctor		**	**	*
	28	-	7	28
	38%	-	54%	38%
Parkinson’s nurse specialist		**	**	*
	36	-	8	36
	49%	-	62%	49%
Dietician		**	**	*
	32	-	8	32
	43%	-	62%	43%
Social worker		**	**	*
	43	-	9	43
	58%	-	69%	58%
Mental health services (counselling, psychiatrist, etc.)		**	**	*
	45	-	7	45
	61%	-	54%	61%
Long-term care facilities		**	**	*
	45	-	9	45
	61%	-	69%	61%
Palliative care		**	**	*
	34	-	8	34
	46%	-	62%	46%
Movement disorder clinics		**	**	*
	46	-	10	46
	62%	-	77%	62%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 415
QD5. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease?

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Oral medication treatments for Parkinson’s disease	4	-	2	4
	5%	-	15%	5%
		**	**	*
Duodopa (e.g., intestinal pump)	17	-	2	17
	23%	-	15%	23%
		**	**	*
Other non-oral medication (e.g., Neupro patch)	13	-	2	13
	18%	-	15%	18%
		**	**	*
Imaging tests (e.g., CT, MRI, PET)	18	-	3	18
	24%	-	23%	24%
		**	**	*
Medical specialists (e.g., movement disorder specialists)	35	-	5	35
	47%	-	38%	47%
		**	**	*
Physical therapy	14	-	3	14
	19%	-	23%	19%
		**	**	*
Occupational therapy	23	-	3	23
	31%	-	23%	31%
		**	**	*
Speech language and swallowing therapy	19	-	4	19
	26%	-	31%	26%
		**	**	*
Surgery (e.g., Deep Brain Stimulation)	22	-	2	22
	30%	-	15%	30%
		**	**	H*
Family Doctor	8	-	1	8
	11%	-	8%	11%
		**	**	*
Parkinson’s nurse specialist	23	-	3	23
	31%	-	23%	31%
		**	**	*
Dietician	16	-	4	16
	22%	-	31%	22%
		**	**	*
Social worker	24	-	3	24
	32%	-	23%	32%
		**	**	*
Mental health services (counselling, psychiatrist, etc.)	32	-	3	32
	43%	-	23%	43%
		**	**	*
Long-term care facilities	29	-	5	29
	39%	-	38%	39%
		**	**	*
Palliative care	16	-	3	16
	22%	-	23%	22%
		**	**	*
Movement disorder clinics	31	-	5	31
	42%	-	38%	42%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 416

QD5_1. [Oral medication treatments for Parkinson’s disease] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	61	-	12	61
Excellent	8	-	2	8
	13%	-	17%	13%
			**	*
Very good	10	-	1	10
	16%	-	8%	16%
			**	*
Good	19	-	2	19
	31%	-	17%	31%
			**	*
Fair	20	-	5	20
	33%	-	42%	33%
			**	*
Poor	4	-	2	4
	7%	-	17%	7%
			**	*
Very poor	-	-	-	-
	-	-	-	-
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	61	-	12	61
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	37	-	5	37
	61%	-	42%	61%
			**	*
Top2Box (Excellent/ Very good)	18	-	3	18
	30%	-	25%	30%
			**	*
Low3Box (Fair/ Poor/ Very poor)	24	-	7	24
	39%	-	58%	39%
			**	*
Low2Box (Poor/ Very poor)	4	-	2	4
	7%	-	17%	7%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 417

QD5_2. [Duodopa (e.g., intestinal pump)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	34	-	5	34
Excellent	1	-	-	1
	3%	-	-	3%
			**	*
Very good	-	-	-	-
	-	-	-	-
			**	*
Good	4	-	-	4
	12%	-	-	12%
			**	*
Fair	12	-	3	12
	35%	-	60%	35%
			**	*
Poor	13	-	2	13
	38%	-	40%	38%
			**	*
Very poor	4	-	-	4
	12%	-	-	12%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	34	-	5	34
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	5	-	-	5
	15%	-	-	15%
			**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	3%	-	-	3%
			**	*
Low3Box (Fair/ Poor/ Very poor)	29	-	5	29
	85%	-	100%	85%
			**	*
Low2Box (Poor/ Very poor)	17	-	2	17
	50%	-	40%	50%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 418

QD5_3. [Other non-oral medication (e.g., Neupro patch)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	36	-	5	36
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	2	-	-	2
	6%	-	-	6%
			**	*
Good	8	-	-	8
	22%	-	-	22%
			**	*
Fair	13	-	3	13
	36%	-	60%	36%
			**	*
Poor	9	-	2	9
	25%	-	40%	25%
			**	*
Very poor	4	-	-	4
	11%	-	-	11%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	36	-	5	36
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	-	10
	28%	-	-	28%
			**	*
Top2Box (Excellent/ Very good)	2	-	-	2
	6%	-	-	6%
			**	*
Low3Box (Fair/ Poor/ Very poor)	26	-	5	26
	72%	-	100%	72%
			**	*
Low2Box (Poor/ Very poor)	13	-	2	13
	36%	-	40%	36%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 419

QD5_4. [Imaging tests (e.g., CT, MRI, PET)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	53	-	10	53
Excellent	1	-	-	1
	2%	-	-	2%
			**	*
Very good	3	-	-	3
	6%	-	-	6%
			**	*
Good	9	-	1	9
	17%	-	10%	17%
			**	*
Fair	22	-	6	22
	42%	-	60%	42%
			**	*
Poor	15	-	3	15
	28%	-	30%	28%
			**	*
Very poor	3	-	-	3
	6%	-	-	6%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	53	-	10	53
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	13	-	1	13
	25%	-	10%	25%
			**	D*
Top2Box (Excellent/ Very good)	4	-	-	4
	8%	-	-	8%
			**	*
Low3Box (Fair/ Poor/ Very poor)	40	-	9	40
	75%	-	90%	75%
			**	*
Low2Box (Poor/ Very poor)	18	-	3	18
	34%	-	30%	34%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 420

QD5_5. [Medical specialists (e.g., movement disorder specialists)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	59	-	12	59
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	1	-	-	1
	2%	-	-	2%
			**	*
Good	8	-	2	8
	14%	-	17%	14%
			**	*
Fair	15	-	5	15
	25%	-	42%	25%
			**	*
Poor	22	-	4	22
	37%	-	33%	37%
			**	*
Very poor	13	-	1	13
	22%	-	8%	22%
			**	D*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	59	-	12	59
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	9	-	2	9
	15%	-	17%	15%
			**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	2%	-	-	2%
			**	*
Low3Box (Fair/ Poor/ Very poor)	50	-	10	50
	85%	-	83%	85%
			**	*
Low2Box (Poor/ Very poor)	35	-	5	35
	59%	-	42%	59%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 421

QD5_6. [Physical therapy] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	53	-	11	53
Excellent	1	-	-	1
	2%	-	-	2%
			**	*
Very good	4	-	1	4
	8%	-	9%	8%
			**	*
Good	12	-	1	12
	23%	-	9%	23%
			**	D*
Fair	22	-	6	22
	42%	-	55%	42%
			**	*
Poor	11	-	3	11
	21%	-	27%	21%
			**	*
Very poor	3	-	-	3
	6%	-	-	6%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	53	-	11	53
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	17	-	2	17
	32%	-	18%	32%
			**	*
Top2Box (Excellent/ Very good)	5	-	1	5
	9%	-	9%	9%
			**	*
Low3Box (Fair/ Poor/ Very poor)	36	-	9	36
	68%	-	82%	68%
			**	*
Low2Box (Poor/ Very poor)	14	-	3	14
	26%	-	27%	26%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 422

QD5_7. [Occupational therapy] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	56	-	12	56
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	3	-	1	3
	5%	-	8%	5%
			**	*
Good	12	-	2	12
	21%	-	17%	21%
			**	*
Fair	18	-	6	18
	32%	-	50%	32%
			**	*
Poor	18	-	3	18
	32%	-	25%	32%
			**	*
Very poor	5	-	-	5
	9%	-	-	9%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	56	-	12	56
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	15	-	3	15
	27%	-	25%	27%
			**	*
Top2Box (Excellent/ Very good)	3	-	1	3
	5%	-	8%	5%
			**	*
Low3Box (Fair/ Poor/ Very poor)	41	-	9	41
	73%	-	75%	73%
			**	*
Low2Box (Poor/ Very poor)	23	-	3	23
	41%	-	25%	41%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 423

QD5_8. [Speech language and swallowing therapy] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	51	-	11	51
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	2	-	1	2
	4%	-	9%	4%
			**	*
Good	10	-	2	10
	20%	-	18%	20%
			**	*
Fair	20	-	4	20
	39%	-	36%	39%
			**	*
Poor	12	-	3	12
	24%	-	27%	24%
			**	*
Very poor	7	-	1	7
	14%	-	9%	14%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	51	-	11	51
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	12	-	3	12
	24%	-	27%	24%
			**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	4%	-	9%	4%
			**	*
Low3Box (Fair/ Poor/ Very poor)	39	-	8	39
	76%	-	73%	76%
			**	*
Low2Box (Poor/ Very poor)	19	-	4	19
	37%	-	36%	37%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 424

QD5_9. [Surgery (e.g., Deep Brain Stimulation)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	49	-	8	49
Excellent	1	-	1	1
	2%	-	12%	2%
			**	*
Very good	2	-	-	2
	4%	-	-	4%
			**	*
Good	11	-	1	11
	22%	-	12%	22%
			**	*
Fair	13	-	4	13
	27%	-	50%	27%
			**	*
Poor	11	-	2	11
	22%	-	25%	22%
			**	*
Very poor	11	-	-	11
	22%	-	-	22%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	49	-	8	49
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	14	-	2	14
	29%	-	25%	29%
			**	*
Top2Box (Excellent/ Very good)	3	-	1	3
	6%	-	12%	6%
			**	*
Low3Box (Fair/ Poor/ Very poor)	35	-	6	35
	71%	-	75%	71%
			**	*
Low2Box (Poor/ Very poor)	22	-	2	22
	45%	-	25%	45%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 425

QD5_10. [Family Doctor] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	61	-	12	61
Excellent	3	-	1	3
	5%	-	8%	5%
			**	*
Very good	6	-	1	6
	10%	-	8%	10%
			**	*
Good	24	-	3	24
	39%	-	25%	39%
			**	*
Fair	20	-	6	20
	33%	-	50%	33%
			**	*
Poor	4	-	-	4
	7%	-	-	7%
			**	*
Very poor	4	-	1	4
	7%	-	8%	7%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	61	-	12	61
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	33	-	5	33
	54%	-	42%	54%
			**	*
Top2Box (Excellent/ Very good)	9	-	2	9
	15%	-	17%	15%
			**	*
Low3Box (Fair/ Poor/ Very poor)	28	-	7	28
	46%	-	58%	46%
			**	*
Low2Box (Poor/ Very poor)	8	-	1	8
	13%	-	8%	13%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 426

QD5_11. [Parkinson’s nurse specialist] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	44	-	8	44
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	1	-	-	1
	2%	-	-	2%
			**	*
Good	7	-	-	7
	16%	-	-	16%
			**	*
Fair	13	-	5	13
	30%	-	62%	30%
			**	*
Poor	18	-	3	18
	41%	-	38%	41%
			**	*
Very poor	5	-	-	5
	11%	-	-	11%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	44	-	8	44
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	8	-	-	8
	18%	-	-	18%
			**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	2%	-	-	2%
			**	*
Low3Box (Fair/ Poor/ Very poor)	36	-	8	36
	82%	-	100%	82%
			**	*
Low2Box (Poor/ Very poor)	23	-	3	23
	52%	-	38%	52%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 427

QD5_12. [Dietician] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	50	-	10	50
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	3	-	-	3
	6%	-	-	6%
			**	*
Good	15	-	2	15
	30%	-	20%	30%
			**	*
Fair	16	-	4	16
	32%	-	40%	32%
			**	*
Poor	11	-	3	11
	22%	-	30%	22%
			**	*
Very poor	5	-	1	5
	10%	-	10%	10%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	50	-	10	50
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	18	-	2	18
	36%	-	20%	36%
			**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	6%	-	-	6%
			**	*
Low3Box (Fair/ Poor/ Very poor)	32	-	8	32
	64%	-	80%	64%
			**	*
Low2Box (Poor/ Very poor)	16	-	4	16
	32%	-	40%	32%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 428

QD5_13. [Social worker] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	56	-	10	56
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	3	-	-	3
	5%	-	-	5%
			**	*
Good	10	-	1	10
	18%	-	10%	18%
			**	*
Fair	19	-	6	19
	34%	-	60%	34%
			**	*
Poor	18	-	3	18
	32%	-	30%	32%
			**	*
Very poor	6	-	-	6
	11%	-	-	11%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	56	-	10	56
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	13	-	1	13
	23%	-	10%	23%
			**	*
Top2Box (Excellent/ Very good)	3	-	-	3
	5%	-	-	5%
			**	*
Low3Box (Fair/ Poor/ Very poor)	43	-	9	43
	77%	-	90%	77%
			**	*
Low2Box (Poor/ Very poor)	24	-	3	24
	43%	-	30%	43%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 429

QD5_14. [Mental health services (counselling, psychiatrist, etc.)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	53	-	8	53
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	1	-	-	1
	2%	-	-	2%
			**	*
Good	7	-	1	7
	13%	-	12%	13%
			**	*
Fair	13	-	4	13
	25%	-	50%	25%
			**	*
Poor	20	-	2	20
	38%	-	25%	38%
			**	*
Very poor	12	-	1	12
	23%	-	12%	23%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	53	-	8	53
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	8	-	1	8
	15%	-	12%	15%
			**	*
Top2Box (Excellent/ Very good)	1	-	-	1
	2%	-	-	2%
			**	*
Low3Box (Fair/ Poor/ Very poor)	45	-	7	45
	85%	-	88%	85%
			**	*
Low2Box (Poor/ Very poor)	32	-	3	32
	60%	-	38%	60%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 430

QD5_15. [Long-term care facilities] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	54	-	11	54
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	2	-	1	2
	4%	-	9%	4%
			**	*
Good	7	-	1	7
	13%	-	9%	13%
			**	*
Fair	16	-	4	16
	30%	-	36%	30%
			**	*
Poor	17	-	4	17
	31%	-	36%	31%
			**	*
Very poor	12	-	1	12
	22%	-	9%	22%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	54	-	11	54
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	9	-	2	9
	17%	-	18%	17%
			**	*
Top2Box (Excellent/ Very good)	2	-	1	2
	4%	-	9%	4%
			**	*
Low3Box (Fair/ Poor/ Very poor)	45	-	9	45
	83%	-	82%	83%
			**	*
Low2Box (Poor/ Very poor)	29	-	5	29
	54%	-	45%	54%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 431

QD5_16. [Palliative care] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	44	-	9	44
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	-	-	-	-
	-	-	-	-
			**	*
Good	10	-	1	10
	23%	-	11%	23%
			**	*
Fair	18	-	5	18
	41%	-	56%	41%
			**	*
Poor	12	-	2	12
	27%	-	22%	27%
			**	*
Very poor	4	-	1	4
	9%	-	11%	9%
			**	*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	44	-	9	44
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	10	-	1	10
	23%	-	11%	23%
			**	*
Top2Box (Excellent/ Very good)	-	-	-	-
	-	-	-	-
			**	*
Low3Box (Fair/ Poor/ Very poor)	34	-	8	34
	77%	-	89%	77%
			**	*
Low2Box (Poor/ Very poor)	16	-	3	16
	36%	-	33%	36%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 432

QD5_17. [Movement disorder clinics] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2 - Excl DK	55	-	11	55
Excellent	-	-	-	-
	-	-	-	-
			**	*
Very good	-	-	-	-
	-	-	-	-
			**	*
Good	9	-	1	9
	16%	-	9%	16%
			**	*
Fair	15	-	5	15
	27%	-	45%	27%
			**	*
Poor	15	-	5	15
	27%	-	45%	27%
			**	*
Very poor	16	-	-	16
	29%	-	-	29%
			**	D*
Don't know	-	-	-	-
	-	-	-	-
			**	*
Sigma	55	-	11	55
	100%	-	100%	100%
Summary				
Top3Box (Excellent/ Very good/ Good)	9	-	1	9
	16%	-	9%	16%
			**	*
Top2Box (Excellent/ Very good)	-	-	-	-
	-	-	-	-
			**	*
Low3Box (Fair/ Poor/ Very poor)	46	-	10	46
	84%	-	91%	84%
			**	*
Low2Box (Poor/ Very poor)	31	-	5	31
	56%	-	45%	56%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 433

QD5. [SUMMARY - TOP3BOX (EXCELLENT/ VERY GOOD/ GOOD)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	37	-	5	37
	61%	-	42%	61%
			**	*
Duodopa (e.g., intestinal pump)	5	-	-	5
	15%	-	-	15%
			**	*
Other non-oral medication (e.g., Neupro patch)	10	-	-	10
	28%	-	-	28%
			**	*
Imaging tests (e.g., CT, MRI, PET)	13	-	1	13
	25%	-	10%	25%
			**	D*
Medical specialists (e.g., movement disorder specialists)	9	-	2	9
	15%	-	17%	15%
			**	*
Physical therapy	17	-	2	17
	32%	-	18%	32%
			**	*
Occupational therapy	15	-	3	15
	27%	-	25%	27%
			**	*
Speech language and swallowing therapy	12	-	3	12
	24%	-	27%	24%
			**	*
Surgery (e.g., Deep Brain Stimulation)	14	-	2	14
	29%	-	25%	29%
			**	*
Family Doctor	33	-	5	33
	54%	-	42%	54%
			**	*
Parkinson's nurse specialist	8	-	-	8
	18%	-	-	18%
			**	*
Dietician	18	-	2	18
	36%	-	20%	36%
			**	*
Social worker	13	-	1	13
	23%	-	10%	23%
			**	*
Mental health services (counselling, psychiatrist, etc.)	8	-	1	8
	15%	-	12%	15%
			**	*
Long-term care facilities	9	-	2	9
	17%	-	18%	17%
			**	*
Palliative care	10	-	1	10
	23%	-	11%	23%
			**	*
Movement disorder clinics	9	-	1	9
	16%	-	9%	16%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 434

QD5. [SUMMARY - TOP2BOX (EXCELLENT/ VERY GOOD)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	18	-	3	18
	30%	-	25%	30%
			**	*
Duodopa (e.g., intestinal pump)	1	-	-	1
	3%	-	-	3%
			**	*
Other non-oral medication (e.g., Neupro patch)	2	-	-	2
	6%	-	-	6%
			**	*
Imaging tests (e.g., CT, MRI, PET)	4	-	-	4
	8%	-	-	8%
			**	*
Medical specialists (e.g., movement disorder specialists)	1	-	-	1
	2%	-	-	2%
			**	*
Physical therapy	5	-	1	5
	9%	-	9%	9%
			**	*
Occupational therapy	3	-	1	3
	5%	-	8%	5%
			**	*
Speech language and swallowing therapy	2	-	1	2
	4%	-	9%	4%
			**	*
Surgery (e.g., Deep Brain Stimulation)	3	-	1	3
	6%	-	12%	6%
			**	*
Family Doctor	9	-	2	9
	15%	-	17%	15%
			**	*
Parkinson's nurse specialist	1	-	-	1
	2%	-	-	2%
			**	*
Dietician	3	-	-	3
	6%	-	-	6%
			**	*
Social worker	3	-	-	3
	5%	-	-	5%
			**	*
Mental health services (counselling, psychiatrist, etc.)	1	-	-	1
	2%	-	-	2%
			**	*
Long-term care facilities	2	-	1	2
	4%	-	9%	4%
			**	*
Palliative care	-	-	-	-
	-	-	-	-
			**	*
Movement disorder clinics	-	-	-	-
	-	-	-	-
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 435
QD5. [SUMMARY - LOW3BOX (FAIR/ POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson's disease	24	-	7	24
	39%	-	58%	39%
			**	*
Duodopa (e.g., intestinal pump)	29	-	5	29
	85%	-	100%	85%
			**	*
Other non-oral medication (e.g., Neupro patch)	26	-	5	26
	72%	-	100%	72%
			**	*
Imaging tests (e.g., CT, MRI, PET)	40	-	9	40
	75%	-	90%	75%
			**	*
Medical specialists (e.g., movement disorder specialists)	50	-	10	50
	85%	-	83%	85%
			**	*
Physical therapy	36	-	9	36
	68%	-	82%	68%
			**	*
Occupational therapy	41	-	9	41
	73%	-	75%	73%
			**	*
Speech language and swallowing therapy	39	-	8	39
	76%	-	73%	76%
			**	*
Surgery (e.g., Deep Brain Stimulation)	35	-	6	35
	71%	-	75%	71%
			**	*
Family Doctor	28	-	7	28
	46%	-	58%	46%
			**	*
Parkinson's nurse specialist	36	-	8	36
	82%	-	100%	82%
			**	*
Dietician	32	-	8	32
	64%	-	80%	64%
			**	*
Social worker	43	-	9	43
	77%	-	90%	77%
			**	*
Mental health services (counselling, psychiatrist, etc.)	45	-	7	45
	85%	-	88%	85%
			**	*
Long-term care facilities	45	-	9	45
	83%	-	82%	83%
			**	*
Palliative care	34	-	8	34
	77%	-	89%	77%
			**	*
Movement disorder clinics	46	-	10	46
	84%	-	91%	84%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 436
QD5. [SUMMARY - LOW2BOX (POOR/ VERY POOR)] And how would you rate the wait times for these services/treatments for people living with Parkinson's disease? - Excl DK

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Oral medication treatments for Parkinson’s disease	4	-	2	4
	7%	-	17%	7%
			**	*
Duodopa (e.g., intestinal pump)	17	-	2	17
	50%	-	40%	50%
			**	*
Other non-oral medication (e.g., Neupro patch)	13	-	2	13
	36%	-	40%	36%
			**	*
Imaging tests (e.g., CT, MRI, PET)	18	-	3	18
	34%	-	30%	34%
			**	*
Medical specialists (e.g., movement disorder specialists)	35	-	5	35
	59%	-	42%	59%
			**	*
Physical therapy	14	-	3	14
	26%	-	27%	26%
			**	*
Occupational therapy	23	-	3	23
	41%	-	25%	41%
			**	*
Speech language and swallowing therapy	19	-	4	19
	37%	-	36%	37%
			**	*
Surgery (e.g., Deep Brain Stimulation)	22	-	2	22
	45%	-	25%	45%
			**	*
Family Doctor	8	-	1	8
	13%	-	8%	13%
			**	*
Parkinson’s nurse specialist	23	-	3	23
	52%	-	38%	52%
			**	*
Dietician	16	-	4	16
	32%	-	40%	32%
			**	*
Social worker	24	-	3	24
	43%	-	30%	43%
			**	*
Mental health services (counselling, psychiatrist, etc.)	32	-	3	32
	60%	-	38%	60%
			**	*
Long-term care facilities	29	-	5	29
	54%	-	45%	54%
			**	*
Palliative care	16	-	3	16
	36%	-	33%	36%
			**	*
Movement disorder clinics	31	-	5	31
	56%	-	45%	56%
			**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 437

QD6_1. [Medication] If people with Parkinson's disease were not reimbursed by public or private insurance for treatments, in general, how much of a financial burden do you think it would be for them

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
5 - A major burden	44	-	7	44
	59%	-	54%	59%
		**	**	*
4	17	-	3	17
	23%	-	23%	23%
		**	**	*
3	12	1	3	12
	16%	100%	23%	16%
		**	**	*
2	-	-	-	-
	-	-	-	-
		**	**	*
1 - No burden at all	1	-	-	1
	1%	-	-	1%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top2Box (4-5)	61	-	10	61
	82%	-	77%	82%
		**	**	*
Low2Box (1-2)	1	-	-	1
	1%	-	-	1%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 438

QD6_2. [Other treatments (e.g., physiotherapy, occupational therapy, counselling, speech therapy, etc.)) If people with Parkinson's disease were not reimbursed by public or private insurance for

		Experience with Parkinson's		
	Total	Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
5 - A major burden	56	-	8	56
	76%	-	62%	76%
		**	**	*
4	12	-	2	12
	16%	-	15%	16%
		**	**	*
3	5	1	3	5
	7%	100%	23%	7%
		**	**	*
2	-	-	-	-
	-	-	-	-
		**	**	*
1 - No burden at all	1	-	-	1
	1%	-	-	1%
		**	**	*
Sigma	74	1	13	74
	100%	100%	100%	100%
Summary				
Top2Box (4-5)	68	-	10	68
	92%	-	77%	92%
		**	**	*
Low2Box (1-2)	1	-	-	1
	1%	-	-	1%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 439

QD6. [SUMMARY - TOP2BOX (4-5)] If people with Parkinson's disease were not reimbursed by public or private insurance for treatments, in general, how much of a financial burden do you think it would be for

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Medication	61	-	10	61
	82%	-	77%	82%
		**	**	*
Other treatments (e.g., physiotherapy, occupational therapy, counselling, speech therapy, etc.)	68	-	10	68
	92%	-	77%	92%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

Table: 440

QD6. [SUMMARY - LOW2BOX (1-2)] If people with Parkinson's disease were not reimbursed by public or private insurance for treatments, in general, how much of a financial burden do you think it would be for

	Total	Experience with Parkinson's		
		Personally Diagnosed	Care Provider	Health Care Provider
		A	B	C
Base: Group 2	74	1	13	74
Medication	1	-	-	1
	1%	-	-	1%
		**	**	*
Other treatments (e.g., physiotherapy, occupational therapy, counselling, speech therapy, etc.)	1	-	-	1
	1%	-	-	1%
		**	**	*

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H,I/J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)