Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Diabetes

						Experience w	ith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	960	30	111	149	141	290	88	118	525	695	265
Rank 1-3 (Net)	50%	60%	74%	63%	71%	67%	62%	61%	56%	57%	37%
		J*	CEFGHIJ	HJ	GHIJ	HIJ	J	J	J	J	
	459	16	65	79	81	160	48	64	266	360	98
Rank 1-2 (Subnet)	24%	31%	44%	34%	41%	37%	34%	33%	28%	29%	14%
		J*	HIJ	J	HIJ	HIJ	J	J	J	J	
	161	9	32	27	42	69	21	31	82	131	31
1 - Most important	8%	19%	22%	12%	21%	16%	15%	16%	9%	11%	4%
		HJ*	CEHIJ	J	CEHIJ	CHIJ	HJ	HIJ	J	HJ	
	298	6	33	52	39	91	27	33	185	230	68
2 - Second most important	15%	12%	22%	22%	20%	21%	19%	17%	20%	19%	10%
		*	J	J	J	J	J	J	J	J	
	501	14	46	69	60	130	40	54	258	335	167
3 - Third most important	26%	29%	31%	29%	30%	30%	28%	28%	27%	27%	23%
		*				J					
	973	20	38	87	58	145	54	74	415	527	446
Not Ranked	50%	40%	26%	37%	29%	33%	38%	39%	44%	43%	63%
HOLHUINCO		*		В		В	В	BD	BCDE	BDE	ABCDEFGH
	1933	50	149	235	199	435	143	193	939	1222	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Arthritis

important Artimus						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1943	43	144	237	187	424	158	201	943	1216	727
Base: All Answering (wtd)	1918	48	149	235	197	432	142	190	930	1210	708
	201	5	14	16	19	35	16	21	98	122	79
Rank 1-3 (Net)	11%	10%	9%	7%	10%	8%	11%	11%	11%	10%	11%
	90	*	7	8	8	16	8	9	45	56	34
Rank 1-2 (Subnet)	5%	1%	5%	3%	4%	4%	6%	5%	5%	5%	5%
	27	*	2			_	2	2	42	4.4	42
1 - Most important	27 1%	-	2 1%	3 1%	2 1%	5 1%	2%	2 1%	12 1%	14 1%	13 2%
, , , , , , , , , , , , , , , , , , ,		*									
	63	*	6	4	6	10	6	6	33	42	21
2 - Second most important	3%	1%	4%	2%	3%	2%	4%	3%	4%	3%	3%
	111	4	7	8	11	19	8	12	53	66	45
3 - Third most important	6%	9%	4%	4%	6%	4%	6%	7%	6%	5%	6%
	1716	43	135	219	178	397	125	168	832	1088	628
Not Ranked	89%	90%	91%	93%	90%	92%	89%	89%	89%	90%	89%
	1918	48	149	235	197	432	142	190	930	1210	708
Sigma	1918	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Cancer

A B C D E F G			
Base: All Answering (unwtd) Base: All Answering (wtd) 1947	Family member diagnosed	Diabetes Experience	No experience
Base: All Answering (wtd) 1921 50 148 235 198 433 137 187 1697 42 128 200 170 370 112 154 88% 84% 86% 85% 86% 85% 82% 82% *	Н	I	J
Rank 1-3 (Net) Rank 1-3 (Net) Rank 1-2 (Subnet) 1697 42 128 200 170 370 112 154 88% 84% 86% 85% 86% 85% 82% 82% * 1504 36 103 176 139 315 96 131 78% 71% 70% 75% 70% 73% 70% 70% * 1150 25 83 136 109 244 66 91 1-Most important 60% 51% 56% 58% 55% 56% 48% 49%	950	1220	727
Rank 1-3 (Net) 88% 84% 86% 85% 86% 85% 82% 82%	938	1215	706
* 1504 36 103 176 139 315 96 131 78% 71% 70% 75% 70% 73% 70%	829	1059	638
Rank 1-2 (Subnet) 78% 71% 70% 75% 70% 73% 70% 70% 70% 70% 70% 70% 70% 70% 70% 70	88% FGI	87%	90% EFG
*	751	942	563
1150 25 83 136 109 244 66 91 60% 51% 56% 58% 55% 56% 48% 49% 8	80%	77% BDEFG	80% BDEFG
1 - Most important 60% 51% 56% 58% 55% 56% 48% 49% *	BDEFGI		
*	575 61%	719 59%	431 61%
	FGI	59% FG	FG
354 10 20 41 30 71 30 40	176	223	132
2 - Second most important 18% 21% 13% 17% 15% 16% 22% 21%	19%	18%	19%
*			
192 6 25 23 31 55 16 23	78	117	75
3 - Third most important 10% 13% 17% 10% 16% 13% 12% 12%	8%	10%	11%
* HI HI HI		Н	
225 8 20 35 28 63 25 33	110	156	68
Not Ranked 12% 16% 14% 15% 14% 15% 18% 18%	12%	13%	10%
* J HJ HJ		Н	
1921 50 148 235 198 433 137 187	938	1215	706
Sigma 100% 100% 100% 100% 100% 100% 100% 100	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Heart disease or stroke

						Experience w	ith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	ı	J
Base: All Answering (unwtd)	1948	43	143	235	186	421	157	200	949	1217	731
Base: All Answering (wtd)	1924	49	149	233	198	431	138	188	938	1212	711
	1479	40	109	183	149	333	98	138	692	899	581
Rank 1-3 (Net)	77%	81% *	74%	79%	75%	77%	71%	74%	74%	74%	82% BFGHI
	1087	28	83	129	111	239	73	100	476	631	457
Rank 1-2 (Subnet)	57%	56%	56%	55%	56%	56%	53%	53%	51%	52%	64%
		*									CEFGHI
	341	7	22	39	28	67	27	33	152	195	147
1 - Most important	18%	14%	15%	17%	14%	16%	19%	18%	16%	16%	21% HI
	746	21	61	90	82	172	46	67	324	436	310
2 - Second most important	39%	42%	41%	39%	42%	40%	33%	36%	35%	36%	44%
		*				Н					FHI
	392	12	26	55	39	93	26	38	215	268	124
3 - Third most important	20%	25%	18%	24%	19%	22%	19%	20%	23%	22%	17%
		*							J	J	
	444	10	39	49	49	98	40	49	246	314	131
Not Ranked	23%	19%	26%	21%	25%	23%	29%	26%	26%	26%	18%
		*	J				J	J	J	J	
	1924	49	149	233	198	431	138	188	938	1212	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - High blood pressure

						Experience w	vith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1945	43	143	237	186	423	156	199	948	1218	727
Base: All Answering (wtd)	1922	49	149	235	198	433	137	187	937	1214	708
	400	10	27	52	37	89	40	50	177	245	154
Rank 1-3 (Net)	21%	21%	18%	22%	19%	21%	29% BDEHI	27% DHI	19%	20% H	22%
	188	8	13	21	21	42	20	28	81	119	69
Rank 1-2 (Subnet)	10%	16%	9%	9%	10%	10%	15%	15%	9%	10%	10%
	62		*	11		47	Н	EHI	20	H	47
1 - Most important	62 3%	6 12%	*	11 5%	6 3%	17 4%	8 6%	14 7%	28 3%	44 4%	17 2%
1 - Most Important	3/6	BDEHIJ*		B	B	B B	B	BDHIJ	3/0	BH	2/0
	126	2	13	10	15	25	13	14	53	74	52
2 - Second most important	7%	4%	8%	4%	7%	6%	9%	8%	6%	6%	7%
	212	3	14	30	17	47	20	22	95	127	85
3 - Third most important	11%	5%	10%	13%	8%	11%	14%	12%	10%	10%	12%
		*									
	1522	39	122	183	161	344	97	137	760	968	554
Not Ranked	79%	79%	82%	78%	81%	79%	71%	73%	81%	80%	78%
		*	F		FG	F			FGI	FG	
	1922	49	149	235	198	433	137	187	937	1214	708
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Hepatitis

important nepatitis						Experience w	vith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic		Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	ı	J
Base: All Answering (unwtd)	1929	44	143	236	187	423	153	197	943	1212	717
Base: All Answering (wtd)	1904	50	149	234	199	432	135	185	931	1207	697
	90	3	6	11	9	20	10	13	34	53	37
Rank 1-3 (Net)	5%	6%	4%	5%	4%	5%	7%	7% H	4%	4% H	5%
	48	1	*	6	1	8	H 7	7	19	29	19
Rank 1-2 (Subnet)	3%	2%	*	3%	1%	2%	5%	4%	2%	2%	3%
		*		_	ate	_	BDEH	BD			
	28	*	-	4	*	5	6	7	11	18	10
1 - Most important	1%	1%	-	2%	-	1%	4% BDEHIJ	4% BDEHI	1%	2%	1%
	20	*	*	2	1	3	*	1	8	11	9
2 - Second most important	1%	1%	*	1%	*	1%	*	*	1%	1%	1%
	42	2	5	5	7	12	3	5	15	24	19
3 - Third most important	2%	4%	3%	2%	4%	3%	2%	3%	2%	2%	3%
		*									
	1813	47	143	222	190	412	125	172	897	1154	659
Not Ranked	95%	94%	96%	95%	96%	95%	93%	93%	96%	96%	95%
	100		4.0	22.4	400	400	40-	407	FGI	4227	607
	1904	50	149	234	199	432	135	185	931	1207	697
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - HIV/AIDS

important mv/AiD3						Experience v	vith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	_	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	ı	J
Base: All Answering (unwtd)	1946	44	142	237	186	423	153	197	948	1218	728
Base: All Answering (wtd)	1919	50	148	235	198	432	135	185	937	1213	705
	350	10	16	34	27	61	14	24	174	221	128
Rank 1-3 (Net)	18%	21%	11%	15%	13%	14%	10%	13%	19%	18%	18%
		*						F	BEF	BEF	F
	204	8	13	22	20	43	9	17	103	136	68
Rank 1-2 (Subnet)	11%	15%	9%	10%	10%	10%	7%	9%	11%	11%	10%
	70		3	9	3	12	1	1	35	45	25
1 - Most important	4%	-	2%	4%	1%	3%	1%	1%	4%	43	4%
1 - Wost Important	470	*	2/0	470 G	1/0	3/0	1/0	1/0	4% G	470 G	470
	134	8	10	13	18	31	8	16	68	91	43
2 - Second most important	7%	15%	7%	6%	9%	7%	6%	8%	7%	8%	6%
2 - Second most important	770	CJ*	7 70	070	370	770	070	F	770	870	070
	146	3	3	12	6	18	5	8	71	85	61
3 - Third most important	8%	6%	2%	5%	3%	4%	4%	4%	8%	7%	9%
		*							BDE	BDE	BDE
	1569	39	132	200	171	371	121	161	763	992	577
Not Ranked	82%	79%	89%	85%	87%	86%	90%	87%	81%	82%	82%
		*	HI			HI	GHIJ				
	1919	50	148	235	198	432	135	185	937	1213	705
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Multiple Sclerosis (MS)

important Multiple Scierosis (MS)						Experience w	ith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	ı	J
Base: All Answering (unwtd)	1885	40	142	236	182	418	153	193	926	1193	692
Base: All Answering (wtd)	1851	44	148	233	192	425	135	180	907	1179	672
	380	8	26	40	34	74	26	34	172	231	149
Rank 1-3 (Net)	21%	19%	17%	17%	18%	17%	19%	19%	19%	20%	22%
	163	4	9	19	14	33	11	16	76	103	60
Rank 1-2 (Subnet)	9%	10%	6%	8%	7%	8%	8%	9%	8%	9%	9%
	51	2	4	6	6	12	5	7	24	33	18
1 - Most important	3%	5%	3%	2%	3%	3%	4%	4%	3%	3%	3%
	113	2	6	14	8	21	6	8	53	70	43
2 - Second most important	6%	5%	4%	6%	4%	5%	5%	5%	6%	6%	6%
	216	4	16	21	20	41	14	18	96	128	88
3 - Third most important	12%	9%	11%	9%	11%	10%	11%	10%	11%	11%	13%
	1471	36	122	193	158	351	110	146	734	948	523
Not Ranked	79%	81%	83%	83%	82%	83%	81%	81%	81%	80%	78%
	1851	44	148	233	192	425	135	180	907	1179	672
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 1-3 Summary

						Experience w	ith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
	960	30	111	149	141	290	88	118	525	695	265
Diabetes	50%	60%	74%	63%	71%	67%	62%	61%	56%	57%	37%
		J*	CEFGHIJ	HJ	GHIJ	HIJ	J	J	J	J	
	201	5	14	16	19	35	16	21	98	122	79
Arthritis	11%	10%	9%	7%	10%	8%	11%	11%	11%	10%	11%
		*									
	1697	42	128	200	170	370	112	154	829	1059	638
Cancer	88%	84%	86%	85%	86%	85%	82%	82%	88%	87%	90%
		*							FGI		EFG
	1479	40	109	183	149	333	98	138	692	899	581
Heart disease or stroke	77%	81%	74%	79%	75%	77%	71%	74%	74%	74%	82%
		*									BFGHI
	400	10	27	52	37	89	40	50	177	245	154
High blood pressure	21%	21%	18%	22%	19%	21%	29%	27%	19%	20%	22%
		*					BDEHI	DHI		Н	
	90	3	6	11	9	20	10	13	34	53	37
Hepatitis	5%	6%	4%	5%	4%	5%	7%	7%	4%	4%	5%
		*					Н	Н		Н	
	350	10	16	34	27	61	14	24	174	221	128
HIV/AIDS	18%	21%	11%	15%	13%	14%	10%	13%	19%	18%	18%
		*						F	BEF	BEF	F
	380	8	26	40	34	74	26	34	172	231	149
Multiple Sclerosis (MS)	21%	19%	17%	17%	18%	17%	19%	19%	19%	20%	22%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 1-2 Summary

important Nank 1-2 Summary						Experience w	ith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		Α	В	С	D	E	F	G	Н	I	J
	459	16	65	79	81	160	48	64	266	360	98
Diabetes	24%	31%	44%	34%	41%	37%	34%	33%	28%	29%	14%
		J*	HIJ	J	HIJ	HIJ	J	J	J	J	
	90	*	7	8	8	16	8	9	45	56	34
Arthritis	5%	1%	5%	3%	4%	4%	6%	5%	5%	5%	5%
		*									
	1504	36	103	176	139	315	96	131	751	942	563
Cancer	78%	71%	70%	75%	70%	73%	70%	70%	80%	77%	80%
		*							BDEFGI	BDEFG	BDEFG
	1087	28	83	129	111	239	73	100	476	631	457
Heart disease or stroke	57%	56%	56%	55%	56%	56%	53%	53%	51%	52%	64%
		*									CEFGHI
	188	8	13	21	21	42	20	28	81	119	69
High blood pressure	10%	16%	9%	9%	10%	10%	15%	15%	9%	10%	10%
		*					Н	EHI		Н	
	48	1	*	6	1	8	7	7	19	29	19
Hepatitis	3%	2%	*	3%	1%	2%	5%	4%	2%	2%	3%
		*					BDEH	BD			
	204	8	13	22	20	43	9	17	103	136	68
HIV/AIDS	11%	15%	9%	10%	10%	10%	7%	9%	11%	11%	10%
		*									
	163	4	9	19	14	33	11	16	76	103	60
Multiple Sclerosis (MS)	9%	10%	6%	8%	7%	8%	8%	9%	8%	9%	9%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 1 Summary

						Experience w	ith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
	161	9	32	27	42	69	21	31	82	131	31
Diabetes	8%	19%	22%	12%	21%	16%	15%	16%	9%	11%	4%
		HJ*	CEHIJ	J	CEHIJ	CHIJ	HJ	HIJ	J	HJ	
	27	-	2	3	2	5	2	2	12	14	13
Arthritis	1%	-	1%	1%	1%	1%	2%	1%	1%	1%	2%
		*									
	1150	25	83	136	109	244	66	91	575	719	431
Cancer	60%	51%	56%	58%	55%	56%	48%	49%	61%	59%	61%
		*							FGI	FG	FG
	341	7	22	39	28	67	27	33	152	195	147
Heart disease or stroke	18%	14%	15%	17%	14%	16%	19%	18%	16%	16%	21%
		*									HI
	62	6	*	11	6	17	8	14	28	44	17
High blood pressure	3%	12%	*	5%	3%	4%	6%	7%	3%	4%	2%
		BDEHIJ*		В	В	В	В	BDHIJ		ВН	
	28	*	-	4	*	5	6	7	11	18	10
Hepatitis	1%	1%	-	2%	*	1%	4%	4%	1%	2%	1%
		*					BDEHIJ	BDEHI			
	70	-	3	9	3	12	1	1	35	45	25
HIV/AIDS	4%	-	2%	4%	1%	3%	1%	1%	4%	4%	4%
		*		G					G	G	
	51	2	4	6	6	12	5	7	24	33	18
Multiple Sclerosis (MS)	3%	5%	3%	2%	3%	3%	4%	4%	3%	3%	3%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 2 Summary

important Kank 2 Summary						Experience w	ith Diabetes	i.			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
	298	6	33	52	39	91	27	33	185	230	68
Diabetes	15%	12%	22%	22%	20%	21%	19%	17%	20%	19%	10%
		*	J	J	J	J	J	J	J	J	
	63	*	6	4	6	10	6	6	33	42	21
Arthritis	3%	1%	4%	2%	3%	2%	4%	3%	4%	3%	3%
		*									
	354	10	20	41	30	71	30	40	176	223	132
Cancer	18%	21%	13%	17%	15%	16%	22%	21%	19%	18%	19%
		*									
	746	21	61	90	82	172	46	67	324	436	310
Heart disease or stroke	39%	42%	41%	39%	42%	40%	33%	36%	35%	36%	44%
		*				Н					FHI
	126	2	13	10	15	25	13	14	53	74	52
High blood pressure	7%	4%	8%	4%	7%	6%	9%	8%	6%	6%	7%
		*									
	20	*	*	2	1	3	*	1	8	11	9
Hepatitis	1%	1%	*	1%	*	1%	*	*	1%	1%	1%
		*									
	134	8	10	13	18	31	8	16	68	91	43
HIV/AIDS	7%	15%	7%	6%	9%	7%	6%	8%	7%	8%	6%
		CJ*						F			
	113	2	6	14	8	21	6	8	53	70	43
Multiple Sclerosis (MS)	6%	5%	4%	6%	4%	5%	5%	5%	6%	6%	6%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Please rank the following diseases/conditions in terms of what you think should be urgent priorities for the Canadian healthcare system, requiring immediate attention (funding research, increasing access to care, developing new drugs, technology, etc.). Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 3 Summary

						Experience w	vith Diabetes				
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		Α	В	С	D	E	F	G	Н	I	J
	501	14	46	69	60	130	40	54	258	335	167
Diabetes	26%	29%	31%	29%	30%	30%	28%	28%	27%	27%	23%
		*				J					
	111	4	7	8	11	19	8	12	53	66	45
Arthritis	6%	9%	4%	4%	6%	4%	6%	7%	6%	5%	6%
		*									
	192	6	25	23	31	55	16	23	78	117	75
Cancer	10%	13%	17%	10%	16%	13%	12%	12%	8%	10%	11%
		*	HI		HI	HI				Н	
	392	12	26	55	39	93	26	38	215	268	124
Heart disease or stroke	20%	25%	18%	24%	19%	22%	19%	20%	23%	22%	17%
		*							J	J	
	212	3	14	30	17	47	20	22	95	127	85
High blood pressure	11%	5%	10%	13%	8%	11%	14%	12%	10%	10%	12%
		*									
	42	2	5	5	7	12	3	5	15	24	19
Hepatitis	2%	4%	3%	2%	4%	3%	2%	3%	2%	2%	3%
		*									
	146	3	3	12	6	18	5	8	71	85	61
HIV/AIDS	8%	6%	2%	5%	3%	4%	4%	4%	8%	7%	9%
		*							BDE	BDE	BDE
	216	4	16	21	20	41	14	18	96	128	88
Multiple Sclerosis (MS)	12%	9%	11%	9%	11%	10%	11%	10%	11%	11%	13%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

We'd like to understand your experience with diabetes, which, if any, apply to you?

						Experience w	vith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	50	50	-	-	50	50	-	50	-	50	-
I have personally been diagnosed with diabetes	3%	100% BCDEFGHIJ *	-	-	25% BCEFHIJ	11% BCFHIJ	-	26% BCEFHIJ	-	4% BCFHJ	-
	939	-	63	124	63	187	97	97	939	939	-
A family member has been diagnosed with diabetes	49%	-	43%	53%	32%	43%	68%	50%	100%	77%	-
		*	ADJ	ADEJ	AJ	ADJ	ABCDEGJ	ADJ	ABCDEFGIJ	ABCDEFGJ	
	143	-	20	28	20	48	143	143	97	143	-
I personally provide care/assistance for a family member or loved one who has diabetes or have done so in the past	7%	-	13%	12%	10%	11%	100%	74%	10%	12%	-
		*	ADJ	AJ	AJ	AJ	ABCDEGHIJ	ABCDEHIJ	AJ	AHJ	
I have been diagnosed with pre-diabetes by a health professional (having blood glucose (sugar) levels that are	149	-	149	-	149	149	20	20	63	149	-
higher than normal, but not yet high enough to be diagnosed as type 2 diabetes)	8%	-	100%	-	75%	34%	14%	10%	7%	12%	-
diagnosed as type 2 diabetes)		*	ACDEFGHIJ		ACEFGHIJ	ACFGHIJ	ACGHJ	ACJ	CJ	ACHJ	
I am at a high risk for developing type 2 diabetes (family	235	-	-	235	-	235	28	28	124	235	-
background, weight, diet, etc.) but have not been diagnosed with diabetes or pre-diabetes	12%	-	-	100%	-	54%	20%	15%	13%	19%	-
with diabetes of pre-diabetes		*		ABDEFGHIJ		ABDFGHIJ	ABDGHJ	ABDJ	ABDJ	ABDHJ	
	711	-	-	-	-	-	-	-	-	-	711
None of the above	37%	-	-	-	-	-	-	-	-	-	100%
Note of the above		*									ABCDEFGHI
	2228	50	233	387	283	670	287	337	1223	1516	711
Sigma	115%	100%	156%	165%	142%	154%	201%	175%	130%	124%	100%
Summary											
	199	50	149	-	199	199	20	70	63	199	-
Diagnosed/Prediabetic	10%	100%	100%	-	100%	46%	14%	36%	7%	16%	-
		CEFGHIJ*	CEFGHIJ		CEFGHIJ	CFGHIJ	CHJ	CFHIJ	CJ	CHJ	
	435	50	149	235	199	435	48	98	187	435	-
Diagnosed/Prediabetic/High Risk	22%	100%	100%	100%	100%	100%	34%	51%	20%	36%	-
		FGHIJ*	FGHIJ	FGHIJ	FGHIJ	FGHIJ	HJ	FHIJ	J	HJ	

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Diabetes is an epidemic in Canada $\,$

		Experience with Diabetes												
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience			
		А	В	С	D	E	F	G	Н	I	J			
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731			
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711			
	1029	26	106	169	133	301	101	128	563	744	285			
Top 2 Box (Net)	53%	53%	71%	72%	67%	69%	71%	66%	60%	61%	40%			
		*	ADHIJ	AHIJ	J	AHIJ	AGHIJ	J	J	J				
	286	14	53	50	67	117	42	55	176	235	51			
Strongly agree	15%	27%	35%	21%	33%	27%	29%	29%	19%	19%	7%			
		J*	CEHIJ	J	CEHIJ	CHIJ	HIJ	HIJ	J	J				
	743	13	53	118	66	184	60	72	387	509	234			
Somewhat agree	38%	26%	36%	50%	33%	42%	42%	38%	41%	42%	33%			
		*		ABDEGHIJ		ADJ			J	ADJ				
	544	12	32	37	44	81	28	40	234	300	244			
Bottom 2 Box (Net)	28%	24%	22%	16%	22%	19%	19%	21%	25%	25%	34%			
		*							CE	CE	BCDEFGHI			
	433	10	25	27	35	63	23	33	181	235	198			
Somewhat disagree	22%	20%	17%	12%	18%	14%	16%	17%	19%	19%	28%			
		*							CE	CE	BCDEFGHI			
	111	2	7	10	9	18	5	7	52	65	46			
Strongly disagree	6%	4%	5%	4%	4%	4%	4%	4%	6%	5%	6%			
		*												
	360	12	11	30	22	52	14	25	143	178	182			
Don't know	19%	23%	7%	13%	11%	12%	10%	13%	15%	15%	26%			
		BDEF*			В	В		F	В	В	BCDEFGHI			
	1933	50	149	235	199	435	143	193	939	1222	711			
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%			

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

 $\label{lower} \mbox{How much do you agree or disagree with the following...} - \mbox{Diabetes is a relatively harmless disease}$

		Experience with Diabetes													
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience				
		А	В	С	D	E	F	G	Н	I	J				
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731				
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711				
	222		20	40	22	20	26	20	104	4.44	04				
Tara 2 Day (Nist)	222	2	20	18	22	39	26	28	104	141	81				
Top 2 Box (Net)	11%	4%	13%	8%	11%	9%	18% ACEGHIJ	15% ACE	11%	12%	11%				
	63	_	14	3	14	16	9	9	40	52	11				
Strongly agree	3%		9%	1%	7%	4%	6%	5%	4%	4%	2%				
Strongly agree	370	*	CEHIJ	170	ACEJ	CJ	CJ	CJ	CJ	CJ	270				
	159	2	6	15	8	23	17	19	64	89	70				
Somewhat agree	8%	4%	4%	6%	4%	5%	12%	10%	7%	7%	10%				
		*					BDEHI	DE			BDEH				
	1636	45	125	215	171	386	116	161	813	1053	583				
Bottom 2 Box (Net)	85%	91%	84%	92%	86%	89%	81%	84%	87%	86%	82%				
		*		BFGHIJ		FJ			J	J					
	532	12	24	53	36	90	20	32	237	305	227				
Somewhat disagree	28%	24%	16%	23%	18%	21%	14%	17%	25%	25%	32%				
		*		F					BFG	BDEFG	BCDEFGHI				
	1104	33	101	162	134	296	95	129	576	748	356				
Strongly disagree	57%	66%	68%	69%	67%	68%	67%	67%	61%	61%	50%				
		*	J	HIJ	J	HIJ	J	J	J	J					
	75	3	4	2	7	9	1	3	22	28	47				
Don't know	4%	6%	3%	1%	4%	2%	1%	2%	2%	2%	7%				
		F*						F			CEFGHI				
	1933	50	149	235	199	435	143	193	939	1222	711				
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%				

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

<u>Table of contents</u>

How much do you agree or disagree with the following... - Diabetes is easy to treat $% \left(1\right) =\left(1\right) \left(1$

						Experience w	ith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	918	29	78	104	107	211	67	96	446	595	324
Top 2 Box (Net)	47%	58%	52%	44%	54%	49%	47%	50%	48%	49%	45%
	120	3	10	9	13	22	9	11	63	78	42
Strongly agree	6%	5% *	7%	4%	6%	5%	6%	6%	7%	6%	6%
	798	26	68	95	94	189	58	85	383	516	282
Somewhat agree	41%	52% *	45%	40%	47%	43%	41%	44%	41%	42%	40%
	877	19	67	117	86	203	73	91	456	576	301
Bottom 2 Box (Net)	45%	38%	45%	50%	43%	47%	51%	48%	49% J	47%	42%
	641	12	47	78	59	137	47	59	325	415	226
Somewhat disagree	33%	25%	31%	33%	30%	32%	33%	31%	35%	34%	32%
	235	7	20	39	27	66	25	32	131	161	74
Strongly disagree	12%	13%	14%	16%	13%	15%	18%	17%	14%	13%	10%
		*		J		J	J	J			
	138	2	5	14	7	21	3	5	36	51	87
Don't know	7%	5%	3%	6%	3%	5%	2%	3%	4%	4%	12%
		*		_							BCDEFGHI
Sigma	1933 100%	50 100%	149 100%	235 100%	199 100%	435 100%	143 100%	193 100%	939 100%	1222 100%	711 100%
Jigilia	100%	100/0	100/0	100/0	100/0	100/0	100/0	100/0	100/0	100/0	100/0

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Diabetes is a deadly disease

						Experience w	rith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	1384	28	126	180	154	333	122	150	711	917	467
Top 2 Box (Net)	72%	56%	84%	76%	77%	77%	86%	78%	76%	75%	66%
Top 2 Box (Net)	7270	*	ADEHIJ	AJ	AJ	AJ	ACEGHIJ	AJ	AJ	AJ	0070
	467	16	58	69	74	143	57	73	290	359	108
Strongly agree	24%	31%	39%	29%	37%	33%	40%	38%	31%	29%	15%
		J*	IJ	J	IJ	J	CHIJ	IJ	J	J	
	918	12	68	110	80	190	65	77	421	558	360
Somewhat agree	47%	24%	45%	47%	40%	44%	45%	40%	45%	46%	51%
		*	AD	Α	Α	А	AG	Α	Α	Α	ADGH
	438	17	22	48	39	88	18	36	197	265	173
Bottom 2 Box (Net)	23%	35%	15%	21%	20%	20%	13%	19%	21%	22%	24%
		BDEFG*			В			F	F	F	BF
	364	13	19	43	32	75	17	31	165	221	142
Somewhat disagree	19%	26%	13%	18%	16%	17%	12%	16%	18%	18%	20%
		F*			В			F			F
	74	4	3	5	7	12	1	5	32	43	31
Strongly disagree	4%	8%	2%	2%	4%	3%	1%	3%	3%	4%	4%
		FG*			В			F			
	111	5	2	8	6	14	2	7	31	40	70
Don't know	6%	10%	1%	3%	3%	3%	2%	4%	3%	3%	10%
		BDEFHI*			В			F			BCDEFGHI
	1933	50	149	235	199	435	143	193	939	1222	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Diabetes can affect many different parts of the body with serious risks of complications

				Experience with Diabetes							
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	1687	40	142	216	182	398	134	174	867	1117	570
Top 2 Box (Net)	87%	80%	95%	92%	91%	92%	94%	90%	92%	91%	80%
		*	ADJ	AJ	AJ	AJ	AGJ	AJ	AIJ	AJ	
	885	31	101	136	132	268	102	133	507	659	226
Strongly agree	46%	62%	67%	58%	66%	62%	72%	69%	54%	54%	32%
		J*	HIJ	J	HIJ	HIJ	CEHIJ	CEHIJ	J	J	
	803	9	41	80	50	130	31	40	360	458	345
Somewhat agree	42%	18%	27%	34%	25%	30%	22%	21%	38%	37%	48%
Somewhat agree		*		FG		G			ABDEFG	ABDEFG	ABCDEFGHI
	151	5	7	19	12	31	8	13	58	86	65
Bottom 2 Box (Net)	8%	9%	5%	8%	6%	7%	6%	7%	6%	7%	9%
		*									Н
	107	4	3	15	8	23	8	13	42	63	44
Somewhat disagree	6%	8%	2%	7%	4%	5%	6%	7%	4%	5%	6%
		*									
	44	*	4	4	4	8	-	*	16	23	21
Strongly disagree	2%	1%	3%	2%	2%	2%	-	*	2%	2%	3%
		*									G
	94	5	*	-	6	6	*	6	13	19	76
Don't know	5%	11%	*	-	3%	1%	*	3%	1%	2%	11%
Don't know		BCDEFGHI*			ВС	С		CF		С	BCDEFGHI
	1933	50	149	235	199	435	143	193	939	1222	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

 $\underline{\text{Table of contents}}$

How much do you agree or disagree with the following... - We should be more concerned about diabetes in Canada

		Experience with Diabetes												
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience			
		А	В	С	D	E	F	G	Н	I	J			
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731			
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711			
	1630	43	139	214	182	396	130	172	836	1084	546			
Top 2 Box (Net)	84%	85%	93%	91%	91%	91%	91%	90%	89%	89%	77%			
Top 2 Box (Net)	0470	*	J	J	J	J		J	J	J	7770			
	643	30	79	99	109	208	77	107	372	497	146			
Strongly agree	33%	60%	53%	42%	55%	48%	54%	56%	40%	41%	21%			
		CHIJ*	HIJ	J	CEHIJ	CHIJ	CHIJ	CHIJ	J	J				
	987	13	60	114	73	187	52	65	464	587	400			
Somewhat agree	51%	25%	40%	49%	37%	43%	37%	34%	49%	48%	56%			
		*		ADEFG		ADG			ADEFG	ADEFG	ABDEFGHI			
	190	3	8	17	11	28	12	16	72	98	92			
Bottom 2 Box (Net)	10%	6%	5%	7%	5%	6%	9%	8%	8%	8%	13%			
		*									BCDEHI			
	163	3	5	14	8	23	11	15	59	82	81			
Somewhat disagree	8%	6%	4%	6%	4%	5%	8%	8%	6%	7%	11%			
		*									BCDEHI			
	27	-	2	3	2	5	1	1	14	16	11			
Strongly disagree	1%	-	2%	1%	1%	1%	1%	*	1%	1%	2%			
		*												
	114	4	2	4	6	11	*	5	31	41	73			
Don't know	6%	8%	2%	2%	3%	2%	*	2%	3%	3%	10%			
		CEFG*			В			F	F	F	BCDEFGHI			
	1933	50	149	235	199	435	143	193	939	1222	711			
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%			

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Diabetes is a leading cause of death in Canada

						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		Α	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	702	14	86	91	100	191	75	88	365	489	213
Top 2 Box (Net)	36%	27%	58%	39%	50%	44%	52%	46%	39%	40%	30%
		*	ACDEGHIJ	J	ACEHIJ	ACJ	ACGHIJ	AJ	J	J	
	168	3	25	22	28	50	33	35	98	127	41
Strongly agree	9%	6%	17%	9%	14%	11%	23%	18%	10%	10%	6%
		*	EHIJ		J	J	ACDEGHIJ	ACEHIJ	J	J	
	534	11	61	69	72	141	42	53	268	362	172
Somewhat agree	28%	22%	41%	29%	36%	33%	30%	28%	28%	30%	24%
Somewhat agree		*	ACDEFGHIJ		AGHJ	J				J	
	785	20	38	93	58	151	45	65	389	483	303
Bottom 2 Box (Net)	41%	40%	26%	39%	29%	35%	32%	34%	41%	40%	43%
		*		BE		В			BDEFGI	BDE	BDEFG
	553	14	30	65	45	110	36	51	283	347	206
Somewhat disagree	29%	29%	20%	28%	23%	25%	25%	26%	30%	28%	29%
		*							BDI	В	
	232	5	8	27	13	41	9	14	105	135	97
Strongly disagree	12%	11%	5%	12%	7%	9%	6%	7%	11%	11%	14%
		*				В			В	В	BDFG
	446	17	25	51	42	93	23	39	185	250	196
Don't know	23%	33%	17%	22%	21%	21%	16%	20%	20%	20%	28%
		BDFG*			В			F			BEFHI
	1933	50	149	235	199	435	143	193	939	1222	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Canada has one of the highest rates of diabetes among developed countries

		Experience with Diabetes												
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience			
		А	В	С	D	E	F	G	Н	I	J			
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731			
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711			
Top 2 Box (Net)	985 51%	24	103 69%	138 59%	127 64%	265 61%	92 65%	116 60%	523 56%	693 57%	292 41%			
TOP 2 BOX (Net)	31/0	*	ADEHIJ	J	AJ	J	GHJ	J	J	J				
Strongly agree	243 13%	11 21%	40 27%	44 19%	51 25%	95 22%	36 25%	46 24%	152 16%	198 16%	44 6%			
<i>0, 0</i>	742	J*	HIJ	J	HIJ	HIJ	HIJ	HIJ	J	J	240			
Somewhat agree	742 38%	14 27%	63 42%	94 40%	76 38%	170 39%	56 40%	70 36%	371 40%	494 40%	248 35%			
	322	*	17	36	23	59	17	23	140	J 183	140			
Bottom 2 Box (Net)	17%	12%	12%	15%	12%	14%	12%	12%	15%	15%	20%			
	268	6	14	32	20	52	15	21	117	154	BDEGHI 114			
Somewhat disagree	14%	12%	9%	13%	10%	12%	10%	11%	12%	13%	16%			
	55	-	3	5	3	8	3	3	23	29	26			
Strongly disagree	3%	*	2%	2%	2%	2%	2%	1%	2%	2%	4%			
Don't know	626 32%	20 39%	29 20%	61 26%	49 25%	110 25%	33 23%	53 27%	276 29%	347 28%	279 39%			
DOIL		BDE*			В			F	В	В	BCDEFGHI			
Sigma	1933 100%	50 100%	149 100%	235 100%	199 100%	435 100%	143 100%	193 100%	939 100%	1222 100%	711 100%			
	10070		20070			20070			20070	20070	200,0			

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Certain groups of people are more at risk of diabetes than others

		Experience with Diabetes												
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience			
		А	В	С	D	E	F	G	Н	I	J			
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731			
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711			
	1544	34	115	208	148	357	119	153	780	997	548			
Top 2 Box (Net)	80%	67%	77%	89%	74%	82%	84%	79%	83%	82%	77%			
TOP 2 BOX (Net)	8070	*	7770	ABDEGHIJ	7470	AD	AG	7570	ADIJ	ADJ	7770			
	537	14	50	80	65	144	53	67	302	378	160			
Strongly agree	28%	29%	34%	34%	32%	33%	37%	35%	32%	31%	22%			
3.0.0.0.7 48.00	2070	*	J	J	J	J	J	J	J	J				
	1007	19	64	129	84	212	67	86	478	619	388			
Somewhat agree	52%	38%	43%	55%	42%	49%	47%	45%	51%	51%	55%			
-		*		DEG		D			D	D	BDG			
	235	9	26	18	35	53	12	21	108	155	80			
Bottom 2 Box (Net)	12%	18%	17%	8%	17%	12%	9%	11%	11%	13%	11%			
		*	CEF		CEFHJ	С				СН				
	173	6	19	12	24	36	10	15	81	114	59			
Somewhat disagree	9%	11%	12%	5%	12%	8%	7%	8%	9%	9%	8%			
		*	С		CE	С				С				
	62	3	7	6	11	16	2	6	27	41	21			
Strongly disagree	3%	7%	5%	2%	5%	4%	2%	3%	3%	3%	3%			
		*												
	154	7	9	9	16	25	11	18	51	70	84			
Don't know	8%	15%	6%	4%	8%	6%	8%	10%	5%	6%	12%			
		CEHI*						CHI			CEHI			
	1933	50	149	235	199	435	143	193	939	1222	711			
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%			

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Diabetes is on the rise in Canada $\,$

						Experience v	vith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	1431	35	126	199	161	360	117	152	739	966	465
Top 2 Box (Net)	74%	70%	85%	85%	81%	83%	82%	79%	79%	79%	65%
		*	ADJ	AHIJ	J	AIJ	J	J	J	J	
	509	22	67	84	89	173	52	74	306	405	104
Strongly agree	26%	45%	45%	36%	45%	40%	36%	39%	33%	33%	15%
		J*	HIJ	J	HIJ	HIJ	J	J	J	405	
	922	12	60	115	72	187	66	78	432	561	361
Somewhat agree	48%	25%	40%	49%	36%	43%	46%	41%	46%	46%	51%
		*		ADE		AD	AG	А	AD	AD	ABDEG
	173	3	14	12	17	28	11	13	76	99	74
Bottom 2 Box (Net)	9%	5%	9%	5%	8%	7%	8%	7%	8%	8%	10%
		*									С
	130	2	8	11	10	21	8	10	53	70	60
Somewhat disagree	7%	4%	5%	5%	5%	5%	5%	5%	6%	6%	8%
· ·		*									EHI
	43	*	6	1	7	7	3	4	22	30	13
Strongly disagree	2%	1%	4%	*	3%	2%	2%	2%	2%	2%	2%
	,	*	CE		С	С			C	С	
	329	13	9	24	22	46	15	27	125	156	173
	17%	25%	6%	10%	11%	11%	10%	14%	13%	13%	24%
Don't know	17,70	BCDEFGHI*	0,0	10/0	В	В	10/0	BF	В	В	BCDEFGH
	1933	50	149	235	199	435	143	193	939	1222	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*) - Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Top 2 Box Summary

						Experience w	vith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic		Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	1029	26	106	169	133	301	101	128	563	744	285
Diabetes is an epidemic in Canada	53%	53%	71%	72%	67%	69%	71%	66%	60%	61%	40%
•		*	ADHIJ	AHIJ	J	AHIJ	AGHIJ	J	J	J	
	222	2	20	18	22	39	26	28	104	141	81
Diabetes is a relatively harmless disease	11%	4%	13%	8%	11%	9%	18% ACEGHIJ	15% ACE	11%	12%	11%
	918	29	78	104	107	211	67	96	446	595	324
Diabetes is easy to treat	47%	58%	52%	44%	54%	49%	47%	50%	48%	49%	45%
	1204	*	126	100	454	222	422	450	744	047	467
	1384	28	126	180	154	333	122	150	711	917	467
Diabetes is a deadly disease	72%	56% *	84% ADEHIJ	76% AJ	77% AJ	77% AJ	86% ACEGHIJ	78% AJ	76% AJ	75% AJ	66%
	1687	40	142	216	182	398	134	174	867	1117	570
Diabetes can affect many different parts of the body with											
serious risks of complications	87%	80%	95%	92%	91%	92%	94%	90%	92%	91%	80%
		*	ADJ	AJ	AJ	AJ	AGJ	AJ	AIJ	AJ	
	1630	43	139	214	182	396	130	172	836	1084	546
We should be more concerned about diabetes in Canada	84%	85%	93%	91%	91%	91%	91%	90%	89%	89%	77%
		*	J	J	J	J	J	J	J	J	
	702	14	86	91	100	191	75	88	365	489	213
Diabetes is a leading cause of death in Canada	36%	27%	58%	39%	50%	44%	52%	46%	39%	40%	30%
		*	ACDEGHIJ	J	ACEHIJ	ACJ	ACGHIJ	AJ	J	J	
Canada has one of the highest rates of diabetes among	985	24	103	138	127	265	92	116	523	693	292
developed countries	51%	49%	69%	59%	64%	61%	65%	60%	56%	57%	41%
		*	ADEHIJ	J	AJ	J	GHJ	J	J	J	
Certain groups of people are more at risk of diabetes than	1544	34	115	208	148	357	119	153	780	997	548
others	80%	67%	77%	89%	74%	82%	84%	79%	83%	82%	77%
		*		ABDEGHIJ		AD	AG		ADIJ	ADJ	
	1431	35	126	199	161	360	117	152	739	966	465
Diabetes is on the rise in Canada	74%	70%	85%	85%	81%	83%	82%	79%	79%	79%	65%
		*	ADJ	AHIJ	J	AIJ	J	J	J	J	

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*) - Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following... - Bottom 2 Box Summary

						Experience w	vith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	544	12	32	37	44	81	28	40	234	300	244
Diabetes is an epidemic in Canada	28%	24%	22%	16%	22%	19%	19%	21%	25%	25%	34%
·		*							CE	CE	BCDEFGHI
	1636	45	125	215	171	386	116	161	813	1053	583
Diabetes is a relatively harmless disease	85%	91%	84%	92%	86%	89%	81%	84%	87%	86%	82%
		*		BFGHIJ		FJ			J	J	
	877	19	67	117	86	203	73	91	456	576	301
Diabetes is easy to treat	45%	38%	45%	50%	43%	47%	51%	48%	49%	47%	42%
		*							J		
	438	17	22	48	39	88	18	36	197	265	173
Diabetes is a deadly disease	23%	35%	15%	21%	20%	20%	13%	19%	21%	22%	24%
		BDEFG*			В			F	F	F	BF
Diabetes can affect many different parts of the body with	151	5	7	19	12	31	8	13	58	86	65
serious risks of complications	8%	9%	5%	8%	6%	7%	6%	7%	6%	7%	9%
		*									Н
	190	3	8	17	11	28	12	16	72	98	92
We should be more concerned about diabetes in Canada	10%	6%	5%	7%	5%	6%	9%	8%	8%	8%	13%
		*									BCDEHI
	785	20	38	93	58	151	45	65	389	483	303
Diabetes is a leading cause of death in Canada	41%	40%	26%	39%	29%	35%	32%	34%	41%	40%	43%
		*		BE		В			BDEFGI	BDE	BDEFG
Canada has one of the highest rates of diabetes among	322	6	17	36	23	59	17	23	140	183	140
developed countries	17%	12%	12%	15%	12%	14%	12%	12%	15%	15%	20%
		*									BDEGHI
Certain groups of people are more at risk of diabetes than	235	9	26	18	35	53	12	21	108	155	80
others	12%	18%	17%	8%	17%	12%	9%	11%	11%	13%	11%
		*	CEF		CEFHJ	С				CH	
	173	3	14	12	17	28	11	13	76	99	74
Diabetes is on the rise in Canada	9%	5%	9%	5%	8%	7%	8%	7%	8%	8%	10%
		*									С

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*) - Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

A national strategy for diabetes could prevent millions of Canadians from developing diabetes or its complications by enhancing prevention, screening and treatment of diabetes, all with a goal of improving the health of Canadians. If a political party prioritized and increased investment in diabetes to implement a national diabetes strategy, would you be more or less likely to support/vote for this party?

						Experience w	vith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	1047	33	97	161	130	290	106	138	586	771	276
Top 2 Box (Net)	54%	65%	65%	68%	65%	67%	74%	72%	62%	63%	39%
		J*	J	J	J	J	HIJ	HIJ	J	J	
	305	11	41	52	52	104	51	62	192	253	52
Much more likely	16%	22%	27%	22%	26%	24%	36%	32%	20%	21%	7%
		J*	J	J	J	J	CEHIJ	CEHIJ	J	J	
	741	22	56	109	78	186	55	76	393	518	223
Somewhat more likely	38%	43%	38%	46%	39%	43%	38%	40%	42%	42%	31%
		*		J		J			J	J	
	82	2	5	7	6	14	8	9	31	45	37
Bottom 2 Box (Net)	4%	3%	3%	3%	3%	3%	5%	5%	3%	4%	5%
		*									
	61	2	1	5	3	8	7	8	26	37	25
Somewhat less likely	3%	3%	1%	2%	2%	2%	5%	4%	3%	3%	3%
		*						Е			
	21	-	3	3	3	6	1	1	4	9	12
Much less likely	1%	-	2%	1%	2%	1%	1%	1%	*	1%	2%
		*	Н								Н
	555	9	31	52	40	92	15	24	220	274	281
It would not make a difference	29%	18%	21%	22%	20%	21%	11%	13%	23%	22%	39%
		*	F	FG	FG	FG			FG	FG	ABCDEFGH
	249	7	17	16	23	39	14	20	103	131	118
Don't know	13%	13%	11%	7%	12%	9%	10%	11%	11%	11%	17%
		*							С	С	CEHI
	1933	50	149	235	199	435	143	193	939	1222	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

	Total	Diagram	Drodiel	Highwigh			vith Diabetes		Family	Diobet	N
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experiend
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	769	28	91	120	119	239	90	119	439	573	196
Heart disease	40%	56%	61%	51%	60%	55%	63%	62%	47%	47%	27%
	628	J* 25	HIJ 72	94	HIJ 97	HIJ 191	CHIJ 80	CHIJ 106	J 359	J 462	166
Stroke	32%	51%	48%	40%	49%	44%	56%	55%	38%	38%	23%
		J*	HIJ	J	HIJ	HIJ	CEHIJ	CEHIJ	J	J	
Nerve damage (neuropathy) - tingling, numbness, burning or	941	30	84	150	114	264	99	129	526	675	265
pain in hands, feet, limbs	49%	59% J*	57%	64%	57%	61%	70%	67%	56%	55%	37%
Kidney damage - which may lead to failure and require	1077	31	91	HIJ 142	J 122	IJ 264	BDHIJ 104	DHIJ 135	J 588	J 745	332
dialysis or a transplant	56%	61%	61% J	60% J	61% J	61% J	73% BCDEHIJ	70% CDEIJ	63% J	61% J	47%
	1159	38	113	160	152	311	109	147	623	809	350
Eye damage - potentially leading to blindness	60%	77%	76%	68%	76%	72%	76%	76%	66%	66%	49%
		J*	HIJ	J	HIJ	HIJ	HIJ	HIJ	J	J	
Foot damage - infections, cuts which may require toe, foot	1217	38	112	170	150	320	113	151	629	822	395
or leg amputation	63%	77%	75%	72%	75%	74%	79%	79%	67%	67%	56%
	505	J*	J	J	HIJ	HIJ	HIJ	HIJ	J	J	4.40
	505 26%	14 27%	42 28%	68 29%	56 28%	124 28%	66 46%	80 41%	293 31%	365 30%	140 20%
Skin conditions	2070	*	J	J	J	J	ABCDEGHIJ	ABCDEHIJ	J	J	2070
	159	3	10	26	13	39	15	18	94	118	42
Hearing impairment	8%	6% *	7%	11%	6%	9%	10%	9%	10%	10%	6%
	231	2	24	J 43	26	70	26	28	J 141	J 172	59
Increased risk of dementia/Alzheimer's disease	12%	5%	16%	18%	13%	16%	18%			14%	8%
·	12%	3% *	J J	18% AJ	15%	16% J	18% GJ	15% J	15% J	14% J	870
	494	19	43	78	62	140	51	70	292	362	132
Depression	26%	38%	29%	33%	31%	32%	36%	36%	31%	30%	19%
	338	J* 12	J 39	J 52	J 51	J 103	J 36	1J 47	J 191	J 244	94
Increased risk of certain cancers	17%	23%	26%	22%	25%	24%	25%	24%	20%	20%	13%
		*	J	J	J	IJ	J	J	J	J	
Discative analylams	536	12	51	75	63	138	56	68	328	393	143
Digestive problems	28%	24%	34% J	32% J	31% J	32% J	39% J	35% J	35% IJ	32% J	20%
	213	6	22	25	28	54	29	35	123	151	62
Muscle dystrophy	11%	12%	15%	11%	14%	12%	20%	18%	13%	12%	9%
	169	* 5	J 18	29	J 23	52	CEHIJ 25	CEIJ 30	91	J 120	49
Loss of smell	9%	11%	12%	12%	12%	12%	17%	15%	10%	10%	7%
		*		J		J	HIJ	HIJ			
-	240	5	24	35	29	65	37	43	140	178	63
Tremors	12%	11%	16% J	15% J	15% J	15% J	26% BCDEGHIJ	22% DEHIJ	15% J	15% J	9%
	150	1	15	19	16	36	11	12	88	106	44
Fever	8%	3%	10%	8%	8%	8%	8%	6%	9%	9%	6%
	13	*	2	_	2	2	-	-	J 4	6	8
None of the above	1%	-	1%	-	1%	*	-	-	*	*	1%
		*									
	260	2	10	21	13	34	2	4	70	98	163
Don't know	13%	5% *	7% FG	9% FG	6% FG	8% FG	1%	2%	7% FG	8% FG	23% ABCDEFG
	0.157										
Sigma	9102 471%	272 545%	863 578%	1309 556%	1135 570%	2444 562%	948 665%	1220 634%	5020 535%	6398 524%	2704 380%
Summary											
	1631	46	137	212	183	395	139	185	848	1099	532
Correct Any (Net)	84%	92% J*	92% J	90% J	92% J	91% J	98% BCDEGHIJ	96% CDEHIJ	90% J	90% J	75%
	762	27	85	118	112	230	90	117	448	574	188
Correct 5+ (Net)	39%	53%	57%	50%	56%	53%	63%	61%	48%	47%	26%
		J*	HIJ	J	HIJ	IJ	CEHIJ	CHIJ	J	J	1

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

What chance do you think Canadians over the age of 20 have of being diagnosed with diabetes in their lifetime?

		Experience with Diabetes												
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience			
		А	В	С	D	Е	F	G	Н	- I	J			
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731			
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711			
	51	-	1	3	1	3	5	5	18	24	27			
Under 10%	3%	-	*	1%	*	1%	4%	3%	2%	2%	4%			
		*					BDE	DE		E	DEHI			
	187	*	8	17	8	25	11	11	87	104	83			
10% to under 20%	10%	1%	5%	7%	4%	6%	7%	6%	9%	8%	12%			
		*							DE		ABDEGI			
	336	5	24	41	30	71	30	36	188	232	104			
20% to under 30%	17%	11%	16%	17%	15%	16%	21%	19%	20%	19%	15%			
		*							J	J				
	354	6	33	55	39	94	28	34	207	262	92			
30% to under 40%	18%	12%	22%	23%	19%	22%	20%	18%	22%	21%	13%			
		*	J	J	J	J			J	J				
	180	10	15	33	25	58	20	29	98	137	43			
40% to under 50%	9%	19%	10%	14%	12%	13%	14%	15%	10%	11%	6%			
		J*		J	J	J	J	J	J	J				
	131	5	24	30	30	59	15	21	65	103	28			
Over 50% chance	7%	11%	16%	13%	15%	14%	11%	11%	7%	8%	4%			
		*	HIJ	HIJ	HIJ	HIJ	J	J	J	HJ				
	695	23	44	57	67	124	33	56	276	360	335			
Don't know	36%	46%	30%	24%	34%	29%	23%	29%	29%	29%	47%			
		CEFGHI*			F	С		F			BCDEFGHI			
	1933	50	149	235	199	435	143	193	939	1222	711			
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%			

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

<u>Table of contents</u>

About what proportion of all heart attacks do you think are related to diabetes?

	Experience with Diabetes												
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience		
		А	В	С	D	Е	F	G	Н	I	J		
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731		
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711		
	73	-	3	4	3	7	7	7	26	36	37		
Under 10%	4%	-	2%	2%	1%	2%	5%	4%	3%	3%	5%		
		*					E				CDEHI		
	203	4	16	25	20	45	20	24	106	135	68		
10% to under 20%	11%	8%	11%	11%	10%	10%	14%	13%	11%	11%	10%		
	311	8	24	50	31	81	24	31	161	214	96		
20% to under 30%	16%	15%	16%	21%	16%	19%	17%	16%	17%	18%	14%		
		*		J		J				J			
	253	5	20	30	25	55	25	30	146	183	71		
30% to under 40%	13%	11%	13%	13%	13%	13%	17%	16%	16%	15%	10%		
		*					J	J	J	J			
	137	4	9	30	12	43	16	20	83	104	33		
40% to under 50%	7%	7%	6%	13%	6%	10%	11%	10%	9%	8%	5%		
		*		DEIJ		DJ	J	J	J	J			
	79	1	19	13	20	33	14	15	47	62	17		
Over 50%	4%	2%	13%	6%	10%	8%	10%	8%	5%	5%	2%		
		*	CEHIJ	J	HIJ	HIJ	HIJ	J	J	J			
	877	28	59	83	88	171	37	65	370	488	389		
Don't know	45%	56%	40%	35%	44%	39%	26%	34%	39%	40%	55%		
		CEFGHI*	F		FG	F		F	F	F	BCDEFGHI		
	1933	50	149	235	199	435	143	193	939	1222	711		
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

<u>Table of contents</u>

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Diabetes

		Experience with Diabetes											
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience		
		А	В	С	D	E	F	G	Н	I	J		
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731		
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711		
	1588	40	141	202	182	384	130	171	799	1036	552		
Rank 1-3 (Net)	82%	81%	95% ACDEHIJ	86% J	91% AHIJ	88% IJ	91% GHIJ	89% J	85% J	85% J	78%		
	1180	35	106	162	142	304	101	136	638	814	367		
Rank 1-2 (Subnet)	61%	71%	71%	69%	71%	70%	71%	71%	68%	67%	52%		
	562	J* 21	J 55	J 98	75	J 173	J 64	J 85	J 307	J 405	156		
1 - Most important	29%	41%	37%	41%	38%	40%	45%	44%	33%	33%	22%		
1 - Most Important	29%	J*	37% J	HIJ	J	HIJ	HIJ	HIJ	33% J	33% J	2270		
	619	15	52	64	67	131	37	51	332	409	210		
2 - Second most important	32%	29%	35%	27%	33%	30%	26%	27%	35%	33%	30%		
		*							CFGIJ	G			
	408	5	35	40	40	80	29	34	160	222	186		
3 - Third most important	21%	10%	23%	17%	20%	18%	21%	18%	17%	18%	26%		
		*									ACEGHI		
	345	10	8	33	17	51	12	22	140	186	159		
Not Ranked	18%	19%	5%	14%	9%	12%	9%	11%	15%	15%	22%		
		BD*		В	В	В		F	BDF	BDEF	BCDEFGHI		
	1933	50	149	235	199	435	143	193	939	1222	711		
Sigma	100%	% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%											

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Arthritis

		Experience with Diabetes											
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience		
		А	В	С	D	Е	F	G	н	ı	J		
Base: All Answering (unwtd)	1943	43	144	237	187	424	158	201	943	1216	727		
Base: All Answering (wtd)	1918	48	149	235	197	432	142	190	930	1210	708		
	136	*	13	17	13	30	17	18	62	85	51		
Rank 1-3 (Net)	7%	1%	9%	7%	7%	7%	12%	9%	7%	7%	7%		
		*					AEGHI	Α					
	64	*	10	10	10	20	12	12	24	41	23		
Rank 1-2 (Subnet)	3%	1%	6%	4%	5%	5%	8%	6%	3%	3%	3%		
		*	Н			Н	HIJ	HI		I			
	20	-	4	3	4	7	3	3	9	13	7		
1 - Most important	1%	- *	3%	1%	2%	2%	2%	1%	1%	1%	1%		
		*	_	_									
	44		6	7	6	14	9	10	15		16		
2 - Second most important	2%	1%	4%	3%	3%	3%	6%	5%	2%		2%		
		*					HIJ	HI					
	72	-	3	7	3	10	6	6	37		28		
3 - Third most important	4%	-	2%	3%	2%	2%	4%	3%	4%	4%	4%		
		*											
	1782	47	136	218	184	402	124	172	868		656		
Not Ranked	93%	99%	91%	93%	93%	93%	88%	91%	93%		93%		
		FG*				F		F	F	F			
	1918	48	149	235	197	432	142	190	930	1210	708		
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Cancer

		Experience with Diabetes											
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience		
		А	В	С	D	Е	F	G	Н	I	J		
Base: All Answering (unwtd)	1947	44	142	237	186	423	155	199	950	1220	727		
Base: All Answering (wtd)	1921	50	148	235	198	433	137	187	938	1215	706		
	1641	38	123	192	161	353	107	146	810	1029	612		
Rank 1-3 (Net)	85%	77%	83%	82%	81%	82%	78%	78%	86%	85%	87%		
		*							EFGI	FG	EFG		
	1328	29	95	149	125	274	76	106	651	820	507		
Rank 1-2 (Subnet)	69%	59%	64%	63%	63%	63%	56%	56%	69%	67%	72%		
		*							EFGI	Experience	CDEFG		
	924	13	63	94	77	171	41	54	447	557	366		
1 - Most important	48%	27%	43%	40%	39%	39%	30%	29%	48%	46%	52%		
		*	FG	FG	G	FG			ACDEFGI	AEFG	ACDEFGI		
	404	16	32	55	48	103	35	51	204	263	141		
2 - Second most important	21%	32%	22%	23%	24%	24%	26%	27%	22%	22%	20%		
		*											
	313	9	28	43	37	80	31	40	159	208	105		
3 - Third most important	16%	18%	19%	18%	18%	18%	23%	21%	17%	17%	15%		
		*					J	J					
	281	12	25	43	37	80	30	42	128	187	94		
Not Ranked	15%	23%	17%	18%	19%	18%	22%	22%	14%		13%		
		*				HJ	HIJ	HIJ		Н			
	1921	50	148	235	198	433	137	187	938	1215	706		
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%		

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Heart disease or stroke

						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	_	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	ı	J
Base: All Answering (unwtd)	1948	43	143	235	186	421	157	200	949	1217	731
Base: All Answering (wtd)	1924	49	149	233	198	431	138	188	938	1212	711
	1357	42	101	168	143	311	90	132	630	827	530
Rank 1-3 (Net)	71%	85%	68%	72%	72%	72%	65%	70%	67%	68%	74%
Rank 1-5 (Net)	7170	BDFGHI*	0870	7270	В	7270	03/0	70% F	0770	0870	FHI
	783	19	55	89	74	163	58	77	336	449	334
Rank 1-2 (Subnet)	41%	39%	37%	38%	37%	38%	42%	41%	36%	37%	47%
		*									CDEHI
	248	7	20	22	27	50	20	28	105	140	108
1 - Most important	13%	15%	13%	10%	14%	12%	14%	15%	11%	12%	15%
		*									HI
	535	12	35	67	47	113	37	49	232	308	226
2 - Second most important	28%	23%	24%	29%	24%	26%	27%	26%	25%	25%	32%
		*									HI
	574	23	46	79	69	148	32	56	294	378	195
3 - Third most important	30%	47%	31%	34%	35%	34%	23%	30%	31%	31%	27%
		FGIJ*		F	F	FJ		F			
	567	7	48	65	55	120	48	56	308	385	182
Not Ranked	29%	15%	32%	28%	28%	28%	35%	30%	33%	32%	26%
		*	AD		Α		AGJ	Α	AJ	AJ	
	1924	49	149	233	198	431	138	188	938	1212	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - High blood pressure

						Experience w	ith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	н	I	J
Base: All Answering (unwtd)	1945	43	143	237	186	423	156	199	948	1218	727
Base: All Answering (wtd)	1922	49	149	235	198	433	137	187	937	1214	708
	337	10	35	44	45	89	34	44	153	221	116
Rank 1-3 (Net)	18%	20%	24%	19%	23%	21%	25%	23%	16%	18%	16%
		*	Н		Н		HJ	HJ		Н	
	137	8	14	21	22	44	16	24	54	95	43
Rank 1-2 (Subnet)	7%	17%	10%	9%	11%	10%	11%	13%	6%	8%	6%
		HIJ*			HJ	HJ	HJ	HIJ		I	
	45	4	3	8	6	14	4	8	15	30	15
1 - Most important	2%	7%	2%	3%	3%	3%	3%	4%	2%	2%	2%
		H*				Н		Н		Н	
	93	5	12	14	16	30	11	16	39	65	28
2 - Second most important	5%	9%	8%	6%	8%	7%	8%	9%	4%	5%	4%
		*			HJ	Н	HJ	HJ		Н	
	200	2	21	23	23	45	18	20	99	127	73
3 - Third most important	10%	3%	14%	10%	11%	10%	13%	10%	11%	10%	10%
		*									
	1584	40	114	191	153	344	104	143	784	993	592
Not Ranked	82%	80%	76%	81%	77%	79%	75%	77%	84%	82%	84%
		*							BDFGI		FG
	1922	49	149	235	198	433	137	187	937	1214	708
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Hepatitis

						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	_	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	н	- I	J
Base: All Answering (unwtd)	1929	44	143	236	187	423	153	197	943	1212	717
	1004		1.00		400		40-	10-		100-	
Base: All Answering (wtd)	1904	50	149	234	199	432	135	185	931	1207	697
	65	7	*	8	7	15	7	14	29	43	22
Rank 1-3 (Net)	3%	14%	*	3%	4%	3%	5%	8%	3%	4%	3%
, ,		BCDEHIJ*			В	В	В	BEHIJ		В	
	30	2	-	5	2	7	3	5	13	20	10
Rank 1-2 (Subnet)	2%	5%	-	2%	1%	2%	2%	3%	1%	2%	1%
		B*			В			В			
	13	2	-	2	2	4	3	5	6	10	3
1 - Most important	1%	5%	-	1%	1%	1%	2%	3%	1%	1%	*
		BEHIJ*			В		J	BHIJ			
	17	-	-	3	-	3	-	-	7	10	7
2 - Second most important	1%	-	-	1%	-	1%	-	-	1%	1%	1%
		*									
	36	4	*	3	5	8	5	9	16	23	12
3 - Third most important	2%	9%	*	1%	2%	2%	3%	5%	2%	2%	2%
		BCDEHIJ*			В			BCEHIJ			
	1838	43	148	226	192	417	128	171	902	1164	674
Not Ranked	97%	86%	100%	97%	96%	97%	95%	92%	97%	96%	97%
		*	ADEFGI	Α	Α	AG			AG	AG	AG
	1904	50	149	234	199	432	135	185	931	1207	697
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - HIV/AIDS

						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	1	J
Base: All Answering (unwtd)	1946	44	142	237	186	423	153	197	948	1218	728
Base: All Answering (wtd)	1919	50	148	235	198	432	135	185	937	1213	705
	240	3	6	29	9	39	8	11	118	145	95
Rank 1-3 (Net)	12%	6%	4%	12%	5%	9%	6%	6%	13%	12%	14%
		*		BDEFG		BD			BDEFG	BDEFG	BDEFG
	137	3	3	11	6	17	2	5	65	79	58
Rank 1-2 (Subnet)	7%	5%	2%	5%	3%	4%	1%	3%	7%	7%	8%
		*							BEFG	BEFG	BDEFG
	53	-	1	4	1	4	1	1	21	27	26
1 - Most important	3%	-	*	2%	*	1%	1%	1%	2%	2%	4%
		*								E	DEG
	85	3	3	7	5	13	1	4	43	53	32
2 - Second most important	4%	5%	2%	3%	3%	3%	1%	2%	5%	4%	5%
		*						F	F	F	
	103	*	3	18	3	21	6	7	53	65	37
3 - Third most important	5%	1%	2%	8%	2%	5%	5%	4%	6%	5%	5%
		*		BDE		D			D	D	
	1679	47	142	206	188	394	127	174	819	1069	610
Not Ranked	88%	94%	96%	88%	95%	91%	94%	94%	87%	88%	86%
		*	CEHIJ		CEHIJ	CHIJ	CHIJ	CHIJ			
	1919	50	148	235	198	432	135	185	937	1213	705
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Multiple Sclerosis (MS)

		Experience with Diabetes												
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	_	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience			
		А	В	С	D	Е	F	G	Н	I	J			
Base: All Answering (unwtd)	1885	40	142	236	182	418	153	193	926	1193	692			
Base: All Answering (wtd)	1851	44	148	233	192	425	135	180	907	1179	672			
	260	7	18	30	25	54	13	19	124	164	96			
Rank 1-3 (Net)	14%	15%	12%	13%	13%	13%	9%	11%	14%	14%	14%			
rank 1-5 (Net)	14/0	*	12/0	13/0	13/0	15/0	3/0	11/0	14/0	14/0	14/0			
	123	2	11	14	13	28	9	11	56	76	48			
Rank 1-2 (Subnet)	7%	5%	7%	6%	7%	6%	6%	6%	6%	6%	7%			
= (0.0000)	- 77	*			- , ,						.,,,			
	37	2	3	4	6	9	1	3	19	24	13			
1 - Most important	2%	5%	2%	2%	3%	2%	1%	2%	2%	2%	2%			
		*						F						
	86	-	8	11	8	18	8	8	37	51	35			
2 - Second most important	5%	-	5%	5%	4%	4%	6%	4%	4%	4%	5%			
		*												
	136	4	7	15	11	27	4	9	67	88	48			
3 - Third most important	7%	10%	5%	7%	6%	6%	3%	5%	7%	7%	7%			
		*						F		F				
	1591	38	130	203	168	371	123	160	783	1015	576			
Not Ranked	86%	85%	88%	87%	87%	87%	91%	89%	86%	86%	86%			
		*												
	1851	44	148	233	192	425	135	180	907	1179	672			
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%			

Statistics:

Overlap formulae used

- Column Proportions: Columns Tested (5%): A/B/C/D/E/F/G/H/I/J

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 1-3 Summary

						Experience w	vith Diabetes	i			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
	1588	40	141	202	182	384	130	171	799	1036	552
Diabetes	82%	81%	95%	86%	91%	88%	91%	89%	85%	85%	78%
		*	ACDEHIJ	J	AHIJ	IJ	GHIJ	J	J	J	
	136	*	13	17	13	30	17	18	62	85	51
Arthritis	7%	1%	9%	7%	7%	7%	12%	9%	7%	7%	7%
		*					AEGHI	Α			
	1641	38	123	192	161	353	107	146	810	1029	612
Cancer	85%	77%	83%	82%	81%	82%	78%	78%	86%	85%	87%
		*							EFGI	FG	EFG
	1357	42	101	168	143	311	90	132	630	827	530
Heart disease or stroke	71%	85%	68%	72%	72%	72%	65%	70%	67%	68%	74%
		BDFGHI*			В			F			FHI
	337	10	35	44	45	89	34	44	153	221	116
High blood pressure	18%	20%	24%	19%	23%	21%	25%	23%	16%	18%	16%
		*	Н		Н		HJ	HJ		Н	
	65	7	*	8	7	15	7	14	29	43	22
Hepatitis	3%	14%	*	3%	4%	3%	5%	8%	3%	4%	3%
		BCDEHIJ*			В	В	В	BEHIJ		В	
	240	3	6	29	9	39	8	11	118	145	95
HIV/AIDS	12%	6%	4%	12%	5%	9%	6%	6%	13%	12%	14%
		*		BDEFG		BD			BDEFG	BDEFG	BDEFG
	260	7	18	30	25	54	13	19	124	164	96
Multiple Sclerosis (MS)	14%	15%	12%	13%	13%	13%	9%	11%	14%	14%	14%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 1-2 Summary

						Experience w	vith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
	1180	35	106	162	142	304	101	136	638	814	367
Diabetes	61%	71%	71%	69%	71%	70%	71%	71%	68%	67%	52%
		J*	J	J	J	J	J	J	J	J	
	64	*	10	10	10	20	12	12	24	41	23
Arthritis	3%	1%	6%	4%	5%	5%	8%	6%	3%	3%	3%
		*	Н			Н	HIJ	HI		Н	
	1328	29	95	149	125	274	76	106	651	820	507
Cancer	69%	59%	64%	63%	63%	63%	56%	56%	69%	67%	72%
		*							EFGI	EFG	CDEFG
	783	19	55	89	74	163	58	77	336	449	334
Heart disease or stroke	41%	39%	37%	38%	37%	38%	42%	41%	36%	37%	47%
		*									CDEHI
	137	8	14	21	22	44	16	24	54	95	43
High blood pressure	7%	17%	10%	9%	11%	10%	11%	13%	6%	8%	6%
		HIJ*			HJ	HJ	HJ	HIJ		Н	
	30	2	-	5	2	7	3	5	13	20	10
Hepatitis	2%	5%	-	2%	1%	2%	2%	3%	1%	2%	1%
		B*			В			В			
	137	3	3	11	6	17	2	5	65	79	58
HIV/AIDS	7%	5%	2%	5%	3%	4%	1%	3%	7%	7%	8%
		*							BEFG	BEFG	BDEFG
	123	2	11	14	13	28	9	11	56	76	48
Multiple Sclerosis (MS)	7%	5%	7%	6%	7%	6%	6%	6%	6%	6%	7%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 1 Summary

						Experience v	vith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
	562	21	55	98	75	173	64	85	307	405	156
Diabetes	29%	41%	37%	41%	38%	40%	45%	44%	33%	33%	22%
		J*	J	HIJ	J	HIJ	HIJ	HIJ	J	J	
	20	-	4	3	4	7	3	3	9	13	7
Arthritis	1%	-	3%	1%	2%	2%	2%	1%	1%	1%	1%
		*									
	924	13	63	94	77	171	41	54	447	557	366
Cancer	48%	27%	43%	40%	39%	39%	30%	29%	48%	46%	52%
		*	FG	FG	G	FG			ACDEFGI	AEFG	ACDEFGI
	248	7	20	22	27	50	20	28	105	140	108
Heart disease or stroke	13%	15%	13%	10%	14%	12%	14%	15%	11%	12%	15%
		*									HI
	45	4	3	8	6	14	4	8	15	30	15
High blood pressure	2%	7%	2%	3%	3%	3%	3%	4%	2%	2%	2%
		H*				Н		Н		Н	
	13	2	-	2	2	4	3	5	6	10	3
Hepatitis	1%	5%	-	1%	1%	1%	2%	3%	1%	1%	*
		BEHIJ*			В		J	BHIJ			
	53	-	1	4	1	4	1	1	21	27	26
HIV/AIDS	3%	-	*	2%	*	1%	1%	1%	2%	2%	4%
		*								Е	DEG
	37	2	3	4	6	9	1	3	19	24	13
Multiple Sclerosis (MS)	2%	5%	2%	2%	3%	2%	1%	2%	2%	2%	2%
		*						F			

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 2 Summary

						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
	619	15	52	64	67	131	37	51	332	409	210
Diabetes	32%	29%	35%	27%	33%	30%	26%	27%	35%	33%	30%
		*							CFGIJ	G	
	44	*	6	7	6	14	9	10	15	28	16
Arthritis	2%	1%	4%	3%	3%	3%	6%	5%	2%	2%	2%
		*					HIJ	HI		Н	
	404	16	32	55	48	103	35	51	204	263	141
Cancer	21%	32%	22%	23%	24%	24%	26%	27%	22%	22%	20%
		*									
	535	12	35	67	47	113	37	49	232	308	226
Heart disease or stroke	28%	23%	24%	29%	24%	26%	27%	26%	25%	25%	32%
		*									HI
	93	5	12	14	16	30	11	16	39	65	28
High blood pressure	5%	9%	8%	6%	8%	7%	8%	9%	4%	5%	4%
		*			HJ	Н	HJ	HJ		Н	
	17	-	-	3	-	3	-	-	7	10	7
Hepatitis	1%	-	-	1%	-	1%	-	-	1%	1%	1%
		*									
	85	3	3	7	5	13	1	4	43	53	32
HIV/AIDS	4%	5%	2%	3%	3%	3%	1%	2%	5%	4%	5%
		*						F	F	F	
	86	-	8	11	8	18	8	8	37	51	35
Multiple Sclerosis (MS)	5%	-	5%	5%	4%	4%	6%	4%	4%	4%	5%
		*									

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Earlier we asked you to rank which diseases/conditions you think should be a priority for Canada to increase funding/support, does knowing this change your priorities for the Canadian healthcare system? Please rank your top 3 by selecting 1 for the issue you think is most important, 2 for second most important, 3 for third most important. - Rank 3 Summary

						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk	Diagnosed/ Prediabetic	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
	408	5	35	40	40	80	29	34	160	222	186
Diabetes	21%	10%	23%	17%	20%	18%	21%	18%	17%	18%	26%
		*									ACEGHI
	72	-	3	7	3	10	6	6	37	44	28
Arthritis	4%	-	2%	3%	2%	2%	4%	3%	4%	4%	4%
		*									
	313	9	28	43	37	80	31	40	159	208	105
Cancer	16%	18%	19%	18%	18%	18%	23%	21%	17%	17%	15%
		*					J	J			
	574	23	46	79	69	148	32	56	294	378	195
Heart disease or stroke	30%	47%	31%	34%	35%	34%	23%	30%	31%	31%	27%
		FGIJ*		F	F	FJ		F			
	200	2	21	23	23	45	18	20	99	127	73
High blood pressure	10%	3%	14%	10%	11%	10%	13%	10%	11%	10%	10%
		*									
	36	4	*	3	5	8	5	9	16	23	12
Hepatitis	2%	9%	*	1%	2%	2%	3%	5%	2%	2%	2%
		BCDEHIJ*			В			BCEHIJ			
	103	*	3	18	3	21	6	7	53	65	37
HIV/AIDS	5%	1%	2%	8%	2%	5%	5%	4%	6%	5%	5%
		*		BDE		D			D	D	
	136	4	7	15	11	27	4	9	67	88	48
Multiple Sclerosis (MS)	7%	10%	5%	7%	6%	6%	3%	5%	7%	7%	7%
		*						F		F	

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

And if a political party prioritized and increased investment in diabetes to implement a national diabetes strategy, would you be more or less likely to support/vote for this party? Again, a national strategy for diabetes could prevent millions of Canadians from developing diabetes or its complications by enhancing prevention, screening and treatment of diabetes, all with a goal of improving the health of Canadians.

						Experience w	ith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731
	1000		1.00		100			100		4000	
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711
	1162	32	107	171	139	311	114	146	642	836	325
Top 2 Box (Net)	60%	64%	72%	73%	70%	72%	80%	76%	68%	68%	46%
		J*	J	J	J	J	GHIJ	HIJ	J	J	
	416	17	46	78	63	141	58	75	244	333	83
Much more likely	22%	35%	31%	33%	32%	32%	41%	39%	26%	27%	12%
·		J*	J	HJ	J	HIJ	HIJ	HIJ	J	J	
	746	15	62	94	76	170	56	70	398	503	243
Somewhat more likely	39%	30%	41%	40%	38%	39%	39%	37%	42%	41%	34%
		*							J	J	
	83	4	8	9	12	21	9	13	22	46	37
Bottom 2 Box (Net)	4%	8%	5%	4%	6%	5%	6%	7%	2%	4%	5%
		H*			Н	Н	Н	HI		Н	Н
	65	4	1	8	6	13	8	12	15	33	31
Somewhat less likely	3%	8%	1%	3%	3%	3%	6%	6%	2%	3%	4%
		BHI*			В		ВН	BEHI		Н	Н
	18	-	7	1	7	8	1	1	7	12	6
Much less likely	1%	-	4%	*	3%	2%	1%	1%	1%	1%	1%
		*	CEGHIJ		CGHIJ	С					
	442	6	23	40	29	69	10	16	188	226	216
It would not make a difference	23%	13%	15%	17%	15%	16%	7%	8%	20%	18%	30%
it would not make a unreferice		*	F	FG	FG	FG			FGI	FG	ABCDEFGH
	246	7	11	15	19	34	11	18	86	114	132
Don't know	13%	15%	7%	7%	9%	8%	7%	9%	9%	9%	19%
		*									BCDEFGHI
	1933	50	149	235	199	435	143	193	939	1222	711
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following? - I feel I have enough resources and information to manage my diabetes/ help my family member/loved one manage their diabetes

						Experience w	vith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	203	44	21	32	65	97	159	203	108	203	-
Base: All Answering (wtd)	193	50	20	28	70	98	143	193	97	193	-
	137	36	14	17	51	68	101	137	67	137	-
Top 2 Box (Net)	71%	73%	71% **	62% **	72% *	69%	71%	71%	69% *	71%	-
	36	9	6	4	15	19	27	36	16	36	-
Strongly agree	18%	17%	31%	14%	21%	19%	19%	18%	17%	18%	-
	102	28	8	14	36	49	74	102	51	102	-
Somewhat agree	53%	56%	40%	49%	51%	50%	52%	53%	52% *	53%	-
	55	13	6	**	19	30	42	55	30	55	-
Bottom 2 Box (Net)	29%	27%	29%	38%	28%	31%	29%	29%	31%	29%	-
		*	**	**	*	*			*		
	41	11	3	8	14	22	30	41	19	41	-
Somewhat disagree	21%	22% *	15% **	28%	20%	22% *	21%	21%	20%	21%	-
	14	3	3	3	5	8	11	14	11	14	-
Strongly disagree	7%	5% *	15% **	10%	8%	8%	8%	7%	11%	7%	-
	193	50	20	28	70	98	143	193	97	193	_
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following? - Living with/ Caring for someone with diabetes is an every day personal struggle

						Experience w	ith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	203	44	21	32	65	97	159	203	108	203	-
Base: All Answering (wtd)	193	50	20	28	70	98	143	193	97	193	-
	146	31	18	24	49	73	115	146	76	146	-
Top 2 Box (Net)	76%	62%	93%	86%	70% *	75% A*	81%	76%	78% *	76%	-
	63	12	13	11	25	36	AGI 51	63	38	A 63	-
Strongly agree	33%	25%	64%	41%	36%	37%	36%	33%	39% *	33%	-
	83	18	6	13	A* 24	A* 37	64	83	38	83	
Somewhat agree	43%	37%	28%	46%	35%	38%	45%	43%	39%	43%	_
Somewhat agree	4370	*	**	**	*	*	— 4370 Н	7370	*	4370	
	47	19	1	4	21	24	28	47	21	47	_
Bottom 2 Box (Net)	24%	38%	7%	14%	30%	25%	19%	24%	22%	24%	-
		EFGI*	**	**	*	*		F	*	F	
	39	16	1	3	18	20	23	39	19	39	-
Somewhat disagree	20%	32%	7%	10%	25%	21%	16%	20%	20%	20%	-
		EFGI*	**	**	*	*		F	*	F	
	8	3	-	1	3	4	5	8	2	8	-
Strongly disagree	4%	6%	-	4%	4%	4%	4%	4%	2%	4%	-
		*	**	**	*	*			*		
	193	50	20	28	70	98	143	193	97	193	-
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following? - I remain/ My family member/loved one remains as engaged in activities (e.g., work, social life, activities, hobbies) as before being diagnosed with diabetes

						Experience w	ith Diabetes				
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	E	F	G	Н	I	J
Base: All Answering (unwtd)	203	44	21	32	65	97	159	203	108	203	-
Base: All Answering (wtd)	193	50	20	28	70	98	143	193	97	193	-
	124	39	12	17	51	68	84	124	57	124	-
Top 2 Box (Net)	64%	79% FGHI*	60%	60% **	74% F*	70% *	59%	64% F	59% *	64% F	-
	54	17	5	7	22	29	37	54	20	54	-
Strongly agree	28%	34%	26%	25% **	32%	30%	26%	28%	21%	28%	-
	70	22	7	10	29	39	47	Н 70	37	H 70	_
Somewhat agree	36%	45%	33%	35%	42%	40%	33%	36%	38%	36%	-
		*	**	**	*	*			*		
	69	10	8	11	18	30	58	69	39	69	-
Bottom 2 Box (Net)	36%	21%	40%	40%	26%	30%	41%	36%	41%	36%	-
		*	**	**	*	*	ADGI	Α	A*	Α	
	45	8	3	6	11	17	37	45	23	45	-
Somewhat disagree	23%	16%	16%	22%	16%	18%	26%	23%	23%	23%	-
		*	**	**	*	*			*		
	24	3	5	5	7	12	21	24	17	24	-
Strongly disagree	12%	5%	24%	18%	10%	13%	15%	12%	18%	12%	-
		*	**	**	A*	A*			GI*		
	193	50	20	28	70	98	143	193	97	193	-
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following? - I feel the government provides enough support for the care of people living with diabetes

						Experience w	vith Diabetes	5			
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	203	44	21	32	65	97	159	203	108	203	-
Base: All Answering (wtd)	193	50	20	28	70	98	143	193	97	193	-
	78	21	7	10	28	39	57	78	30	78	-
Top 2 Box (Net)	40%	42%	37% **	37% **	40%	40% *	40%	40% H	31%	40% H	-
	13	4	2	*	6	7	H 9	13	5	13	_
Strongly agree	7%	8%	11%	1%	9%	7%	7%	7%	5%	7%	-
	64	17	5		22	32	47	64	25	64	
Somewhat agree	33%	34%	26%	10 36%	32%	33%	33%	33%	26%	33%	-
Joinewhat agree	3370	*	**	**	*	*	H	H	*	H	
	115	29	13	18	42	59	86	115	67	115	-
Bottom 2 Box (Net)	60%	58%	63%	63%	60%	60%	60%	60%	69%	60%	-
		*	**	**	*	*			FGI*		
	85	20	8	12	27	39	65	85	50	85	-
Somewhat disagree	44%	40%	38%	43%	39%	40%	46%	44%	51%	44%	-
		*	**	**	*	*			GI*		
	30	9	5	6	14	20	21	30	17	30	-
Strongly disagree	16%	18%	25%	20%	20%	20%	15%	16%	18%	16%	-
		*	**	**	*	*			*		
	193	50	20	28	70	98	143	193	97	193	-
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following? - It is difficult to pay for health care bills (e.g., medication, visits to specialists, etc.) related to diabetes

		Experience with Diabetes										
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience	
		А	В	С	D	Е	F	G	Н	I	J	
Base: All Answering (unwtd)	176	36	19	29	55	84	140	176	101	176	-	
Base: All Answering (wtd)	168	40	17	27	58	85	127	168	92	168	-	
Top 2 Box (Net)	119	27	17	15	45	60	91	119	66	119	-	
	71%	68%	100%	57% **	78%	71%	72%	71%	71%	71%	-	
Strongly agree	41	7	8	9	15	25	33	41	23	41	-	
	24%	19%	46% **	34%	27%	29%	26%	24%	25%	24%	-	
	78	20	9	6	29	35	58	78	42	78	_	
Somewhat agree	46%	49%	54%	23%	51%	42%	45%	46%	46%	46%	-	
		**	**	**	E*	*			*			
	49	13	-	12	13	24	36	49	27	49	-	
Bottom 2 Box (Net)	29%	32%	**	43% **	22%	29%	28%	29%	29%	29%	-	
	43	13	-	11	13	23	31	43	23	43		
Somewhat disagree	26%	32%	-	39%	22%	28%	24%	26%	25%	26%	-	
Somewhat disagree	20%	**	**	**	*	*	2470	2070	*	20%	-	
	6	-	-	1	-	1	6	6	4	6	-	
Strongly disagree	3%	-	-	4%	-	1%	4%	3%	4%	3%	-	
		**	**	**	*	*			*			
	168	40	17	27	58	85	127	168	92	168	-	
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following? - I experience(d)/ I/my family member/loved one experiences/experienced difficulty getting insurance coverage for my/ their needs after being diagnosed with diabetes

		Experience with Diabetes										
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience	
		А	В	С	D	Е	F	G	Н	I	J	
Base: All Answering (unwtd)	176	36	19	29	55	84	140	176	101	176	-	
Base: All Answering (wtd)	168	40	17	27	58	85	127	168	92	168	-	
Top 2 Box (Net)	85	17	11	15	28	43	68	85	47	85	-	
	51%	41%	64%	57% **	48%	51% *	54%	51%	50% *	51%	-	
Strongly agree	26	5	6	6	12	18	21	26	14	26	-	
	16%	14%	37%	22%	21%	21%	16%	16%	15% *	16%	-	
	59	11	5	9	16	25	48	59	32	59	-	
Somewhat agree	35%	28%	27%	35% **	27%	30%	37%	35%	35%	35%	-	
	83	24	6	12	30	41	59	83	46	83	-	
Bottom 2 Box (Net)	49%	59% **	36% **	43% **	52% *	49% *	46%	49%	50% *	49%	-	
	62	14	3	11	17	28	48	62	35	62	-	
Somewhat disagree	37%	34%	19%	39% **	30%	33%	37%	37%	38%	37%	-	
	21	10	3	1	13	14	11	21	10	21	-	
Strongly disagree	13%	24%	18%	3% **	22% FGI*	16%	9%	13% F	11%	13% F	-	
	168	40	17	27	58	85	127	168	92	168	-	
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

How much do you agree or disagree with the following? - My/ my family member/loved one's insurance covers most of my/ their diabetes treatment needs

		Experience with Diabetes										
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience	
		А	В	С	D	E	F	G	Н	I	J	
Base: All Answering (unwtd)	176	36	19	29	55	84	140	176	101	176	-	
Base: All Answering (wtd)	168	40	17	27	58	85	127	168	92	168	-	
Top 2 Box (Net)	109	28	11	17	39	56	81	109	59	109	-	
	65%	70% **	60%	65% **	67%	66%	64%	65%	64%	65%	-	
Strongly agree	29	13	2	2	15	16	17	29	10	29	-	
	18%	31%	13%	6% **	26% FH*	19%	13%	18% FH	10%	18% FH	-	
	80	15	8	16	24	40	65	80	49	80	_	
Somewhat agree	48%	38%	48%	59%	41%	47%	51%	48%	53%	48%	-	
	1275	**	**	**	*	*			*	1071		
	58	12	7	9	19	29	46	58	34	58	-	
Bottom 2 Box (Net)	35%	30%	40%	35%	33%	34%	36%	35%	36%	35%	-	
		**	**	**	*	*			*			
	39	10	2	9	12	20	29	39	21	39	-	
Somewhat disagree	23%	24%	13%	32%	21%	24%	23%	23%	23%	23%	-	
		**	**	**	*	*			*			
	20	3	5	1	7	8	17	20	13	20	-	
Strongly disagree	12%	6%	27%	3%	13%	10%	13%	12%	14%	12%	-	
		**	**	**	*	*			*			
	168	40	17	27	58	85	127	168	92	168	-	
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Have you had to take time off work because of your diabetes/ to help care for your family member/loved one with diabetes?

		Experience with Diabetes											
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience		
		Α	В	С	D	E	F	G	Н	I	J		
Base: All Answering (unwtd)	203	44	21	32	65	97	159	203	108	203	-		
Base: All Answering (wtd)	193	50	20	28	70	98	143	193	97	193	-		
	61	5	12	10	17	27	56	61	40	61	-		
Yes	32%	10%	61%	35%	25%	27%	39%	32%	41%	32%	-		
		*	**	**	A*	A*	ADEGI	Α	ADEGI*	Α			
	91	29	7	12	36	47	62	91	40	91	-		
No	47%	58%	35%	41%	51%	48%	44%	47%	41%	47%	-		
		*	**	**	*	*			*				
	40	16	1	7	17	24	24	40	17	40	-		
Not applicable to me	21%	32%	4%	24%	24%	24%	17%	21%	18%	21%	-		
		*	**	**	*	*		F	*	F			
	193	50	20	28	70	98	143	193	97	193	-		
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-		

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

In an average year, how much time do you think you take off work because of your diabetes/ to help care for your family member/loved one with diabetes?

		Experience with Diabetes											
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience		
		А	В	С	D	E	F	G	Н	I	J		
Base: All Answering (unwtd)	66	5	11	12	16	28	61	66	45	66	-		
Base: All Answering (wtd)	61	5	12	10	17	27	56	61	40	61	-		
	6	2	-	*	2	2	4	6	2	6	-		
1-2 days	10%	34%	-	5%	10%	8%	7%	10%	5%	10%	-		
		**	**	**	**	**	*	*	*	*			
	8	-	*	2	*	2	8	8	4	8	-		
3-4 days	14%	-	4%	19%	3%	9%	15%	14%	9%	14%	-		
		**	**	**	**	**	*	*	*	*			
	11	-	4	1	4	5	11	11	7	11	-		
5-7 days	18%	-	35%	9%	24%	19%	20%	18%	19%	18%	-		
		**	**	**	**	**	*	*	*	*			
	7	-	3	2	3	5	7	7	6	7	-		
8-10 days	12%	-	22%	23%	15%	18%	13%	12%	16%	12%	-		
		**	**	**	**	**	*	*	*	*			
	9	1	4	2	5	7	8	9	5	9	-		
11-20 days	15%	15%	32%	20%	27%	25%	15%	15%	13%	15%	-		
•		**	**	**	**	**	*	*	*	*			
	6	-	1	-	1	1	6	6	5	6	-		
Over 30 days	9%	-	8%	-	5%	3%	10%	9%	12%	9%	-		
·		**	**	**	**	**	*	*	*	*			
	9	3	-	2	3	5	7	9	6	9	-		
I chose to exit the workforce	15%	51%	-	25%	15%	19%	12%	15%	14%	15%	-		
		**	**	**	**	**	*	F*	*	F*			
	5	-	-	-	-	-	5	5	5	5	-		
Don't know	8%	_	_	-	-	-	9%	8%	13%	8%	-		
		**	**	**	**	**	*	*	*	*			
	61	5	12	10	17	27	56	61	40	61	-		
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-		
- 0 -													

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Do you currently have access to a Family Doctor you see for your health needs?

		Experience with Diabetes										
	Total	Diagnosed	Prediabetic	High risk	_	Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience	
		Α	В	С	D	E	F	G	Н	I	J	
Base: All Answering (unwtd)	1957	44	144	238	188	426	159	203	951	1226	731	
Base: All Answering (wtd)	1933	50	149	235	199	435	143	193	939	1222	711	
Yes	1596 83%	44 89%	135 90%	197 84%	179 90%	376 86%	125 88%	169 88%	792 84%	1031 84%	565 79%	
	3373	*	J	0.70	IJ	J		J	J	J	7370	
	228	2	13	33	15	48	15	18	110	142	86	
No, but currently looking for one	12%	5% *	8%	14%	8%	11%	11%	9%	12%	12%	12%	
	110	3	2	6	5	11	3	6	37	49	61	
No, and not looking for one	6%	7%	1%	3%	3%	3%	2%	3%	4%	4%	9%	
		*			В						BCDEFGHI	
	1933	50	149	235	199	435	143	193	939	1222	711	
Sigma	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)

Has your doctor discussed any of the following with you?

						Experience w	vith Diabetes	;			
	Total	Diagnosed	Prediabetic	High risk		Diagnosed/ Prediabetic /High risk	Caregiver	Diagnosed/ Caregiver	Family member diagnosed	Diabetes Experience	No experience
		А	В	С	D	Е	F	G	Н	I	J
Base: All Answering (unwtd)	1594	-	129	201	129	330	137	137	808	1002	592
Base: All Answering (wtd)	1551	-	135	197	135	332	125	125	792	987	565
Your risk of diabetes	439	-	104	82	104	186	73	73	253	355	84
	28%	-	77%	42%	77%	56%	58%	58%	32%	36%	15%
			CEFGHIJ	HJ	CEFGHIJ	CHIJ	CHIJ	CHIJ	J	HJ	
	537	-	71	99	71	170	70	70	351	433	104
The history of diabetes in your family	35%	-	53%	50%	53%	51%	56%	56%	44%	44%	18%
			J	J	J	HIJ	HIJ	HIJ	J	J	
	815	-	18	70	18	88	35	35	351	413	402
No	53%	-	14%	35%	14%	26%	28%	28%	44%	42%	71%
				BDE		BD	BD	BD	BCDEFGI	BDEFG	BCDEFGHI
	30	-	4	-	4	4	ı	-	12	15	15
Don't know	2%	-	3%	-	3%	1%	ı	-	1%	1%	3%
			CFG		CFG	С					С
	1821	-	198	251	198	449	178	178	966	1216	605
Sigma	117%	-	147%	127%	147%	135%	143%	143%	122%	123%	107%

Statistics:

Overlap formulae used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G/H/I/J
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J Minimum Base: 30 (**), Small Base: 100 (*)