

1. Would you currently describe yourself as a cannabis user?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Yes (Net)	626 31%	112 41%	63 28%	30 23%	281 37%	93 20%	47 35%	222 36%	96 29%	207 39%	68 25%	226 44%	401 27%
Yes - for recreational/social purposes	312 16%	59 22%	24 11%	14 11%	145 19%	55 12%	15 11%	106 17%	50 15%	99 18%	43 16%	102 20%	209 14%
Yes - for medical purposes	148 7%	25 9%	20 9%	7 5%	61 8%	21 4%	14 11%	39 6%	26 8%	62 12%	9 3%	63 12%	84 6%
Yes - for both recreational/social and medical purposes	167 8%	28 10%	19 9%	8 6%	75 10%	18 4%	18 13%	77 12%	20 6%	46 9%	16 6%	60 12%	107 7%
No - I don't use cannabis at all	1376 69%	160 59%	161 72%	100 77%	488 63%	377 80%	89 65%	399 64%	236 71%	328 61%	206 75%	284 56%	1092 73%
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

2. To what extent are you aware that Health Canada has approved clinical trials investigating cannabis medicines (pharmaceuticals):

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
I'm following this news closely	347 17%	61 22%	33 15%	19 15%	154 20%	59 12%	21 16%	97 16%	58 17%	115 21%	57 21%	137 27%	211 14%
		E			E					G		L	
I've heard of it, but I'm not following it at all	819 41%	111 41%	94 42%	57 44%	316 41%	176 37%	66 48%	255 41%	123 37%	212 40%	123 45%	193 38%	626 42%
							E						
I'm not at all aware	471 24%	57 21%	41 18%	33 25%	162 21%	151 32%	28 21%	159 26%	86 26%	114 21%	52 19%	100 20%	371 25%
						ABDF		J					K
I already thought cannabis medicines (pharmaceuticals) existed	364 18%	44 16%	57 25%	21 16%	137 18%	85 18%	21 15%	109 17%	65 19%	94 18%	41 15%	79 16%	285 19%
			ACDEF										
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

3. How likely would you be to participate in a clinical trial testing cannabis medicines if it was approved by Health Canada and if you qualified to participate based on your existing medical situation?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Very/Somewhat likely (Net)	871 43%	135 50%	101 45%	57 44%	373 48%	135 29%	70 51%	288 46%	141 42%	270 50%	104 38%	283 56%	588 39%
		E	E	E	E		E	J		HJ		L	
Very likely	454 23%	88 32%	44 20%	26 20%	205 27%	57 12%	35 25%	144 23%	81 25%	153 29%	47 17%	149 29%	306 20%
		BCE	E	E	E		E		J	J		L	
Somewhat likely	416 21%	47 17%	57 25%	31 24%	168 22%	78 17%	35 26%	144 23%	59 18%	116 22%	57 21%	134 26%	282 19%
			E	E	E		AE					L	
Not very/Not at all likely (Net)	1131 57%	137 50%	123 55%	73 56%	396 52%	336 71%	66 49%	333 54%	191 58%	266 50%	169 62%	227 44%	905 61%
						ABCD			I		GI		K
Not very likely	368 18%	42 15%	36 16%	29 22%	153 20%	90 19%	18 13%	103 17%	56 17%	101 19%	65 24%	90 18%	278 19%
				F	F						G		
Not at all likely	763 38%	95 35%	87 39%	44 34%	243 32%	246 52%	49 36%	230 37%	135 41%	165 31%	104 38%	137 27%	626 42%
						ABCD		I	I		I		K
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

4. To what extent do you believe that there are risks associated with taking cannabis for health conditions without consulting a physician?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Major/Moderate risk (Net)	1090	132	123	74	384	311	65	331	172	264	176	244	846
	54%	48%	55%	57%	50%	66%	48%	53%	52%	49%	65%	48%	57%
						ABCD					GHI		K
Major risks	508	55	64	34	162	166	27	161	79	117	65	96	412
	25%	20%	29%	26%	21%	35%	20%	26%	24%	22%	24%	19%	28%
			D			ACDF							K
Moderate risks	582	77	59	40	222	146	39	170	93	147	112	147	434
	29%	28%	26%	30%	29%	31%	28%	27%	28%	27%	41%	29%	29%
											GHI		
Minor/No risk (Net)	912	140	101	57	385	159	71	290	160	271	97	266	646
	46%	52%	45%	43%	50%	34%	52%	47%	48%	51%	35%	52%	43%
		E	E	E	E		E	J	J	J		L	
Minor risks	679	94	70	40	311	111	53	201	123	212	77	211	468
	34%	35%	31%	31%	40%	24%	39%	32%	37%	40%	28%	41%	31%
		E			BCE		E		J	GJ		L	
No risks at all	233	46	31	17	74	48	18	89	37	60	20	55	178
	12%	17%	14%	13%	10%	10%	13%	14%	11%	11%	7%	11%	12%
		DE						J					
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

5_1. How willing would you be to take a Health-Canada approved drug containing cannabis if your doctor prescribed it? - If it was covered by insurance (private or public/provincial)

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Very/Somewhat willing (Net)	1303	192	138	89	546	238	101	388	208	380	185	365	938
	65%	70%	62%	68%	71%	50%	74%	63%	63%	71%	68%	72%	63%
		E	E	E	BE		BE			GH		L	
Very willing	722	104	78	46	306	125	63	233	112	212	103	201	521
	36%	38%	35%	35%	40%	27%	46%	38%	34%	40%	38%	40%	35%
		E		E	E		BCE						
Somewhat willing	581	87	61	42	241	113	38	155	96	168	82	163	418
	29%	32%	27%	33%	31%	24%	28%	25%	29%	31%	30%	32%	28%
		E		E	E					G			
Not very/Not at all willing (Net)	699	80	86	42	222	233	35	232	123	155	89	145	554
	35%	30%	38%	32%	29%	50%	26%	37%	37%	29%	32%	28%	37%
			DF			ABCD		I	I				K
Not very willing	344	40	43	22	130	91	18	111	58	75	42	70	274
	17%	15%	19%	17%	17%	19%	13%	18%	18%	14%	15%	14%	18%
													K
Not at all willing	355	40	43	19	93	142	17	121	65	80	46	74	280
	18%	15%	19%	15%	12%	30%	13%	19%	20%	15%	17%	15%	19%
			D			ABCD							
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

5_2. How willing would you be to take a Health-Canada approved drug containing cannabis if your doctor prescribed it? - If it was not covered by insurance, and you had to pay out of pocket

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Very/Somewhat willing (Net)	769 38%	135 50%	83 37%	50 38%	319 42%	122 26%	59 44%	215 35%	125 38%	251 47%	108 39%	245 48%	524 35%
		BCE	E	E	E		E			GHJ		L	
Very willing	274 14%	54 20%	31 14%	15 12%	108 14%	49 10%	17 13%	76 12%	34 10%	101 19%	45 16%	104 20%	171 11%
		CE								GH	H	L	
Somewhat willing	495 25%	81 30%	52 23%	35 27%	211 27%	73 16%	42 31%	139 22%	90 27%	151 28%	63 23%	142 28%	353 24%
		E	E	E	E		E			G			
Not very/Not at all willing (Net)	1233 62%	137 50%	141 63%	80 62%	449 58%	348 74%	77 56%	405 65%	207 62%	284 53%	166 61%	264 52%	969 65%
			A	A		ABCDF		I	I		I		K
Not very willing	554 28%	60 22%	55 25%	39 30%	216 28%	141 30%	43 32%	178 29%	90 27%	136 25%	76 28%	126 25%	428 29%
						A	A						
Not at all willing	679 34%	78 29%	86 38%	42 32%	233 30%	207 44%	34 25%	228 37%	117 35%	147 28%	90 33%	138 27%	541 36%
			F			ACDF		I	I				K
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

5. How willing would you be to take a Health-Canada approved drug containing cannabis if your doctor prescribed it? - Very/Somewhat willing Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
If it was covered by insurance (private or public/provincial)	1303	192	138	89	546	238	101	388	208	380	185	365	938
	65%	70%	62%	68%	71%	50%	74%	63%	63%	71%	68%	72%	63%
If it was not covered by insurance, and you had to pay out of pocket		E	E	E	BE		BE			GH		L	
	769	135	83	50	319	122	59	215	125	251	108	245	524
	38%	50%	37%	38%	42%	26%	44%	35%	38%	47%	39%	48%	35%
		BCE	E	E	E		E			GHJ		L	

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

5. How willing would you be to take a Health-Canada approved drug containing cannabis if your doctor prescribed it? - Not very/Not at all willing Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
If it was covered by insurance (private or public/provincial)	699	80	86	42	222	233	35	232	123	155	89	145	554
	35%	30%	38%	32%	29%	50%	26%	37%	37%	29%	32%	28%	37%
If it was not covered by insurance, and you had to pay out of pocket			DF			ABCDF		I	I				K
	1233	137	141	80	449	348	77	405	207	284	166	264	969
	62%	50%	63%	62%	58%	74%	56%	65%	62%	53%	61%	52%	65%
			A	A		ABCDF		I	I		I		K

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_1. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I would trust taking a drug containing cannabis if my doctor prescribed it

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1440 72%	210 77%	157 70%	97 74%	589 77%	283 60%	106 78%	428 69%	233 70%	408 76%	213 78%	388 76%	1052 71%
		E	E	E	E		E			G	GH	L	
Strongly agree	573 29%	98 36%	63 28%	32 25%	246 32%	86 18%	48 35%	188 30%	90 27%	177 33%	78 29%	163 32%	410 27%
		CE	E		E		CE						
Somewhat agree	867 43%	112 41%	94 42%	64 49%	343 45%	197 42%	58 42%	240 39%	143 43%	232 43%	135 49%	225 44%	642 43%
										G			
Disagree (Net)	562 28%	63 23%	67 30%	34 26%	180 23%	188 40%	30 22%	192 31%	98 30%	127 24%	60 22%	122 24%	440 29%
						ABCD		IJ	J				K
Somewhat disagree	332 17%	42 15%	37 16%	24 18%	100 13%	115 24%	16 11%	94 15%	61 18%	84 16%	40 15%	66 13%	267 18%
						ABDF							K
Strongly disagree	229 11%	21 8%	30 14%	10 8%	81 10%	73 15%	15 11%	97 16%	38 11%	42 8%	20 7%	56 11%	173 12%
						ACD		IJ					
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_2. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I would be willing to take cannabis to help manage chronic pain, lack of appetite, anxiety or depression

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1369 68%	196 72%	146 65%	94 73%	566 74%	263 56%	103 76%	416 67%	227 69%	380 71%	198 73%	383 75%	986 66%
		E	E	E	BE		BE					L	
Strongly agree	606 30%	98 36%	64 29%	47 36%	252 33%	92 20%	54 39%	206 33%	96 29%	174 32%	74 27%	193 38%	413 28%
		E	E	E	E		BE					L	
Somewhat agree	763 38%	99 36%	81 36%	48 37%	314 41%	171 36%	50 36%	210 34%	131 39%	207 39%	124 45%	190 37%	573 38%
											G		
Disagree (Net)	633 32%	76 28%	78 35%	36 27%	203 26%	207 44%	33 24%	204 33%	104 31%	155 29%	75 27%	127 25%	506 34%
			DF			ABCD							K
Somewhat disagree	342 17%	40 15%	37 16%	23 18%	112 15%	116 25%	15 11%	90 15%	57 17%	102 19%	44 16%	55 11%	287 19%
						ABDF							K
Strongly disagree	291 15%	36 13%	42 19%	13 10%	90 12%	92 20%	18 13%	114 18%	47 14%	53 10%	31 11%	71 14%	220 15%
			CD			CD		IJ					
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_3. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - It is easier today to access recreational cannabis than medical cannabis

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1619	217	173	109	629	377	114	504	266	429	226	432	1187
	81%	80%	77%	83%	82%	80%	84%	81%	80%	80%	83%	85%	80%
												L	
Strongly agree	582	91	63	36	212	135	44	195	97	152	90	180	401
	29%	34%	28%	28%	28%	29%	32%	32%	29%	28%	33%	35%	27%
												L	
Somewhat agree	1037	126	110	72	417	241	70	308	168	277	136	252	786
	52%	46%	49%	56%	54%	51%	52%	50%	51%	52%	50%	49%	53%
Disagree (Net)	383	55	51	22	140	94	22	117	66	106	47	78	306
	19%	20%	23%	17%	18%	20%	16%	19%	20%	20%	17%	15%	20%
												K	
Somewhat disagree	302	49	45	16	106	73	14	85	53	84	43	63	240
	15%	18%	20%	13%	14%	16%	10%	14%	16%	16%	16%	12%	16%
			DF										
Strongly disagree	81	6	7	5	34	21	8	32	12	23	5	15	66
	4%	2%	3%	4%	4%	4%	6%	5%	4%	4%	2%	3%	4%
								J					
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_4. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I believe that cannabis can reduce pain and other symptoms

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1651	231	172	111	657	361	119	494	279	458	243	438	1214
	82%	85%	77%	85%	85%	77%	88%	80%	84%	86%	89%	86%	81%
		E		BE	BE		BE			G	G	L	
Strongly agree	689	118	69	43	291	111	57	228	115	194	89	202	488
	34%	43%	31%	33%	38%	24%	42%	37%	35%	36%	32%	40%	33%
		BE		E	E		BE					L	
Somewhat agree	962	113	104	68	366	249	62	266	164	264	154	236	726
	48%	42%	46%	52%	48%	53%	46%	43%	49%	49%	56%	46%	49%
				A		A					G		
Disagree (Net)	351	41	52	19	112	110	17	126	52	77	31	72	278
	18%	15%	23%	15%	15%	23%	12%	20%	16%	14%	11%	14%	19%
			CDF			ACDF		IJ					K
Somewhat disagree	237	28	37	13	72	76	10	78	38	56	21	45	192
	12%	10%	16%	10%	9%	16%	8%	13%	11%	10%	8%	9%	13%
			DF			DF		J					K
Strongly disagree	113	13	15	5	40	34	6	48	15	21	10	27	87
	6%	5%	7%	4%	5%	7%	5%	8%	4%	4%	4%	5%	6%
								IJ					
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_5. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - There are risks in using cannabis for a health problem without a doctor's supervision

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1413 71%	190 70%	144 64%	89 68%	543 71%	349 74%	97 71%	391 63%	229 69%	393 74%	213 78%	352 69%	1060 71%
Strongly agree	542 27%	78 29%	62 27%	37 28%	204 27%	134 28%	27 20%	144 23%	87 26%	149 28%	78 29%	144 28%	398 27%
Somewhat agree	871 43%	112 41%	83 37%	52 40%	338 44%	216 46%	70 51%	247 40%	142 43%	244 46%	135 49%	209 41%	662 44%
Disagree (Net)	589 29%	82 30%	80 36%	41 32%	226 29%	121 26%	39 29%	230 37%	102 31%	142 26%	60 22%	157 31%	432 29%
Somewhat disagree	410 20%	47 17%	55 25%	26 20%	171 22%	87 18%	25 18%	155 25%	71 21%	104 19%	41 15%	110 22%	300 20%
Strongly disagree	179 9%	35 13%	25 11%	15 11%	56 7%	34 7%	14 10%	75 12%	32 10%	38 7%	19 7%	47 9%	132 9%
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_6. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I believe that using cannabis for medical reasons does more good than harm

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1391 69%	191 70%	150 67%	97 74%	569 74%	294 63%	90 66%	446 72%	234 71%	380 71%	186 68%	378 74%	1013 68%
				E	EF							L	
Strongly agree	545 27%	89 33%	62 27%	33 25%	230 30%	90 19%	42 31%	198 32%	82 25%	164 31%	65 24%	190 37%	355 24%
			E	E	E		E	HJ				L	
Somewhat agree	846 42%	102 37%	88 39%	63 49%	339 44%	204 43%	48 36%	248 40%	152 46%	216 40%	121 44%	188 37%	658 44%
				AF	F								K
Disagree (Net)	611 31%	81 30%	74 33%	34 26%	200 26%	176 37%	46 34%	175 28%	98 29%	155 29%	87 32%	131 26%	480 32%
						CD	D						K
Somewhat disagree	404 20%	53 20%	49 22%	24 19%	127 17%	119 25%	31 23%	114 18%	61 18%	105 20%	61 22%	81 16%	323 22%
						D							K
Strongly disagree	207 10%	28 10%	25 11%	9 7%	73 9%	57 12%	15 11%	61 10%	37 11%	50 9%	26 9%	50 10%	157 10%
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_7. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I wouldn't consider using cannabis to manage my health under any circumstances

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	774 39%	104 38%	95 42%	52 40%	291 38%	179 38%	53 39%	249 40%	108 33%	216 40%	102 37%	228 45%	546 37%
Strongly agree	341 17%	46 17%	48 21%	19 14%	122 16%	79 17%	27 20%	108 17%	47 14%	99 18%	41 15%	111 22%	229 15%
Somewhat agree	433 22%	58 21%	47 21%	33 25%	169 22%	100 21%	27 20%	141 23%	61 18%	117 22%	62 23%	117 23%	317 21%
Disagree (Net)	1228 61%	168 62%	129 58%	78 60%	478 62%	291 62%	83 61%	371 60%	224 67%	319 60%	171 63%	281 55%	946 63%
Somewhat disagree	690 34%	88 32%	75 33%	43 33%	254 33%	179 38%	52 38%	189 30%	133 40%	170 32%	106 39%	144 28%	546 37%
Strongly disagree	538 27%	80 29%	55 24%	36 28%	224 29%	112 24%	31 23%	183 29%	91 27%	150 28%	65 24%	137 27%	400 27%
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_8. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I believe that pharmaceutical cannabis will be of a better quality than recreational cannabis

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1380 69%	197 72%	130 58%	88 68%	561 73%	303 64%	100 74%	395 64%	229 69%	398 74%	195 71%	360 71%	1020 68%
		B			BE		BE			G	G		
Strongly agree	386 19%	68 25%	34 15%	21 16%	161 21%	73 15%	28 21%	108 17%	68 20%	137 26%	55 20%	120 24%	266 18%
		BE			E					G		L	
Somewhat agree	994 50%	129 47%	96 43%	67 52%	400 52%	230 49%	72 53%	287 46%	161 49%	261 49%	140 51%	240 47%	754 50%
					B								
Disagree (Net)	622 31%	75 28%	94 42%	42 32%	208 27%	168 36%	36 26%	225 36%	102 31%	137 26%	78 29%	149 29%	473 32%
			ADF			DF		IJ					
Somewhat disagree	446 22%	62 23%	60 27%	33 26%	143 19%	119 25%	28 21%	152 25%	74 22%	104 19%	56 21%	101 20%	345 23%
			D	D		D							
Strongly disagree	176 9%	13 5%	34 15%	8 6%	65 8%	49 10%	7 5%	73 12%	28 9%	33 6%	22 8%	48 9%	128 9%
			ACDF			A		I					
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_9. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I feel well informed about the benefits and risks of using medical cannabis for a medical problem

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1185 59%	174 64%	126 56%	75 58%	488 64%	237 50%	85 62%	375 61%	199 60%	345 65%	163 60%	350 69%	835 56%
		E			E		E					L	
Strongly agree	402 20%	71 26%	35 15%	22 17%	187 24%	55 12%	32 24%	132 21%	70 21%	129 24%	42 16%	144 28%	258 17%
		BCE			BCE		E			J		L	
Somewhat agree	783 39%	103 38%	91 40%	54 41%	301 39%	182 39%	53 39%	243 39%	130 39%	216 40%	121 44%	206 40%	577 39%
Disagree (Net)	817 41%	98 36%	99 44%	55 42%	281 36%	234 50%	51 38%	245 39%	132 40%	190 35%	110 40%	160 31%	657 44%
						ADF							K
Somewhat disagree	602 30%	78 29%	68 30%	36 27%	217 28%	168 36%	36 26%	173 28%	103 31%	149 28%	80 29%	118 23%	484 32%
						DF							K
Strongly disagree	215 11%	20 7%	31 14%	19 15%	64 8%	66 14%	15 11%	72 12%	30 9%	41 8%	30 11%	42 8%	173 12%
			D	AD		AD		I					
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_10. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I believe that my doctor would recommend cannabis to me if I was in terrible pain

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1242	180	132	82	505	245	97	381	199	351	180	336	905
	62%	66%	59%	63%	66%	52%	71%	61%	60%	66%	66%	66%	61%
		E		E	E		BE						
Strongly agree	338	55	29	22	152	57	22	105	58	100	46	123	215
	17%	20%	13%	17%	20%	12%	16%	17%	17%	19%	17%	24%	14%
		E			BE							L	
Somewhat agree	904	124	104	60	353	188	74	276	142	251	133	213	690
	45%	46%	46%	46%	46%	40%	55%	44%	43%	47%	49%	42%	46%
							DE						
Disagree (Net)	760	92	92	48	264	225	39	239	132	184	94	173	587
	38%	34%	41%	37%	34%	48%	29%	39%	40%	34%	34%	34%	39%
			F			ACDF							
Somewhat disagree	542	73	67	35	190	152	25	151	93	142	74	127	415
	27%	27%	30%	27%	25%	32%	18%	24%	28%	26%	27%	25%	28%
			F			DF							
Strongly disagree	218	19	25	13	74	73	15	89	39	42	19	46	172
	11%	7%	11%	10%	10%	15%	11%	14%	12%	8%	7%	9%	12%
						AD		IJ					
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_11. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - My doctor is well informed on how to treat me with cannabis

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1070	147	119	74	442	213	74	323	173	321	138	335	735
	53%	54%	53%	57%	58%	45%	54%	52%	52%	60%	51%	66%	49%
				E	E		E			GHJ		L	
Strongly agree	253	50	26	13	125	26	14	72	40	89	28	109	144
	13%	18%	11%	10%	16%	5%	11%	12%	12%	17%	10%	21%	10%
		CEF	E	E	CE		E			GJ		L	
Somewhat agree	817	97	94	61	318	187	60	250	133	232	110	225	592
	41%	36%	42%	47%	41%	40%	44%	40%	40%	43%	40%	44%	40%
				A									
Disagree (Net)	932	125	105	56	326	258	62	298	158	214	135	175	757
	47%	46%	47%	43%	42%	55%	46%	48%	48%	40%	49%	34%	51%
						CDF		I	I		I		K
Somewhat disagree	676	98	77	40	235	179	47	206	107	163	109	124	552
	34%	36%	34%	31%	31%	38%	35%	33%	32%	30%	40%	24%	37%
						D					I		K
Strongly disagree	256	27	28	15	92	79	15	92	51	51	26	51	205
	13%	10%	12%	12%	12%	17%	11%	15%	15%	10%	9%	10%	14%
						AD		IJ	IJ				K
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_12. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - I believe that my doctor knows how to treat me with cannabis

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1115 56%	157 58%	128 57%	75 58%	475 62%	198 42%	82 60%	328 53%	177 53%	339 63%	152 56%	324 64%	791 53%
		E	E	E	E		E			GHJ		L	
Strongly agree	277 14%	56 21%	23 10%	16 12%	131 17%	31 7%	19 14%	79 13%	47 14%	96 18%	33 12%	111 22%	166 11%
		BCE		E	BE		E			GJ		L	
Somewhat agree	838 42%	101 37%	104 46%	59 45%	343 45%	167 35%	64 47%	250 40%	130 39%	242 45%	119 44%	213 42%	625 42%
			E	E	E		E						
Disagree (Net)	887 44%	115 42%	97 43%	55 42%	294 38%	272 58%	54 40%	292 47%	155 47%	197 37%	121 44%	186 36%	701 47%
						ABCD		I	I	I			K
Somewhat disagree	625 31%	92 34%	73 32%	40 30%	208 27%	178 38%	35 26%	189 31%	106 32%	148 28%	95 35%	128 25%	497 33%
						DF							K
Strongly disagree	262 13%	22 8%	24 11%	16 12%	86 11%	95 20%	18 14%	103 17%	48 15%	48 9%	26 10%	58 11%	204 14%
						ABCD		IJ	I				
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6_13. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - My doctor could authorize medical cannabis for me

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Agree (Net)	1290	203	144	91	558	197	96	390	219	360	189	359	930
	64%	75%	64%	70%	73%	42%	71%	63%	66%	67%	69%	71%	62%
		BE	E	E	BE		E					L	
Strongly agree	414	75	46	27	185	50	32	125	75	132	48	130	284
	21%	28%	21%	20%	24%	11%	23%	20%	23%	25%	18%	26%	19%
		E	E	E	E		E			J		L	
Somewhat agree	876	128	98	65	373	147	64	266	144	228	141	229	647
	44%	47%	44%	50%	49%	31%	47%	43%	43%	43%	52%	45%	43%
		E	E	E	E		E				GI		
Disagree (Net)	712	69	80	39	210	274	40	230	113	176	84	150	562
	36%	25%	36%	30%	27%	58%	29%	37%	34%	33%	31%	29%	38%
			AD			ABCD							K
Somewhat disagree	444	43	59	29	134	154	26	137	60	117	61	88	356
	22%	16%	26%	22%	17%	33%	19%	22%	18%	22%	22%	17%	24%
			AD			ACDF							K
Strongly disagree	268	27	21	10	77	120	14	93	53	58	24	62	206
	13%	10%	9%	8%	10%	25%	10%	15%	16%	11%	9%	12%	14%
						ABCD		J	J				
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - Agree Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
I would trust taking a drug containing cannabis if my doctor prescribed it	1440	210	157	97	589	283	106	428	233	408	213	388	1052
	72%	77%	70%	74%	77%	60%	78%	69%	70%	76%	78%	76%	71%
		E	E	E	E		E			G	GH	L	
I would be willing to take cannabis to help manage chronic pain, lack of appetite, anxiety or depression	1369	196	146	94	566	263	103	416	227	380	198	383	986
	68%	72%	65%	73%	74%	56%	76%	67%	69%	71%	73%	75%	66%
		E	E	E	BE		BE					L	
It is easier today to access recreational cannabis than medical cannabis	1619	217	173	109	629	377	114	504	266	429	226	432	1187
	81%	80%	77%	83%	82%	80%	84%	81%	80%	80%	83%	85%	80%
												L	
I believe that cannabis can reduce pain and other symptoms	1651	231	172	111	657	361	119	494	279	458	243	438	1214
	82%	85%	77%	85%	85%	77%	88%	80%	84%	86%	89%	86%	81%
		E		BE	BE		BE			G	G	L	
There are risks in using cannabis for a health problem without a doctor's supervision	1413	190	144	89	543	349	97	391	229	393	213	352	1060
	71%	70%	64%	68%	71%	74%	71%	63%	69%	74%	78%	69%	71%
						B				G	GH		
I believe that using cannabis for medical reasons does more good than harm	1391	191	150	97	569	294	90	446	234	380	186	378	1013
	69%	70%	67%	74%	74%	63%	66%	72%	71%	71%	68%	74%	68%
				E	EF							L	
I wouldn't consider using cannabis to manage my health under any circumstances	774	104	95	52	291	179	53	249	108	216	102	228	546
	39%	38%	42%	40%	38%	38%	39%	40%	33%	40%	37%	45%	37%
								H		H		L	
I believe that pharmaceutical cannabis will be of a better quality than recreational cannabis	1380	197	130	88	561	303	100	395	229	398	195	360	1020
	69%	72%	58%	68%	73%	64%	74%	64%	69%	74%	71%	71%	68%
		B			BE		BE			G	G		
I feel well informed about the benefits and risks of using medical cannabis for a medical problem	1185	174	126	75	488	237	85	375	199	345	163	350	835
	59%	64%	56%	58%	64%	50%	62%	61%	60%	65%	60%	69%	56%
		E			E		E					L	
I believe that my doctor would recommend cannabis to me if I was in terrible pain	1242	180	132	82	505	245	97	381	199	351	180	336	905
	62%	66%	59%	63%	66%	52%	71%	61%	60%	66%	66%	66%	61%
		E		E	E		BE						
My doctor is well informed on how to treat me with cannabis	1070	147	119	74	442	213	74	323	173	321	138	335	735
	53%	54%	53%	57%	58%	45%	54%	52%	52%	60%	51%	66%	49%
				E	E		E			GHJ		L	
I believe that my doctor knows how to treat me with cannabis	1115	157	128	75	475	198	82	328	177	339	152	324	791
	56%	58%	57%	58%	62%	42%	60%	53%	53%	63%	56%	64%	53%
		E	E	E	E		E			GHJ		L	
My doctor could authorize medical cannabis for me	1290	203	144	91	558	197	96	390	219	360	189	359	930
	64%	75%	64%	70%	73%	42%	71%	63%	66%	67%	69%	71%	62%
		BE	E	E	BE		E					L	

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

6. To what extent do you agree or disagree with the following statements about the use of cannabis for health reasons: - Disagree Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
I would trust taking a drug containing cannabis if my doctor prescribed it	562	63	67	34	180	188	30	192	98	127	60	122	440
	28%	23%	30%	26%	23%	40%	22%	31%	30%	24%	22%	24%	29%
						ABCD		IJ	J				K
I would be willing to take cannabis to help manage chronic pain, lack of appetite, anxiety or depression	633	76	78	36	203	207	33	204	104	155	75	127	506
	32%	28%	35%	27%	26%	44%	24%	33%	31%	29%	27%	25%	34%
			DF			ABCD							K
It is easier today to access recreational cannabis than medical cannabis	383	55	51	22	140	94	22	117	66	106	47	78	306
	19%	20%	23%	17%	18%	20%	16%	19%	20%	20%	17%	15%	20%
													K
I believe that cannabis can reduce pain and other symptoms	351	41	52	19	112	110	17	126	52	77	31	72	278
	18%	15%	23%	15%	15%	23%	12%	20%	16%	14%	11%	14%	19%
			CDF			ACDF		IJ					K
There are risks in using cannabis for a health problem without a doctor's supervision	589	82	80	41	226	121	39	230	102	142	60	157	432
	29%	30%	36%	32%	29%	26%	29%	37%	31%	26%	22%	31%	29%
			E					IJ	J				
I believe that using cannabis for medical reasons does more good than harm	611	81	74	34	200	176	46	175	98	155	87	131	480
	31%	30%	33%	26%	26%	37%	34%	28%	29%	29%	32%	26%	32%
						CD	D						K
I wouldn't consider using cannabis to manage my health under any circumstances	1228	168	129	78	478	291	83	371	224	319	171	281	946
	61%	62%	58%	60%	62%	62%	61%	60%	67%	60%	63%	55%	63%
									GI				K
I believe that pharmaceutical cannabis will be of a better quality than recreational cannabis	622	75	94	42	208	168	36	225	102	137	78	149	473
	31%	28%	42%	32%	27%	36%	26%	36%	31%	26%	29%	29%	32%
			ADF			DF		IJ					
I feel well informed about the benefits and risks of using medical cannabis for a medical problem	817	98	99	55	281	234	51	245	132	190	110	160	657
	41%	36%	44%	42%	36%	50%	38%	39%	40%	35%	40%	31%	44%
						ADF							K
I believe that my doctor would recommend cannabis to me if I was in terrible pain	760	92	92	48	264	225	39	239	132	184	94	173	587
	38%	34%	41%	37%	34%	48%	29%	39%	40%	34%	34%	34%	39%
			F			ACDF							
My doctor is well informed on how to treat me with cannabis	932	125	105	56	326	258	62	298	158	214	135	175	757
	47%	46%	47%	43%	42%	55%	46%	48%	48%	40%	49%	34%	51%
						CDF		I	I		I		K
I believe that my doctor knows how to treat me with cannabis	887	115	97	55	294	272	54	292	155	197	121	186	701
	44%	42%	43%	42%	38%	58%	40%	47%	47%	37%	44%	36%	47%
						ABCD		I	I		I		K
My doctor could authorize medical cannabis for me	712	69	80	39	210	274	40	230	113	176	84	150	562
	36%	25%	36%	30%	27%	58%	29%	37%	34%	33%	31%	29%	38%
			AD			ABCD							K

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

7. Have you asked your doctor to prescribe cannabis to you for a health condition?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Yes	227	34	25	14	115	24	16	62	34	100	19	109	119
	11%	12%	11%	10%	15%	5%	12%	10%	10%	19%	7%	21%	8%
No	1775	238	200	117	654	447	120	558	297	435	254	401	1374
	89%	88%	89%	90%	85%	95%	88%	90%	90%	81%	93%	79%	92%
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

8. And when you asked to be prescribed cannabis for a health condition, what happened?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Answering (unwtd)	204	24	24	17	94	21	24	55	33	77	27	89	115
Base: All Answering (wtd)	227	34	25	14	115	24	16	62	34	100	19	109	119
My doctor prescribed cannabis to me willingly	103	19	14	3	49	11	7	22	14	53	10	60	43
	45%	57%	55%	24%	43%	45%	40%	35%	40%	53%	54%	55%	36%
		**	**	**		**	**	*	**	*	**	L*	*
My doctor prescribed cannabis, but was hesitant	46	12	1	3	24	3	2	5	9	30	-	29	17
	20%	35%	6%	22%	21%	13%	13%	8%	26%	30%	-	26%	15%
		**	**	**		**	**	*	**	G*	**	*	*
My doctor prescribed another drug instead	26	2	4	1	11	7	1	9	1	9	5	10	15
	11%	6%	18%	4%	9%	30%	4%	14%	4%	9%	28%	9%	13%
		**	**	**		**	**	*	**	*	**	*	*
My doctor refused to prescribe cannabis because they said there is no scientific evidence that it is safe and effective	20	-	2	4	8	2	4	11	5	2	2	5	15
	9%	-	7%	32%	7%	6%	27%	18%	16%	2%	11%	5%	13%
		**	**	**		**	**	I*	**	*	**	*	*
Other	33	1	3	2	22	1	3	16	5	6	1	5	28
	14%	2%	13%	17%	19%	6%	16%	25%	15%	6%	6%	5%	23%
		**	**	**		**	**	I*	**	*	**	*	K*
Sigma	227	34	25	14	115	24	16	62	34	100	19	109	119
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

9. Which of the following, if any, do you suffer from?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Lack of appetite	111 6%	22 8%	7 3%	4 3%	50 6%	18 4%	11 8%	60 10%	18 5%	19 4%	7 3%	36 7%	74 5%
		BE					BE	IJ					
Depression	500 25%	76 28%	59 26%	33 25%	209 27%	78 17%	46 34%	229 37%	71 21%	110 21%	43 16%	136 27%	364 24%
		E	E	E	E	E	E	HIJ					
Anxiety	594 30%	85 31%	76 34%	37 29%	241 31%	108 23%	46 34%	248 40%	89 27%	139 26%	70 26%	166 33%	428 29%
		E	E		E		E	HIJ					
Chronic pain	424 21%	52 19%	34 15%	31 24%	198 26%	73 16%	37 27%	154 25%	85 26%	100 19%	50 18%	102 20%	322 22%
				BE	BE		BE	IJ	IJ				
Cancer pain	28 1%	3 1%	3 1%	2 1%	13 2%	6 1%	1 1%	10 2%	3 1%	13 2%	* *	14 3%	14 1%
									J			L	
Fibromyalgia	85 4%	4 2%	9 4%	6 4%	44 6%	16 3%	6 4%	34 5%	12 4%	23 4%	6 2%	19 4%	66 4%
					A			J					
Ocular Pain	24 1%	1 *	1 *	* *	15 2%	3 1%	3 3%	8 1%	3 1%	10 2%	1 *	11 2%	13 1%
							E					L	
Insomnia	357 18%	46 17%	37 16%	19 15%	136 18%	83 18%	36 26%	128 21%	68 20%	79 15%	44 16%	92 18%	265 18%
							ABCDE	I					
PTSD (post-traumatic stress disorder)	104 5%	18 7%	16 7%	8 6%	44 6%	8 2%	11 8%	46 7%	15 5%	27 5%	7 2%	33 6%	71 5%
		E	E	E	E		E	J					
None of the above	965 48%	131 48%	102 46%	62 48%	338 44%	274 58%	59 43%	238 38%	148 45%	286 54%	151 55%	238 47%	727 49%
						ABCDF			GH	GH			
Sigma	3192 159%	438 161%	344 153%	201 154%	1287 167%	666 142%	256 188%	1155 186%	513 155%	807 151%	379 139%	847 166%	2344 157%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

9. # of Conditions

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
0	965	131	102	62	338	274	59	238	148	286	151	238	727
	48%	48%	46%	48%	44%	58%	43%	38%	45%	54%	55%	47%	49%
1	406	59	44	30	155	96	22	118	90	93	58	94	313
	20%	22%	20%	23%	20%	20%	16%	19%	27%	17%	21%	18%	21%
2	280	30	51	16	125	43	15	94	42	77	41	79	201
	14%	11%	23%	13%	16%	9%	11%	15%	13%	14%	15%	15%	13%
3+	351	53	27	21	151	58	40	169	52	79	24	99	251
	18%	19%	12%	17%	20%	12%	29%	27%	16%	15%	9%	19%	17%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

GENDER

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Male	973	145	91	53	362	245	78	329	141	287	137	231	742
	49%	53%	41%	41%	47%	52%	57%	53%	43%	54%	50%	45%	50%
Female	1029	128	133	77	407	226	58	292	190	248	136	279	750
	51%	47%	59%	59%	53%	48%	43%	47%	57%	46%	50%	55%	50%
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

AGE

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
18-34 (Net)	547 27%	109 40%	48 21%	35 27%	232 30%	87 19%	36 26%	197 32%	68 20%	172 32%	59 22%	224 44%	323 22%
		BCDEF		E	BE		E	HJ		HJ		L	
18-24	190 10%	35 13%	16 7%	13 10%	89 12%	22 5%	15 11%	95 15%	25 8%	27 5%	20 7%	49 10%	142 9%
		E		E	E		E	HIJ					
25-34	356 18%	74 27%	32 14%	22 17%	142 18%	65 14%	21 15%	103 17%	42 13%	145 27%	39 14%	175 34%	182 12%
		BCDEF								GHJ		L	
35-54 (Net)	681 34%	68 25%	64 29%	37 28%	256 33%	206 44%	50 36%	196 32%	113 34%	187 35%	129 47%	268 53%	413 28%
				A	ABCD		A					GHI	L
35-44	303 15%	35 13%	33 15%	16 12%	122 16%	80 17%	16 12%	85 14%	59 18%	86 16%	53 20%	164 32%	139 9%
											G	L	
45-54	378 19%	33 12%	31 14%	21 16%	134 17%	126 27%	33 24%	111 18%	54 16%	101 19%	76 28%	105 21%	273 18%
						ABCD	ABD					GHI	
55+ (Net)	775 39%	95 35%	112 50%	58 45%	281 37%	178 38%	51 37%	227 37%	151 46%	177 33%	85 31%	18 4%	757 51%
			ADEF						GIJ				K
55-64	443 22%	47 17%	67 30%	33 25%	160 21%	108 23%	28 20%	130 21%	83 25%	104 19%	54 20%	12 2%	431 29%
			ADF										K
65+	332 17%	48 18%	45 20%	25 20%	121 16%	70 15%	23 17%	98 16%	68 21%	73 14%	31 11%	6 1%	326 22%
									IJ				K
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%
Summary													
Mean	47.5	44.6	50.4	48.9	46.4	49.2	48.1	45.6	50	46.1	47.2	37.3	51
			AD	A		AD			GIJ				K
STD. DEV.	16.02	17.31	16.09	17.17	16.27	13.97	16.02	16.81	15.8	14.86	14.32	9.81	16.24
STD. ERR.	0.36	1.19	1.13	1.2	0.61	0.65	1.12	0.73	0.87	0.63	0.77	0.43	0.42
Median	49.07	42	54.41	51.46	48	51	50.77	48	53	45	50	36	55

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

EDUCATION

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Primary School or less	19 1%	2 1%	- -	3 2%	8 1%	3 1%	2 2%	10 2%	4 1%	- -	2 1%	8 2%	11 1%
Some high school	169 8%	18 7%	9 4%	9 7%	50 6%	69 15%	15 11%	92 15%	25 7%	24 4%	4 1%	33 6%	137 9%
Graduated high school	720 36%	101 37%	80 36%	53 40%	272 35%	170 36%	44 33%	264 43%	119 36%	195 36%	59 22%	210 41%	511 34%
Some college / CEGEP / Trade School	189 9%	27 10%	34 15%	8 6%	60 8%	50 11%	10 8%	75 12%	32 10%	41 8%	21 8%	32 6%	158 11%
Graduated from college / CEGEP / Trade School	459 23%	62 23%	53 24%	27 21%	187 24%	94 20%	37 27%	107 17%	82 25%	136 25%	74 27%	118 23%	342 23%
Some university, but did not finish	136 7%	17 6%	18 8%	9 7%	53 7%	29 6%	11 8%	31 5%	27 8%	34 6%	26 10%	25 5%	111 7%
University undergraduate degree	199 10%	29 11%	17 7%	15 12%	90 12%	38 8%	10 7%	27 4%	31 9%	62 12%	59 22%	51 10%	148 10%
University graduate degree	109 5%	16 6%	14 6%	5 4%	48 6%	18 4%	7 5%	14 2%	13 4%	43 8%	28 10%	33 7%	76 5%
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%
Summary													
<HS	188 9%	20 7%	9 4%	12 10%	58 8%	72 15%	17 13%	102 16%	28 8%	24 4%	6 2%	41 8%	147 10%
HS	720 36%	101 37%	80 36%	53 40%	272 35%	170 36%	44 33%	264 43%	119 36%	195 36%	59 22%	210 41%	511 34%
Post Sec	785 39%	106 39%	104 46%	44 34%	300 39%	172 37%	57 42%	213 34%	141 43%	211 39%	121 44%	174 34%	610 41%
Univ Grad	308 15%	45 16%	31 14%	21 16%	138 18%	56 12%	17 13%	41 7%	44 13%	105 20%	87 32%	84 17%	224 15%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

REGION

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
BC	272	272	-	-	-	-	-	82	44	82	40	85	188
	14%	100%	-	-	-	-	-	13%	13%	15%	15%	17%	13%
		BCDEF										L	
AB	224	-	224	-	-	-	-	57	31	66	33	52	172
	11%	-	100%	-	-	-	-	9%	9%	12%	12%	10%	12%
		ACDEF											
SK/MB	130	-	-	130	-	-	-	33	23	38	21	32	98
	6%	-	-	100%	-	-	-	5%	7%	7%	8%	6%	7%
		ABDEF											
Ontario	769	-	-	-	769	-	-	226	125	212	108	214	555
	38%	-	-	-	100%	-	-	36%	38%	40%	40%	42%	37%
		ABCEF											
Quebec	470	-	-	-	-	470	-	173	88	110	53	98	372
	24%	-	-	-	-	100%	-	28%	27%	21%	20%	19%	25%
		ABCDF						IJ					K
Atlantic Canada	136	-	-	-	-	-	136	50	20	27	17	29	107
	7%	-	-	-	-	-	100%	8%	6%	5%	6%	6%	7%
		ABCDE											
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

INCOME

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
<\$25K	325 16%	50 18%	15 7%	13 10%	132 17%	92 20%	23 17%	325 52%	- -	- -	- -	65 13%	260 17%
		BC			BC	BC	B	HIJ					K
\$25K - <\$55K	565 28%	72 26%	68 31%	38 29%	198 26%	146 31%	42 31%	295 48%	269 81%	- -	- -	101 20%	463 31%
								IJ	GIJ				K
\$55K - <\$100K	597 30%	86 31%	71 31%	42 33%	234 30%	133 28%	32 24%	- -	62 19%	535 100%	- -	209 41%	388 26%
									GJ	GHJ			L
\$100K - <\$150K	209 10%	30 11%	26 12%	17 13%	81 11%	41 9%	13 9%	- -	- -	- -	209 76%	70 14%	139 9%
											GHI	L	
\$150K+	64 3%	10 4%	7 3%	4 3%	27 4%	12 3%	5 4%	- -	- -	- -	64 24%	28 6%	36 2%
											GHI	L	
Prefer not to answer	242 12%	25 9%	37 16%	15 12%	97 13%	46 10%	21 15%	- -	- -	- -	- -	35 7%	206 14%
			AE				E						K
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%
Summary													
Under \$50K	800 40%	106 39%	78 35%	45 35%	294 38%	218 46%	58 43%	620 100%	179 54%	- -	- -	150 29%	650 44%
						BCD		HIJ	IJ				K
\$50K+	961 48%	140 52%	109 49%	70 53%	378 49%	206 44%	57 42%	- -	152 46%	535 100%	273 100%	324 64%	636 43%
				EF					G	GH	GH	L	
Under \$40K	620 31%	82 30%	57 25%	33 25%	226 29%	173 37%	50 37%	620 100%	- -	- -	- -	121 24%	499 33%
						BCD	BC	HIJ					K
\$40K to less than \$60K	332 17%	44 16%	31 14%	23 18%	125 16%	88 19%	20 15%	- -	332 100%	- -	- -	56 11%	276 18%
									GIJ				K
\$60K to less than \$100K	535 27%	82 30%	66 29%	38 29%	212 28%	110 23%	27 20%	- -	- -	535 100%	- -	199 39%	336 23%
		F	F	F						GHJ		L	
\$100K or more	273 14%	40 15%	33 15%	21 16%	108 14%	53 11%	17 13%	- -	- -	- -	273 100%	99 19%	175 12%
											GHI	L	
Mean (,000)	62.8	63.9	70.6	66.5	63.8	57	60.3	23.5	49.3	76.3	142.2	73.5	58.9
			E	E	E				G	GH	GHI	L	
STD. DEV.	44.9	47.63	48.27	39.94	45.69	40.12	47.93	10.18	5.46	11.6	45.43	50.65	41.92
STD. ERR.	1.07	3.03	3.53	3.73	1.76	1.95	4.47	0.41	0.3	0.5	2.75	2.33	1.17

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

HOUSEHOLD COMPOSITION

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Kids	510	85	52	32	214	98	29	121	56	199	99	510	-
	25%	31%	23%	24%	28%	21%	21%	20%	17%	37%	36%	100%	-
No Kids	1492	188	172	98	555	372	107	499	276	336	175	-	1492
	75%	69%	77%	76%	72%	79%	79%	80%	83%	63%	64%	-	100%
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

HHCMP1. How many people are living or staying at your current address?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
1	484 24%	51 19%	67 30%	32 24%	170 22%	134 29%	29 22%	256 41%	93 28%	71 13%	16 6%	- -	484 32%
			AD			AD		HUJ	IJ	J			K
2	770 38%	90 33%	85 38%	55 42%	287 37%	191 41%	61 45%	178 29%	154 47%	201 38%	114 42%	31 6%	739 49%
						A			GI	G	G		K
3	387 19%	60 22%	42 19%	25 19%	161 21%	73 15%	27 20%	88 14%	40 12%	167 31%	60 22%	225 44%	163 11%
					E					GHJ	GH		L
4	227 11%	46 17%	16 7%	11 8%	96 12%	48 10%	11 8%	55 9%	23 7%	66 12%	54 20%	152 30%	75 5%
			BCEF							H	GHI		L
5	80 4%	7 3%	9 4%	6 5%	37 5%	15 3%	6 4%	18 3%	13 4%	22 4%	20 7%	64 13%	15 1%
											G		L
6	26 1%	9 3%	1 *	1 1%	7 1%	7 1%	2 2%	12 2%	4 1%	6 1%	1 *	13 3%	13 1%
			BD										L
7	19 1%	3 1%	3 1%	1 1%	10 1%	2 1%	- -	13 2%	2 1%	1 *	3 1%	18 3%	1 *
								I					L
8	5 *	1 *	2 1%	- -	2 *	- -	- -	- -	1 *	- -	4 1%	5 1%	- -
											GI		L
9	2 *	2 1%	- -	- -	- -	- -	- -	- -	- -	- -	2 1%	2 *	- -
			D								GI		L
10	2 *	2 1%	- -	- -	- -	- -	- -	- -	2 1%	- -	- -	- -	2 *
			D										
Sigma	2002 100%	272 100%	224 100%	130 100%	769 100%	470 100%	136 100%	620 100%	332 100%	535 100%	273 100%	510 100%	1492 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

EMPLOYMENT STATUS

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Employed full-time	746	113	79	49	285	176	44	128	123	282	169	283	463
	37%	42%	35%	38%	37%	37%	32%	21%	37%	53%	62%	56%	31%
Employed part-time	189	29	26	13	66	38	17	74	32	49	14	42	148
	9%	11%	11%	10%	9%	8%	13%	12%	10%	9%	5%	8%	10%
Self employed	116	13	17	9	49	21	7	38	12	30	21	25	91
	6%	5%	8%	7%	6%	4%	5%	6%	4%	6%	8%	5%	6%
Unemployed but looking for a job	105	13	11	9	35	27	10	68	13	12	1	20	85
	5%	5%	5%	7%	5%	6%	8%	11%	4%	2%	*	4%	6%
Unemployed and not looking for a job/Long-term sick or disabled	139	9	13	8	55	44	9	81	21	25	2	25	114
	7%	3%	6%	6%	7%	9%	7%	13%	6%	5%	1%	5%	8%
Full-time parent, homemaker	126	11	19	6	54	30	6	45	25	24	12	84	42
	6%	4%	8%	4%	7%	6%	5%	7%	8%	4%	4%	17%	3%
Retired	479	62	54	31	183	115	35	146	96	101	41	10	469
	24%	23%	24%	24%	24%	24%	25%	24%	29%	19%	15%	2%	31%
Student/Pupil	67	15	6	6	21	14	5	27	11	7	9	12	55
	3%	5%	3%	4%	3%	3%	3%	4%	3%	1%	3%	2%	4%
Military	4	1	-	-	4	-	-	-	-	2	-	2	2
	*	*	-	-	*	-	-	-	-	*	-	*	*
Prefer not to answer	31	7	-	-	17	6	2	13	-	2	4	7	24
	2%	2%	-	-	2%	1%	2%	2%	-	*	1%	1%	2%
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

USMAR2. What is your marital status?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
Single, never married	554	82	61	30	197	150	35	273	97	94	35	67	487
	28%	30%	27%	23%	26%	32%	25%	44%	29%	18%	13%	13%	33%
Living with partner	302	29	30	16	78	121	28	91	53	67	55	99	203
	15%	11%	13%	13%	10%	26%	21%	15%	16%	13%	20%	19%	14%
Married	877	126	104	59	380	148	61	139	131	321	164	306	571
	44%	46%	46%	46%	49%	31%	45%	22%	40%	60%	60%	60%	38%
Widowed	59	7	8	8	25	8	4	24	14	10	2	6	54
	3%	2%	4%	6%	3%	2%	3%	4%	4%	2%	1%	1%	4%
Divorced or separated	209	29	21	16	89	44	9	93	37	44	16	32	177
	10%	11%	10%	13%	12%	9%	6%	15%	11%	8%	6%	6%	12%
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

PGS01. How much of your household's grocery shopping do you, yourself, do?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
All of it	1097	141	125	68	444	258	62	416	192	281	107	275	822
	55%	52%	56%	52%	58%	55%	46%	67%	58%	53%	39%	54%	55%
Almost all of it	413	61	52	26	147	95	31	80	68	125	80	132	281
	21%	22%	23%	20%	19%	20%	23%	13%	21%	23%	29%	26%	19%
About half of it	315	40	31	23	110	85	26	73	53	94	56	70	245
	16%	15%	14%	17%	14%	18%	19%	12%	16%	18%	21%	14%	16%
Less than half of it	131	21	15	11	48	21	15	37	14	29	23	22	110
	7%	8%	7%	8%	6%	5%	11%	6%	4%	5%	8%	4%	7%
None	45	9	1	3	19	11	2	14	4	6	7	11	35
	2%	3%	1%	2%	2%	2%	2%	2%	1%	1%	2%	2%	2%
Sigma	2002	272	224	130	769	470	136	620	332	535	273	510	1492
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

CAETHN4. What were the ethnic or cultural origins of your ancestors? An ancestor is usually more distant than a grandparent.

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents (unwtd)	2002	210	202	206	712	467	205	537	329	561	343	523	1479
Base: All Respondents (wtd)	2002	272	224	130	769	470	136	620	332	535	273	510	1492
North American origins (Net)	1217 61%	143 53%	113 50%	68 52%	423 55%	368 78%	101 75%	416 67%	180 54%	350 65%	153 56%	339 66%	878 59%
North American Aboriginal origins	95 5%	20 7%	8 4%	10 8%	39 5%	12 3%	6 4%	44 7%	13 4%	16 3%	12 5%	30 6%	65 4%
Canadian	1152 58%	125 46%	107 48%	59 46%	400 52%	363 77%	97 72%	389 63%	169 51%	338 63%	145 53%	319 63%	832 56%
Other North American origins	33 2%	6 2%	6 3%	2 2%	10 1%	7 1%	2 1%	19 3%	6 2%	6 1%	3 1%	7 1%	26 2%
British Isles origins (Net)	646 32%	114 42%	87 39%	51 39%	290 38%	59 13%	47 34%	227 37%	110 33%	138 26%	78 28%	133 26%	513 34%
English	395 20%	68 25%	47 21%	36 27%	194 25%	26 5%	25 18%	141 23%	58 18%	83 16%	48 18%	80 16%	314 21%
Irish	265 13%	38 14%	32 14%	18 14%	128 17%	29 6%	21 15%	88 14%	49 15%	58 11%	27 10%	65 13%	200 13%
Scottish	313 16%	51 19%	47 21%	24 19%	143 19%	23 5%	25 18%	108 17%	46 14%	70 13%	46 17%	59 12%	255 17%
Other British Isles origins	43 2%	13 5%	4 2%	1 1%	20 3%	4 1%	1 3%	19 3%	6 2%	10 2%	5 2%	11 2%	32 2%
Western European origins (Net)	386 19%	59 22%	60 27%	26 20%	157 20%	64 14%	21 15%	124 20%	72 22%	94 17%	54 20%	75 15%	311 21%
French origins	163 8%	15 6%	18 8%	6 4%	55 7%	58 12%	12 9%	50 8%	35 11%	34 6%	25 9%	27 5%	136 9%
Dutch	66 3%	11 4%	13 6%	2 2%	36 5%	3 1%	1 1%	21 3%	17 5%	12 2%	8 3%	16 3%	50 3%
German	167 8%	31 12%	32 14%	18 14%	68 9%	10 2%	8 6%	54 9%	25 8%	44 8%	24 9%	35 7%	133 9%
Other Western European origins	51 3%	18 7%	6 3%	3 2%	18 2%	5 1%	2 2%	19 3%	12 3%	13 2%	5 2%	10 2%	41 3%
Eastern European origins (Net)	205 10%	42 16%	46 21%	26 20%	77 10%	10 2%	4 3%	65 11%	42 13%	37 7%	34 12%	55 11%	151 10%
Hungarian	15 1%	1 *	4 2%	* *	7 1%	2 *	- -	4 1%	3 1%	4 1%	1 *	4 1%	11 1%
Polish	47 2%	10 4%	8 4%	7 5%	18 2%	1 *	3 2%	15 2%	8 2%	7 1%	10 4%	16 3%	31 2%
Russian	38 2%	9 3%	8 4%	6 5%	12 2%	1 *	1 *	17 3%	9 3%	4 1%	5 2%	7 1%	30 2%
Ukrainian	91 5%	21 8%	22 10%	14 11%	33 4%	1 *	1 *	22 3%	19 6%	19 4%	18 6%	27 5%	64 4%
Other Eastern European origins	57 3%	13 5%	12 5%	3 3%	21 3%	7 1%	1 1%	19 3%	16 5%	12 2%	6 2%	10 2%	47 3%
Southern European origins (Net)	125 6%	23 9%	6 3%	5 4%	62 8%	25 5%	3 2%	39 6%	21 6%	31 6%	20 7%	34 7%	91 6%
Greek	10 1%	- -	- -	2 2%	5 1%	3 1%	- -	6 1%	1 *	3 1%	* *	3 1%	7 1%
Italian	65 3%	7 3%	2 1%	2 2%	35 5%	16 3%	2 2%	12 3%	11 3%	18 5%	13 3%	16 3%	49 3%
Portuguese	22 1%	5 2%	1 *	* *	10 1%	5 1%	- -	6 1%	6 2%	7 1%	3 1%	7 1%	15 1%
Spanish	22 1%	7 3%	3 1%	* *	8 1%	3 1%	1 1%	11 2%	1 *	4 1%	4 2%	9 2%	13 1%
Other Southern European origins	16 1%	4 2%	- -	* *	9 1%	2 *	1 *	8 1%	5 1%	3 *	- -	2 *	14 1%
Other European origins (Net)	48 2%	18 7%	7 3%	5 4%	11 1%	5 1%	2 2%	15 2%	9 3%	10 2%	10 4%	12 2%	36 2%
Other Northern European origins (excl. British Isles Origins)	30 2%	12 4%	6 3%	4 3%	3 *	5 1%	- -	8 1%	4 2%	9 2%	6 2%	9 2%	21 1%
Other European origins	20 1%	6 2%	1 *	1 1%	8 1%	2 *	2 2%	9 2%	5 2%	5 *	2 1%	4 1%	16 1%
Caribbean origins (Net)	45 2%	6 2%	1 *	3 2%	27 3%	8 2%	1 *	25 4%	10 3%	5 1%	4 1%	14 3%	31 2%
Jamaican	14 1%	- -	1 *	1 1%	9 1%	3 1%	- -	7 1%	2 1%	3 1%	1 *	3 1%	11 1%
Other Caribbean origins	33 2%	6 2%	- -	2 1%	19 3%	5 1%	1 *	19 3%	7 2%	4 1%	3 1%	11 2%	22 2%
Latin, Central and South American origins (Net)	29 1%	10 4%	2 1%	2 1%	12 2%	3 1%	- -	17 3%	4 1%	5 1%	1 *	8 2%	21 1%
Latin, Central and South American origins	29 1%	10 4%	2 1%	2 1%	12 2%	3 1%	- -	17 3%	4 1%	5 1%	1 *	8 2%	21 1%
African origins (Net)	34 2%	10 4%	1 *	2 1%	14 2%	6 1%	1 1%	19 3%	6 2%	3 1%	4 1%	13 3%	21 1%
African origins	34 2%	10 4%	1 *	2 1%	14 2%	6 1%	1 1%	19 3%	6 2%	3 1%	4 1%	13 3%	21 1%
Asian origins (Net)	126 6%	33 12%	15 7%	8 6%	55 7%	12 3%	3 3%	32 5%	16 5%	40 8%	25 9%	49 10%	77 5%
West Central Asian and Middle Eastern origins	9 *	3 1%	1 *	1 1%	3 *	1 *	- -	4 1%	1 *	1 *	2 1%	4 1%	5 *
East Indian	19 1%	5 2%	5 2%	- -	8 1%	1 *	- -	5 1%	1 *	6 1%	5 2%	6 1%	13 1%
Other South Asian origins	14 1%	5 2%	1 *	1 *	4 1%	2 1%	1 1%	6 1%	3 1%	3 *	1 *	7 1%	8 1%
Chinese	49 2%	13 5%	6 3%	2 1%	23 3%	5 1%	1 1%	7 1%	6 2%	22 4%	10 4%	18 4%	31 2%
Filipino	21 1%	1 *	2 1%	4 3%	12 2%	1 *	1 1%	5 1%	2 1%	7 1%	4 1%	11 2%	10 1%
Other East and Southeast Asian origins	19 1%	8 3%	1 *	1 *	8 1%	3 1%	- -	6 1%	3 1%	5 1%	3 1%	6 1%	14 1%
Oceania origins (Net)	12 1%	7 3%	- -	2 1%	2 *	1 *	- -	8 1%	3 1%	1 *	- -	5 1%	6 *
Oceania origins	12 1%	7 3%	- -	2 1%	2 *	1 *	- -	8 1%	3 1%	1 *	- -	5 1%	6 *
Prefer not to answer	52 3%	6 2%	5 2%	4 3%	26 3%	10 2%	1 1%	18 3%	2 1%	5 1%	9 3%	16 3%	36 2%
Sigma	3482 174%	566 208%	410 183%	241 185%	1422 185%	626 133%	217 159%	1208 195%	564 170%	836 156%	459 168%	881 173%	2601 174%

Statistics:
 Overlap formulae used
 - Column Proportions:
 Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)