

Table 1
T1D01 - Have you personally been with someone in the final hours or minutes of their life, or not?
Base: All Respondents

26 Apr 2019

	TOTAL	GENDER		AGE							SOCIAL GRADE				EDUCATION				ETHNICITY	
		MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (l)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORMUL QUAL (q)	WHITE (r)	BAME (s)
Unweighted Base	612	302	309	91	83	96	90	109	86	57	185	203	118	106	133	124	234	64	549	62
Weighted Base	619	288	330	85*	106*	108*	121*	90*	67*	41*	179	189	120	131*	135	126	243	58*	557	60*
Yes	301	140	161	17	41	51	70	54	43	26	103	92	49	58	67	45	125	32	281	20
	49%	49%	49%	19%	38% ^c	47% ^c	57% ^{cd}	60% ^{cd}	65% ^{cd}	63% ^{cd}	57% ^d	49%	41%	44%	50% ^o	36%	52% ^o	55% ^o	50% ^s	34%
No	313	147	165	68	66	56	52	34	22	15	76	95	70	71	67	77	117	26	271	40
	51%	51%	50%	80% ^{de}	62% ^{fg}	51% ^h	43%	38%	33%	37%	42%	51%	58% ^j	55%	50%	61% ^p	48%	45%	49%	66% ^r
Don't know	2	-	2	-	-	1	-	1	-	-	-	1	1	-	-	2	-	-	2	-
	*	-	1%	-	-	1%	-	1%	-	-	-	1%	1%	-	-	2% ^p	-	-	*	-
Prefer not to say	2	1	1	1	-	-	-	-	1	-	1	-	-	1	-	2	-	-	2	-
	*	*	*	1%	-	-	-	-	2%	-	*	-	-	1%	-	2%	-	-	*	-

Proportions/Mean: Columns Tested (5% risk level) - ab - cde/efghij - klm - mno/pq - rs
Overlap formulae used - * small base

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

26 Apr 2019

Table 2
TID01 - Have you personally been with someone in the final hours or minutes of their life, or not?
Base: All Respondents

	TOTAL	GOVERNMENT OFFICE REGION					AREA				TENURE					MARITAL STATUS			NUMBER IN HOUSEHOLD			EXPERIENCE WITH FINAL HOURS/ MINUTES	
		SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (l)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIV- ING AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Unweighted Base	612	47	167	209	105	84	134	147	176	155	202	159	89	147	7	351	176	83	127	228	255	308	300
Weighted Base	619	47*	162	183	143*	83*	148	148	177	146	181	212	67*	139	8**	370	175	72*	110	222	286	301	313
Yes	301 49%	20 41%	79 48%	101 55%e	70 49%	32 39%	85 58%gi	65 44%	89 50%	62 43%	108 60%km	102 48%	33 49%	52 38%	1 12%	196 53%p	59 34%	46 63%p	60 55%	112 51%	128 45%	301 100%w	-
No	313 51%	28 59%	82 51%	80 44%	72 51%	50 61%o	63 42%	81 55%	86 48%	83 57%l	70 39%	109 51%j	34 51%	87 62%l	7 88%	172 47%	114 65%oq	25 35%	47 43%	110 49%	155 54%r	-	313 100%u
Don't know	2	-	-	1	1	-	-	-	2	-	1	1	-	-	-	1	1	-	1	-	1	-	-
	*	-	-	1%	1%	-	-	-	1%	-	1%	1%	-	-	-	*	1%	-	1%	-	*	-	-
Prefer not to say	2	-	1	1	-	-	-	2	-	-	2	-	-	-	-	1	-	1	1	-	1	-	-
	*	-	1%	*	-	-	-	1%	-	-	1%	-	-	-	-	1	-	2%	1%	-	*	-	-

Proportions/Mean: Columns Tested (5% risk level) - a/b/c/d/e - f/g/h/i - j/k/l/m/n - o/p/q - r/s/t - u/v
Overlap formulae used: * small base; ** very small base (under 50) ineligible for sig testing

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

26 Apr 2019

Table 3
TID02 - How much, if anything, would you say you know about what happens to a person in the final hours or minutes of their life?
Base: All Respondents

	TOTAL	GENDER		AGE							SOCIAL GRADE				EDUCATION				ETHNICITY	
		MALE	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (l)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORMUL QUAL (q)	WHITE (r)	BAME (s)
Unweighted Base	612	302	309	91	83	96	90	109	86	57	185	203	118	106	133	124	234	64	549	62
Weighted Base	619	288	330	85*	106*	108*	121*	90*	67*	41*	179	189	120	131*	135	126	243	58*	557	60*
A great deal	85 14%	37 13%	47 14%	8 9%	21 20%h	14 13%	20 16%	13 14%	5 7%	5 13%	32 18%k	19 10%	12 10%	22 17%	15 11%	12 10%	43 18%	8 13%	74 13%	10 17%
A fair amount	120 19%	57 20%	63 19%	12 14%	15 14%	24 22%	18 15%	20 22%	18 27%	12 30%cd f	32 18%	48 26%k	20 17%	19 15%	31 23%	19 15%	51 21%	8 15%	108 19%	11 18%
Just a little	172 28%	77 27%	94 29%	25 29%	21 20%	25 23%	42 35%cd	29 33%	20 30%	10 24%	60 33%k	48 25%	38 31%	26 20%	30 23%	38 30%	74 31%	14 25%	158 28%	14 23%
Hardly anything	120 19%	53 18%	67 20%	19 22%	24 23%	24 22%	22 18%	14 16%	12 18%	4 11%	29 16%	51 27%km	20 17%	20 15%	26 19%	29 23%	46 19%	7 12%	106 19%	14 23%
Nothing at all	82 13%	43 15%	39 12%	16 18%	18 17%	14 13%	12 10%	9 10%	7 10%	6 15%	20 11%	15 8%	18 15%	29 22%kl	27 20%p	18 14%	20 8%	11 19%p	75 13%	7 12%
Don't know	36 6%	19 7%	16 5%	6 7%	6 6%	8 7%	7 6%	3 3%	4 5%	3 7%	4 2%	7 4%	12 10%j	12 9%j	4 3%	8 6%	9 4%	10 16%no	31 6%	5 8%
Prefer not to say	4 1%	1 *	3 1%	1 1%	- -	- -	- -	2 2%	1 2%	- -	1 1%	- -	- -	3 2%	1 1%	2 2%	- -	- -	4 1%	- -
Top 2 Box	205 33%	94 33%	110 33%	20 23%	37 34%	38 35%	38 32%	32 36%	23 34%	17 43%cd	64 36%	67 36%	32 27%	41 31%	46 34%	31 25%	94 39%o	16 28%	182 33%	21 35%
Bot 3 Box	374 60%	174 60%	201 61%	59 69%i	64 60%	63 58%	76 63%	53 59%	39 59%	21 50%	109 61%	114 61%	76 63%	75 57%	84 62%	85 67%	140 58%	32 56%	340 61%	34 57%
Net Diff	-169 -27%	-79 -28%	-91 -28%	-40 -46%	-27 -26%	-25 -23%	-38 -31%	-20 -23%	-17 -25%	-3 -8%	-44 -25%	-47 -25%	-44 -37%	-34 -26%	-38 -28%	-53 -42%	-46 -19%	-16 -28%	-157 -28%	-13 -22%

Proportions/Mean: Columns Totals (5% risk level) = ab - cd/efghij - klm - nopq - rs
Overlap formula used: * small base

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

26 Apr 2019

Table 4
T1D02 - How much, if anything, would you say you know about what happens to a person in the final hours or minutes of their life?
Base: All Respondents

	TOTAL	GOVERNMENT OFFICE REGION					AREA				TENURE					MARITAL STATUS			NUMBER IN HOUSEHOLD			EXPERIENCE WITH FINAL HOURS/ MINUTES	
		SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (l)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Unweighted Base	612	47	167	209	105	84	134	147	176	155	202	159	89	147	7	351	176	83	127	228	255	308	300
Weighted Base	619	47*	162	183	143*	83*	148	148	177	146	181	212	67*	139	8**	370	175	72*	110	222	286	301	313
A great deal	85	6	24	24	22	8	25	20	18	22	23	30	11	18	2	46	27	10	18	34	33	75	9
	14%	13%	15%	13%	15%	10%	17%	13%	10%	15%	13%	14%	16%	13%	25%	13%	16%	14%	16%	15%	11%	25%w	3%
A fair amount	120	10	34	37	18	22	27	24	40	30	46	38	10	23	-	81	25	13	20	42	58	80	39
	19%	20%	21%	20%	13%	26% ^d	18%	16%	22%	20%	25%	18%	16%	17%	-	22%	14%	18%	18%	19%	20%	27%w	12%
Just a little	172	10	53	47	40	21	41	34	53	44	55	64	16	34	3	105	42	24	30	71	71	84	87
	28%	22%	33%	26%	28%	25%	27%	23%	30%	30%	30%	30%	23%	24%	39%	28%	24%	33%	27%	32%	25%	28%	28%
Hardly anything	120	15	19	38	32	15	35	31	28	27	29	48	8	31	3	72	34	14	21	37	63	43	77
	19%	32% ^b	12%	21% ^b	23% ^b	18%	24%	21%	16%	19%	16%	22%	11%	22%	36%	19%	20%	20%	19%	17%	22%	14%	25% ^u
Nothing at all	82	3	21	27	20	10	17	26	21	18	19	27	14	20	-	43	34	5	12	29	41	12	70
	13%	7%	13%	15%	14%	13%	12%	18%	12%	12%	10%	13%	21% ^j	14%	-	12%	20% ^{oq}	7%	11%	13%	14%	4%	23% ^u
Don't know	36	3	9	7	10	6	2	11	17	6	7	5	8	14	-	19	12	4	8	9	18	5	30
	6%	5%	6%	4%	7%	8%	1%	7% ^d	9% ^d	4%	4%	2%	12% ^k	10% ^k	-	5%	7%	6%	7%	4%	6%	2%	10% ^u
Prefer not to say	4	-	2	2	-	-	1	2	1	-	3	-	-	-	-	3	-	1	1	-	3	2	-
	1%	-	1%	1%	-	-	1%	1%	-	-	2%	-	-	-	-	1%	-	2%	1%	-	1%	1%	-
Top 2 Box	205	16	58	61	40	30	52	44	58	51	69	68	21	41	2	127	52	24	38	76	90	155	48
	33%	33%	36%	33%	28%	36%	35%	30%	33%	35%	38%	32%	32%	29%	25%	34%	30%	33%	34%	34%	32%	52% ^w	15%
Bot 3 Box	374	29	93	113	93	46	93	91	102	88	103	139	38	85	6	220	111	43	63	137	174	139	234
	60%	61%	57%	62%	65%	56%	63%	62%	58%	61%	57%	66%	56%	61%	75%	60%	63%	60%	57%	62%	61%	46%	75% ^u
Net Diff	-169	-13	-35	-52	-53	-16	-40	-47	-44	-37	-34	-71	-16	-44	-4	-93	-59	-20	-25	-61	-84	17	-186
	-27%	-28%	-22%	-28%	-37%	-20%	-27%	-32%	-25%	-25%	-19%	-34%	-25%	-31%	-51%	-25%	-34%	-27%	-23%	-27%	-29%	6%	-60%

Proportions/Mean: Columns Totalled (5% risk level) - a:b:c:d:e - f:gh:i - j:kl:m:n - o:p:q - r:s:t - u:v
Overlap formula used: * small base; ** very small base (under 50) (weights for sig testing)

Table 5
T1D03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

	GENDER		AGE								SOCIAL GRADE				EDUCATION				ETHNICITY	
TOTAL	MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (l)	DE (m)	GCSE/ O-LVL/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORMAL QUAL (q)	WHITE (r)	BAME (s)	
Unweighted Base	534	259	274	78	68	84	80	98	77	49	167	185	100	82	109	108	215	51	478	55
Weighted Base	537	245	291	70*	88*	94*	109*	81*	60*	35*	159	173	102*	102*	108*	108*	223	47*	482	53*
Conversations with family and friends	224	101	123	32	40	39	48	37	18	11	69	85	41	29	34	48	111	11	202	22
42%		41%	42%	46%	45%	41%	44%	46%h	30%	31%	43% <i>m</i>	49% <i>m</i>	40%	29%	31%	45% <i>q</i>	50% <i>nq</i>	23%	42%	42%
Being with someone in the final hours or minutes of their life	178	81	97	6	19	27	41	34	30	20	72	55	26	25	32	19	89	19	168	10
33%		33%	34%	9%	22% <i>c</i>	29% <i>c</i>	38% <i>cd</i>	42% <i>cd</i>	50% <i>cd</i> e	58% <i>cd</i> ef	45% <i>kl</i> m	32%	26%	24%	30%	18%	40% <i>o</i>	40% <i>o</i>	35% <i>s</i>	18%
Conversations with healthcare professionals	116	33	83	10	17	28	25	19	7	10	43	49	11	13	30	15	53	8	104	12
22%		13%	28% <i>a</i>	14%	19%	29% <i>ch</i>	22%	24%	12%	29% <i>h</i>	27% <i>lm</i>	28% <i>lm</i>	11%	13%	28% <i>o</i>	14%	24% <i>o</i>	17%	22%	22%
Documentaries or factual programmes on radio, TV, or the internet	109	48	61	25	11	27	17	18	8	2	46	38	7	19	19	28	55	4	99	9
20%		19%	21%	36% <i>dl</i> hi	13%	29% <i>dh</i> i	16%	23% <i>i</i>	14%	5%	29% <i>l</i>	22% <i>l</i>	6%	18% <i>l</i>	18%	26% <i>q</i>	25% <i>q</i>	8%	21%	17%
Films, dramas or soap operas on radio, TV or the internet	85	37	48	21	14	20	15	12	2	1	21	31	23	10	18	29	28	1	80	5
16%		15%	16%	30% <i>fg</i> hi	16% <i>h</i>	22% <i>hi</i>	13% <i>h</i>	15% <i>h</i>	3%	3%	13%	18%	23% <i>m</i>	10%	16% <i>q</i>	27% <i>pq</i>	13%	3%	17%	10%
Personal experience as a healthcare professional	79	29	49	5	17	18	16	14	3	6	23	30	11	15	17	11	39	4	67	12
15%		12%	17%	8%	20% <i>h</i>	19% <i>h</i>	15%	17% <i>h</i>	4%	16% <i>h</i>	14%	17%	11%	15%	16%	10%	17%	8%	14%	22%
Books and magazines (non fiction)	53	25	28	12	5	9	9	11	4	2	23	22	6	2	7	12	31	-	47	6
10%		10%	10%	17% <i>d</i>	6%	10%	8%	13%	7%	6%	15% <i>lm</i>	13% <i>m</i>	6%	2%	7%	11% <i>q</i>	14% <i>q</i>	-	10%	11%
Religious or spiritual texts	51	30	19	9	12	10	9	6	3	1	18	13	9	11	6	9	30	1	34	16
9%		12% <i>b</i>	7%	13%	14%	11%	9%	7%	4%	3%	11%	8%	9%	11%	5%	9%	14% <i>nq</i>	3%	7%	30% <i>r</i>
Printed or online information from hospitals, hospices, charities, or support organisations	47	23	24	10	7	11	6	8	4	2	17	20	2	7	9	10	24	4	44	3
9%		9%	8%	14%	7%	12%	6%	9%	6%	6%	11% <i>l</i>	12% <i>l</i>	2%	7%	8%	9%	11%	8%	9%	6%
Books or magazines (fiction)	42	21	21	11	9	4	5	8	3	2	14	13	9	6	7	13	18	2	37	5
8%		9%	7%	16% <i>ef</i> h	11%	4%	5%	10%	5%	5%	9%	8%	9%	6%	7%	12%	8%	4%	8%	9%
Conversations with spiritual or religious leaders	42	19	23	3	7	5	9	9	7	2	7	17	11	7	5	6	19	5	32	8
8%		8%	8%	5%	8%	5%	8%	11%	12%	2%	4%	10%	11%	7%	5%	6%	9%	10%	7%	16% <i>r</i>
A personal near-death experience	34	20	15	7	5	8	5	3	3	4	10	12	2	10	8	10	11	2	28	5
6%		8%	5%	10%	6%	8%	4%	4%	5%	10%	6%	7%	2%	10%	7%	9%	5%	5%	6%	10%

Proportions/Mean: Columns Totalled (5% risk level) - a-b - cde%ghij - k(lm - no)pq - r/s
Overlap formula used. * small base

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

Table 5
TID03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

26 Apr 2019

	TOTAL	GENDER		AGE							SOCIAL GRADE				EDUCATION				ETHNICITY	
		MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (l)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORMUL QUAL (q)	WHITE (r)	BAME (s)
Weighted Base	537	245	291	70*	88*	94*	109*	81*	60*	35*	159	173	102*	102*	108*	108*	223	47*	482	53*
From social media	22 4%	10 4%	12 4%	12 17%efg hi	7 7%gh	2 2%	2 2%	-	-	-	6 4%	8 4%	4 4%	5 4%	3 3%	11 10%pq	7 3%	-	14 3%	7 13%r
From podcasts	9 2%	5 2%	4 1%	3 4%	1 1%	2 2%	1 1%	1 2%	-	-	4 3%	3 2%	2 2%	-	1 1%	2 2%	6 3%	-	6 1%	3 5%
From elsewhere	58 11%	24 10%	34 12%	10 15%cd	3 3%	14 15%cd	14 13%	8 10%	4 7%	5 13%	19 12%	19 11%	10 10%	10 9%	10 10%	12 11%	28 12%	4 9%	53 11%	5 10%
Don't know	35 6%	18 7%	16 6%	6 8%	6 7%	8 8%	6 5%	3 3%	5 8%	2 6%	7 5%	6 4%	7 7%	14 13%jk	6 5%	5 5%	10 4%	10 21%nop	32 7%	3 5%
Prefer not to say	9 2%	5 2%	4 1%	1 1%	-	-	4 4%	2 3%	2 3%	-	2 1%	1 1%	3 3%	3 3%	1 1%	3 3%	1 *	4 8%np	8 2%	1 2%

Proportions/Mean: Columns Tested (5% risk level) - ab - odds/ghij - klm - no/pq - rs
Overlap formulae used - * small base

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

26 Apr 2019

Table 6
TID03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

	TOTAL	GOVERNMENT OFFICE REGION					AREA				TENURE					MARITAL STATUS			NUMBER IN HOUSEHOLD			EXPERIENCE WITH FINAL HOURS/ MINUTES	
		SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (l)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Unweighted Base	534	43	148	179	92	72	121	120	157	136	182	139	71	128	7	309	146	77	114	198	220	295	235
Weighted Base	537	44*	142	155	123*	72*	130*	122	156	128	163	185	53*	119	8**	327	140	68*	98*	192	245	290	242
Conversations with family and friends	224 42%	22 50%	55 39%	58 37%	56 45%	33 46%	51 39%	53 43%	59 38%	62 48%	59 36%	104 56% jl m	12 23%	45 38%	2 29%	139 43%	59 42%	24 36%	35 36%	84 44%	105 43%	102 35%	120 50% u
Being with someone in the final hours or minutes of their life	178 33%	13 29%	51 36%	52 34%	43 35%	19 27%	62 48% gh i	31 25%	44 28%	41 32%	73 45% km	60 32%	16 31%	26 22%	-	114 35% p	30 21%	35 51% qp	39 40% lt	70 36%	69 28%	174 60% v	4 2%
Conversations with healthcare professionals	116 22%	9 21%	22 15%	36 23%	32 26%	17 23%	31 24%	24 20%	32 21%	29 22%	33 20%	50 27%	8 15%	21 18%	2 27%	73 22%	27 19%	16 24%	21 22%	38 20%	56 23%	74 26% v	40 17%
Documentaries or factual programmes on radio, TV, or the internet	109 20%	8 18%	32 22%	29 19%	25 20%	15 21%	27 21%	23 19%	25 16%	34 26% h	25 16%	40 22%	5 10%	33 28% jl	3 41%	63 19%	37 26%	9 14%	15 15%	36 18%	58 24%	43 15%	65 27% u
Films, dramas or soap operas on radio, TV or the internet	85 16%	12 26% c	23 16%	20 13%	22 18%	10 13%	24 19%	18 15%	19 12%	23 18%	15 9%	37 20% j	9 18%	23 19% j	1 15%	47 14%	30 22%	8 12%	11 11%	31 16%	43 18%	26 9%	59 24% u
Personal experience as a healthcare professional	79 15%	6 14%	20 14%	28 18%	14 11%	11 16%	22 17%	19 16%	17 11%	20 16%	19 12%	32 17%	9 16%	17 14%	-	51 16%	19 14%	8 12%	13 13%	19 10%	47 19% s	60 21% v	18 8%
Books and magazines (non fiction)	53 10%	6 13%	7 5%	14 9%	15 12%	11 15% b	14 11%	11 9%	12 8%	16 12%	15 9%	20 11%	3 6%	14 12%	-	35 11%	14 10%	4 6%	7 7%	18 9%	28 11%	26 9%	27 11%
Religious or spiritual texts	51 9%	6 14%	7 5%	9 6%	17 14% bc	12 16% bc	13 10%	12 10%	11 7%	14 11%	15 9%	15 8%	5 10%	11 9%	3 33%	25 8%	22 16% oq	3 5%	13 14%	13 7%	24 10%	23 8%	28 11%
Printed or online information from hospitals, hospices, charities, or support organisations	47 9%	3 8%	12 8%	13 8%	13 11%	5 7%	9 7%	10 8%	13 8%	15 12%	8 5%	19 11%	2 3%	16 13% jl	-	30 9%	11 8%	7 10%	7 7%	15 8%	25 10%	31 11%	14 6%
Books or magazines (fiction)	42 8%	6 14%	10 7%	12 8%	6 5%	8 11%	6 4%	12 10%	10 6%	14 11%	13 8%	14 8%	1 2%	14 12% l	-	22 7%	17 12%	3 5%	7 7%	23 12% l	13 5%	11 4%	31 13% u

Proportions: Means: Columns: Tested (5% risk level) - a:b:c:d:e - f:gh:i - j:kl:m:n - o:p:q - r:s:t - u:v
Overlapping formulae used. * small base; ** very small base (under 50) (negative for sig testing)

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

26 Apr 2019

Table 6
TID03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

	TOTAL	GOVERNMENT OFFICE REGION					AREA				TENURE					MARITAL STATUS			NUMBER IN HOUSEHOLD			EXPERIENCE WITH FINAL HOURS/ MINUTES	
		SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (l)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Weighted Base	537	44*	142	155	123*	72*	130*	122	156	128	163	185	53*	119	8**	327	140	68*	98*	192	245	290	242
Conversations with spiritual or religious leaders	42 8%	3 6%	7 5%	10 7%	16 13%b	6 8%	11 8%	11 9%	15 10%u	4 3%	16 10%	11 6%	4 7%	9 8%	-	17 5%	13 10%	10 15%o	14 14%e	8 4%	19 8%	21 7%	21 9%
A personal near-death experience	34 6%	4 9%	13 9%	7 4%	4 3%	7 9%	4 3%	7 6%	8 5%	15 12%h	10 6%	7 4%	5 10%	9 7%	2 25%	14 4%	18 13%oq	2 3%	7 7%	15 8%	12 5%	18 6%	16 7%
From social media	22 4%	-	8 6%	6 4%	4 3%	4 5%	2 2%	7 6%	5 3%	8 6%	1 1%	3 2%	2 3%	14 11%k	2 25%	10 3%	12 8%o	1 2%	2 2%	9 5%	11 4%	4 1%	18 7%u
From podcasts	9 2%	-	1 1%	2 1%	1 1%	4 6%bc	1 1%	1 1%	2 1%	4 3%	1 1%	5 3%	-	1 1%	1 14%	5 2%	4 3%	4 -	1 1%	3 3%	5 2%	4 2%	4 2%
From elsewhere	50 11%	1 3%	11 8%	21 14%	15 12%	11 15%	12 9%	12 10%	20 12%	15 11%	14 9%	25 14%	2 4%	13 11%	1 15%	43 13%	9 7%	6 9%	8 9%	17 9%	33 14%	32 11%	26 11%
Don't know	35 6%	1 2%	10 7%	12 7%	7 6%	5 7%	4 3%	9 8%	15 10%	6 5%	9 6%	6 3%	9 16%jk	9 8%	-	20 6%	11 8%	3 5%	8 2%	12 6%	14 6%	8 3%	26 11%u
Prefer not to say	9 2%	1 1%	6 4%	2 1%	1 1%	-	3 3%	4 3%	1 1%	1 1%	4 3%	3 1%	-	1 1%	-	7 2%	-	2 4%p	2 2%	1 *	6 2%	3 1%	4 2%

Proportions/Means: Columns Tested (5% risk level) - a/b/c/d/e - f/g/h/i - j/k/l/m/n - o/p/q - r/s/t - u/v
Overlap formulae used: * small base; ** very small base (under 50) (weights for sig testing)

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

26 Apr 2019

Table 7
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

	GENDER			AGE							SOCIAL GRADE				EDUCATION				ETHNICITY	
	TOTAL	MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (l)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORML QUAL (q)	WHITE (r)	BAME (s)
Unweighted Base	612	302	309	91	83	96	90	109	86	57	185	203	118	106	133	124	234	64	549	62
Weighted Base	619	288	330	85*	106*	108*	121*	90*	67*	41*	179	189	120	131*	135	126	243	58*	557	60*
Is in pain	384	162	221	61	59	71	78	54	39	20	126	124	64	71	126	81	165	24	348	35
62%	56%	67%a	72%di	56%	66%	64%	60%	59%	50%		70%lm	66%l	53%	54%	58%	65%q	68%q	42%	62%	59%
Is frightened	323	134	187	54	55	57	68	44	30	16	107	104	54	59	71	67	140	21	297	26
52%	47%	57%a	63%hi	52%	59%	58%	49%	44%	38%		60%lm	55%	45%	45%	53%q	58%q	36%	53%	42%	
Is panicked	245	99	145	43	43	43	46	35	24	11	88	76	43	38	44	63	111	13	226	19
40%	35%	44%a	50%i	41%	40%	38%	39%	37%	27%		49%lm	40%	36%	29%	33%	50%nq	46%nq	22%	41%	31%
Is anxious	241	109	131	39	42	44	51	29	26	11	81	72	39	50	54	51	107	15	227	14
39%	38%	40%	45%i	39%	41%	42%	33%	38%	27%		45%l	38%	32%	38%	40%	41%	44%q	26%	41%e	23%
Appears to choke or gasp for air	199	73	125	39	24	36	37	31	22	10	63	55	41	41	45	52	78	11	184	15
32%	25%	38%a	45%di	23%	33%	30%	35%	33%	25%		35%	29%	34%	31%	33%	41%q	32%	19%	33%	24%
Is breathless	166	67	98	29	14	29	35	30	19	10	51	49	29	36	35	42	63	13	147	18
27%	23%	30%	34%di	13%	27%di	29%di	33%di	29%di	23%		29%	26%	24%	28%	26%	33%	26%	22%	28%	31%
Would not be able to make those around them understand what they are saying	147	58	89	24	25	17	30	23	17	11	56	41	25	26	26	30	72	13	132	15
24%	20%	27%	28%	24%	16%	24%	26%	26%	28%		31%lm	22%	21%	20%	20%	24%	30%	22%	24%	25%
Could not talk to those around them	131	57	73	25	19	22	25	20	13	7	43	37	23	28	21	31	61	13	116	15
21%	20%	22%	29%	18%	20%	22%	20%	20%	17%		24%	19%	19%	22%	16%	24%	25%	22%	21%	24%
Is dropping in and out of consciousness	102	45	57	23	12	17	21	11	9	10	30	20	20	32	25	29	36	7	91	11
17%	16%	17%	27%dg	12%	16%	17%	12%	13%	24%		17%	11%	17%	24%kk	19%	23%	15%	12%	16%	18%
Is not aware that they are about to die	100	44	56	28	17	12	19	9	5	5	22	32	19	27	25	26	38	8	88	12
16%	15%	17%	33%de	16%	11%	16%	10%	14%	13%		12%	17%	16%	21%	18%	20%	16%	14%	16%	20%
Is cold, for example, their hands go cold	88	33	54	19	10	16	12	17	11	4	24	28	14	22	22	21	29	9	80	9
14%	12%	16%	22%df	9%	15%	10%	19%	16%	9%		13%	15%	12%	17%	16%	17%	12%	15%	14%	14%
Is not aware of the treatment they are receiving	87	35	51	18	16	11	19	14	5	5	32	18	14	24	15	18	46	8	79	8
14%	12%	16%	21%eh	15%	10%	15%	15%	8%	12%		18%k	9%	11%	18%k	11%	14%	19%	13%	14%	13%
Could not hear those around them	85	39	45	18	8	14	19	15	7	4	32	26	12	15	13	23	37	7	77	8
35%	14%	14%	21%di	7%	13%	16%	16%	10%	11%		18%	14%	10%	12%	9%	18%	15%	12%	14%	14%
Something else	35	15	19	6	3	5	8	6	2	2	11	12	3	8	2	10	16	6	29	6
6%	5%	6%	6%	3%	4%	6%	7%	8%	6%		6%	7%	3%	6%	1%	8%ni	7%ni	10%ni	5%	10%
None of these	62	26	36	2	6	14	13	9	9	14	22	11	15	15	15	7	22	8	57	4
10%	9%	11%	2%	6%	13%ci	11%	10%	13%ci	23%cd		8%	12%	9%	11%	11%	6%	9%	14%	10%	7%

Proportions/Margins: Columns Tested (5% risk level) - a-b - cdehghil - jklm - nopq - rs
Overlapping formulae used. * small base

Table 7
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

26 Apr 2019

	GENDER		AGE								SOCIAL GRADE				EDUCATION				ETHNICITY	
	MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (l)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORMUL QUAL (q)	WHITE (r)	BAME (s)	
Weighted Base	619	288	330	85*	106*	108*	121*	90*	67*	41*	179	189	120	131*	135	126	243	58*	557	60*
Don't know	23	13	11	5	2	4	4	4	2	3	5	4	7	8	5	5	3	7	19	3
	4%	4%	3%	6%	2%	4%	3%	5%	2%	6%	3%	2%	6%	6%	3%	4%	1%	12%np	3%	6%
Prefer not to say	8	3	4	1	-	-	-	2	3	2	1	2	1	5	1	2	2	1	8	-
	1%	1%	1%	1%	-	-	-	3%	4%def	5%def	*	1%	1%	3%	1%	2%	1%	2%	1%	-

Proportions/Means: Columns: Weighted (95% risk level) - ab - cdeefghij - klm - nopq - rs
Overlap formulas used: * small base

J18009000-14-04 05-APR - 14-APR 2019
INTERNAL/CLIENT USE ONLY - DRAFT
ATTITUDES TO DEATH

26 Apr 2019

Table 8
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

	TOTAL	GOVERNMENT OFFICE REGION					AREA				TENURE					MARITAL STATUS			NUMBER IN HOUSEHOLD			EXPERIENCE WITH FINAL HOURS/ MINUTES	
		SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (l)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Unweighted Base	612	47	167	209	105	84	134	147	176	155	202	159	89	147	7	351	176	83	127	228	255	308	300
Weighted Base	619	47*	162	183	143*	83*	148	148	177	146	181	212	67*	139	8**	370	175	72*	110	222	286	301	313
Is in pain	384 62%	30 64%	102 63%	97 53%	106 74%ce	49 59%	106 72%gh	77 52%	103 58%	98 67%g	111 61%	151 71%lm	35 52%	77 55%	5 66%	223 60%	114 65%	46 64%	70 64%	133 60%	180 63%	181 60%	201 64%
Is frightened	323 52%	28 59%	80 49%	87 47%	84 59%	45 54%	92 63%gh	57 39%	81 46%	92 63%gh	88 48%	130 61%kl	26 38%	70 50%	6 75%	178 48%	103 59%o	40 55%	58 52%	109 49%	156 55%	152 51%	170 54%
Is panicked	245 40%	25 52%	66 41%	66 36%	54 38%	34 42%	64 43%	54 37%	58 33%	69 47%h	73 40%l	97 46%l	16 23%	52 37%l	4 54%	134 36%	79 45%	32 45%	45 41%	87 39%	113 39%	132 37%	142 42%
Is anxious	241 39%	21 45%	58 36%	71 39%	61 43%	30 36%	64 43%g	41 28%	75 42%g	62 43%g	73 40%	84 39%	21 31%	57 41%	3 41%	138 37%	74 42%	29 40%	47 43%	85 38%	110 38%	123 39%	133 39%
Appears to choke or gasp for air	199 32%	19 40%	65 40%c	50 27%	43 30%	22 27%	58 39%h	44 29%	46 26%	52 36%	60 33%	79 38%l	14 21%	39 28%	5 61%	111 30%	66 38%	23 31%	30 27%	71 32%	98 34%	97 34%	101 31%
Is breathless	166 27%	14 29%	49 30%	51 28%	36 25%	16 19%	43 29%	36 24%	47 26%	41 28%	58 32%l	48 23%	10 15%	40 29%l	6 73%	94 25%	55 32%	16 22%	31 28%	59 27%	75 26%	82 27%	82 26%
Would not be able to make those around them understand what they are saying	147 24%	10 22%	34 21%	42 23%	39 28%	22 26%	35 24%	27 18%	45 26%	40 27%	47 26%l	8 23%	37 13%	37 26%l	2 26%	91 25%	40 23%	17 23%	26 24%	57 26%	64 22%	71 29%	71 23%
Could not talk to those around them	131 21%	8 17%	30 19%	41 23%	27 19%	24 29%	29 20%	32 21%	31 18%	39 26%	39 22%	37 17%	10 15%	39 28%l	2 26%	81 22%	37 21%	13 18%	18 16%	48 21%	65 23%	66 22%	64 20%
Is dropping in and out of consciousness	102 17%	12 26%	28 17%	26 14%	18 13%	17 21%	16 11%	24 16%	32 18%	31 21%l	31 17%	28 13%	9 13%	30 21%	2 26%	55 15%	36 18%	12 16%	19 17%	42 19%	41 14%	49 16%	53 17%
Is not aware that they are about to die	100 16%	9 20%	26 16%	22 12%	25 18%	17 21%	26 18%	16 11%	26 15%	32 22%g	15 8%	38 18%j	12 18%j	27 19%j	5 59%	49 13%	38 22%o	14 19%	16 14%	37 16%	48 17%	38 13%	62 20%u
Is cold, for example, their hands go cold	88 14%	11 23%c	25 15%	20 11%	21 15%	11 14%	23 16%	17 12%	25 14%	23 16%	26 14%	31 15%	5 7%	19 13%	5 59%	45 12%	31 18%	12 17%	16 14%	35 16%	38 13%	46 15%	43 14%
Is not aware of the treatment they are receiving	87 14%	7 14%	27 17%	18 10%	23 16%	12 15%	23 16%	16 11%	28 16%	20 14%	18 10%	35 17%	12 17%	18 13%	1 12%	46 12%	30 17%	11 15%	14 12%	31 14%	42 15%	41 14%	46 15%
Could not hear those around them	85 14%	8 16%	26 16%	19 11%	19 14%	12 15%	25 17%	15 10%	21 12%	24 17%	22 12%	27 13%	5 8%	26 19%l	1 12%	52 14%	26 15%	7 9%	12 11%	30 14%	44 15%	47 16%	38 12%

Proportions/Main: Columns Totalled 0% risk level - a:b:c:d:e - f:gh:i - j:kl:m:n - o:p:q - r:s:t - u:v
Overlapping formula used: * small bases; ** very small bases (under 50) ineligible for sig testing

Table 8
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

	TOTAL	GOVERNMENT OFFICE REGION					AREA				TENURE					MARITAL STATUS			NUMBER IN HOUSEHOLD			EXPERIENCE WITH FINAL HOURS/ MINUTES	
		SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (l)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Weighted Base	619	47*	162	183	143*	83*	148	148	177	146	181	212	67*	139	8**	370	175	72*	110	222	286	301	313
Something else	35	2	7	16	5	5	9	10	9	8	12	10	2	9	1	19	13	4	6	16	14	24	11
	6%	4%	4%	9%	4%	6%	6%	7%	5%	6%	7%	5%	4%	6%	12%	5%	7%	5%	5%	7%	5%	8% ^{uv}	3%
None of these	62	2	19	26	7	8	14	23	17	7	22	19	12	8	-	43	11	8	9	30	22	33	29
	10%	4%	12%	14% ^d	5%	9%	10%	16% ⁱ	10%	5%	12%	9%	17% ^m	6%	-	12%	6%	11%	9%	14% ^t	8%	11%	9%
Don't know	23	1	2	5	10	5	1	4	12	6	7	1	3	8	-	14	8	2	4	7	11	5	17
	4%	2%	2%	3%	7% ^b	6%	1%	3%	7% ^f	4%	4% ^k	1%	5% ^k	6% ^k	-	4%	4%	3%	4%	3%	4%	2%	6% ^u
Prefer not to say	8	2	3	3	-	-	3	5	-	-	3	2	1	-	-	4	-	3	2	1	4	3	2
	1%	3%	2%	2%	-	-	2%	3% ^h	-	-	2%	1%	1%	-	-	1%	-	5% ^q	2%	1%	1%	1%	1%

Proportions/Means: Columns tested (5% risk level) - a/b/c/d/e - f/g/h/i - j/k/l/m/n - o/p/q - r/s/t - u/v
Overlap formulas used: * small base; ** very small base (under 50) ineligible for sig testing