

Would you support medical assistance in dying for patients who are competent at the time of the request even if they are not diagnosed with a grievous and irremediable medical condition? For example, a person with no history of cardiovascular disease may wish to write advance instructions specifying that they are to receive an assisted death if they have a stroke and are unable to move or communicate.

		Gender		AGE			EDUCATION				AGE GROUP			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (unwtd)	3502	1596	1906	984	1228	1290	199	682	1610	1011	329	1004	936	1233
Base: All Respondents (wtd)	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
Top 2 Box (Net)	3020	1486	1534	837	1034	1149	405	835	1047	733	322	797	804	1097
	86%	87%	86%	85%	85%	88%	79%	86%	89%	86%	83%	85%	87%	88%
								F	FI	F				
Strongly support	1765	851	914	453	595	717	215	477	626	446	158	456	471	679
	50%	50%	51%	46%	49%	55%	42%	49%	53%	52%	41%	48%	51%	54%
						CD			F	F		J	J	JK
Somewhat support	1255	635	620	384	440	432	190	358	421	287	163	341	333	418
	36%	37%	35%	39%	36%	33%	37%	37%	36%	34%	42%	36%	36%	33%
				E							M			
Bottom 2 Box (Net)	482	226	256	148	177	157	107	132	126	118	67	143	119	154
	14%	13%	14%	15%	15%	12%	21%	14%	11%	14%	17%	15%	13%	12%
							GHI			H				
Somewhat oppose	290	132	158	81	108	101	56	77	81	75	41	84	67	99
	8%	8%	9%	8%	9%	8%	11%	8%	7%	9%	11%	9%	7%	8%
Strongly oppose	192	95	98	67	69	56	50	54	45	42	26	59	52	55
	5%	6%	5%	7%	6%	4%	10%	6%	4%	5%	7%	6%	6%	4%
				E			HI							
Sigma	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

Would you support medical assistance in dying for patients who are competent at the time of the request even if they are not diagnosed with a grievous and irremediable medical condition? For example, a person with no history of cardiovascular disease may wish to write advance instructions specifying that they are to receive an assisted death if they have a stroke and are unable to move or communicate.

	Total	Gender		AGE			EDUCATION				AGE GROUP			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (unwtd)	3502	1596	1906	984	1228	1290	199	682	1610	1011	329	1004	936	1233
Base: All Respondents (wtd)	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
Top 2 Box (Net)	2494	1235	1259	669	835	989	299	681	872	642	234	665	647	948
	71%	72%	70%	68%	69%	76%	59%	70%	74%	75%	60%	71%	70%	76%
						CD		F	F	FG		J	J	JKL
Strongly support removing the requirement	1112	538	573	230	359	523	124	300	389	299	78	240	299	495
	32%	31%	32%	23%	30%	40%	24%	31%	33%	35%	20%	26%	32%	40%
					C	CD			F	F			JK	JKL
Somewhat support removing the requirement	1382	697	685	439	476	467	175	381	483	342	156	425	349	452
	39%	41%	38%	45%	39%	36%	34%	39%	41%	40%	40%	45%	38%	36%
				DE								LM		
Bottom 2 Box (Net)	1008	478	531	315	377	317	212	286	301	209	154	275	276	303
	29%	28%	30%	32%	31%	24%	41%	30%	26%	25%	40%	29%	30%	24%
				E	E		GHI	I			KLM	M	M	
Somewhat oppose removing the requirement	723	349	375	251	269	204	139	198	231	155	127	208	192	196
	21%	20%	21%	25%	22%	16%	27%	20%	20%	18%	33%	22%	21%	16%
				E	E		HI				KLM	M	M	
Strongly oppose removing the requirement	285	129	156	64	108	113	73	88	70	55	27	67	84	107
	8%	8%	9%	7%	9%	9%	14%	9%	6%	6%	7%	7%	9%	9%
							HI	H						
Sigma	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

Would you support medical assistance in dying for patients who are competent at the time of the request even if they are not diagnosed with a grievous and irremediable medical condition? For example, a person with no history of cardiovascular disease may wish to write advance instructions specifying that they are to receive an assisted death if they have a stroke and are unable to move or communicate.

		Gender		AGE			EDUCATION				AGE GROUP			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (unwtd)	3502	1596	1906	984	1228	1290	199	682	1610	1011	329	1004	936	1233
Base: All Respondents (wtd)	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
Top 2 Box (Net)	2985	1451	1534	781	1021	1183	409	829	1016	731	288	773	791	1132
	85%	85%	86%	79%	84%	91%	80%	86%	87%	86%	74%	82%	86%	90%
					C	CD			F			J	J	JKL
Strongly support	1603	743	860	339	558	706	187	422	592	403	103	381	450	669
	46%	43%	48%	34%	46%	54%	37%	44%	50%	47%	26%	41%	49%	53%
			A		C	CD			FG	F		J	JK	JK
Somewhat support	1381	708	674	442	463	477	222	407	425	328	185	392	341	463
	39%	41%	38%	45%	38%	37%	43%	42%	36%	39%	48%	42%	37%	37%
				DE				H			LM			
Bottom 2 Box (Net)	517	262	256	203	191	123	103	138	157	120	100	167	132	119
	15%	15%	14%	21%	16%	9%	20%	14%	13%	14%	26%	18%	14%	10%
				DE	E		H				KLM	M	M	
Somewhat oppose	349	182	167	149	133	68	66	100	112	72	77	113	96	64
	10%	11%	9%	15%	11%	5%	13%	10%	10%	8%	20%	12%	10%	5%
				DE	E						KLM	M	M	
Strongly oppose	168	79	89	55	58	56	37	38	45	48	23	54	36	55
	5%	5%	5%	6%	5%	4%	7%	4%	4%	6%	6%	6%	4%	4%
							H			H				
Sigma	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

Would you support medical assistance in dying for patients who are competent at the time of the request even if they are not diagnosed with a grievous and irremediable medical condition? For example, a person with no history of cardiovascular disease may wish to write advance instructions specifying that they are to receive an assisted death if they have a stroke and are unable to move or communicate.

		Gender		AGE			EDUCATION				AGE GROUP			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (unwtd)	3502	1596	1906	984	1228	1290	199	682	1610	1011	329	1004	936	1233
Base: All Respondents (wtd)	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
Top 2 Box (Net)	2874	1413	1462	769	974	1132	405	799	977	693	292	733	771	1079
	82%	82%	82%	78%	80%	87%	79%	83%	83%	81%	75%	78%	84%	86%
						CD							JK	JK
Strongly support	1512	693	819	345	522	646	194	393	542	383	126	348	430	609
	43%	40%	46%	35%	43%	49%	38%	41%	46%	45%	32%	37%	47%	49%
			A		C	CD			FG				JK	JK
Somewhat support	1362	719	643	424	452	486	211	406	435	310	166	385	341	470
	39%	42%	36%	43%	37%	37%	41%	42%	37%	36%	43%	41%	37%	38%
		B		DE				HI						
Bottom 2 Box (Net)	628	300	328	215	238	175	106	167	196	158	97	207	152	172
	18%	18%	18%	22%	20%	13%	21%	17%	17%	19%	25%	22%	16%	14%
				E	E						LM	LM		
Somewhat oppose	436	212	224	157	164	115	76	111	148	101	76	143	104	113
	12%	12%	13%	16%	13%	9%	15%	11%	13%	12%	20%	15%	11%	9%
				E	E						LM	LM		
Strongly oppose	192	88	104	58	74	60	30	56	49	57	21	64	47	59
	5%	5%	6%	6%	6%	5%	6%	6%	4%	7%	5%	7%	5%	5%
										H				
Sigma	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

Would you support medical assistance in dying for patients who are competent at the time of the request even if they are not diagnosed with a grievous and irremediable medical condition? For example, a person with no history of cardiovascular disease may wish to write advance instructions specifying that they are to receive an assisted death if they have a stroke and are unable to move or communicate.

	Total	Gender		AGE			EDUCATION				AGE GROUP			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (unwtd)	3502	1596	1906	984	1228	1290	199	682	1610	1011	329	1004	936	1233
Base: All Respondents (wtd)	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
Top 2 Box (Net)	2630	1288	1342	698	910	1022	360	710	917	644	261	689	705	975
	75%	75%	75%	71%	75%	78%	70%	73%	78%	76%	67%	73%	76%	78%
Strongly support						C			FG				J	JK
	1222	581	641	294	409	518	156	315	429	321	98	296	339	488
	35%	34%	36%	30%	34%	40%	31%	33%	37%	38%	25%	32%	37%	39%
Somewhat support						CD				G			JK	JK
	1408	707	701	404	500	504	203	395	488	323	163	393	366	486
	40%	41%	39%	41%	41%	39%	40%	41%	42%	38%	42%	42%	40%	39%
Bottom 2 Box (Net)	872	425	447	286	302	284	152	257	256	207	128	251	218	276
	25%	25%	25%	29%	25%	22%	30%	27%	22%	24%	33%	27%	24%	22%
				E			H	H			LM	M		
Somewhat oppose	589	297	292	203	200	186	103	180	181	126	94	168	148	179
	17%	17%	16%	21%	17%	14%	20%	19%	15%	15%	24%	18%	16%	14%
				DE							KLM			
Strongly oppose	283	128	156	83	102	99	49	77	75	82	34	83	70	97
	8%	7%	9%	8%	8%	8%	10%	8%	6%	10%	9%	9%	8%	8%
										H				
Sigma	3502	1712	1790	984	1212	1306	511	967	1173	851	388	940	923	1251
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I,J/K/L/M

Minimum Base: 30 (**), Small Base: 100 (*)