

\$tab

Do you consume cannabis (marijuana)?

| | | GENDER | | AGE | | | REGION | | | | | |
|--------------------------|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| Yes, recreationally | 273 | 171 | 102 | 106 | 108 | 59 | 34 | 28 | 14 | 115 | 63 | 19 |
| | 27% | 36% | 19% | 35% | 25% | 22% | 25% | 25% | 22% | 29% | 29% | 26% |
| | | B | | DE | | | | | | | | |
| Yes, for medical reasons | 97 | 51 | 46 | 38 | 28 | 31 | 15 | 16 | 5 | 40 | 11 | 10 |
| | 10% | 11% | 9% | 13% | 6% | 12% | 11% | 14% | 8% | 10% | 5% | 14% |
| | | | | D | | D | J | J | | J | | J |
| No | 630 | 252 | 378 | 157 | 301 | 172 | 88 | 69 | 44 | 239 | 145 | 44 |
| | 63% | 53% | 72% | 52% | 69% | 66% | 65% | 61% | 70% | 61% | 66% | 60% |
| | | | A | | C | C | | | | | | |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| USER | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 37% | 47% | 28% | 48% | 31% | 34% | 35% | 39% | 30% | 39% | 34% | 40% |
| | | B | | DE | | | | | | | | |
| NON-USER | 630 | 252 | 378 | 157 | 301 | 172 | 88 | 69 | 44 | 239 | 145 | 44 |
| | 63% | 53% | 72% | 52% | 69% | 66% | 65% | 61% | 70% | 61% | 66% | 60% |
| | | | A | | C | C | | | | | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

How do you consume cannabis?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| Smoke (e.g. joint, pipe, bong, etc.) or vaporize | 272 | 163 | 110 | 106 | 107 | 59 | 32 | 36 | 13 | 112 | 58 | 23 |
| | 74% | 73% | 74% | 73% | 79% | 66% | 66% | 81% | 69% | 72% | 78% | 77% |
| | | | | | E | | | | | | | |
| Store bought edibles (e.g. candy, gummies, sweets, butter, etc.) | 138 | 84 | 54 | 62 | 47 | 29 | 21 | 16 | 6 | 64 | 22 | 9 |
| | 37% | 38% | 37% | 43% | 34% | 32% | 44% | 36% | 35% | 41% | 29% | 30% |
| | | | | | | | J | | | J | | |
| Homemade edibles (e.g. candy, gummies, sweets, butter, etc.) | 104 | 65 | 38 | 47 | 37 | 19 | 13 | 11 | 4 | 53 | 16 | 6 |
| | 28% | 29% | 26% | 32% | 27% | 22% | 26% | 25% | 23% | 34% | 21% | 21% |
| | | | | E | | | | | | J | | |
| Oils, tinctures, creams, etc. | 112 | 57 | 55 | 43 | 38 | 31 | 17 | 15 | 4 | 52 | 14 | 11 |
| | 30% | 26% | 37% | 30% | 28% | 35% | 35% | 33% | 22% | 33% | 18% | 37% |
| | | | A | | | | J | J | | J | | J |
| Capsules | 54 | 33 | 21 | 28 | 18 | 9 | 9 | 7 | 1 | 26 | 8 | 3 |
| | 15% | 15% | 14% | 19% | 13% | 10% | 19% | 16% | 5% | 17% | 11% | 10% |
| | | | | E | | | | | | | | |
| Another way | 4 | 2 | 1 | 1 | 1 | 2 | 0 | 0 | 1 | 1 | 2 | 1 |
| | 1% | 1% | 1% | 1% | 0 | 3% | - | - | 4% | 0 | 2% | 3% |
| | | | | | | | | | | | | |
| Sigma | 684 | 404 | 280 | 287 | 248 | 149 | 92 | 85 | 29 | 307 | 118 | 53 |
| | 185% | 182% | 189% | 199% | 182% | 166% | 191% | 191% | 158% | 198% | 160% | 178% |
| SUMMARY | | | | | | | | | | | | |
| Edibles (NET) | 190 | 114 | 76 | 80 | 68 | 41 | 25 | 23 | 8 | 93 | 28 | 13 |
| | 51% | 51% | 51% | 55% | 50% | 46% | 53% | 51% | 44% | 60% | 38% | 43% |
| | | | | | | | | | | JK | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Dry cannabis (e.g. buds, flowers) or vaporizer] How do you keep or package your cannabis products in your home? There are no right or wrong answers, your honest responses are very helpful.

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 369 | 194 | 175 | 148 | 146 | 75 | 44 | 51 | 16 | 146 | 81 | 31 |
| Weighted | 272 | 163 | 110 | 106 | 107 | 59* | 32* | 36* | 13** | 112 | 58* | 23* |
| Dry cannabis (e.g. buds, flowers) or vaporizer | | | | | | | | | | | | |
| In a plastic bag, jar, container, etc. | 126 | 77 | 49 | 48 | 45 | 33 | 22 | 13 | 4 | 59 | 17 | 11 |
| | 46% | 47% | 45% | 45% | 42% | 56% | 69% | 37% | 31% | 53% | 30% | 48% |
| | | | | | | | GJ | | | J | | |
| In a child-resistant container or package | 98 | 51 | 47 | 41 | 45 | 12 | 9 | 16 | 4 | 36 | 21 | 11 |
| | 36% | 31% | 43% | 39% | 42% | 20% | 28% | 45% | 31% | 32% | 37% | 50% |
| | | | A | E | E | | | | | | | |
| In their original packaging | 125 | 80 | 45 | 54 | 50 | 22 | 12 | 17 | 8 | 53 | 29 | 7 |
| | 46% | 49% | 41% | 50% | 47% | 37% | 38% | 46% | 59% | 47% | 50% | 32% |
| | | | | | | | | | | | | |
| Another way | 11 | 6 | 5 | 4 | 2 | 5 | 1 | 2 | 0 | 2 | 4 | 1 |
| | 4% | 3% | 4% | 4% | 2% | 8% | 2% | 6% | - | 2% | 7% | 6% |
| | | | | | | D | | | | | | |
| Sigma | 360 | 214 | 146 | 147 | 142 | 71 | 43 | 48 | 16 | 150 | 72 | 31 |
| | 132% | 131% | 133% | 138% | 132% | 121% | 137% | 134% | 122% | 134% | 125% | 136% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Edibles] How do you keep or package your cannabis products in your home? There are no right or wrong answers, your honest responses are very helpful.

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 255 | 135 | 120 | 109 | 91 | 55 | 35 | 32 | 10 | 121 | 39 | 18 |
| Weighted | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| Edibles | | | | | | | | | | | | |
| In a plastic bag, jar, container, etc. | 67 | 40 | 26 | 27 | 24 | 15 | 10 | 7 | 2 | 39 | 6 | 3 |
| | 35% | 35% | 35% | 34% | 35% | 37% | 39% | 29% | 29% | 42% | 22% | 22% |
| | | | | | | | | | | J | | |
| In a child-resistant container or package | 80 | 47 | 33 | 39 | 29 | 13 | 10 | 8 | 3 | 35 | 15 | 9 |
| | 42% | 41% | 44% | 48% | 42% | 32% | 41% | 37% | 36% | 38% | 52% | 71% |
| | | | | | | | | | | | | |
| In their original packaging | 98 | 58 | 40 | 44 | 33 | 20 | 13 | 13 | 6 | 47 | 15 | 3 |
| | 52% | 51% | 53% | 55% | 49% | 49% | 52% | 59% | 71% | 51% | 52% | 26% |
| | | | | | | | | | | | | |
| Another way | 7 | 4 | 3 | 2 | 2 | 3 | 0 | 1 | 1 | 3 | 1 | 1 |
| | 4% | 4% | 3% | 3% | 2% | 8% | - | 3% | 9% | 3% | 5% | 7% |
| | | | | | | | | | | | | |
| Sigma | 252 | 150 | 102 | 113 | 87 | 52 | 34 | 29 | 12 | 125 | 37 | 16 |
| | 133% | 131% | 135% | 140% | 128% | 126% | 132% | 128% | 144% | 134% | 131% | 126% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Oils, tinctures, creams, etc.] How do you keep or package your cannabis products in your home? There are no right or wrong answers, your honest responses are very helpful.

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 155 | 67 | 88 | 60 | 54 | 41 | 24 | 22 | 5 | 69 | 19 | 16 |
| Weighted | 112 | 57* | 55* | 43* | 38* | 31* | 17** | 15** | 4** | 52* | 14** | 11** |
| Oils, tinctures, creams, etc. | | | | | | | | | | | | |
| In a plastic bag, jar, container, etc. | 31 | 19 | 12 | 18 | 6 | 8 | 3 | 3 | 2 | 16 | 5 | 3 |
| | 28% | 34% | 22% | 40% | 17% | 24% | 18% | 21% | 41% | 30% | 39% | 26% |
| | | | | D | | | | | | | | |
| In a child-resistant container or package | 47 | 23 | 23 | 21 | 14 | 12 | 7 | 5 | 2 | 25 | 1 | 7 |
| | 42% | 41% | 42% | 48% | 37% | 38% | 39% | 34% | 48% | 49% | 6% | 64% |
| | | | | | | | | | | | | |
| In their original packaging | 71 | 38 | 33 | 23 | 27 | 22 | 12 | 8 | 2 | 32 | 10 | 6 |
| | 64% | 67% | 60% | 53% | 71% | 70% | 71% | 56% | 59% | 62% | 74% | 56% |
| | | | | | | | | | | | | |
| Another way | 5 | 2 | 3 | 3 | 1 | 1 | 1 | 1 | 0 | 2 | 1 | 0 |
| | 4% | 3% | 6% | 8% | 2% | 3% | 4% | 8% | - | 5% | 4% | - |
| | | | | | | | | | | | | |
| Sigma | 154 | 82 | 72 | 65 | 48 | 42 | 22 | 18 | 6 | 76 | 17 | 16 |
| | 138% | 145% | 130% | 149% | 126% | 136% | 131% | 119% | 148% | 146% | 123% | 146% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Capsules] How do you keep or package your cannabis products in your home? There are no right or wrong answers, your honest responses are very helpful.

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 73 | 39 | 34 | 37 | 25 | 11 | 12 | 10 | 1 | 34 | 12 | 4 |
| Weighted | 54* | 33* | 21* | 28* | 18** | 9** | 9** | 7** | 1** | 26* | 8** | 3** |
| Capsules | | | | | | | | | | | | |
| In a plastic bag, jar, container, etc. | 17 | 12 | 5 | 11 | 4 | 2 | 1 | 2 | 1 | 10 | 2 | 2 |
| | 31% | 37% | 23% | 41% | 23% | 20% | 9% | 23% | 100% | 39% | 21% | 58% |
| | | | | | | | | | | | | |
| In a child-resistant container or package | 25 | 15 | 10 | 10 | 9 | 6 | 2 | 3 | 0 | 16 | 3 | 2 |
| | 47% | 46% | 47% | 38% | 48% | 73% | 26% | 37% | - | 63% | 33% | 50% |
| | | | | | | | | | | | | |
| In their original packaging | 33 | 20 | 13 | 20 | 9 | 4 | 8 | 3 | 1 | 13 | 7 | 2 |
| | 61% | 61% | 61% | 74% | 50% | 47% | 84% | 48% | 100% | 50% | 83% | 50% |
| | | | | | | | | | | | | |
| Another way | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 2% | 3% | - | - | 5% | - | - | - | - | - | - | 29% |
| | | | | | | | | | | | | |
| Sigma | 77 | 49 | 28 | 42 | 23 | 12 | 11 | 8 | 2 | 39 | 11 | 6 |
| | 141% | 147% | 132% | 152% | 125% | 140% | 119% | 108% | 200% | 152% | 138% | 186% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Dry cannabis (e.g. buds, flowers) or vaporizer] And where do you keep them?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 369 | 194 | 175 | 148 | 146 | 75 | 44 | 51 | 16 | 146 | 81 | 31 |
| Weighted | 272 | 163 | 110 | 106 | 107 | 59* | 32* | 36* | 13** | 112 | 58* | 23* |
| Dry cannabis (e.g. buds, flowers) or vaporizer | | | | | | | | | | | | |
| In a cupboard, drawer or on a shelf (out of child's reach) | 159 | 90 | 69 | 63 | 62 | 35 | 19 | 22 | 6 | 65 | 30 | 17 |
| | 59% | 55% | 63% | 59% | 58% | 59% | 61% | 63% | 48% | 58% | 51% | 74% |
| | | | | | | | | | | | | J |
| In a cupboard, drawer or on a shelf (within child's reach) | 23 | 13 | 9 | 13 | 8 | 2 | 3 | 1 | 0 | 11 | 6 | 1 |
| | 8% | 8% | 9% | 12% | 7% | 3% | 11% | 4% | - | 10% | 11% | 3% |
| | | | | E | | | | | | | | |
| In a locked compartment, drawer or cupboard (out of child's reach) | 105 | 66 | 38 | 47 | 39 | 19 | 10 | 12 | 5 | 47 | 23 | 8 |
| | 38% | 41% | 35% | 44% | 36% | 33% | 31% | 32% | 39% | 42% | 40% | 34% |
| | | | | | | | | | | | | |
| In a locked compartment, drawer or cupboard (within child's reach) | 20 | 13 | 7 | 11 | 6 | 3 | 1 | 2 | 2 | 8 | 6 | 1 |
| | 7% | 8% | 7% | 11% | 5% | 5% | 3% | 6% | 15% | 7% | 11% | 3% |
| | | | | | | | | | | | | |
| In a bag, purse, backpack, etc. | 26 | 18 | 9 | 18 | 6 | 3 | 1 | 1 | 1 | 16 | 6 | 1 |
| | 10% | 11% | 8% | 17% | 6% | 4% | 5% | 3% | 7% | 14% | 11% | 3% |
| | | | | DE | | | | | | G | | |
| On a table or counter | 18 | 12 | 6 | 9 | 7 | 2 | 3 | 2 | 0 | 8 | 4 | 1 |
| | 7% | 7% | 6% | 8% | 6% | 4% | 9% | 5% | - | 7% | 7% | 3% |
| | | | | | | | | | | | | |
| Fridge/ freezer | 4 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 0 |
| | 1% | 1% | 2% | 1% | 1% | 1% | 4% | 2% | - | 1% | 1% | - |
| | | | | | | | | | | | | |
| Nothing | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | | | | | | | | | | |
| Other | 8 | 4 | 4 | 3 | 2 | 3 | 1 | 1 | 1 | 4 | 1 | 1 |
| | 3% | 3% | 3% | 3% | 2% | 5% | 3% | 2% | 6% | 3% | 2% | 3% |
| | | | | | | | | | | | | |
| Don't know | 2 | 2 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 0 |
| | 1% | 1% | - | - | - | 3% | - | 2% | - | - | 1% | - |
| | | | | | | | | | | | | |
| Sigma | 364 | 219 | 145 | 164 | 131 | 69 | 40 | 42 | 15 | 161 | 79 | 28 |
| | 134% | 135% | 132% | 155% | 122% | 117% | 127% | 118% | 115% | 143% | 137% | 122% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Edibles] And where do you keep them?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 255 | 135 | 120 | 109 | 91 | 55 | 35 | 32 | 10 | 121 | 39 | 18 |
| Weighted | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| Edibles | | | | | | | | | | | | |
| In a cupboard, drawer or on a shelf (out of child's reach) | 85 | 45 | 40 | 34 | 36 | 15 | 16 | 12 | 6 | 39 | 8 | 4 |
| | 45% | 40% | 53% | 42% | 53% | 36% | 65% | 52% | 71% | 42% | 28% | 35% |
| | | | A | | E | | IJ | J | | | | |
| In a cupboard, drawer or on a shelf (within child's reach) | 34 | 25 | 9 | 19 | 9 | 6 | 4 | 3 | 0 | 17 | 9 | 2 |
| | 18% | 22% | 11% | 23% | 13% | 15% | 15% | 15% | - | 18% | 30% | 12% |
| | | B | | | | | | | | | | |
| In a locked compartment, drawer or cupboard (out of child's reach) | 76 | 46 | 30 | 34 | 24 | 18 | 8 | 8 | 4 | 38 | 13 | 5 |
| | 40% | 40% | 40% | 42% | 35% | 45% | 31% | 37% | 50% | 41% | 46% | 36% |
| | | | | | | | | | | | | |
| In a locked compartment, drawer or cupboard (within child's reach) | 29 | 18 | 11 | 18 | 6 | 4 | 3 | 2 | 0 | 12 | 9 | 3 |
| | 15% | 15% | 15% | 23% | 9% | 11% | 10% | 9% | - | 13% | 32% | 24% |
| | | | | D | | | | | | | FGI | |
| In a bag, purse, backpack, etc. | 29 | 17 | 12 | 20 | 4 | 4 | 1 | 3 | 3 | 14 | 6 | 1 |
| | 15% | 15% | 16% | 25% | 7% | 10% | 6% | 15% | 33% | 15% | 22% | 7% |
| | | | | DE | | | | | | | | |
| On a table or counter | 12 | 8 | 3 | 7 | 2 | 2 | 1 | 0 | 0 | 7 | 2 | 2 |
| | 6% | 7% | 4% | 9% | 3% | 5% | 3% | - | - | 7% | 8% | 12% |
| | | | | | | | | | | | | |
| Fridge/ freezer | 6 | 4 | 2 | 1 | 2 | 3 | 1 | 1 | 0 | 3 | 0 | 1 |
| | 3% | 4% | 2% | 1% | 3% | 7% | 2% | 6% | - | 4% | - | 5% |
| | | | | | | C | | | | | | |
| Nothing | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 0 | 1% | - | - | 1% | - | - | - | - | - | - | 7% |
| | | | | | | | | | | | | |
| Other | 3 | 3 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 3 | 0 | 1 |
| | 2% | 3% | - | 1% | 1% | 4% | - | - | - | 3% | - | 7% |
| | | | | | | | | | | | | |
| Don't know | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 |
| | 1% | 1% | - | 1% | - | 2% | - | - | - | - | 6% | - |
| | | | | | | | | | | | I | |
| Sigma | 275 | 169 | 107 | 134 | 86 | 56 | 34 | 30 | 12 | 132 | 48 | 18 |
| | 145% | 148% | 141% | 167% | 126% | 135% | 133% | 134% | 153% | 142% | 172% | 145% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Oils, tinctures, creams, etc.] And where do you keep them?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 155 | 67 | 88 | 60 | 54 | 41 | 24 | 22 | 5 | 69 | 19 | 16 |
| Weighted | 112 | 57* | 55* | 43* | 38* | 31* | 17** | 15** | 4** | 52* | 14** | 11** |
| Oils, tinctures, creams, etc. | | | | | | | | | | | | |
| In a cupboard, drawer or on a shelf (out of child's reach) | 63 | 34 | 29 | 20 | 24 | 19 | 10 | 8 | 2 | 30 | 7 | 6 |
| | 56% | 60% | 52% | 46% | 63% | 61% | 56% | 56% | 41% | 59% | 53% | 52% |
| | | | | | | | | | | | | |
| In a cupboard, drawer or on a shelf (within child's reach) | 19 | 13 | 6 | 10 | 4 | 4 | 2 | 1 | 2 | 9 | 3 | 2 |
| | 17% | 23% | 10% | 24% | 10% | 14% | 14% | 4% | 41% | 17% | 21% | 18% |
| | | B | | | | | | | | | | |
| In a locked compartment, drawer or cupboard (out of child's reach) | 37 | 22 | 15 | 17 | 9 | 11 | 5 | 5 | 1 | 20 | 4 | 3 |
| | 33% | 39% | 27% | 38% | 25% | 36% | 28% | 31% | 17% | 38% | 29% | 32% |
| | | | | | | | | | | | | |
| In a locked compartment, drawer or cupboard (within child's reach) | 10 | 6 | 4 | 6 | 3 | 1 | 1 | 1 | 0 | 6 | 2 | 1 |
| | 9% | 10% | 8% | 15% | 8% | 3% | 5% | 4% | - | 12% | 16% | 6% |
| | | | | | | | | | | | | |
| In a bag, purse, backpack, etc. | 16 | 9 | 6 | 13 | 1 | 2 | 2 | 1 | 1 | 8 | 2 | 1 |
| | 14% | 17% | 11% | 29% | 2% | 8% | 14% | 10% | 24% | 16% | 16% | 6% |
| | | | | DE | | | | | | | | |
| On a table or counter | 12 | 6 | 6 | 6 | 3 | 3 | 1 | 1 | 1 | 8 | 1 | 0 |
| | 10% | 11% | 10% | 14% | 7% | 9% | 4% | 4% | 24% | 16% | 10% | - |
| | | | | | | | | | | | | |
| Fridge/ freezer | 3 | 3 | 0 | 0 | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 |
| | 2% | 4% | - | - | 4% | 3% | 10% | 6% | - | - | - | - |
| | | | | | | | | | | | | |
| Nothing | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | | | | | | | | | | |
| Other | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| | 1% | - | 2% | 1% | 2% | - | - | 4% | - | 1% | - | - |
| | | | | | | | | | | | | |
| Don't know | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 |
| | 1% | 2% | 1% | 1% | - | 3% | - | - | - | 2% | 4% | - |
| | | | | | | | | | | | | |
| Sigma | 161 | 93 | 68 | 74 | 46 | 42 | 22 | 18 | 6 | 83 | 20 | 12 |
| | 144% | 165% | 123% | 169% | 121% | 137% | 130% | 119% | 148% | 160% | 149% | 114% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Capsules] And where do you keep them?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 73 | 39 | 34 | 37 | 25 | 11 | 12 | 10 | 1 | 34 | 12 | 4 |
| Weighted | 54* | 33* | 21* | 28* | 18** | 9** | 9** | 7** | 1** | 26* | 8** | 3** |
| Capsules | | | | | | | | | | | | |
| In a cupboard, drawer or on a shelf (out of child's reach) | 25 | 16 | 9 | 13 | 9 | 3 | 5 | 2 | 1 | 11 | 4 | 2 |
| | 46% | 49% | 41% | 49% | 49% | 29% | 56% | 32% | 100% | 43% | 47% | 58% |
| | | | | | | | | | | | | |
| In a cupboard, drawer or on a shelf (within child's reach) | 12 | 9 | 3 | 8 | 3 | 1 | 3 | 0 | 0 | 7 | 2 | 1 |
| | 23% | 28% | 15% | 28% | 18% | 17% | 28% | - | - | 28% | 24% | 21% |
| | | | | | | | | | | | | |
| In a locked compartment, drawer or cupboard (out of child's reach) | 24 | 17 | 7 | 10 | 8 | 6 | 3 | 4 | 0 | 12 | 3 | 2 |
| | 44% | 51% | 32% | 36% | 45% | 67% | 35% | 60% | - | 45% | 36% | 58% |
| | | | | | | | | | | | | |
| In a locked compartment, drawer or cupboard (within child's reach) | 9 | 3 | 6 | 7 | 1 | 1 | 1 | 1 | 0 | 4 | 2 | 1 |
| | 16% | 8% | 29% | 24% | 8% | 7% | 9% | 20% | - | 16% | 21% | 21% |
| | | | A | | | | | | | | | |
| In a bag, purse, backpack, etc. | 9 | 5 | 4 | 8 | 1 | 1 | 0 | 0 | 0 | 6 | 2 | 1 |
| | 17% | 15% | 21% | 28% | 5% | 9% | - | - | - | 25% | 26% | 29% |
| | | | | | | | | | | | | |
| On a table or counter | 4 | 3 | 2 | 3 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| | 8% | 8% | 8% | 9% | 9% | - | - | - | - | 7% | 31% | - |
| | | | | | | | | | | | | |
| Fridge/ freezer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | | | | | | | | | | |
| Nothing | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 2% | 3% | - | - | 5% | - | - | - | - | - | - | 29% |
| | | | | | | | | | | | | |
| Other | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 1% | - | 3% | - | 4% | - | - | - | - | 2% | - | - |
| | | | | | | | | | | | | |
| Don't know | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | | | | | | | | | | |
| Sigma | 85 | 54 | 31 | 48 | 26 | 11 | 12 | 8 | 1 | 43 | 15 | 7 |
| | 157% | 162% | 149% | 175% | 143% | 129% | 128% | 112% | 100% | 166% | 185% | 215% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Edibles] Proper Storage

| | | GENDER | | AGE | | | REGION | | | | | |
|----------------------------|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 255 | 135 | 120 | 109 | 91 | 55 | 35 | 32 | 10 | 121 | 39 | 18 |
| Weighted | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| Yes | 47 | 29 | 18 | 22 | 16 | 8 | 6 | 3 | 2 | 18 | 10 | 7 |
| | 25% | 26% | 23% | 28% | 24% | 20% | 25% | 14% | 24% | 20% | 37% | 55% |
| | | | | | | | | | | | GI | |
| No | 143 | 85 | 58 | 58 | 52 | 33 | 19 | 19 | 6 | 75 | 18 | 6 |
| | 75% | 74% | 77% | 72% | 76% | 80% | 75% | 86% | 76% | 80% | 63% | 45% |
| | | | | | | | | J | | J | | |
| Sigma | 190 | 114 | 76 | 80 | 68 | 41 | 25 | 23 | 8 | 93 | 28 | 13 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Other Cannabis] Proper Storage

| | | GENDER | | AGE | | | REGION | | | | | |
|----------------------------|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users/Selected at Q2 | 447 | 234 | 213 | 177 | 170 | 100 | 60 | 59 | 17 | 179 | 93 | 39 |
| Weighted | 330 | 197 | 133 | 128 | 125 | 77* | 44* | 41* | 14** | 137 | 66* | 28* |
| Yes | 76 | 45 | 31 | 37 | 28 | 12 | 10 | 10 | 2 | 34 | 14 | 7 |
| | 23% | 23% | 23% | 29% | 22% | 15% | 22% | 25% | 12% | 25% | 21% | 24% |
| | | | | E | | | | | | | | |
| No | 270 | 162 | 108 | 103 | 99 | 67 | 38 | 31 | 12 | 112 | 55 | 21 |
| | 82% | 83% | 81% | 81% | 79% | 87% | 88% | 75% | 88% | 82% | 84% | 76% |
| | | | | | | | | | | | | |
| Sigma | 346 | 208 | 138 | 140 | 127 | 79 | 48 | 41 | 14 | 146 | 69 | 28 |
| | 105% | 106% | 104% | 110% | 102% | 102% | 110% | 100% | 100% | 106% | 104% | 100% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

And, do you put your cannabis products away immediately after using them?

| | | GENDER | | AGE | | | REGION | | | | | |
|------------------|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| Always | 265 | 152 | 113 | 93 | 101 | 71 | 35 | 34 | 15 | 109 | 45 | 27 |
| | 72% | 69% | 76% | 65% | 74% | 79% | 74% | 76% | 83% | 70% | 60% | 90% |
| | | | | | C | C | | J | | | | FIJ |
| Most of the time | 79 | 52 | 27 | 39 | 27 | 14 | 11 | 7 | 3 | 34 | 21 | 3 |
| | 21% | 24% | 18% | 27% | 20% | 16% | 24% | 17% | 17% | 22% | 28% | 10% |
| | | | | E | | | | | | | K | |
| Sometimes | 19 | 13 | 6 | 9 | 6 | 4 | 1 | 3 | 0 | 9 | 7 | 0 |
| | 5% | 6% | 4% | 6% | 4% | 4% | 1% | 6% | - | 6% | 10% | - |
| | | | | | | | | | | | FK | |
| Rarely | 3 | 3 | 1 | 2 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 0 |
| | 1% | 1% | 0 | 1% | 1% | - | - | 2% | - | 1% | 1% | - |
| | | | | | | | | | | | | |
| Never | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 |
| | 1% | 1% | 1% | 1% | 0 | 1% | 1% | - | - | 1% | 1% | - |
| | | | | | | | | | | | | |
| Sigma | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

You mentioned you think you'll use cannabis edibles when they are legal. How do you think you'll keep or package these in your home? There are no right or wrong answers, your honest responses are very helpful .

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Q4=Yes | 158 | 83 | 75 | 61 | 62 | 35 | 21 | 20 | 10 | 56 | 40 | 11 |
| Weighted | 137 | 74* | 63* | 50* | 55* | 31* | 18** | 18** | 8** | 48* | 34* | 9** |
| In a plastic bag, jar, container, etc. | 30 | 19 | 11 | 12 | 14 | 4 | 4 | 2 | 0 | 13 | 9 | 3 |
| | 22% | 26% | 17% | 24% | 25% | 12% | 21% | 10% | - | 26% | 25% | 30% |
| | | | | | | | | | | | | |
| In a child-resistant container or package | 78 | 41 | 37 | 29 | 30 | 19 | 10 | 11 | 5 | 29 | 20 | 4 |
| | 57% | 55% | 60% | 57% | 55% | 62% | 54% | 57% | 63% | 59% | 57% | 48% |
| | | | | | | | | | | | | |
| In their original packaging | 57 | 32 | 25 | 21 | 26 | 10 | 9 | 8 | 2 | 22 | 12 | 4 |
| | 42% | 43% | 40% | 41% | 48% | 31% | 49% | 45% | 28% | 44% | 34% | 43% |
| | | | | | | | | | | | | |
| Another way | 7 | 2 | 5 | 1 | 1 | 5 | 0 | 1 | 1 | 1 | 2 | 1 |
| | 5% | 2% | 8% | 2% | 1% | 15% | - | 7% | 12% | 3% | 7% | 7% |
| | | | | | | CD | | | | | | |
| Not sure | 6 | 3 | 3 | 0 | 4 | 2 | 1 | 1 | 1 | 2 | 1 | 0 |
| | 4% | 5% | 4% | - | 7% | 7% | 8% | 4% | 17% | 4% | 2% | - |
| | | | | | | | | | | | | |
| Sigma | 178 | 97 | 81 | 63 | 75 | 40 | 24 | 23 | 10 | 66 | 43 | 12 |
| | 130% | 130% | 129% | 125% | 136% | 128% | 133% | 123% | 120% | 137% | 125% | 129% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[T1B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|-----|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| Base:Users | 370 | A | B | C | D | E | F | G | H | I | J | K |
| | | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| If I don't put my cannabis in a safe place there could be bad consequences | 173 | 91 | 83 | 70 | 63 | 41 | 21 | 22 | 8 | 70 | 35 | 18 |
| | 47% | 41% | 56% | 48% | 46% | 46% | 44% | 49% | 42% | 45% | 48% | 59% |
| | | | A | | | | | | | | | |
| Once I get going in doing something like putting my cannabis away, it quickly becomes a habit and I just do it without having to think about it | 217 | 117 | 100 | 84 | 78 | 56 | 32 | 30 | 13 | 81 | 40 | 21 |
| | 59% | 53% | 68% | 58% | 57% | 62% | 67% | 68% | 68% | 52% | 54% | 72% |
| | | | A | | | | I | I | | | | I |
| It is my responsibility to safely put away my cannabis | 273 | 150 | 122 | 99 | 103 | 70 | 39 | 37 | 14 | 109 | 47 | 27 |
| | 74% | 68% | 83% | 69% | 76% | 78% | 81% | 83% | 77% | 70% | 63% | 91% |
| | | | A | | | | J | IJ | | | | IJ |
| I have the knowledge required to safely put away my cannabis | 215 | 112 | 103 | 82 | 84 | 49 | 30 | 28 | 11 | 91 | 34 | 21 |
| | 58% | 51% | 70% | 57% | 62% | 55% | 63% | 62% | 60% | 59% | 46% | 71% |
| | | | A | | | | J | J | | J | | J |
| I am familiar with official guidelines on how to safely put away cannabis | 153 | 79 | 74 | 67 | 53 | 33 | 20 | 22 | 5 | 68 | 22 | 16 |
| | 41% | 35% | 50% | 46% | 39% | 37% | 41% | 49% | 29% | 44% | 29% | 53% |
| | | | A | | | | | J | | J | | J |
| My friends/family believe that safely putting away cannabis is very important | 196 | 107 | 88 | 73 | 74 | 49 | 25 | 28 | 9 | 75 | 39 | 19 |
| | 53% | 48% | 60% | 51% | 54% | 54% | 53% | 62% | 47% | 49% | 53% | 64% |
| | | | A | | | | | | | | | |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I have a place where I securely store medications in our home | 469 | 200 | 268 | 173 | 196 | 100 | 59 | 59 | 36 | 182 | 95 | 38 |
| | 47% | 42% | 51% | 57% | 45% | 38% | 43% | 52% | 57% | 46% | 44% | 52% |
| | | | A | DE | | | | | | | | |
| My child(ren) have become sick in the past eating or drinking something harmful | 48 | 34 | 14 | 25 | 11 | 12 | 7 | 3 | 3 | 21 | 13 | 2 |
| | 5% | 7% | 3% | 8% | 2% | 5% | 5% | 2% | 5% | 5% | 6% | 2% |
| | | B | | D | | | | | | | | |
| I check hazard or warning labels on the products I buy | 320 | 149 | 171 | 98 | 134 | 88 | 37 | 37 | 17 | 146 | 54 | 29 |
| | 32% | 31% | 32% | 32% | 31% | 34% | 27% | 32% | 27% | 37% | 25% | 39% |
| | | | | | | | | | | FJ | | J |
| It's hard to keep track of everything that could potentially be harmful to my child(ren) | 163 | 84 | 78 | 57 | 63 | 42 | 18 | 12 | 5 | 67 | 45 | 15 |
| | 16% | 18% | 15% | 19% | 14% | 16% | 13% | 10% | 9% | 17% | 21% | 21% |
| | | | | | | | | | | | GH | |
| I use latches or locks in my home to store items I don't want my child(ren) to get into | 292 | 133 | 159 | 112 | 128 | 53 | 32 | 37 | 21 | 117 | 61 | 24 |
| | 29% | 28% | 30% | 37% | 29% | 20% | 24% | 32% | 33% | 30% | 28% | 33% |
| | | | | DE | E | | | | | | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[T2B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|-----|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| Base:Users | 370 | A | B | C | D | E | F | G | H | I | J | K |
| | | | | | | | 48* | 44* | 19** | 155 | 74 | 30* |
| If I don't put my cannabis in a safe place there could be bad consequences | 311 | 184 | 127 | 118 | 120 | 73 | 38 | 38 | 17 | 125 | 66 | 28 |
| | 84% | 83% | 86% | 82% | 88% | 81% | 80% | 86% | 91% | 80% | 89% | 93% |
| | | | | | | | | | | | | I |
| Once I get going in doing something like putting my cannabis away, it quickly becomes a habit and I just do it without having to think about it | 335 | 195 | 140 | 127 | 126 | 82 | 46 | 41 | 17 | 137 | 65 | 29 |
| | 91% | 88% | 94% | 87% | 93% | 92% | 95% | 93% | 91% | 88% | 88% | 98% |
| | | | A | | | | | | | | | |
| It is my responsibility to safely put away my cannabis | 346 | 202 | 144 | 131 | 129 | 86 | 47 | 43 | 17 | 143 | 67 | 30 |
| | 94% | 91% | 97% | 91% | 95% | 96% | 97% | 97% | 90% | 92% | 91% | 100% |
| | | | A | | | | | | | | | J |
| I have the knowledge required to safely put away my cannabis | 336 | 194 | 142 | 128 | 124 | 84 | 45 | 43 | 19 | 137 | 63 | 30 |
| | 91% | 87% | 96% | 88% | 92% | 94% | 93% | 97% | 100% | 88% | 85% | 100% |
| | | | A | | | | | J | | | | IJ |
| I am familiar with official guidelines on how to safely put away cannabis | 290 | 170 | 120 | 114 | 107 | 70 | 38 | 38 | 15 | 120 | 57 | 22 |
| | 78% | 77% | 81% | 79% | 79% | 78% | 79% | 85% | 80% | 77% | 78% | 76% |
| | | | | | | | | | | | | |
| My friends/family believe that safely putting away cannabis is very important | 330 | 195 | 135 | 123 | 125 | 81 | 42 | 43 | 16 | 138 | 64 | 26 |
| | 89% | 88% | 91% | 85% | 92% | 91% | 88% | 97% | 87% | 89% | 87% | 87% |
| | | | | | C | | | J | | | | |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I have a place where I securely store medications in our home | 825 | 374 | 451 | 267 | 356 | 202 | 100 | 103 | 55 | 324 | 182 | 60 |
| | 83% | 79% | 86% | 89% | 81% | 77% | 74% | 91% | 88% | 82% | 83% | 82% |
| | | | A | DE | | | | FI | F | F | F | |
| My child(ren) have become sick in the past eating or drinking something harmful | 167 | 110 | 57 | 73 | 57 | 36 | 26 | 15 | 7 | 66 | 46 | 6 |
| | 17% | 23% | 11% | 24% | 13% | 14% | 19% | 13% | 12% | 17% | 21% | 8% |
| | | B | | DE | | | K | | | | K | |
| I check hazard or warning labels on the products I buy | 799 | 376 | 423 | 245 | 341 | 213 | 100 | 94 | 56 | 326 | 164 | 58 |
| | 80% | 79% | 80% | 81% | 78% | 81% | 73% | 83% | 90% | 83% | 75% | 78% |
| | | | | | | | | | FJ | FJ | | |
| It's hard to keep track of everything that could potentially be harmful to my child(ren) | 551 | 274 | 277 | 169 | 236 | 147 | 71 | 57 | 32 | 211 | 136 | 43 |
| | 55% | 58% | 53% | 56% | 54% | 56% | 52% | 50% | 50% | 54% | 62% | 59% |
| | | | | | | | | | | | GI | |
| I use latches or locks in my home to store items I don't want my child(ren) to get into | 603 | 286 | 317 | 215 | 265 | 123 | 73 | 79 | 43 | 242 | 129 | 38 |
| | 60% | 60% | 60% | 71% | 61% | 47% | 54% | 69% | 69% | 61% | 59% | 51% |
| | | | | DE | E | | | FK | K | | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[B2B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|-----|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| Base:Users | 370 | A | B | C | D | E | F | G | H | I | J | K |
| | | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| If I don't put my cannabis in a safe place there could be bad consequences | 59 | 38 | 21 | 26 | 16 | 17 | 10 | 6 | 2 | 31 | 8 | 2 |
| | 16% | 17% | 14% | 18% | 12% | 19% | 20% | 14% | 9% | 20% | 11% | 7% |
| | | | | | | | | | | K | | |
| Once I get going in doing something like putting my cannabis away, it quickly becomes a habit and I just do it without having to think about it | 35 | 27 | 8 | 18 | 10 | 7 | 2 | 3 | 2 | 19 | 9 | 1 |
| | 9% | 12% | 6% | 13% | 7% | 8% | 5% | 7% | 9% | 12% | 12% | 2% |
| | | B | | | | | | | | | | |
| It is my responsibility to safely put away my cannabis | 24 | 20 | 4 | 14 | 7 | 4 | 1 | 1 | 2 | 12 | 7 | 0 |
| | 6% | 9% | 3% | 9% | 5% | 4% | 3% | 3% | 10% | 8% | 9% | - |
| | | B | | | | | | | | K | | |
| I have the knowledge required to safely put away my cannabis | 34 | 28 | 6 | 17 | 12 | 6 | 3 | 1 | 0 | 18 | 11 | 0 |
| | 9% | 13% | 4% | 12% | 8% | 6% | 7% | 3% | - | 12% | 15% | - |
| | | B | | | | | | | | K | GK | |
| I am familiar with official guidelines on how to safely put away cannabis | 80 | 52 | 28 | 31 | 29 | 20 | 10 | 7 | 4 | 36 | 17 | 7 |
| | 22% | 23% | 19% | 21% | 21% | 22% | 21% | 15% | 20% | 23% | 22% | 24% |
| | | | | | | | | | | | | |
| My friends/family believe that safely putting away cannabis is very important | 40 | 27 | 13 | 21 | 11 | 8 | 6 | 1 | 2 | 17 | 10 | 4 |
| | 11% | 12% | 9% | 15% | 8% | 9% | 12% | 3% | 13% | 11% | 13% | 13% |
| | | | | D | | | | | | | G | |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I have a place where I securely store medications in our home | 175 | 100 | 75 | 34 | 81 | 60 | 36 | 11 | 8 | 70 | 37 | 13 |
| | 17% | 21% | 14% | 11% | 19% | 23% | 26% | 9% | 12% | 18% | 17% | 18% |
| | | B | | | C | C | GHIJ | | | G | | |
| My child(ren) have become sick in the past eating or drinking something harmful | 833 | 364 | 469 | 228 | 380 | 226 | 110 | 99 | 55 | 328 | 173 | 68 |
| | 83% | 77% | 89% | 76% | 87% | 86% | 81% | 87% | 88% | 83% | 79% | 92% |
| | | | A | | C | C | | | | | | FJ |
| I check hazard or warning labels on the products I buy | 201 | 98 | 103 | 56 | 96 | 49 | 36 | 19 | 6 | 69 | 54 | 16 |
| | 20% | 21% | 20% | 19% | 22% | 19% | 27% | 17% | 10% | 17% | 25% | 22% |
| | | | | | | | HI | | | | HI | |
| It's hard to keep track of everything that could potentially be harmful to my child(ren) | 449 | 200 | 249 | 133 | 201 | 115 | 65 | 57 | 31 | 183 | 82 | 30 |
| | 45% | 42% | 47% | 44% | 46% | 44% | 48% | 50% | 50% | 46% | 38% | 41% |
| | | | | | | | | J | | J | | |
| I use latches or locks in my home to store items I don't want my child(ren) to get into | 397 | 188 | 209 | 86 | 172 | 139 | 63 | 35 | 19 | 153 | 90 | 36 |
| | 40% | 40% | 40% | 29% | 39% | 53% | 46% | 31% | 31% | 39% | 41% | 49% |
| | | | | | C | CD | G | | | | | GH |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[B1B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|-----|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| Base:Users | 370 | A | B | C | D | E | F | G | H | I | J | K |
| | | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| If I don't put my cannabis in a safe place there could be bad consequences | 15 | 8 | 7 | 4 | 5 | 5 | 2 | 2 | 0 | 8 | 2 | 1 |
| | 4% | 4% | 5% | 3% | 4% | 6% | 4% | 5% | - | 5% | 3% | 2% |
| | | | | | | | | | | | | |
| Once I get going in doing something like putting my cannabis away, it quickly becomes a habit and I just do it without having to think about it | 4 | 4 | 0 | 3 | 1 | 1 | 0 | 1 | 0 | 3 | 1 | 0 |
| | 1% | 2% | - | 2% | 1% | 1% | - | 2% | - | 2% | 1% | - |
| | | B | | | | | | | | | | |
| It is my responsibility to safely put away my cannabis | 2 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| | 0 | 1% | - | 1% | 1% | - | - | - | - | 1% | 1% | - |
| | | | | | | | | | | | | |
| I have the knowledge required to safely put away my cannabis | 11 | 11 | 0 | 6 | 2 | 3 | 1 | 1 | 0 | 4 | 5 | 0 |
| | 3% | 5% | - | 4% | 2% | 4% | 2% | 2% | - | 3% | 7% | - |
| | | B | | | | | | | | | | |
| I am familiar with official guidelines on how to safely put away cannabis | 20 | 14 | 6 | 5 | 7 | 8 | 4 | 1 | 1 | 7 | 4 | 3 |
| | 5% | 6% | 4% | 4% | 5% | 9% | 9% | 3% | 4% | 4% | 5% | 10% |
| | | | | | | | | | | | | |
| My friends/family believe that safely putting away cannabis is very important | 5 | 5 | 1 | 2 | 3 | 1 | 0 | 0 | 0 | 2 | 3 | 1 |
| | 1% | 2% | 0 | 1% | 2% | 1% | - | - | - | 1% | 4% | 2% |
| | | | | | | | | | | | | |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I have a place where I securely store medications in our home | 35 | 20 | 15 | 4 | 14 | 16 | 10 | 0 | 2 | 15 | 4 | 4 |
| | 3% | 4% | 3% | 1% | 3% | 6% | 7% | - | 4% | 4% | 2% | 5% |
| | | | | | | C | GJ | | | G | | G |
| My child(ren) have become sick in the past eating or drinking something harmful | 667 | 271 | 396 | 183 | 303 | 181 | 87 | 85 | 46 | 251 | 136 | 63 |
| | 67% | 57% | 75% | 61% | 69% | 69% | 64% | 75% | 73% | 64% | 62% | 85% |
| | | | A | | C | C | | IJ | | | | FIJ |
| I check hazard or warning labels on the products I buy | 45 | 18 | 27 | 14 | 15 | 16 | 10 | 4 | 2 | 15 | 10 | 4 |
| | 5% | 4% | 5% | 5% | 3% | 6% | 7% | 3% | 4% | 4% | 5% | 5% |
| | | | | | | | | | | | | |
| It's hard to keep track of everything that could potentially be harmful to my child(ren) | 177 | 70 | 107 | 58 | 71 | 47 | 20 | 24 | 13 | 76 | 30 | 14 |
| | 18% | 15% | 20% | 19% | 16% | 18% | 15% | 21% | 21% | 19% | 14% | 19% |
| | | | A | | | | | | | | | |
| I use latches or locks in my home to store items I don't want my child(ren) to get into | 159 | 66 | 94 | 33 | 69 | 57 | 30 | 12 | 7 | 59 | 35 | 16 |
| | 16% | 14% | 18% | 11% | 16% | 22% | 22% | 10% | 12% | 15% | 16% | 22% |
| | | | | | | C | G | | | | | G |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[If I don't put my cannabis in a safe place there could be bad consequences] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| If I don't put my cannabis in a safe place there could be bad consequences | | | | | | | | | | | | |
| [4] Strongly agree | 173 | 91 | 83 | 70 | 63 | 41 | 21 | 22 | 8 | 70 | 35 | 18 |
| | 47% | 41% | 56% | 48% | 46% | 46% | 44% | 49% | 42% | 45% | 48% | 59% |
| | | | A | | | | | | | | | |
| [3] Somewhat agree | 138 | 93 | 45 | 49 | 57 | 32 | 17 | 16 | 9 | 55 | 30 | 10 |
| | 37% | 42% | 30% | 34% | 42% | 35% | 36% | 36% | 49% | 35% | 41% | 34% |
| | | B | | | | | | | | | | |
| [2] Somewhat disagree | 44 | 30 | 14 | 22 | 10 | 11 | 7 | 4 | 2 | 23 | 6 | 1 |
| | 12% | 13% | 9% | 15% | 8% | 13% | 16% | 10% | 9% | 15% | 8% | 4% |
| | | | | D | | | | | | | | |
| [1] Strongly disagree | 15 | 8 | 7 | 4 | 5 | 5 | 2 | 2 | 0 | 8 | 2 | 1 |
| | 4% | 4% | 5% | 3% | 4% | 6% | 4% | 5% | - | 5% | 3% | 2% |
| | | | | | | | | | | | | |
| Sigma | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 311 | 184 | 127 | 118 | 120 | 73 | 38 | 38 | 17 | 125 | 66 | 28 |
| | 84% | 83% | 86% | 82% | 88% | 81% | 80% | 86% | 91% | 80% | 89% | 93% |
| | | | | | | | | | | | | I |
| B2B | 59 | 38 | 21 | 26 | 16 | 17 | 10 | 6 | 2 | 31 | 8 | 2 |
| | 16% | 17% | 14% | 18% | 12% | 19% | 20% | 14% | 9% | 20% | 11% | 7% |
| | | | | | | | | | | K | | |
| Mean | 3.27 | 3.2 | 3.37 | 3.27 | 3.3 | 3.21 | 3.19 | 3.31 | 3.33 | 3.2 | 3.33 | 3.51 |
| | | | A | | | | | | | | | I |
| Standard Deviation | 0.83 | 0.81 | 0.84 | 0.83 | 0.78 | 0.89 | 0.87 | 0.83 | 0.65 | 0.88 | 0.76 | 0.7 |
| Standard Error | 0.04 | 0.05 | 0.05 | 0.06 | 0.06 | 0.08 | 0.11 | 0.11 | 0.14 | 0.06 | 0.07 | 0.11 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[Once I get going in doing something like putting my cannabis away, it quickly becomes a habit and I just do it without having to think about it] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| Once I get going in doing something like putting my cannabis away, it quickly becomes a habit and I just do it without having to think about it | | | | | | | | | | | | |
| [4] Strongly agree | 217 | 117 | 100 | 84 | 78 | 56 | 32 | 30 | 13 | 81 | 40 | 21 |
| | 59% | 53% | 68% | 58% | 57% | 62% | 67% | 68% | 68% | 52% | 54% | 72% |
| | | | A | | | | I | I | | | | I |
| [3] Somewhat agree | 118 | 78 | 39 | 42 | 48 | 27 | 13 | 11 | 4 | 56 | 26 | 8 |
| | 32% | 35% | 27% | 29% | 36% | 30% | 28% | 25% | 23% | 36% | 35% | 26% |
| | | B | | | | | | | | | | |
| [2] Somewhat disagree | 31 | 22 | 8 | 16 | 9 | 6 | 2 | 2 | 2 | 16 | 8 | 1 |
| | 8% | 10% | 6% | 11% | 7% | 7% | 5% | 5% | 9% | 10% | 11% | 2% |
| | | | | | | | | | | | | |
| [1] Strongly disagree | 4 | 4 | 0 | 3 | 1 | 1 | 0 | 1 | 0 | 3 | 1 | 0 |
| | 1% | 2% | - | 2% | 1% | 1% | - | 2% | - | 2% | 1% | - |
| | | B | | | | | | | | | | |
| Sigma | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 335 | 195 | 140 | 127 | 126 | 82 | 46 | 41 | 17 | 137 | 65 | 29 |
| | 91% | 88% | 94% | 87% | 93% | 92% | 95% | 93% | 91% | 88% | 88% | 98% |
| | | | A | | | | | | | | | |
| B2B | 35 | 27 | 8 | 18 | 10 | 7 | 2 | 3 | 2 | 19 | 9 | 1 |
| | 9% | 12% | 6% | 13% | 7% | 8% | 5% | 7% | 9% | 12% | 12% | 2% |
| | | B | | | | | | | | | | |
| Mean | 3.48 | 3.39 | 3.62 | 3.44 | 3.49 | 3.53 | 3.62 | 3.59 | 3.59 | 3.39 | 3.41 | 3.7 |
| | | | A | | | | I | I | | | | IJ |
| Standard Deviation | 0.7 | 0.75 | 0.59 | 0.75 | 0.65 | 0.67 | 0.58 | 0.68 | 0.67 | 0.74 | 0.72 | 0.51 |
| Standard Error | 0.03 | 0.05 | 0.04 | 0.05 | 0.05 | 0.06 | 0.07 | 0.09 | 0.14 | 0.05 | 0.07 | 0.08 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[It is my responsibility to safely put away my cannabis] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| It is my responsibility to safely put away my cannabis | | | | | | | | | | | | |
| [4] Strongly agree | 273 | 150 | 122 | 99 | 103 | 70 | 39 | 37 | 14 | 109 | 47 | 27 |
| | 74% | 68% | 83% | 69% | 76% | 78% | 81% | 83% | 77% | 70% | 63% | 91% |
| | | | A | | | | J | IJ | | | | IJ |
| [3] Somewhat agree | 74 | 52 | 22 | 31 | 26 | 16 | 7 | 6 | 2 | 35 | 20 | 3 |
| | 20% | 23% | 15% | 22% | 19% | 18% | 16% | 14% | 13% | 22% | 27% | 9% |
| | | B | | | | | | | | | GK | |
| [2] Somewhat disagree | 22 | 18 | 4 | 13 | 6 | 4 | 1 | 1 | 2 | 11 | 6 | 0 |
| | 6% | 8% | 3% | 9% | 4% | 4% | 3% | 3% | 10% | 7% | 8% | - |
| | | B | | | | | | | | | | |
| [1] Strongly disagree | 2 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| | 0 | 1% | - | 1% | 1% | - | - | - | - | 1% | 1% | - |
| | | | | | | | | | | | | |
| Sigma | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 346 | 202 | 144 | 131 | 129 | 86 | 47 | 43 | 17 | 143 | 67 | 30 |
| | 94% | 91% | 97% | 91% | 95% | 96% | 97% | 97% | 90% | 92% | 91% | 100% |
| | | | A | | | | | | | | | J |
| B2B | 24 | 20 | 4 | 14 | 7 | 4 | 1 | 1 | 2 | 12 | 7 | 0 |
| | 6% | 9% | 3% | 9% | 5% | 4% | 3% | 3% | 10% | 8% | 9% | - |
| | | B | | | | | | | | | K | |
| Mean | 3.67 | 3.58 | 3.8 | 3.59 | 3.71 | 3.74 | 3.78 | 3.8 | 3.66 | 3.62 | 3.53 | 3.91 |
| | | | A | | | C | J | IJ | | | | IJ |
| Standard Deviation | 0.61 | 0.68 | 0.46 | 0.68 | 0.57 | 0.53 | 0.49 | 0.48 | 0.67 | 0.65 | 0.7 | 0.29 |
| Standard Error | 0.03 | 0.04 | 0.03 | 0.05 | 0.04 | 0.05 | 0.06 | 0.06 | 0.14 | 0.05 | 0.07 | 0.05 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[I have the knowledge required to safely put away my cannabis] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| I have the knowledge required to safely put away my cannabis | | | | | | | | | | | | |
| [4] Strongly agree | 215 | 112 | 103 | 82 | 84 | 49 | 30 | 28 | 11 | 91 | 34 | 21 |
| | 58% | 51% | 70% | 57% | 62% | 55% | 63% | 62% | 60% | 59% | 46% | 71% |
| | | | A | | | | J | J | | J | | J |
| [3] Somewhat agree | 121 | 81 | 39 | 46 | 40 | 35 | 15 | 15 | 7 | 46 | 29 | 9 |
| | 33% | 37% | 27% | 32% | 29% | 39% | 30% | 34% | 40% | 30% | 39% | 29% |
| | | B | | | | | | | | | | |
| [2] Somewhat disagree | 22 | 17 | 6 | 11 | 9 | 3 | 2 | 1 | 0 | 14 | 5 | 0 |
| | 6% | 8% | 4% | 7% | 7% | 3% | 5% | 1% | - | 9% | 7% | - |
| | | | | | | | | | | G | | |
| [1] Strongly disagree | 11 | 11 | 0 | 6 | 2 | 3 | 1 | 1 | 0 | 4 | 5 | 0 |
| | 3% | 5% | - | 4% | 2% | 4% | 2% | 2% | - | 3% | 7% | - |
| | | B | | | | | | | | | | |
| Sigma | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 336 | 194 | 142 | 128 | 124 | 84 | 45 | 43 | 19 | 137 | 63 | 30 |
| | 91% | 87% | 96% | 88% | 92% | 94% | 93% | 97% | 100% | 88% | 85% | 100% |
| | | | A | | | | | J | | | | IJ |
| B2B | 34 | 28 | 6 | 17 | 12 | 6 | 3 | 1 | 0 | 18 | 11 | 0 |
| | 9% | 13% | 4% | 12% | 8% | 6% | 7% | 3% | - | 12% | 15% | - |
| | | B | | | | | | | | K | GK | |
| Mean | 3.46 | 3.33 | 3.66 | 3.41 | 3.52 | 3.45 | 3.54 | 3.57 | 3.6 | 3.44 | 3.24 | 3.71 |
| | | | A | | | | J | J | | J | | IJ |
| Standard Deviation | 0.75 | 0.83 | 0.55 | 0.8 | 0.7 | 0.72 | 0.68 | 0.63 | 0.5 | 0.77 | 0.88 | 0.46 |
| Standard Error | 0.03 | 0.05 | 0.04 | 0.06 | 0.05 | 0.07 | 0.08 | 0.08 | 0.1 | 0.05 | 0.09 | 0.07 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[I am familiar with official guidelines on how to safely put away cannabis] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| I am familiar with official guidelines on how to safely put away cannabis | | | | | | | | | | | | |
| [4] Strongly agree | 153 | 79 | 74 | 67 | 53 | 33 | 20 | 22 | 5 | 68 | 22 | 16 |
| | 41% | 35% | 50% | 46% | 39% | 37% | 41% | 49% | 29% | 44% | 29% | 53% |
| | | | A | | | | | J | | J | | J |
| [3] Somewhat agree | 138 | 91 | 46 | 47 | 54 | 36 | 18 | 16 | 9 | 51 | 36 | 7 |
| | 37% | 41% | 31% | 32% | 40% | 41% | 38% | 36% | 50% | 33% | 48% | 23% |
| | | B | | | | | | | | | IK | |
| [2] Somewhat disagree | 60 | 38 | 22 | 26 | 22 | 12 | 6 | 5 | 3 | 29 | 13 | 4 |
| | 16% | 17% | 15% | 18% | 16% | 13% | 12% | 12% | 17% | 19% | 17% | 14% |
| | | | | | | | | | | | | |
| [1] Strongly disagree | 20 | 14 | 6 | 5 | 7 | 8 | 4 | 1 | 1 | 7 | 4 | 3 |
| | 5% | 6% | 4% | 4% | 5% | 9% | 9% | 3% | 4% | 4% | 5% | 10% |
| | | | | | | | | | | | | |
| Sigma | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 290 | 170 | 120 | 114 | 107 | 70 | 38 | 38 | 15 | 120 | 57 | 22 |
| | 78% | 77% | 81% | 79% | 79% | 78% | 79% | 85% | 80% | 77% | 78% | 76% |
| | | | | | | | | | | | | |
| B2B | 80 | 52 | 28 | 31 | 29 | 20 | 10 | 7 | 4 | 36 | 17 | 7 |
| | 22% | 23% | 19% | 21% | 21% | 22% | 21% | 15% | 20% | 23% | 22% | 24% |
| | | | | | | | | | | | | |
| Mean | 3.14 | 3.06 | 3.27 | 3.21 | 3.12 | 3.07 | 3.11 | 3.31 | 3.05 | 3.17 | 3.02 | 3.18 |
| | | | A | | | | | J | | | | |
| Standard Deviation | 0.88 | 0.88 | 0.86 | 0.86 | 0.87 | 0.92 | 0.94 | 0.81 | 0.8 | 0.88 | 0.83 | 1.04 |
| Standard Error | 0.04 | 0.05 | 0.06 | 0.06 | 0.06 | 0.09 | 0.12 | 0.1 | 0.17 | 0.06 | 0.08 | 0.16 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[My friends/family believe that safely putting away cannabis is very important] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Users | 500 | 264 | 236 | 199 | 185 | 116 | 66 | 63 | 23 | 203 | 104 | 41 |
| Weighted | 370 | 222 | 148 | 145 | 136 | 89 | 48* | 44* | 19** | 155 | 74 | 30* |
| My friends/family believe that safely putting away cannabis is very important | | | | | | | | | | | | |
| [4] Strongly agree | 196 | 107 | 88 | 73 | 74 | 49 | 25 | 28 | 9 | 75 | 39 | 19 |
| | 53% | 48% | 60% | 51% | 54% | 54% | 53% | 62% | 47% | 49% | 53% | 64% |
| | | | A | | | | | | | | | |
| [3] Somewhat agree | 134 | 88 | 46 | 50 | 51 | 33 | 17 | 15 | 7 | 63 | 25 | 7 |
| | 36% | 40% | 31% | 35% | 38% | 37% | 35% | 34% | 40% | 40% | 33% | 24% |
| | | | | | | | | | | K | | |
| [2] Somewhat disagree | 35 | 22 | 13 | 20 | 8 | 7 | 6 | 1 | 2 | 15 | 7 | 3 |
| | 9% | 10% | 9% | 14% | 6% | 8% | 12% | 3% | 13% | 10% | 9% | 10% |
| | | | | D | | | | | | | | |
| [1] Strongly disagree | 5 | 5 | 1 | 2 | 3 | 1 | 0 | 0 | 0 | 2 | 3 | 1 |
| | 1% | 2% | 0 | 1% | 2% | 1% | - | - | - | 1% | 4% | 2% |
| | | | | | | | | | | | | |
| Sigma | 370 | 222 | 148 | 145 | 136 | 89 | 48 | 44 | 19 | 155 | 74 | 30 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 330 | 195 | 135 | 123 | 125 | 81 | 42 | 43 | 16 | 138 | 64 | 26 |
| | 89% | 88% | 91% | 85% | 92% | 91% | 88% | 97% | 87% | 89% | 87% | 87% |
| | | | | | C | | | J | | | | |
| B2B | 40 | 27 | 13 | 21 | 11 | 8 | 6 | 1 | 2 | 17 | 10 | 4 |
| | 11% | 12% | 9% | 15% | 8% | 9% | 12% | 3% | 13% | 11% | 13% | 13% |
| | | | | D | | | | | | | G | |
| Mean | 3.41 | 3.34 | 3.5 | 3.35 | 3.44 | 3.44 | 3.41 | 3.59 | 3.35 | 3.36 | 3.36 | 3.49 |
| | | | A | | | | | I | | | | |
| Standard Deviation | 0.72 | 0.75 | 0.67 | 0.76 | 0.71 | 0.68 | 0.7 | 0.56 | 0.71 | 0.71 | 0.82 | 0.78 |
| Standard Error | 0.03 | 0.05 | 0.04 | 0.05 | 0.05 | 0.06 | 0.09 | 0.07 | 0.15 | 0.05 | 0.08 | 0.12 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[I have a place where I securely store medications in our home] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I have a place where I securely store medications in our home | | | | | | | | | | | | |
| [4] Strongly agree | 469 | 200 | 268 | 173 | 196 | 100 | 59 | 59 | 36 | 182 | 95 | 38 |
| | 47% | 42% | 51% | 57% | 45% | 38% | 43% | 52% | 57% | 46% | 44% | 52% |
| | | | A | DE | | | | | | | | |
| [3] Somewhat agree | 356 | 174 | 182 | 95 | 160 | 101 | 42 | 44 | 19 | 142 | 86 | 22 |
| | 36% | 37% | 35% | 31% | 37% | 39% | 31% | 39% | 31% | 36% | 40% | 30% |
| | | | | | | | | | | | | |
| [2] Somewhat disagree | 140 | 80 | 61 | 29 | 67 | 44 | 26 | 11 | 5 | 56 | 33 | 9 |
| | 14% | 17% | 12% | 10% | 15% | 17% | 19% | 9% | 8% | 14% | 15% | 13% |
| | | B | | | C | C | G | | | | | |
| [1] Strongly disagree | 35 | 20 | 15 | 4 | 14 | 16 | 10 | 0 | 2 | 15 | 4 | 4 |
| | 3% | 4% | 3% | 1% | 3% | 6% | 7% | - | 4% | 4% | 2% | 5% |
| | | | | | | C | GJ | | | G | | G |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 825 | 374 | 451 | 267 | 356 | 202 | 100 | 103 | 55 | 324 | 182 | 60 |
| | 83% | 79% | 86% | 89% | 81% | 77% | 74% | 91% | 88% | 82% | 83% | 82% |
| | | | A | DE | | | | FI | F | F | F | |
| B2B | 175 | 100 | 75 | 34 | 81 | 60 | 36 | 11 | 8 | 70 | 37 | 13 |
| | 17% | 21% | 14% | 11% | 19% | 23% | 26% | 9% | 12% | 18% | 17% | 18% |
| | | B | | | C | C | GHIJ | | | G | | |
| Mean | 3.26 | 3.17 | 3.34 | 3.45 | 3.23 | 3.09 | 3.1 | 3.42 | 3.41 | 3.25 | 3.25 | 3.28 |
| | | | A | DE | E | | | FIJ | F | | | |
| Standard Deviation | 0.83 | 0.86 | 0.79 | 0.73 | 0.82 | 0.89 | 0.95 | 0.66 | 0.8 | 0.83 | 0.77 | 0.89 |
| Standard Error | 0.03 | 0.04 | 0.04 | 0.04 | 0.04 | 0.06 | 0.08 | 0.06 | 0.11 | 0.04 | 0.05 | 0.1 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[My child(ren) have become sick in the past eating or drinking something harmful] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| My child(ren) have become sick in the past eating or drinking something harmful | | | | | | | | | | | | |
| [4] Strongly agree | 48 | 34 | 14 | 25 | 11 | 12 | 7 | 3 | 3 | 21 | 13 | 2 |
| | 5% | 7% | 3% | 8% | 2% | 5% | 5% | 2% | 5% | 5% | 6% | 2% |
| | | B | | D | | | | | | | | |
| [3] Somewhat agree | 119 | 76 | 43 | 48 | 46 | 24 | 19 | 12 | 4 | 45 | 33 | 4 |
| | 12% | 16% | 8% | 16% | 11% | 9% | 14% | 11% | 6% | 12% | 15% | 6% |
| | | B | | DE | | | | | | | K | |
| [2] Somewhat disagree | 166 | 93 | 73 | 45 | 77 | 45 | 23 | 14 | 9 | 77 | 37 | 5 |
| | 17% | 20% | 14% | 15% | 18% | 17% | 17% | 12% | 15% | 20% | 17% | 7% |
| | | B | | | | | | | | K | K | |
| [1] Strongly disagree | 667 | 271 | 396 | 183 | 303 | 181 | 87 | 85 | 46 | 251 | 136 | 63 |
| | 67% | 57% | 75% | 61% | 69% | 69% | 64% | 75% | 73% | 64% | 62% | 85% |
| | | | A | | C | C | | IJ | | | | FIJ |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 167 | 110 | 57 | 73 | 57 | 36 | 26 | 15 | 7 | 66 | 46 | 6 |
| | 17% | 23% | 11% | 24% | 13% | 14% | 19% | 13% | 12% | 17% | 21% | 8% |
| | | B | | DE | | | K | | | | K | |
| B2B | 833 | 364 | 469 | 228 | 380 | 226 | 110 | 99 | 55 | 328 | 173 | 68 |
| | 83% | 77% | 89% | 76% | 87% | 86% | 81% | 87% | 88% | 83% | 79% | 92% |
| | | | A | | C | C | | | | | | FJ |
| Mean | 1.55 | 1.73 | 1.38 | 1.72 | 1.46 | 1.49 | 1.6 | 1.41 | 1.44 | 1.59 | 1.65 | 1.25 |
| | | B | | DE | | | K | | | K | GK | |
| Standard Deviation | 0.88 | 0.97 | 0.75 | 1.01 | 0.78 | 0.84 | 0.91 | 0.78 | 0.84 | 0.89 | 0.94 | 0.66 |
| Standard Error | 0.03 | 0.04 | 0.03 | 0.06 | 0.04 | 0.05 | 0.08 | 0.07 | 0.11 | 0.04 | 0.06 | 0.08 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[I check hazard or warning labels on the products I buy] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I check hazard or warning labels on the products I buy | | | | | | | | | | | | |
| [4] Strongly agree | 320 | 149 | 171 | 98 | 134 | 88 | 37 | 37 | 17 | 146 | 54 | 29 |
| | 32% | 31% | 32% | 32% | 31% | 34% | 27% | 32% | 27% | 37% | 25% | 39% |
| | | | | | | | | | | FJ | | J |
| [3] Somewhat agree | 479 | 227 | 252 | 147 | 207 | 125 | 63 | 58 | 40 | 179 | 110 | 29 |
| | 48% | 48% | 48% | 49% | 47% | 48% | 46% | 51% | 63% | 45% | 50% | 39% |
| | | | | | | | | | FIK | | | |
| [2] Somewhat disagree | 156 | 80 | 76 | 42 | 81 | 33 | 26 | 15 | 4 | 54 | 45 | 12 |
| | 16% | 17% | 14% | 14% | 19% | 12% | 19% | 13% | 6% | 14% | 20% | 17% |
| | | | | | E | | H | | | | HI | |
| [1] Strongly disagree | 45 | 18 | 27 | 14 | 15 | 16 | 10 | 4 | 2 | 15 | 10 | 4 |
| | 5% | 4% | 5% | 5% | 3% | 6% | 7% | 3% | 4% | 4% | 5% | 5% |
| | | | | | | | | | | | | |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 799 | 376 | 423 | 245 | 341 | 213 | 100 | 94 | 56 | 326 | 164 | 58 |
| | 80% | 79% | 80% | 81% | 78% | 81% | 73% | 83% | 90% | 83% | 75% | 78% |
| | | | | | | | | | FJ | FJ | | |
| B2B | 201 | 98 | 103 | 56 | 96 | 49 | 36 | 19 | 6 | 69 | 54 | 16 |
| | 20% | 21% | 20% | 19% | 22% | 19% | 27% | 17% | 10% | 17% | 25% | 22% |
| | | | | | | | HI | | | | HI | |
| Mean | 3.07 | 3.07 | 3.08 | 3.09 | 3.05 | 3.08 | 2.93 | 3.12 | 3.13 | 3.16 | 2.95 | 3.12 |
| | | | | | | | | | | FJ | | |
| Standard Deviation | 0.81 | 0.8 | 0.82 | 0.8 | 0.79 | 0.84 | 0.87 | 0.77 | 0.68 | 0.8 | 0.8 | 0.87 |
| Standard Error | 0.03 | 0.04 | 0.04 | 0.04 | 0.04 | 0.05 | 0.08 | 0.07 | 0.09 | 0.04 | 0.05 | 0.1 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[It's hard to keep track of everything that could potentially be harmful to my child(ren)] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| It's hard to keep track of everything that could potentially be harmful to my child(ren) | | | | | | | | | | | | |
| [4] Strongly agree | 163 | 84 | 78 | 57 | 63 | 42 | 18 | 12 | 5 | 67 | 45 | 15 |
| | 16% | 18% | 15% | 19% | 14% | 16% | 13% | 10% | 9% | 17% | 21% | 21% |
| | | | | | | | | | | | GH | |
| [3] Somewhat agree | 389 | 190 | 199 | 111 | 173 | 104 | 54 | 45 | 26 | 145 | 91 | 28 |
| | 39% | 40% | 38% | 37% | 40% | 40% | 39% | 40% | 42% | 37% | 42% | 38% |
| | | | | | | | | | | | | |
| [2] Somewhat disagree | 272 | 130 | 142 | 74 | 130 | 68 | 45 | 32 | 18 | 108 | 53 | 16 |
| | 27% | 27% | 27% | 25% | 30% | 26% | 33% | 28% | 28% | 27% | 24% | 22% |
| | | | | | | | | | | | | |
| [1] Strongly disagree | 177 | 70 | 107 | 58 | 71 | 47 | 20 | 24 | 13 | 76 | 30 | 14 |
| | 18% | 15% | 20% | 19% | 16% | 18% | 15% | 21% | 21% | 19% | 14% | 19% |
| | | | A | | | | | | | | | |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 551 | 274 | 277 | 169 | 236 | 147 | 71 | 57 | 32 | 211 | 136 | 43 |
| | 55% | 58% | 53% | 56% | 54% | 56% | 52% | 50% | 50% | 54% | 62% | 59% |
| | | | | | | | | | | | GI | |
| B2B | 449 | 200 | 249 | 133 | 201 | 115 | 65 | 57 | 31 | 183 | 82 | 30 |
| | 45% | 42% | 47% | 44% | 46% | 44% | 48% | 50% | 50% | 46% | 38% | 41% |
| | | | | | | | | J | | J | | |
| Mean | 2.54 | 2.61 | 2.47 | 2.56 | 2.52 | 2.54 | 2.51 | 2.39 | 2.38 | 2.51 | 2.7 | 2.6 |
| | | B | | | | | | | | | GHI | |
| Standard Deviation | 0.96 | 0.94 | 0.98 | 1.01 | 0.93 | 0.97 | 0.9 | 0.94 | 0.92 | 0.99 | 0.95 | 1.03 |
| Standard Error | 0.03 | 0.04 | 0.04 | 0.06 | 0.05 | 0.06 | 0.08 | 0.09 | 0.12 | 0.05 | 0.06 | 0.12 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[I use latches or locks in my home to store items I don't want my child(ren) to get into] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I use latches or locks in my home to store items I don't want my child(ren) to get into | | | | | | | | | | | | |
| [4] Strongly agree | 292 | 133 | 159 | 112 | 128 | 53 | 32 | 37 | 21 | 117 | 61 | 24 |
| | 29% | 28% | 30% | 37% | 29% | 20% | 24% | 32% | 33% | 30% | 28% | 33% |
| | | | | DE | E | | | | | | | |
| [3] Somewhat agree | 311 | 153 | 158 | 103 | 138 | 70 | 41 | 42 | 22 | 125 | 68 | 14 |
| | 31% | 32% | 30% | 34% | 32% | 27% | 30% | 37% | 36% | 32% | 31% | 18% |
| | | | | | | | | K | K | K | K | |
| [2] Somewhat disagree | 237 | 122 | 115 | 53 | 102 | 82 | 33 | 23 | 12 | 94 | 55 | 20 |
| | 24% | 26% | 22% | 18% | 23% | 31% | 24% | 21% | 19% | 24% | 25% | 27% |
| | | | | | | CD | | | | | | |
| [1] Strongly disagree | 159 | 66 | 94 | 33 | 69 | 57 | 30 | 12 | 7 | 59 | 35 | 16 |
| | 16% | 14% | 18% | 11% | 16% | 22% | 22% | 10% | 12% | 15% | 16% | 22% |
| | | | | | | C | G | | | | | G |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 603 | 286 | 317 | 215 | 265 | 123 | 73 | 79 | 43 | 242 | 129 | 38 |
| | 60% | 60% | 60% | 71% | 61% | 47% | 54% | 69% | 69% | 61% | 59% | 51% |
| | | | | DE | E | | | FK | K | | | |
| B2B | 397 | 188 | 209 | 86 | 172 | 139 | 63 | 35 | 19 | 153 | 90 | 36 |
| | 40% | 40% | 40% | 29% | 39% | 53% | 46% | 31% | 31% | 39% | 41% | 49% |
| | | | | | C | CD | G | | | | | GH |
| Mean | 2.74 | 2.75 | 2.73 | 2.98 | 2.74 | 2.45 | 2.55 | 2.91 | 2.91 | 2.76 | 2.7 | 2.62 |
| | | | | DE | E | | | F | F | | | |
| Standard Deviation | 1.05 | 1.01 | 1.08 | 0.99 | 1.05 | 1.04 | 1.08 | 0.97 | 1 | 1.04 | 1.04 | 1.16 |
| Standard Error | 0.03 | 0.05 | 0.05 | 0.06 | 0.05 | 0.06 | 0.09 | 0.09 | 0.13 | 0.05 | 0.07 | 0.13 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[T1B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|-----|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| It's easy for a child to mistake cannabis edibles for candy/sweets (e.g. gummies, brownies, cookies, etc.) | 516 | 209 | 307 | 150 | 222 | 143 | 77 | 52 | 30 | 202 | 112 | 42 |
| | 52% | 44% | 58% | 50% | 51% | 55% | 57% | 46% | 48% | 51% | 51% | 57% |
| | | | A | | | | | | | | | |
| I'm worried my children could eat cannabis edibles my guests may have brought over by mistake | 172 | 96 | 76 | 61 | 67 | 44 | 25 | 16 | 8 | 62 | 53 | 7 |
| | 17% | 20% | 14% | 20% | 15% | 17% | 19% | 14% | 13% | 16% | 24% | 10% |
| | | B | | | | | | | | | GIK | |
| I'm worried my children could eat cannabis edibles at a friends', relatives', etc. house | 194 | 102 | 93 | 62 | 81 | 51 | 21 | 23 | 7 | 75 | 55 | 13 |
| | 19% | 21% | 18% | 21% | 18% | 20% | 16% | 20% | 11% | 19% | 25% | 18% |
| | | | | | | | | | | | H | |
| Cannabis edibles shouldn't be made to look like candy/sweets (e.g. gummies, brownies, cookies, etc.) | 470 | 189 | 282 | 127 | 213 | 130 | 71 | 42 | 32 | 179 | 108 | 38 |
| | 47% | 40% | 54% | 42% | 49% | 50% | 52% | 37% | 52% | 45% | 50% | 51% |
| | | | A | | | | G | | | | G | |
| For places my children spend time frequently (e.g. friend's houses, relatives, babysitter, etc.) I've asked them if they use cannabis edibles | 121 | 64 | 57 | 46 | 46 | 29 | 17 | 11 | 4 | 47 | 33 | 8 |
| | 12% | 13% | 11% | 15% | 11% | 11% | 13% | 10% | 7% | 12% | 15% | 11% |
| | | | | | | | | | | | | |
| Base:Consume Edibles | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| I'm worried my child(ren) could eat my cannabis edibles by mistake | 33 | 24 | 9 | 16 | 10 | 6 | 7 | 5 | 3 | 12 | 4 | 1 |
| | 17% | 21% | 12% | 20% | 15% | 15% | 29% | 23% | 33% | 13% | 15% | 7% |
| | | B | | | | | I | | | | | |
| I take special precautions to hide my cannabis edibles from my children | 99 | 51 | 48 | 38 | 40 | 20 | 12 | 11 | 3 | 52 | 12 | 9 |
| | 52% | 45% | 63% | 48% | 59% | 49% | 46% | 50% | 41% | 56% | 42% | 72% |
| | | | A | | | | | | | | | |
| I have eaten cannabis edibles in front of my children | 24 | 18 | 6 | 11 | 10 | 3 | 2 | 3 | 1 | 13 | 4 | 2 |
| | 13% | 16% | 8% | 13% | 15% | 8% | 9% | 13% | 9% | 14% | 13% | 12% |
| | | | | | | | | | | | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[T2B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| It's easy for a child to mistake cannabis edibles for candy/sweets (e.g. gummies, brownies, cookies, etc.) | 882 | 409 | 474 | 256 | 388 | 238 | 125 | 101 | 57 | 351 | 181 | 67 |
| | 88% | 86% | 90% | 85% | 89% | 91% | 92% | 89% | 91% | 89% | 83% | 90% |
| | | | | | | C | J | | | J | | |
| I'm worried my children could eat cannabis edibles my guests may have brought over by mistake | 436 | 242 | 194 | 146 | 173 | 117 | 53 | 42 | 27 | 172 | 116 | 25 |
| | 44% | 51% | 37% | 49% | 40% | 45% | 39% | 37% | 43% | 44% | 53% | 34% |
| | | B | | D | | | | | | | FGIK | |
| I'm worried my children could eat cannabis edibles at a friends', relatives', etc. house | 543 | 278 | 265 | 162 | 234 | 147 | 70 | 52 | 32 | 230 | 122 | 37 |
| | 54% | 59% | 50% | 54% | 54% | 56% | 51% | 46% | 51% | 58% | 56% | 50% |
| | | B | | | | | | | | G | | |
| Cannabis edibles shouldn't be made to look like candy/sweets (e.g. gummies, brownies, cookies, etc.) | 752 | 334 | 419 | 210 | 341 | 202 | 106 | 81 | 47 | 294 | 169 | 56 |
| | 75% | 70% | 80% | 70% | 78% | 77% | 78% | 71% | 75% | 74% | 77% | 76% |
| | | | A | | C | | | | | | | |
| For places my children spend time frequently (e.g. friend's houses, relatives, babysitter, etc.) I've asked them if they use cannabis edibles | 329 | 173 | 156 | 125 | 131 | 73 | 44 | 30 | 16 | 141 | 77 | 21 |
| | 33% | 36% | 30% | 41% | 30% | 28% | 33% | 27% | 26% | 36% | 35% | 28% |
| | | B | | DE | | | | | | | | |
| Base:Consume Edibles | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| I'm worried my child(ren) could eat my cannabis edibles by mistake | 91 | 63 | 28 | 47 | 26 | 18 | 12 | 12 | 4 | 37 | 22 | 5 |
| | 48% | 55% | 37% | 58% | 38% | 44% | 46% | 51% | 53% | 40% | 77% | 36% |
| | | B | | D | | | | | | | FGI | |
| I take special precautions to hide my cannabis edibles from my children | 162 | 96 | 67 | 66 | 61 | 36 | 22 | 18 | 7 | 81 | 23 | 11 |
| | 86% | 84% | 88% | 82% | 89% | 86% | 88% | 80% | 83% | 88% | 81% | 90% |
| | | | | | | | | | | | | |
| I have eaten cannabis edibles in front of my children | 71 | 49 | 22 | 38 | 23 | 11 | 11 | 7 | 4 | 34 | 12 | 3 |
| | 37% | 43% | 29% | 47% | 33% | 26% | 42% | 33% | 44% | 37% | 43% | 22% |
| | | B | | DE | | | | | | | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[B2B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|-----|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| It's easy for a child to mistake cannabis edibles for candy/sweets (e.g. gummies, brownies, cookies, etc.) | 118 | 65 | 52 | 45 | 49 | 24 | 11 | 12 | 6 | 43 | 38 | 7 |
| | 12% | 14% | 10% | 15% | 11% | 9% | 8% | 11% | 9% | 11% | 17% | 10% |
| | | | | E | | | | | | | FI | |
| I'm worried my children could eat cannabis edibles my guests may have brought over by mistake | 564 | 232 | 332 | 155 | 264 | 145 | 83 | 71 | 35 | 223 | 103 | 48 |
| | 56% | 49% | 63% | 51% | 60% | 55% | 61% | 63% | 57% | 56% | 47% | 66% |
| | | | A | | C | | J | J | | J | | J |
| I'm worried my children could eat cannabis edibles at a friends', relatives', etc. house | 457 | 196 | 261 | 140 | 203 | 115 | 66 | 62 | 31 | 165 | 97 | 37 |
| | 46% | 41% | 50% | 46% | 46% | 44% | 49% | 54% | 49% | 42% | 44% | 50% |
| | | | A | | | | | I | | | | |
| Cannabis edibles shouldn't be made to look like candy/sweets (e.g. gummies, brownies, cookies, etc.) | 248 | 140 | 107 | 92 | 96 | 60 | 30 | 33 | 15 | 101 | 50 | 18 |
| | 25% | 30% | 20% | 30% | 22% | 23% | 22% | 29% | 25% | 26% | 23% | 24% |
| | | B | | D | | | | | | | | |
| For places my children spend time frequently (e.g. friend's houses, relatives, babysitter, etc.) I've asked them if they use cannabis edibles | 671 | 301 | 370 | 176 | 306 | 189 | 92 | 83 | 47 | 254 | 142 | 53 |
| | 67% | 64% | 70% | 59% | 70% | 72% | 67% | 73% | 74% | 64% | 65% | 72% |
| | | | A | | C | C | | | | | | |
| Base:Consume Edibles | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| I'm worried my child(ren) could eat my cannabis edibles by mistake | 99 | 51 | 48 | 33 | 42 | 23 | 14 | 11 | 4 | 56 | 6 | 8 |
| | 52% | 45% | 63% | 42% | 62% | 56% | 54% | 49% | 47% | 60% | 23% | 64% |
| | | | A | | C | | J | J | | J | | |
| I take special precautions to hide my cannabis edibles from my children | 27 | 18 | 9 | 14 | 7 | 6 | 3 | 4 | 1 | 12 | 5 | 1 |
| | 14% | 16% | 12% | 18% | 11% | 14% | 12% | 20% | 17% | 12% | 19% | 10% |
| | | | | | | | | | | | | |
| I have eaten cannabis edibles in front of my children | 119 | 65 | 54 | 42 | 46 | 31 | 15 | 15 | 4 | 58 | 16 | 10 |
| | 63% | 57% | 71% | 53% | 67% | 74% | 58% | 67% | 56% | 63% | 57% | 78% |
| | | | A | | C | C | | | | | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[B1B] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|-----|--------|-----|-------|-----|-----|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base:All respondents | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| It's easy for a child to mistake cannabis edibles for candy/sweets (e.g. gummies, brownies, cookies, etc.) | 36 | 18 | 18 | 14 | 16 | 5 | 6 | 5 | 2 | 12 | 9 | 2 |
| | 4% | 4% | 3% | 5% | 4% | 2% | 4% | 4% | 3% | 3% | 4% | 3% |
| | | | | | | | | | | | | |
| I'm worried my children could eat cannabis edibles my guests may have brought over by mistake | 312 | 119 | 194 | 85 | 139 | 88 | 49 | 47 | 18 | 117 | 56 | 25 |
| | 31% | 25% | 37% | 28% | 32% | 34% | 36% | 41% | 29% | 30% | 26% | 34% |
| | | | A | | | | | IJ | | | | |
| I'm worried my children could eat cannabis edibles at a friends', relatives', etc. house | 206 | 71 | 136 | 70 | 84 | 52 | 34 | 32 | 15 | 78 | 28 | 20 |
| | 21% | 15% | 26% | 23% | 19% | 20% | 25% | 28% | 24% | 20% | 13% | 27% |
| | | | A | | | | J | J | J | J | | J |
| Cannabis edibles shouldn't be made to look like candy/sweets (e.g. gummies, brownies, cookies, etc.) | 73 | 45 | 28 | 33 | 22 | 18 | 9 | 11 | 5 | 28 | 14 | 5 |
| | 7% | 10% | 5% | 11% | 5% | 7% | 7% | 9% | 9% | 7% | 6% | 7% |
| | | B | | D | | | | | | | | |
| For places my children spend time frequently (e.g. friend's houses, relatives, babysitter, etc.) I've asked them if they use cannabis edibles | 355 | 164 | 191 | 97 | 159 | 99 | 44 | 40 | 22 | 143 | 72 | 35 |
| | 36% | 35% | 36% | 32% | 36% | 38% | 32% | 35% | 34% | 36% | 33% | 47% |
| | | | | | | | | | | | | FJ |
| Base:Consume Edibles | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| I'm worried my child(ren) could eat my cannabis edibles by mistake | 54 | 20 | 34 | 19 | 21 | 14 | 8 | 5 | 2 | 28 | 3 | 7 |
| | 29% | 18% | 45% | 24% | 31% | 34% | 32% | 24% | 26% | 31% | 12% | 53% |
| | | | A | | | | J | | | J | | |
| I take special precautions to hide my cannabis edibles from my children | 10 | 6 | 4 | 5 | 1 | 3 | 1 | 1 | 1 | 5 | 1 | 1 |
| | 5% | 5% | 5% | 7% | 2% | 7% | 6% | 4% | 17% | 5% | 3% | 5% |
| | | | | | | | | | | | | |
| I have eaten cannabis edibles in front of my children | 74 | 34 | 40 | 23 | 30 | 21 | 8 | 9 | 2 | 36 | 10 | 9 |
| | 39% | 30% | 53% | 29% | 44% | 50% | 33% | 38% | 26% | 39% | 36% | 71% |
| | | | A | | C | C | | | | | | |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[It's easy for a child to mistake cannabis edibles for candy/sweets (e.g. gummies, brownies, cookies, etc.)] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| It's easy for a child to mistake cannabis edibles for candy/sweets (e.g. gummies, brownies, cookies, etc.) | | | | | | | | | | | | |
| [4] Strongly agree | 516 | 209 | 307 | 150 | 222 | 143 | 77 | 52 | 30 | 202 | 112 | 42 |
| | 52% | 44% | 58% | 50% | 51% | 55% | 57% | 46% | 48% | 51% | 51% | 57% |
| | | | A | | | | | | | | | |
| [3] Somewhat agree | 367 | 200 | 167 | 106 | 166 | 95 | 48 | 49 | 26 | 149 | 69 | 25 |
| | 37% | 42% | 32% | 35% | 38% | 36% | 35% | 43% | 42% | 38% | 32% | 34% |
| | | B | | | | | | J | | | | |
| [2] Somewhat disagree | 82 | 48 | 35 | 30 | 33 | 18 | 6 | 7 | 4 | 32 | 29 | 5 |
| | 8% | 10% | 7% | 10% | 8% | 7% | 4% | 6% | 6% | 8% | 13% | 7% |
| | | | | | | | | | | | FI | |
| [1] Strongly disagree | 36 | 18 | 18 | 14 | 16 | 5 | 6 | 5 | 2 | 12 | 9 | 2 |
| | 4% | 4% | 3% | 5% | 4% | 2% | 4% | 4% | 3% | 3% | 4% | 3% |
| | | | | | | | | | | | | |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 882 | 409 | 474 | 256 | 388 | 238 | 125 | 101 | 57 | 351 | 181 | 67 |
| | 88% | 86% | 90% | 85% | 89% | 91% | 92% | 89% | 91% | 89% | 83% | 90% |
| | | | | | | C | J | | | J | | |
| B2B | 118 | 65 | 52 | 45 | 49 | 24 | 11 | 12 | 6 | 43 | 38 | 7 |
| | 12% | 14% | 10% | 15% | 11% | 9% | 8% | 11% | 9% | 11% | 17% | 10% |
| | | | | E | | | | | | | FI | |
| Mean | 3.36 | 3.26 | 3.45 | 3.3 | 3.36 | 3.43 | 3.44 | 3.31 | 3.36 | 3.37 | 3.3 | 3.44 |
| | | | A | | | | | | | | | |
| Standard Deviation | 0.78 | 0.79 | 0.76 | 0.84 | 0.78 | 0.72 | 0.76 | 0.78 | 0.75 | 0.76 | 0.85 | 0.76 |
| Standard Error | 0.02 | 0.04 | 0.03 | 0.05 | 0.04 | 0.04 | 0.07 | 0.07 | 0.1 | 0.04 | 0.06 | 0.09 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[I'm worried my children could eat cannabis edibles my guests may have brought over by mistake] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I'm worried my children could eat cannabis edibles my guests may have brought over by mistake | | | | | | | | | | | | |
| [4] Strongly agree | 172 | 96 | 76 | 61 | 67 | 44 | 25 | 16 | 8 | 62 | 53 | 7 |
| | 17% | 20% | 14% | 20% | 15% | 17% | 19% | 14% | 13% | 16% | 24% | 10% |
| | | B | | | | | | | | | GIK | |
| [3] Somewhat agree | 264 | 146 | 118 | 85 | 106 | 73 | 28 | 26 | 19 | 111 | 63 | 18 |
| | 26% | 31% | 22% | 28% | 24% | 28% | 20% | 23% | 30% | 28% | 29% | 24% |
| | | B | | | | | | | | | | |
| [2] Somewhat disagree | 251 | 113 | 138 | 70 | 125 | 57 | 34 | 25 | 17 | 105 | 47 | 23 |
| | 25% | 24% | 26% | 23% | 29% | 22% | 25% | 22% | 27% | 27% | 21% | 31% |
| | | | | | | | | | | | | |
| [1] Strongly disagree | 312 | 119 | 194 | 85 | 139 | 88 | 49 | 47 | 18 | 117 | 56 | 25 |
| | 31% | 25% | 37% | 28% | 32% | 34% | 36% | 41% | 29% | 30% | 26% | 34% |
| | | | A | | | | | IJ | | | | |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 436 | 242 | 194 | 146 | 173 | 117 | 53 | 42 | 27 | 172 | 116 | 25 |
| | 44% | 51% | 37% | 49% | 40% | 45% | 39% | 37% | 43% | 44% | 53% | 34% |
| | | B | | D | | | | | | | FGIK | |
| B2B | 564 | 232 | 332 | 155 | 264 | 145 | 83 | 71 | 35 | 223 | 103 | 48 |
| | 56% | 49% | 63% | 51% | 60% | 55% | 61% | 63% | 57% | 56% | 47% | 66% |
| | | | A | | C | | J | J | | J | | J |
| Mean | 2.3 | 2.46 | 2.14 | 2.4 | 2.23 | 2.28 | 2.22 | 2.11 | 2.27 | 2.3 | 2.51 | 2.1 |
| | | B | | D | | | | | | | FGIK | |
| Standard Deviation | 1.09 | 1.07 | 1.07 | 1.1 | 1.06 | 1.1 | 1.13 | 1.1 | 1.03 | 1.06 | 1.12 | 0.99 |
| Standard Error | 0.03 | 0.05 | 0.05 | 0.06 | 0.05 | 0.07 | 0.1 | 0.1 | 0.14 | 0.05 | 0.08 | 0.11 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[I'm worried my children could eat cannabis edibles at a friends', relatives', etc. house] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| I'm worried my children could eat cannabis edibles at a friends', relatives', etc. house | | | | | | | | | | | | |
| [4] Strongly agree | 194 | 102 | 93 | 62 | 81 | 51 | 21 | 23 | 7 | 75 | 55 | 13 |
| | 19% | 21% | 18% | 21% | 18% | 20% | 16% | 20% | 11% | 19% | 25% | 18% |
| | | | | | | | | | | | H | |
| [3] Somewhat agree | 349 | 176 | 173 | 100 | 154 | 96 | 49 | 30 | 25 | 155 | 67 | 24 |
| | 35% | 37% | 33% | 33% | 35% | 37% | 36% | 26% | 40% | 39% | 31% | 32% |
| | | | | | | | | | | GJ | | |
| [2] Somewhat disagree | 250 | 125 | 125 | 70 | 118 | 62 | 33 | 29 | 15 | 87 | 69 | 17 |
| | 25% | 26% | 24% | 23% | 27% | 24% | 24% | 26% | 25% | 22% | 31% | 23% |
| | | | | | | | | | | | I | |
| [1] Strongly disagree | 206 | 71 | 136 | 70 | 84 | 52 | 34 | 32 | 15 | 78 | 28 | 20 |
| | 21% | 15% | 26% | 23% | 19% | 20% | 25% | 28% | 24% | 20% | 13% | 27% |
| | | | A | | | | J | J | J | J | | J |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 543 | 278 | 265 | 162 | 234 | 147 | 70 | 52 | 32 | 230 | 122 | 37 |
| | 54% | 59% | 50% | 54% | 54% | 56% | 51% | 46% | 51% | 58% | 56% | 50% |
| | | B | | | | | | | | G | | |
| B2B | 457 | 196 | 261 | 140 | 203 | 115 | 66 | 62 | 31 | 165 | 97 | 37 |
| | 46% | 41% | 50% | 46% | 46% | 44% | 49% | 54% | 49% | 42% | 44% | 50% |
| | | | A | | | | | I | | | | |
| Mean | 2.53 | 2.65 | 2.42 | 2.51 | 2.53 | 2.56 | 2.42 | 2.38 | 2.38 | 2.58 | 2.68 | 2.41 |
| | | B | | | | | | | | | FGH | |
| Standard Deviation | 1.03 | 0.98 | 1.06 | 1.06 | 1 | 1.02 | 1.03 | 1.1 | 0.98 | 1.01 | 0.99 | 1.07 |
| Standard Error | 0.03 | 0.04 | 0.05 | 0.06 | 0.05 | 0.06 | 0.09 | 0.1 | 0.13 | 0.05 | 0.07 | 0.12 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[Cannabis edibles shouldn't be made to look like candy/sweets (e.g. gummies, brownies, cookies, etc.)] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| Cannabis edibles shouldn't be made to look like candy/sweets (e.g. gummies, brownies, cookies, etc.) | | | | | | | | | | | | |
| [4] Strongly agree | 470 | 189 | 282 | 127 | 213 | 130 | 71 | 42 | 32 | 179 | 108 | 38 |
| | 47% | 40% | 54% | 42% | 49% | 50% | 52% | 37% | 52% | 45% | 50% | 51% |
| | | | A | | | | G | | | | G | |
| [3] Somewhat agree | 282 | 145 | 137 | 82 | 128 | 72 | 35 | 39 | 15 | 115 | 61 | 18 |
| | 28% | 31% | 26% | 27% | 29% | 27% | 25% | 35% | 24% | 29% | 28% | 24% |
| | | | | | | | | | | | | |
| [2] Somewhat disagree | 174 | 95 | 79 | 58 | 74 | 42 | 21 | 22 | 10 | 73 | 36 | 13 |
| | 17% | 20% | 15% | 19% | 17% | 16% | 15% | 19% | 16% | 18% | 16% | 17% |
| | | | | | | | | | | | | |
| [1] Strongly disagree | 73 | 45 | 28 | 33 | 22 | 18 | 9 | 11 | 5 | 28 | 14 | 5 |
| | 7% | 10% | 5% | 11% | 5% | 7% | 7% | 9% | 9% | 7% | 6% | 7% |
| | | B | | D | | | | | | | | |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 752 | 334 | 419 | 210 | 341 | 202 | 106 | 81 | 47 | 294 | 169 | 56 |
| | 75% | 70% | 80% | 70% | 78% | 77% | 78% | 71% | 75% | 74% | 77% | 76% |
| | | | A | | C | | | | | | | |
| B2B | 248 | 140 | 107 | 92 | 96 | 60 | 30 | 33 | 15 | 101 | 50 | 18 |
| | 25% | 30% | 20% | 30% | 22% | 23% | 22% | 29% | 25% | 26% | 23% | 24% |
| | | B | | D | | | | | | | | |
| Mean | 3.15 | 3.01 | 3.28 | 3.01 | 3.22 | 3.2 | 3.23 | 2.99 | 3.19 | 3.12 | 3.2 | 3.2 |
| | | | A | | C | C | | | | | | |
| Standard Deviation | 0.96 | 0.99 | 0.91 | 1.03 | 0.9 | 0.95 | 0.95 | 0.97 | 1 | 0.95 | 0.94 | 0.97 |
| Standard Error | 0.03 | 0.04 | 0.04 | 0.06 | 0.04 | 0.06 | 0.08 | 0.09 | 0.13 | 0.05 | 0.06 | 0.11 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[For places my children spend time frequently, I've asked them if they use cannabis edibles] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| For places my children spend time frequently, I've asked them if they use cannabis edibles | | | | | | | | | | | | |
| [4] Strongly agree | 121 | 64 | 57 | 46 | 46 | 29 | 17 | 11 | 4 | 47 | 33 | 8 |
| | 12% | 13% | 11% | 15% | 11% | 11% | 13% | 10% | 7% | 12% | 15% | 11% |
| | | | | | | | | | | | | |
| [3] Somewhat agree | 208 | 109 | 99 | 78 | 85 | 44 | 27 | 19 | 12 | 94 | 44 | 13 |
| | 21% | 23% | 19% | 26% | 20% | 17% | 20% | 17% | 18% | 24% | 20% | 18% |
| | | | | DE | | | | | | | | |
| [2] Somewhat disagree | 315 | 137 | 178 | 79 | 147 | 90 | 48 | 43 | 25 | 111 | 70 | 18 |
| | 32% | 29% | 34% | 26% | 34% | 34% | 35% | 38% | 40% | 28% | 32% | 25% |
| | | | | | C | C | | I | | | | |
| [1] Strongly disagree | 355 | 164 | 191 | 97 | 159 | 99 | 44 | 40 | 22 | 143 | 72 | 35 |
| | 36% | 35% | 36% | 32% | 36% | 38% | 32% | 35% | 34% | 36% | 33% | 47% |
| | | | | | | | | | | | | FJ |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 329 | 173 | 156 | 125 | 131 | 73 | 44 | 30 | 16 | 141 | 77 | 21 |
| | 33% | 36% | 30% | 41% | 30% | 28% | 33% | 27% | 26% | 36% | 35% | 28% |
| | | B | | DE | | | | | | | | |
| B2B | 671 | 301 | 370 | 176 | 306 | 189 | 92 | 83 | 47 | 254 | 142 | 53 |
| | 67% | 64% | 70% | 59% | 70% | 72% | 67% | 73% | 74% | 64% | 65% | 72% |
| | | | A | | C | C | | | | | | |
| Mean | 2.09 | 2.15 | 2.04 | 2.25 | 2.04 | 2.01 | 2.13 | 2.01 | 1.98 | 2.11 | 2.17 | 1.92 |
| | | | | DE | | | | | | | | |
| Standard Deviation | 1.02 | 1.05 | 0.99 | 1.07 | 0.99 | 0.99 | 1.01 | 0.96 | 0.91 | 1.03 | 1.05 | 1.04 |
| Standard Error | 0.03 | 0.05 | 0.04 | 0.06 | 0.05 | 0.06 | 0.09 | 0.09 | 0.12 | 0.05 | 0.07 | 0.12 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base

[I'm worried my child(ren) could eat my cannabis edibles by mistake] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|--|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Consume Edibles | 255 | 135 | 120 | 109 | 91 | 55 | 35 | 32 | 10 | 121 | 39 | 18 |
| Weighted | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| I'm worried my child(ren) could eat my cannabis edibles by mistake | | | | | | | | | | | | |
| [4] Strongly agree | 33 | 24 | 9 | 16 | 10 | 6 | 7 | 5 | 3 | 12 | 4 | 1 |
| | 17% | 21% | 12% | 20% | 15% | 15% | 29% | 23% | 33% | 13% | 15% | 7% |
| | | B | | | | | I | | | | | |
| [3] Somewhat agree | 58 | 39 | 19 | 30 | 16 | 12 | 4 | 7 | 2 | 25 | 17 | 4 |
| | 31% | 34% | 26% | 38% | 23% | 29% | 17% | 29% | 21% | 27% | 62% | 29% |
| | | | | D | | | | | | | FGI | |
| [2] Somewhat disagree | 45 | 31 | 14 | 15 | 21 | 9 | 6 | 5 | 2 | 27 | 3 | 1 |
| | 24% | 27% | 18% | 18% | 31% | 22% | 23% | 24% | 21% | 29% | 11% | 10% |
| | | | | | C | | | | | J | | |
| [1] Strongly disagree | 54 | 20 | 34 | 19 | 21 | 14 | 8 | 5 | 2 | 28 | 3 | 7 |
| | 29% | 18% | 45% | 24% | 31% | 34% | 32% | 24% | 26% | 31% | 12% | 53% |
| | | | A | | | | J | | | J | | |
| Sigma | 190 | 114 | 76 | 80 | 68 | 41 | 25 | 23 | 8 | 93 | 28 | 13 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 91 | 63 | 28 | 47 | 26 | 18 | 12 | 12 | 4 | 37 | 22 | 5 |
| | 48% | 55% | 37% | 58% | 38% | 44% | 46% | 51% | 53% | 40% | 77% | 36% |
| | | B | | D | | | | | | | FGI | |
| B2B | 99 | 51 | 48 | 33 | 42 | 23 | 14 | 11 | 4 | 56 | 6 | 8 |
| | 52% | 45% | 63% | 42% | 62% | 56% | 54% | 49% | 47% | 60% | 23% | 64% |
| | | | A | | C | | J | J | | J | | |
| Mean | 2.37 | 2.58 | 2.04 | 2.55 | 2.21 | 2.26 | 2.43 | 2.5 | 2.59 | 2.23 | 2.81 | 1.9 |
| | | B | | D | | | | | | | I | |
| Standard Deviation | 1.07 | 1.01 | 1.08 | 1.07 | 1.05 | 1.09 | 1.23 | 1.11 | 1.27 | 1.03 | 0.85 | 1.09 |
| Standard Error | 0.07 | 0.09 | 0.1 | 0.1 | 0.11 | 0.15 | 0.21 | 0.2 | 0.4 | 0.09 | 0.14 | 0.26 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[I take special precautions to hide my cannabis edibles from my children] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Consume Edibles | 255 | 135 | 120 | 109 | 91 | 55 | 35 | 32 | 10 | 121 | 39 | 18 |
| Weighted | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| I take special precautions to hide my cannabis edibles from my children | | | | | | | | | | | | |
| [4] Strongly agree | 99 | 51 | 48 | 38 | 40 | 20 | 12 | 11 | 3 | 52 | 12 | 9 |
| | 52% | 45% | 63% | 48% | 59% | 49% | 46% | 50% | 41% | 56% | 42% | 72% |
| | | | A | | | | | | | | | |
| [3] Somewhat agree | 64 | 45 | 19 | 28 | 20 | 15 | 11 | 7 | 3 | 30 | 11 | 2 |
| | 34% | 39% | 25% | 35% | 30% | 38% | 42% | 31% | 41% | 32% | 39% | 17% |
| | | | B | | | | | | | | | |
| [2] Somewhat disagree | 17 | 12 | 5 | 9 | 6 | 3 | 1 | 4 | 0 | 7 | 5 | 1 |
| | 9% | 11% | 7% | 11% | 9% | 6% | 6% | 16% | - | 7% | 17% | 5% |
| | | | | | | | | | | | | |
| [1] Strongly disagree | 10 | 6 | 4 | 5 | 1 | 3 | 1 | 1 | 1 | 5 | 1 | 1 |
| | 5% | 5% | 5% | 7% | 2% | 7% | 6% | 4% | 17% | 5% | 3% | 5% |
| | | | | | | | | | | | | |
| Sigma | 190 | 114 | 76 | 80 | 68 | 41 | 25 | 23 | 8 | 93 | 28 | 13 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 162 | 96 | 67 | 66 | 61 | 36 | 22 | 18 | 7 | 81 | 23 | 11 |
| | 86% | 84% | 88% | 82% | 89% | 86% | 88% | 80% | 83% | 88% | 81% | 90% |
| | | | | | | | | | | | | |
| B2B | 27 | 18 | 9 | 14 | 7 | 6 | 3 | 4 | 1 | 12 | 5 | 1 |
| | 14% | 16% | 12% | 18% | 11% | 14% | 12% | 20% | 17% | 12% | 19% | 10% |
| | | | | | | | | | | | | |
| Mean | 3.32 | 3.23 | 3.46 | 3.23 | 3.46 | 3.27 | 3.28 | 3.26 | 3.06 | 3.38 | 3.2 | 3.57 |
| | | | A | | | | | | | | | |
| Standard Deviation | 0.85 | 0.84 | 0.84 | 0.9 | 0.75 | 0.89 | 0.84 | 0.88 | 1.12 | 0.83 | 0.83 | 0.84 |
| Standard Error | 0.05 | 0.07 | 0.08 | 0.09 | 0.08 | 0.12 | 0.14 | 0.16 | 0.36 | 0.08 | 0.13 | 0.2 |

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

[I have eaten cannabis edibles in front of my children] How much do you agree or disagree with the following?

| | | GENDER | | AGE | | | REGION | | | | | |
|---|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: Consume Edibles | 255 | 135 | 120 | 109 | 91 | 55 | 35 | 32 | 10 | 121 | 39 | 18 |
| Weighted | 190 | 114 | 76 | 80 | 68* | 41* | 25* | 23* | 8** | 93 | 28* | 13** |
| I have eaten cannabis edibles in front of my children | | | | | | | | | | | | |
| [4] Strongly agree | 24 | 18 | 6 | 11 | 10 | 3 | 2 | 3 | 1 | 13 | 4 | 2 |
| | 13% | 16% | 8% | 13% | 15% | 8% | 9% | 13% | 9% | 14% | 13% | 12% |
| | | | | | | | | | | | | |
| [3] Somewhat agree | 47 | 31 | 16 | 27 | 12 | 7 | 8 | 4 | 3 | 21 | 9 | 1 |
| | 25% | 28% | 21% | 34% | 18% | 18% | 33% | 20% | 36% | 23% | 30% | 10% |
| | | | | DE | | | | | | | | |
| [2] Somewhat disagree | 44 | 30 | 14 | 19 | 15 | 10 | 6 | 7 | 2 | 22 | 6 | 1 |
| | 23% | 27% | 18% | 24% | 23% | 24% | 25% | 30% | 29% | 24% | 21% | 7% |
| | | | | | | | | | | | | |
| [1] Strongly disagree | 74 | 34 | 40 | 23 | 30 | 21 | 8 | 9 | 2 | 36 | 10 | 9 |
| | 39% | 30% | 53% | 29% | 44% | 50% | 33% | 38% | 26% | 39% | 36% | 71% |
| | | | A | | C | C | | | | | | |
| Sigma | 190 | 114 | 76 | 80 | 68 | 41 | 25 | 23 | 8 | 93 | 28 | 13 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| SUMMARY | | | | | | | | | | | | |
| T2B | 71 | 49 | 22 | 38 | 23 | 11 | 11 | 7 | 4 | 34 | 12 | 3 |
| | 37% | 43% | 29% | 47% | 33% | 26% | 42% | 33% | 44% | 37% | 43% | 22% |
| | | B | | DE | | | | | | | | |
| B2B | 119 | 65 | 54 | 42 | 46 | 31 | 15 | 15 | 4 | 58 | 16 | 10 |
| | 63% | 57% | 71% | 53% | 67% | 74% | 58% | 67% | 56% | 63% | 57% | 78% |
| | | | A | | C | C | | | | | | |
| Mean | 2.11 | 2.28 | 1.85 | 2.31 | 2.04 | 1.83 | 2.19 | 2.07 | 2.27 | 2.12 | 2.21 | 1.64 |
| | | B | | E | | | | | | | | |
| Standard Deviation | 1.07 | 1.06 | 1.03 | 1.04 | 1.11 | 0.99 | 1.02 | 1.06 | 1.01 | 1.09 | 1.09 | 1.12 |
| Standard Error | 0.07 | 0.09 | 0.09 | 0.1 | 0.12 | 0.13 | 0.17 | 0.19 | 0.32 | 0.1 | 0.17 | 0.27 |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Do you know what the poison control resources in your area are?

| | | GENDER | | AGE | | | REGION | | | | | |
|-----------------------|-------|--------|-------|-------|-------|------|--------|------|-------|------|------|----------|
| | TOTAL | Men | Women | 18-34 | 35-44 | 45+ | BC | AB | SK/MB | ON | QC | Atlantic |
| | | A | B | C | D | E | F | G | H | I | J | K |
| Base: All respondents | 1000 | 502 | 498 | 319 | 422 | 259 | 135 | 119 | 56 | 396 | 219 | 75 |
| Weighted | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63* | 395 | 219 | 74* |
| Yes | 396 | 180 | 216 | 140 | 162 | 94 | 64 | 55 | 25 | 153 | 70 | 30 |
| | 40% | 38% | 41% | 47% | 37% | 36% | 47% | 48% | 40% | 39% | 32% | 41% |
| | | | | DE | | | J | J | | | | |
| No | 404 | 210 | 195 | 107 | 189 | 109 | 47 | 37 | 20 | 172 | 105 | 23 |
| | 40% | 44% | 37% | 35% | 43% | 42% | 35% | 33% | 31% | 44% | 48% | 31% |
| | | B | | | C | | | | | GK | FGHK | |
| Not sure | 200 | 84 | 115 | 54 | 86 | 59 | 25 | 22 | 18 | 70 | 44 | 21 |
| | 20% | 18% | 22% | 18% | 20% | 23% | 18% | 19% | 28% | 18% | 20% | 29% |
| | | | | | | | | | | | | I |
| Sigma | 1000 | 474 | 526 | 301 | 437 | 262 | 136 | 114 | 63 | 395 | 219 | 74 |
| | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I/J/K - L/M/N - O/P/Q/R - S/T/U/V - W/X/Y Overlap formulae used. * small base