

A2_1. How concerned are you personally about developing the following diseases/conditions? - Diabetes

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1471	180	150	154	544	318	125	241	1001
Base: All Answering (wtd)	1462	199	164	96	567	335	102	218	1025
Top 2 Box (Net)	754	113	76	57	296	153	58	129	523
	52%	57%	46%	60%	52%	46%	57%	59%	51%
		E		E			*		
Very concerned	228	35	18	17	97	45	15	44	149
	16%	18%	11%	18%	17%	14%	15%	20%	14%
							*		
Somewhat concerned	526	78	58	40	199	107	43	85	374
	36%	39%	36%	42%	35%	32%	42%	39%	36%
							*		
Bottom 2 Box (Net)	708	85	88	39	270	182	44	88	503
	48%	43%	54%	40%	48%	54%	43%	41%	49%
						AC	*		
Not very concerned	546	68	71	31	202	141	32	60	405
	37%	34%	43%	32%	36%	42%	32%	27%	39%
							*		OP
Not at all concerned	163	18	17	8	68	40	11	28	98
	11%	9%	10%	8%	12%	12%	11%	13%	10%
							*		
Sigma	1462	199	164	96	567	335	102	218	1025
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_2. How concerned are you personally about developing the following diseases/conditions? - Dementia

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1434	173	146	153	536	306	120	226	985
Base: All Answering (wtd)	1411	188	156	96	555	319	97	201	997
Top 2 Box (Net)	774	128	91	57	323	121	54	106	578
	55%	68%	58%	59%	58%	38%	55%	53%	58%
		E	E*	E	E		E*	O	
Very concerned	193	27	22	10	95	28	12	40	136
	14%	15%	14%	10%	17%	9%	12%	20%	14%
			*		E		*		
Somewhat concerned	580	100	69	47	229	94	42	67	442
	41%	53%	44%	49%	41%	29%	43%	33%	44%
		DE	E*	E	E		E*	O	OP
Bottom 2 Box (Net)	638	61	65	39	232	197	44	95	419
	45%	32%	42%	41%	42%	62%	45%	47%	42%
			*			ABCDF	*		
Not very concerned	489	51	55	33	180	134	36	72	327
	35%	27%	35%	34%	33%	42%	37%	36%	33%
			*			AD	*		
Not at all concerned	149	10	11	6	51	63	7	23	93
	11%	5%	7%	7%	9%	20%	7%	11%	9%
			*			ABCDF	*		
Sigma	1411	188	156	96	555	319	97	201	997
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_3. How concerned are you personally about developing the following diseases/conditions? - Arthritis

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1429	175	141	152	528	314	119	230	976
Base: All Answering (wtd)	1404	189	146	95	550	328	97	205	986
Top 2 Box (Net)	891	127	97	60	371	164	72	116	663
	63%	67%	66%	63%	67%	50%	75%	57%	67%
		E	E*	E	E		E*		OP
Very concerned	257	40	32	11	125	36	14	44	177
	18%	21%	22%	12%	23%	11%	15%	21%	18%
		E	E*		CE		*	O	
Somewhat concerned	634	87	65	49	246	129	58	72	486
	45%	46%	45%	51%	45%	39%	60%	35%	49%
			*	E			BDE*		OP
Bottom 2 Box (Net)	513	62	49	35	179	164	24	89	324
	37%	33%	34%	37%	33%	50%	25%	43%	33%
			*			ABCDF	*	Q	
Not very concerned	416	52	44	30	141	130	18	65	268
	30%	28%	30%	32%	26%	40%	19%	32%	27%
			*	F		ADF	*		
Not at all concerned	97	10	5	5	38	33	6	24	56
	7%	5%	3%	5%	7%	10%	6%	12%	6%
			*			B	*	Q	
Sigma	1404	189	146	95	550	328	97	205	986
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_4. How concerned are you personally about developing the following diseases/conditions? - Cancer

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1454	179	148	154	534	315	124	240	988
Base: All Answering (wtd)	1441	198	159	96	556	331	101	217	1009
Top 2 Box (Net)	997	146	110	75	382	201	82	142	707
	69%	74%	69%	78%	69%	61%	82%	65%	70%
		E		E			DE*		
Very concerned	343	55	32	26	127	77	26	57	237
	24%	28%	20%	27%	23%	23%	25%	26%	23%
							*		
Somewhat concerned	654	91	78	49	254	125	57	85	470
	45%	46%	49%	51%	46%	38%	56%	39%	47%
				E			E*		
Bottom 2 Box (Net)	444	52	49	21	174	129	18	75	302
	31%	26%	31%	22%	31%	39%	18%	35%	30%
					F	ACF	*		
Not very concerned	344	46	38	19	126	102	13	54	240
	24%	23%	24%	19%	23%	31%	13%	25%	24%
					F	CDF	*		
Not at all concerned	100	6	11	3	48	27	6	21	63
	7%	3%	7%	3%	9%	8%	6%	10%	6%
					AC		*		
Sigma	1441	198	159	96	556	331	101	217	1009
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_5. How concerned are you personally about developing the following diseases/conditions? - Heart disease or stroke

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1453	180	150	153	540	308	122	239	993
Base: All Answering (wtd)	1442	199	164	96	561	323	98	216	1014
Top 2 Box (Net)	1003	147	116	70	405	188	77	148	722
	70%	74%	71%	73%	72%	58%	79%	68%	71%
		E	E	E	E		E*		
Very concerned	277	47	34	15	126	36	20	63	178
	19%	23%	20%	16%	22%	11%	20%	29%	18%
		E	E		E		E*	Q	
Somewhat concerned	726	100	82	55	280	152	57	85	544
	50%	50%	50%	57%	50%	47%	58%	39%	54%
							*		OP
Bottom 2 Box (Net)	439	52	48	26	156	136	21	68	293
	30%	26%	29%	27%	28%	42%	21%	32%	29%
						ABCDF	*		
Not very concerned	343	42	42	19	119	105	16	48	240
	24%	21%	25%	20%	21%	33%	16%	22%	24%
						ACDF	*		
Not at all concerned	96	10	7	7	36	31	5	20	53
	7%	5%	4%	7%	6%	10%	5%	9%	5%
							*		
Sigma	1442	199	164	96	561	323	98	216	1014
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_6. How concerned are you personally about developing the following diseases/conditions? - High blood pressure

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1445	175	148	152	538	310	122	238	983
Base: All Answering (wtd)	1432	194	161	96	561	320	100	214	1005
Top 2 Box (Net)	860	121	101	69	340	149	78	136	607
	60%	63%	63%	72%	61%	47%	78%	63%	60%
		E	E	DE	E		ABDE*		
Very concerned	242	33	31	16	98	41	23	46	167
	17%	17%	19%	17%	17%	13%	23%	21%	17%
							E*		
Somewhat concerned	618	89	71	53	242	108	55	90	440
	43%	46%	44%	55%	43%	34%	55%	42%	44%
		E		DE	E		E*		
Bottom 2 Box (Net)	573	73	60	27	221	171	22	78	399
	40%	37%	37%	28%	39%	53%	22%	37%	40%
		F	F		CF	ABCDF	*		
Not very concerned	472	61	51	22	177	142	20	61	337
	33%	31%	31%	23%	31%	44%	20%	29%	34%
					F	ABCDF	*		
Not at all concerned	101	12	9	5	44	30	2	17	61
	7%	6%	6%	5%	8%	9%	2%	8%	6%
					F	F	*		
Sigma	1432	194	161	96	561	320	100	214	1005
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_7. How concerned are you personally about developing the following diseases/conditions? - Hepatitis

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1441	178	145	153	537	306	122	236	983
Base: All Answering (wtd)	1417	192	153	96	558	319	99	212	992
Top 2 Box (Net)	272	41	29	24	102	58	18	56	167
	19%	21%	19%	25%	18%	18%	19%	26%	17%
			*				*	Q	
Very concerned	58	5	11	4	24	14	1	18	27
	4%	2%	7%	4%	4%	4%	1%	8%	3%
			*				*	Q	
Somewhat concerned	213	36	18	20	78	44	17	38	140
	15%	19%	12%	21%	14%	14%	18%	18%	14%
			*				*		
Bottom 2 Box (Net)	1145	151	124	72	456	261	80	156	825
	81%	79%	81%	75%	82%	82%	81%	74%	83%
			*				*		OP
Not very concerned	766	90	85	56	293	185	56	97	564
	54%	47%	56%	58%	53%	58%	57%	46%	57%
			*			A	*		OP
Not at all concerned	379	61	39	16	163	76	24	59	261
	27%	32%	25%	17%	29%	24%	25%	28%	26%
		C	*		C		*		
Sigma	1417	192	153	96	558	319	99	212	992
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_8. How concerned are you personally about developing the following diseases/conditions? - HIV/AIDS

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1456	179	149	152	541	313	122	240	992
Base: All Answering (wtd)	1444	196	162	95	563	329	100	217	1013
Top 2 Box (Net)	235	34	23	25	79	61	13	61	124
	16%	17%	14%	26%	14%	18%	13%	28%	12%
				BDF			*	Q	
Very concerned	82	7	10	12	28	23	1	23	51
	6%	4%	6%	12%	5%	7%	1%	11%	5%
				ADF			*	Q	
Somewhat concerned	153	27	13	13	51	37	12	38	73
	11%	14%	8%	14%	9%	11%	12%	17%	7%
							*	Q	
Bottom 2 Box (Net)	1208	162	139	70	484	268	87	156	888
	84%	83%	86%	74%	86%	82%	87%	72%	88%
			C		C		C*		OP
Not very concerned	612	77	75	36	236	136	51	89	445
	42%	40%	46%	38%	42%	41%	51%	41%	44%
							*		
Not at all concerned	597	84	64	34	247	132	35	67	444
	41%	43%	39%	35%	44%	40%	35%	31%	44%
							*		OP
Sigma	1444	196	162	95	563	329	100	217	1013
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_9. How concerned are you personally about developing the following diseases/conditions? - Multiple Sclerosis (MS)

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1411	173	142	151	526	299	120	217	974
Base: All Answering (wtd)	1390	192	148	94	546	312	97	197	983
Top 2 Box (Net)	316	51	30	30	115	53	37	51	211
	23%	26%	20%	32%	21%	17%	38%	26%	21%
		E	*	DE			BDE*		
Very concerned	79	8	13	8	27	20	3	20	45
	6%	4%	9%	8%	5%	7%	3%	10%	5%
			*				*	Q	
Somewhat concerned	237	43	17	22	88	33	34	31	166
	17%	22%	12%	24%	16%	10%	35%	16%	17%
		BE	*	BE			ABDE*		
Bottom 2 Box (Net)	1074	142	118	64	431	259	60	145	772
	77%	74%	80%	68%	79%	83%	62%	74%	79%
			F*		CF	ACF	*		
Not very concerned	708	96	80	47	270	174	41	89	525
	51%	50%	54%	49%	49%	56%	42%	45%	53%
			*			F	*		
Not at all concerned	366	46	37	18	162	85	19	57	247
	26%	24%	25%	19%	30%	27%	20%	29%	25%
			*		C		*	O	
Sigma	1390	192	148	94	546	312	97	197	983
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A2_10. How concerned are you personally about developing the following diseases/conditions? - COVID-19/Coronavirus

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1466	180	149	154	543	316	124	241	998
Base: All Answering (wtd)	1453	199	162	96	564	333	100	218	1019
Top 2 Box (Net)	1092	168	119	77	434	215	79	177	765
	75%	84%	74%	80%	77%	65%	80%	82%	75%
		E		E	E		E*		
Very concerned	480	79	55	33	193	87	32	97	319
	33%	40%	34%	34%	34%	26%	33%	45%	31%
		E			E		*	Q	
Somewhat concerned	612	89	64	44	241	128	47	80	446
	42%	45%	40%	45%	43%	38%	47%	37%	44%
							*		O
Bottom 2 Box (Net)	361	31	42	20	130	118	20	40	254
	25%	16%	26%	20%	23%	35%	20%	18%	25%
						ACDF	*		
Not very concerned	264	23	36	14	94	82	16	29	193
	18%	11%	22%	14%	17%	25%	16%	13%	19%
			A			ACD	*		
Not at all concerned	97	8	7	6	36	36	5	11	61
	7%	4%	4%	6%	6%	11%	5%	5%	6%
						AB	*		
Sigma	1453	199	162	96	564	333	100	218	1019
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_1. How concerned are you that a family member or loved one will develop the following diseases/conditions? - Diabetes

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Top 2 Box (Net)	754	120	68	54	305	148	59	125	525
	51%	59%	41%	55%	53%	43%	58%	57%	50%
		BE		BE	BE		BE*		
Very concerned	234	36	21	24	89	48	15	53	142
	16%	18%	13%	25%	16%	14%	15%	24%	14%
				BDE			*	Q	
Somewhat concerned	520	84	46	30	216	100	44	72	383
	35%	41%	28%	31%	38%	29%	43%	33%	37%
		BE			E		BE*		
Bottom 2 Box (Net)	525	55	67	30	193	152	28	62	372
	35%	27%	41%	31%	34%	44%	27%	29%	36%
			A			ACDF	*		
Not very concerned	339	36	50	22	119	91	21	35	255
	23%	17%	30%	23%	21%	26%	20%	16%	24%
			AD				*		OP
Not at all concerned	186	19	17	7	74	61	7	27	117
	13%	9%	10%	8%	13%	18%	7%	12%	11%
						ACF	*		
A family member or loved has been diagnosed with this disease/condition	208	30	31	14	75	43	15	31	148
	14%	15%	19%	14%	13%	13%	15%	14%	14%
							*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_2. How concerned are you that a family member or loved one will develop the following diseases/conditions? - Dementia

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1457	177	149	154	541	315	121	227	1001
Base: All Answering (wtd)	1438	194	158	97	564	327	98	202	1018
Top 2 Box (Net)	797	130	92	53	333	132	56	120	566
	55%	67%	58%	55%	59%	40%	57%	60%	56%
		E	E	E	E		E*		
Very concerned	237	41	21	19	103	37	17	46	162
	17%	21%	13%	19%	18%	11%	17%	23%	16%
		E			E		*	Q	
Somewhat concerned	560	90	72	35	230	95	39	74	404
	39%	46%	45%	36%	41%	29%	40%	37%	40%
		E	E		E		*		
Bottom 2 Box (Net)	545	52	43	35	195	182	39	67	380
	38%	27%	27%	36%	34%	56%	40%	33%	37%
						ABCDF	A*		
Not very concerned	350	37	29	20	129	109	26	39	257
	24%	19%	18%	20%	23%	33%	27%	19%	25%
						ABCD	*		
Not at all concerned	196	15	14	15	66	72	13	28	122
	14%	8%	9%	16%	12%	22%	13%	14%	12%
						ABD	*		
A family member or loved has been diagnosed with this disease/condition	96	12	23	9	36	13	3	14	73
	7%	6%	14%	9%	6%	4%	3%	7%	7%
			ADEF	E			*	O	
Sigma	1438	194	158	97	564	327	98	202	1018
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_3. How concerned are you that a family member or loved one will develop the following diseases/conditions? - Arthritis

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1471	184	147	154	542	322	122	234	1008
Base: All Answering (wtd)	1459	204	155	96	564	339	100	208	1030
Top 2 Box (Net)	760	116	70	52	318	146	58	120	529
	52%	57%	46%	54%	56%	43%	58%	58%	51%
		E			E		E*		
Very concerned	191	24	21	15	75	41	14	33	124
	13%	12%	14%	16%	13%	12%	14%	16%	12%
							*		
Somewhat concerned	569	92	49	37	243	104	44	87	405
	39%	45%	32%	38%	43%	31%	44%	42%	39%
		BE			BE		E*		
Bottom 2 Box (Net)	523	66	53	33	173	166	31	62	373
	36%	33%	34%	34%	31%	49%	31%	30%	36%
						ABCDF	*		
Not very concerned	378	46	41	26	128	114	23	43	278
	26%	23%	27%	27%	23%	34%	23%	21%	27%
						AD	*		
Not at all concerned	145	20	12	7	45	53	8	20	95
	10%	10%	8%	7%	8%	16%	8%	9%	9%
						CD	*		
A family member or loved has been diagnosed with this disease/condition	176	22	31	11	74	27	11	25	128
	12%	11%	20%	11%	13%	8%	11%	12%	12%
			AE				*		
Sigma	1459	204	155	96	564	339	100	208	1030
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_4. How concerned are you that a family member or loved one will develop the following diseases/conditions? - Cancer

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1487	184	153	154	546	324	126	242	1013
Base: All Answering (wtd)	1483	204	166	96	572	342	102	218	1042
Top 2 Box (Net)	971	141	103	62	381	213	70	143	686
	65%	69%	62%	64%	67%	62%	69%	66%	66%
							*		
Very concerned	368	63	34	28	139	76	28	60	257
	25%	31%	21%	29%	24%	22%	27%	27%	25%
							*		
Somewhat concerned	603	78	69	34	242	137	43	83	430
	41%	38%	42%	35%	42%	40%	42%	38%	41%
							*		
Bottom 2 Box (Net)	320	43	33	20	119	87	18	46	222
	22%	21%	20%	20%	21%	26%	18%	21%	21%
							*		
Not very concerned	210	33	21	13	77	56	9	28	154
	14%	16%	13%	14%	13%	16%	9%	13%	15%
							*		
Not at all concerned	110	9	12	6	42	31	9	19	67
	7%	5%	7%	7%	7%	9%	9%	9%	6%
							*		
A family member or loved has been diagnosed with this disease/condition	191	21	29	15	71	42	13	29	134
	13%	10%	18%	15%	12%	12%	13%	13%	13%
							*		
Sigma	1483	204	166	96	572	342	102	218	1042
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_5. How concerned are you that a family member or loved one will develop the following diseases/conditions? - Heart disease or stroke

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1479	184	153	155	546	318	123	241	1011
Base: All Answering (wtd)	1473	204	166	98	570	336	99	217	1037
Top 2 Box (Net)	952	137	104	70	384	185	72	151	679
	65%	67%	63%	72%	67%	55%	72%	70%	65%
		E		E	E		E*		
Very concerned	285	47	26	25	111	54	22	69	168
	19%	23%	15%	26%	19%	16%	22%	32%	16%
				E			*	Q	
Somewhat concerned	667	90	78	45	273	131	50	82	512
	45%	44%	47%	46%	48%	39%	50%	38%	49%
					E		*		OP
Bottom 2 Box (Net)	385	53	44	19	125	126	19	46	260
	26%	26%	27%	19%	22%	37%	19%	21%	25%
						ACDF	*		
Not very concerned	275	41	38	15	92	75	14	33	191
	19%	20%	23%	16%	16%	22%	14%	15%	18%
							*		
Not at all concerned	109	12	6	3	33	50	5	13	69
	7%	6%	4%	3%	6%	15%	5%	6%	7%
						ABCDF	*		
A family member or loved has been diagnosed with this disease/condition	136	15	18	9	61	25	9	20	98
	9%	7%	11%	9%	11%	8%	9%	9%	9%
							*	O	
Sigma	1473	204	166	98	570	336	99	217	1037
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_6. How concerned are you that a family member or loved one will develop the following diseases/conditions? - High blood pressure

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1484	183	151	155	548	323	124	241	1013
Base: All Answering (wtd)	1479	203	163	98	573	340	101	217	1041
Top 2 Box (Net)	816	134	73	55	334	149	71	135	567
	55%	66%	45%	57%	58%	44%	70%	62%	54%
		BE		E	BE		BDE*		
Very concerned	226	42	21	22	97	32	12	57	136
	15%	21%	13%	23%	17%	9%	12%	26%	13%
		E		E	E		*	Q	
Somewhat concerned	590	92	52	33	238	117	59	77	431
	40%	45%	32%	34%	41%	34%	58%	36%	41%
		B					BCDE*		
Bottom 2 Box (Net)	431	40	50	26	141	155	19	41	310
	29%	20%	31%	27%	25%	46%	19%	19%	30%
			A			ABCDF	*		OP
Not very concerned	300	26	38	22	97	101	16	22	226
	20%	13%	23%	23%	17%	30%	16%	10%	22%
			A	A		ADF	*		OP
Not at all concerned	131	14	12	4	44	54	3	18	84
	9%	7%	8%	4%	8%	16%	3%	8%	8%
						ABCDF	*		
A family member or loved has been diagnosed with this disease/condition	231	30	40	16	98	36	11	42	165
	16%	15%	24%	16%	17%	11%	11%	19%	16%
			EF		E		*	O	
Sigma	1479	203	163	98	573	340	101	217	1041
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_7. How concerned are you that a family member or loved one will develop the following diseases/conditions? - Hepatitis

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1465	183	148	153	542	315	124	238	1000
Base: All Answering (wtd)	1450	201	155	96	566	331	101	214	1016
Top 2 Box (Net)	316	41	31	29	117	70	29	64	205
	22%	20%	20%	30%	21%	21%	28%	30%	20%
				D			*	Q	
Very concerned	83	12	7	9	31	21	3	20	46
	6%	6%	5%	10%	5%	6%	3%	9%	5%
							*	Q	
Somewhat concerned	233	29	24	19	86	49	26	44	159
	16%	14%	15%	20%	15%	15%	25%	21%	16%
							ADE*		
Bottom 2 Box (Net)	1106	155	120	66	439	256	70	140	796
	76%	77%	77%	68%	78%	77%	70%	65%	78%
							*		OP
Not very concerned	574	89	59	36	223	129	37	69	430
	40%	44%	38%	37%	39%	39%	37%	32%	42%
							*		P
Not at all concerned	532	66	61	30	216	127	33	70	366
	37%	33%	40%	31%	38%	38%	32%	33%	36%
							*		
A family member or loved has been diagnosed with this disease/condition	28	5	4	2	10	5	2	10	14
	2%	3%	3%	2%	2%	1%	2%	5%	1%
							*	Q	
Sigma	1450	201	155	96	566	331	101	214	1016
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_8. How concerned are you that a family member or loved one will develop the following diseases/conditions? - HIV/AIDS

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1477	183	152	153	546	320	123	241	1008
Base: All Answering (wtd)	1469	201	164	96	570	337	100	218	1033
Top 2 Box (Net)	255	23	31	18	85	79	18	44	165
	17%	12%	19%	19%	15%	23%	18%	20%	16%
						AD	*		
Very concerned	81	7	7	9	37	18	2	17	55
	6%	4%	5%	9%	7%	5%	2%	8%	5%
				F			*		
Somewhat concerned	173	16	24	9	48	61	16	26	110
	12%	8%	15%	10%	8%	18%	15%	12%	11%
						AD	D*		
Bottom 2 Box (Net)	1196	177	128	74	482	253	83	172	853
	81%	88%	78%	78%	85%	75%	82%	79%	83%
		BCE			E		*		
Not very concerned	499	89	47	35	196	93	39	79	363
	34%	44%	29%	36%	34%	28%	39%	36%	35%
		BDE					*		
Not at all concerned	697	88	80	39	286	160	44	93	491
	47%	44%	49%	41%	50%	48%	43%	43%	47%
							*		
A family member or loved has been diagnosed with this disease/condition	18	1	5	3	3	5	-	2	15
	1%	*	3%	3%	1%	2%	-	1%	1%
			D	D			*	O	
Sigma	1469	201	164	96	570	337	100	218	1033
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_9. How concerned are you that a family member or loved one will develop the following diseases/conditions? - Multiple Sclerosis (MS)

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1436	177	145	151	533	308	122	218	994
Base: All Answering (wtd)	1421	198	150	94	557	324	98	197	1009
Top 2 Box (Net)	372	57	29	33	136	81	35	56	260
	26%	29%	20%	35%	24%	25%	36%	28%	26%
			*	BD			BD*		
Very concerned	97	11	10	12	37	21	5	19	64
	7%	6%	7%	13%	7%	7%	5%	9%	6%
			*	AD			*		
Somewhat concerned	274	46	19	21	99	60	30	37	195
	19%	23%	13%	22%	18%	18%	31%	19%	19%
			*				BDE*		
Bottom 2 Box (Net)	1002	134	117	59	401	232	60	139	711
	70%	68%	78%	62%	72%	72%	61%	70%	70%
			CF*		F		*		
Not very concerned	546	81	58	33	216	117	41	78	395
	38%	41%	38%	35%	39%	36%	42%	39%	39%
			*				*		
Not at all concerned	456	53	59	25	184	115	19	61	316
	32%	27%	40%	27%	33%	36%	19%	31%	31%
			AF*		F	F	*		
A family member or loved has been diagnosed with this disease/condition	48	7	3	3	21	11	3	3	39
	3%	3%	2%	3%	4%	3%	3%	1%	4%
			*				*		
Sigma	1421	198	150	94	557	324	98	197	1009
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A3_10. How concerned are you that a family member or loved one will develop the following diseases/conditions? - COVID-19/Coronavirus

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1489	184	153	155	548	323	126	242	1015
Base: All Answering (wtd)	1485	204	166	98	573	341	102	218	1044
Top 2 Box (Net)	1106	164	118	79	438	233	75	179	774
	75%	80%	71%	81%	76%	68%	74%	82%	74%
		E		E	E		*	Q	
Very concerned	525	85	63	46	199	94	37	108	346
	35%	41%	38%	47%	35%	28%	37%	49%	33%
		E		DE			*	Q	
Somewhat concerned	582	79	54	33	238	139	38	72	428
	39%	39%	33%	34%	42%	41%	37%	33%	41%
							*		
Bottom 2 Box (Net)	332	34	40	17	119	98	24	32	238
	22%	17%	24%	17%	21%	29%	24%	15%	23%
						ACD	*		P
Not very concerned	214	23	27	10	70	64	19	18	160
	14%	11%	16%	11%	12%	19%	19%	8%	15%
						D	*		P
Not at all concerned	118	11	13	6	49	34	5	14	78
	8%	5%	8%	7%	9%	10%	5%	6%	7%
							*		
A family member or loved has been diagnosed with this disease/condition	46	6	8	2	16	11	3	7	32
	3%	3%	5%	2%	3%	3%	3%	3%	3%
							*		
Sigma	1485	204	166	98	573	341	102	218	1044
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_1. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - Diabetes

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Top 3 Box (Net)	906	130	86	53	376	195	66	129	651
	61%	63%	52%	55%	66%	57%	64%	59%	62%
					BCE		*		
Top 2 Box (Subnet)	490	67	40	35	194	110	44	56	356
	33%	33%	24%	36%	34%	32%	43%	26%	34%
							B*		P
7 - Very severe (7)	203	25	19	14	79	39	28	27	142
	14%	12%	11%	14%	14%	11%	27%	13%	14%
							ABCDE*		
6	286	41	22	21	116	71	16	29	214
	19%	20%	13%	21%	20%	21%	16%	13%	21%
							*		P
5	416	63	46	18	181	86	22	73	295
	28%	31%	28%	19%	32%	25%	21%	34%	28%
		C			C		*		
4	318	35	39	29	109	83	24	44	227
	21%	17%	24%	29%	19%	24%	23%	20%	22%
				AD			*		
Bottom 3 Box (Net)	262	39	41	16	89	65	13	45	167
	18%	19%	25%	16%	15%	19%	13%	20%	16%
			DF				*		
3	148	25	17	12	54	35	5	28	97
	10%	12%	10%	12%	9%	10%	5%	13%	9%
							*		
Bottom 2 Box (Subnet)	114	15	23	4	34	30	8	17	70
	8%	7%	14%	4%	6%	9%	8%	8%	7%
			CD				*		
2	62	7	15	2	18	15	5	12	38
	4%	4%	9%	2%	3%	4%	4%	6%	4%
			CD				*		
1 - Not severe at all (1)	52	7	8	2	17	15	3	4	32
	4%	4%	5%	2%	3%	4%	3%	2%	3%
							*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	4.8	4.8	4.4	4.8	4.9	4.7	5.1	4.7	4.8
					B		BE*		
Std. Dev.	1.5	1.49	1.59	1.43	1.43	1.52	1.61	1.44	1.46
Std. Err.	0.04	0.1	0.12	0.14	0.06	0.08	0.16	0.1	0.05
Median	5	5	5	5	5	5	5	5	5

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_2. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. -
Dementia

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1457	177	149	154	541	315	121	227	1001
Base: All Answering (wtd)	1438	194	158	97	564	327	98	202	1018
Top 3 Box (Net)	1006	144	94	61	404	229	74	142	725
	70%	74%	60%	63%	72%	70%	75%	70%	71%
		B			B		B*		
Top 2 Box (Subnet)	686	104	62	43	277	147	52	100	490
	48%	54%	39%	45%	49%	45%	53%	50%	48%
		B					*		
7 - Very severe (7)	380	63	32	26	151	78	30	56	269
	26%	32%	20%	27%	27%	24%	31%	28%	26%
		B					*		
6	305	41	30	17	127	69	22	44	221
	21%	21%	19%	18%	22%	21%	22%	22%	22%
							*		
5	320	40	32	18	127	82	22	42	235
	22%	20%	20%	18%	22%	25%	23%	21%	23%
							*		
4	224	24	38	18	84	48	12	31	156
	16%	12%	24%	19%	15%	15%	13%	15%	15%
			ADE				*		
Bottom 3 Box (Net)	208	27	26	18	76	50	12	29	137
	14%	14%	16%	18%	14%	15%	12%	15%	13%
							*		
3	103	11	13	14	38	21	7	18	64
	7%	6%	8%	14%	7%	6%	7%	9%	6%
				ADE			*		
Bottom 2 Box (Subnet)	105	16	13	4	39	29	4	12	72
	7%	8%	8%	4%	7%	9%	5%	6%	7%
							*		
2	55	10	3	2	22	17	1	4	43
	4%	5%	2%	2%	4%	5%	1%	2%	4%
							*		
1 - Not severe at all (1)	51	6	10	2	17	12	3	7	29
	4%	3%	6%	2%	3%	4%	3%	4%	3%
							*		
Sigma	1438	194	158	97	564	327	98	202	1018
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	5.2	5.4	4.9	5.1	5.2	5.1	5.4	5.2	5.2
		B			B		B*		
Std. Dev.	1.61	1.64	1.66	1.6	1.58	1.62	1.55	1.6	1.57
Std. Err.	0.04	0.12	0.13	0.16	0.07	0.09	0.16	0.11	0.05
Median	5	6	5	5	5	5	6	5	5

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_3. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - Arthritis

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1471	184	147	154	542	322	122	234	1008
Base: All Answering (wtd)	1459	204	155	96	564	339	100	208	1030
Top 3 Box (Net)	692	107	64	44	282	150	44	94	505
	47%	52%	42%	46%	50%	44%	44%	45%	49%
							*		
Top 2 Box (Subnet)	299	43	27	17	131	61	20	35	218
	20%	21%	17%	18%	23%	18%	20%	17%	21%
							*		
7 - Very severe (7)	122	14	14	8	52	25	8	10	90
	8%	7%	9%	8%	9%	7%	8%	5%	9%
							*		
6	177	28	12	9	80	36	11	25	128
	12%	14%	8%	10%	14%	11%	11%	12%	12%
							*		
5	393	64	38	27	151	89	24	59	287
	27%	31%	24%	28%	27%	26%	24%	28%	28%
							*		
4	430	56	57	23	150	109	35	59	305
	29%	27%	37%	24%	27%	32%	35%	29%	30%
			D				*		
Bottom 3 Box (Net)	337	42	34	29	132	80	21	54	220
	23%	20%	22%	30%	23%	23%	21%	26%	21%
							*		
3	215	27	19	21	91	42	14	34	144
	15%	13%	12%	22%	16%	12%	14%	16%	14%
				E			*		
Bottom 2 Box (Subnet)	123	14	15	8	41	38	8	21	76
	8%	7%	9%	8%	7%	11%	8%	10%	7%
							*		
2	78	12	12	5	23	21	5	11	50
	5%	6%	7%	5%	4%	6%	5%	5%	5%
							*		
1 - Not severe at all (1)	45	2	3	3	17	16	3	10	26
	3%	1%	2%	3%	3%	5%	3%	5%	2%
							*	O	
Sigma	1459	204	155	96	564	339	100	208	1030
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	4.4	4.5	4.4	4.3	4.5	4.3	4.4	4.3	4.5
							*		
Std. Dev.	1.4	1.31	1.38	1.43	1.42	1.44	1.38	1.39	1.38
Std. Err.	0.04	0.09	0.11	0.15	0.06	0.08	0.14	0.1	0.04
Median	4	5	4	4	4.6	4	4	4	4

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_4. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - Cancer

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1487	184	153	154	546	324	126	242	1013
Base: All Answering (wtd)	1483	204	166	96	572	342	102	218	1042
Top 3 Box (Net)	1247	165	137	80	492	288	84	172	899
	84%	81%	83%	83%	86%	84%	82%	79%	86%
							*		OP
Top 2 Box (Subnet)	1047	146	109	61	418	245	67	145	759
	71%	72%	66%	63%	73%	72%	66%	67%	73%
							*		O
7 - Very severe (7)	689	94	68	43	280	160	43	102	488
	46%	46%	41%	45%	49%	47%	43%	47%	47%
							*		
6	359	52	41	18	138	85	24	43	271
	24%	26%	25%	19%	24%	25%	23%	20%	26%
							*		O
5	199	19	28	19	74	43	17	27	139
	13%	9%	17%	20%	13%	13%	17%	12%	13%
				A			*		
4	127	22	11	11	40	33	9	27	78
	9%	11%	7%	12%	7%	10%	9%	13%	7%
							*	Q	
Bottom 3 Box (Net)	109	17	17	5	40	21	9	19	66
	7%	8%	10%	5%	7%	6%	9%	9%	6%
							*		
3	61	12	8	4	18	15	3	8	42
	4%	6%	5%	5%	3%	5%	3%	4%	4%
							*		
Bottom 2 Box (Subnet)	48	5	9	1	22	5	6	10	24
	3%	2%	6%	1%	4%	2%	6%	5%	2%
			E				CE*		
2	21	3	3	-	9	3	2	6	9
	1%	2%	2%	-	2%	1%	2%	3%	1%
							*		
1 - Not severe at all (1)	27	2	6	1	13	2	3	4	15
	2%	1%	4%	1%	2%	1%	3%	2%	1%
			E				*		
Sigma	1483	204	166	96	572	342	102	218	1042
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	5.9	5.9	5.7	5.9	5.9	5.9	5.7	5.8	6
							*		
Std. Dev.	1.41	1.4	1.56	1.29	1.42	1.3	1.54	1.52	1.33
Std. Err.	0.04	0.1	0.12	0.13	0.06	0.07	0.15	0.1	0.04
Median	6	6	6	6	6	6	6	6	6

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_5. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - Heart disease or stroke

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1479	184	153	155	546	318	123	241	1011
Base: All Answering (wtd)	1473	204	166	98	570	336	99	217	1037
Top 3 Box (Net)	1204	165	126	83	478	278	76	170	864
	82%	81%	76%	85%	84%	83%	76%	78%	83%
							*		
Top 2 Box (Subnet)	893	124	84	60	353	211	61	129	639
	61%	61%	50%	61%	62%	63%	61%	59%	62%
				B	B		*		
7 - Very severe (7)	461	64	39	32	184	105	37	71	329
	31%	31%	24%	33%	32%	31%	37%	32%	32%
							B*		
6	432	60	45	28	169	106	24	58	311
	29%	29%	27%	29%	30%	32%	24%	27%	30%
							*		
5	312	41	42	23	124	67	15	41	224
	21%	20%	25%	24%	22%	20%	15%	19%	22%
							*		
4	160	22	24	9	57	34	14	27	106
	11%	11%	14%	10%	10%	10%	14%	12%	10%
							*		
Bottom 3 Box (Net)	109	18	17	5	36	25	9	20	68
	7%	9%	10%	5%	6%	7%	9%	9%	7%
							*		
3	53	8	8	4	18	11	5	11	31
	4%	4%	5%	4%	3%	3%	5%	5%	3%
							*		
Bottom 2 Box (Subnet)	55	9	9	1	18	14	4	9	37
	4%	5%	5%	1%	3%	4%	5%	4%	4%
							*		
2	22	8	1	-	6	5	2	5	16
	2%	4%	1%	-	1%	2%	3%	2%	2%
		D					*		
1 - Not severe at all (1)	33	2	8	1	12	9	2	4	20
	2%	1%	5%	1%	2%	3%	2%	2%	2%
							*		
Sigma	1473	204	166	98	570	336	99	217	1037
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	5.6	5.6	5.3	5.7	5.7	5.6	5.6	5.5	5.6
				B	B		*		
Std. Dev.	1.39	1.4	1.51	1.23	1.34	1.4	1.51	1.46	1.35
Std. Err.	0.04	0.1	0.12	0.12	0.06	0.08	0.15	0.1	0.04
Median	6	6	6	6	6	6	6	6	6

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_6. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - High blood pressure

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1484	183	151	155	548	323	124	241	1013
Base: All Answering (wtd)	1479	203	163	98	573	340	101	217	1041
Top 3 Box (Net)	918	136	86	60	379	194	63	141	650
	62%	67%	53%	61%	66%	57%	62%	65%	62%
		B			BE		*		
Top 2 Box (Subnet)	466	71	50	29	190	90	37	67	340
	32%	35%	30%	29%	33%	26%	36%	31%	33%
							*		
7 - Very severe (7)	163	23	15	13	59	36	16	24	115
	11%	11%	9%	13%	10%	11%	16%	11%	11%
							*		
6	303	48	34	16	131	54	21	43	225
	21%	23%	21%	16%	23%	16%	20%	20%	22%
					E		*		
5	451	65	36	31	189	104	26	74	309
	31%	32%	22%	31%	33%	30%	26%	34%	30%
					B		*		
4	335	36	39	25	127	79	30	39	245
	23%	18%	24%	25%	22%	23%	30%	18%	23%
							A*		
Bottom 3 Box (Net)	226	31	38	13	67	68	8	37	147
	15%	15%	24%	14%	12%	20%	8%	17%	14%
			DF			DF	*		
3	134	20	19	11	41	39	3	28	81
	9%	10%	12%	11%	7%	12%	3%	13%	8%
			F	F		F	*		
Bottom 2 Box (Subnet)	91	11	19	2	26	28	5	10	66
	6%	5%	12%	2%	4%	8%	5%	4%	6%
			CD			C	*		
2	52	5	10	1	13	18	5	5	40
	3%	3%	6%	1%	2%	5%	5%	2%	4%
							*		
1 - Not severe at all (1)	40	6	10	1	13	10	-	5	26
	3%	3%	6%	1%	2%	3%	-	2%	2%
			F				*		
Sigma	1479	203	163	98	573	340	101	217	1041
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	4.8	4.9	4.5	4.9	4.9	4.6	5	4.8	4.8
					BE		BE*		
Std. Dev.	1.39	1.4	1.59	1.3	1.31	1.45	1.31	1.37	1.39
Std. Err.	0.04	0.1	0.12	0.13	0.05	0.08	0.13	0.09	0.04
Median	5	5	5	5	5	5	5	5	5

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_7. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - Hepatitis

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1465	183	148	153	542	315	124	238	1000
Base: All Answering (wtd)	1450	201	155	96	566	331	101	214	1016
Top 3 Box (Net)	629	89	58	34	241	165	42	102	440
	43%	44%	37%	36%	43%	50%	42%	48%	43%
						BC	*		
Top 2 Box (Subnet)	296	34	25	20	118	78	21	45	201
	20%	17%	16%	21%	21%	24%	21%	21%	20%
							*		
7 - Very severe (7)	121	9	14	8	43	34	13	20	79
	8%	5%	9%	8%	8%	10%	13%	9%	8%
							A*		
6	175	24	11	12	75	44	8	26	122
	12%	12%	7%	13%	13%	13%	8%	12%	12%
							*		
5	334	55	33	14	123	87	21	57	239
	23%	28%	21%	15%	22%	26%	21%	27%	24%
		C				C	*		
4	395	54	43	21	158	90	29	55	279
	27%	27%	28%	22%	28%	27%	29%	26%	27%
							*		
Bottom 3 Box (Net)	425	58	54	40	167	76	30	57	297
	29%	29%	35%	42%	30%	23%	29%	27%	29%
			E	ADE			*		
3	224	30	24	23	90	43	15	31	155
	15%	15%	15%	24%	16%	13%	15%	15%	15%
				E			*		
Bottom 2 Box (Subnet)	201	28	31	17	77	33	15	26	142
	14%	14%	20%	18%	14%	10%	15%	12%	14%
			E	E			*		
2	116	19	15	14	42	17	10	10	87
	8%	9%	9%	14%	7%	5%	10%	5%	9%
				DE			*		
1 - Not severe at all (1)	85	9	16	4	36	16	5	16	55
	6%	4%	10%	4%	6%	5%	5%	7%	5%
							*		
Sigma	1450	201	155	96	566	331	101	214	1016
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	4.2	4.2	4	4	4.2	4.5	4.3	4.3	4.2
						BC	*		
Std. Dev.	1.55	1.44	1.67	1.61	1.55	1.51	1.62	1.57	1.53
Std. Err.	0.04	0.1	0.13	0.16	0.07	0.08	0.16	0.11	0.05
Median	4	4	4	4	4	4.6	4	4	4

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_8. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - HIV/AIDS

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1477	183	152	153	546	320	123	241	1008
Base: All Answering (wtd)	1469	201	164	96	570	337	100	218	1033
Top 3 Box (Net)	839	108	83	55	309	226	58	119	593
	57%	54%	51%	57%	54%	67%	57%	55%	57%
						ABD	*		
Top 2 Box (Subnet)	570	79	44	43	209	155	41	88	402
	39%	39%	27%	45%	37%	46%	41%	40%	39%
		B		B		BD	B*		
7 - Very severe (7)	347	45	30	26	129	93	24	55	247
	24%	22%	18%	28%	23%	28%	24%	25%	24%
							*		
6	223	34	14	17	80	61	17	33	155
	15%	17%	8%	17%	14%	18%	17%	15%	15%
				B		B	*		
5	269	29	40	11	100	72	17	32	191
	18%	14%	24%	12%	18%	21%	17%	14%	19%
			C			C	*		
4	247	37	28	13	107	52	11	37	180
	17%	18%	17%	13%	19%	15%	11%	17%	17%
							*	O	
Bottom 3 Box (Net)	382	57	52	29	154	59	31	61	260
	26%	28%	32%	30%	27%	17%	31%	28%	25%
		E	E	E	E		E*		
3	158	21	20	11	65	26	15	27	108
	11%	10%	12%	11%	11%	8%	15%	13%	10%
							*		
Bottom 2 Box (Subnet)	224	36	32	18	89	33	17	34	152
	15%	18%	19%	18%	16%	10%	16%	15%	15%
		E	E	E	E		*		
2	119	20	12	14	43	18	12	16	81
	8%	10%	8%	15%	7%	5%	12%	7%	8%
				DE			E*		
1 - Not severe at all (1)	105	16	19	3	46	15	4	17	72
	7%	8%	12%	4%	8%	5%	4%	8%	7%
			CE				*		
Sigma	1469	201	164	96	570	337	100	218	1033
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	4.7	4.6	4.3	4.8	4.6	5.1	4.7	4.7	4.7
						ABD	*		
Std. Dev.	1.87	1.92	1.9	1.94	1.88	1.72	1.88	1.92	1.86
Std. Err.	0.05	0.14	0.15	0.2	0.08	0.09	0.19	0.13	0.06
Median	5	5	5	5	5	5	5	5	5

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_9. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - Multiple Sclerosis (MS)

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1436	177	145	151	533	308	122	218	994
Base: All Answering (wtd)	1421	198	150	94	557	324	98	197	1009
Top 3 Box (Net)	816	114	79	47	314	205	57	107	588
	57%	58%	53%	49%	56%	63%	58%	54%	58%
			*			C	*		
Top 2 Box (Subnet)	531	71	54	32	200	136	39	73	377
	37%	36%	36%	34%	36%	42%	40%	37%	37%
			*				*		
7 - Very severe (7)	272	33	26	21	107	63	21	37	192
	19%	17%	18%	22%	19%	20%	22%	19%	19%
			*				*		
6	259	38	28	11	92	72	18	36	186
	18%	19%	18%	12%	17%	22%	18%	18%	18%
			*			C	*		
5	285	43	25	15	114	69	18	34	211
	20%	22%	17%	16%	21%	21%	18%	17%	21%
			*				*		
4	281	33	35	23	119	55	17	42	193
	20%	17%	23%	24%	21%	17%	17%	21%	19%
			*				*		
Bottom 3 Box (Net)	324	51	36	25	124	64	24	47	228
	23%	26%	24%	26%	22%	20%	25%	24%	23%
			*				*		
3	164	19	15	15	69	29	18	24	118
	12%	10%	10%	15%	12%	9%	18%	12%	12%
			*				E*		
Bottom 2 Box (Subnet)	160	32	22	10	55	35	7	24	110
	11%	16%	14%	11%	10%	11%	7%	12%	11%
			*				*		
2	85	19	9	8	25	22	1	11	59
	6%	9%	6%	8%	5%	7%	1%	5%	6%
		DF	*	F			*		
1 - Not severe at all (1)	75	13	12	2	30	13	5	13	51
	5%	6%	8%	2%	5%	4%	5%	7%	5%
			*				*		
Sigma	1421	198	150	94	557	324	98	197	1009
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	4.7	4.6	4.6	4.7	4.7	4.9	4.8	4.7	4.8
			*				*		
Std. Dev.	1.71	1.78	1.8	1.7	1.69	1.67	1.71	1.75	1.7
Std. Err.	0.05	0.13	0.15	0.17	0.07	0.09	0.17	0.12	0.05
Median	5	5	5	4	5	5	5	5	5

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

A4_10. Please indicate how severe you think the following are, that is, the impact it could have on your life, potential complications, chance it could be fatal, etc. - COVID-19/Coronavirus

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1489	184	153	155	548	323	126	242	1015
Base: All Answering (wtd)	1485	204	166	98	573	341	102	218	1044
Top 3 Box (Net)	1076	159	109	68	443	219	77	160	774
	72%	78%	66%	70%	77%	64%	75%	73%	74%
		BE			BE		*		
Top 2 Box (Subnet)	783	121	79	45	316	168	54	122	566
	53%	59%	47%	46%	55%	49%	53%	56%	54%
		C					*		
7 - Very severe (7)	480	84	52	30	181	100	33	72	350
	32%	41%	31%	31%	32%	29%	32%	33%	34%
		E					*		
6	303	38	26	15	135	68	21	50	216
	20%	18%	16%	15%	24%	20%	21%	23%	21%
							*		
5	292	37	31	24	127	51	23	38	208
	20%	18%	18%	24%	22%	15%	22%	17%	20%
				E	E		*		
4	184	18	31	13	55	51	16	27	119
	12%	9%	19%	14%	10%	15%	15%	12%	11%
			AD				*		
Bottom 3 Box (Net)	225	28	26	16	75	71	10	31	150
	15%	14%	16%	16%	13%	21%	9%	14%	14%
						DF	*		
3	124	20	12	9	43	33	6	20	81
	8%	10%	7%	9%	8%	10%	6%	9%	8%
							*		
Bottom 2 Box (Subnet)	101	8	13	7	32	38	3	12	70
	7%	4%	8%	7%	6%	11%	3%	5%	7%
						ADF	*		
2	48	5	5	4	14	18	2	7	30
	3%	2%	3%	4%	3%	5%	2%	3%	3%
							*		
1 - Not severe at all (1)	53	3	8	3	18	20	1	5	40
	4%	1%	5%	3%	3%	6%	1%	2%	4%
						A	*		
Sigma	1485	204	166	98	573	341	102	218	1044
	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary									
Mean	5.3	5.6	5.2	5.2	5.4	5.1	5.5	5.4	5.4
		BE			E		*		
Std. Dev.	1.65	1.55	1.72	1.65	1.56	1.82	1.44	1.59	1.64
Std. Err.	0.04	0.11	0.13	0.17	0.07	0.1	0.14	0.11	0.05
Median	6	6	5	5	6	5	6	6	6

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B1. We'd like to understand your experience with diabetes, which, if any, apply to you?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
I have personally been diagnosed with diabetes	24	6	2	1	7	8	1	1	19
	2%	3%	1%	1%	1%	2%	1%	*	2%
							*		
A family member has been diagnosed with diabetes	665	111	76	44	243	135	57	117	461
	45%	54%	46%	45%	42%	39%	56%	53%	44%
		DE					DE*	OQ	
I personally provide care/assistance for a family member or loved one who has diabetes or have done so in the past	85	11	4	7	35	20	9	11	59
	6%	6%	2%	7%	6%	6%	9%	5%	6%
							B*		
I have been diagnosed with pre-diabetes by a health professional (having blood glucose (sugar) levels that are higher than normal, but not yet high enough to be diagnosed as type 2 diabetes)	124	15	11	10	55	22	10	13	92
	8%	7%	7%	11%	10%	7%	10%	6%	9%
							*		
I am at a high risk for developing type 2 diabetes (family background, weight, diet, etc.) but have not been diagnosed with diabetes or pre-diabetes	169	26	16	14	66	34	13	32	120
	11%	13%	10%	14%	12%	10%	13%	15%	12%
							*		
None of the above	597	70	72	39	229	155	31	72	421
	40%	34%	44%	40%	40%	45%	31%	33%	40%
						AF	*		
Sigma	1666	239	181	116	634	375	122	245	1172
	112%	117%	109%	118%	111%	109%	119%	112%	112%
Summary									
Diagnosed/Prediabetic	149	21	13	12	61	31	11	13	111
	10%	10%	8%	12%	11%	9%	11%	6%	11%
							*		
Diagnosed/Prediabetic/High Risk	318	47	29	25	128	65	24	45	231
	21%	23%	18%	26%	22%	19%	24%	21%	22%
							*		

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B2. You mentioned you have diabetes/ help care for someone with diabetes, what type of diabetes do you / they have?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	124	14	9	16	43	29	13	21	76
Base: All Answering (wtd)	110	17	6	8	41	28	10	12	79
Type 1	20	3	2	1	9	3	2	2	14
	18%	18%	32%	11%	21%	11%	19%	17%	18%
		**	**	**	**	**	**	**	
Type 2	72	14	4	5	26	17	7	9	53
	66%	82%	68%	63%	62%	62%	70%	72%	68%
		**	**	**	**	**	**	**	
Gestational (pregnancy related) diabetes	5	-	-	-	3	1	1	1	-
	4%	-	-	-	8%	3%	7%	7%	-
		**	**	**	**	**	**	**	
Don't know	13	-	-	2	4	7	*	*	11
	12%	-	-	26%	10%	24%	4%	4%	14%
		**	**	**	**	**	**	**	
Sigma	110	17	6	8	41	28	10	12	79
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B2. You mentioned you have diabetes/ help care for someone with diabetes, what type of diabetes do you / they have?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering - Excluding Don't know (unwtd)	110	14	9	13	38	24	12	20	66
Base: All Answering - Excluding Don't know (wtd)	97	17	6	6	38	22	9	11	67
Type 1	20	3	2	1	9	3	2	2	14
	20%	18%	32%	15%	23%	15%	20%	17%	21%
		**	**	**	**	**	**	**	
Type 2	72	14	4	5	26	17	7	9	53
	75%	82%	68%	85%	68%	81%	73%	75%	79%
		**	**	**	**	**	**	**	
Gestational (pregnancy related) diabetes	5	-	-	-	3	1	1	1	-
	5%	-	-	-	9%	4%	8%	7%	-
		**	**	**	**	**	**	**	
Sigma	97	17	6	6	38	22	9	11	67
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B3_13. How much do you agree or disagree with the following... - Having diabetes puts someone at a greater risk for contracting COVID-19

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering - Excluding Don't know (unwtd)	1143	130	114	122	419	250	108	181	783
Base: All Answering - Excluding Don't know (wtd)	1128	152	122	75	443	250	86	162	800
Top 2 Box (Net)	831	128	92	56	328	169	58	121	594
	74%	84%	75%	75%	74%	68%	68%	75%	74%
		EF*	*	*			*		
Strongly agree	349	65	40	22	135	62	25	54	247
	31%	42%	32%	30%	31%	25%	29%	34%	31%
		DE*	*	*			*		
Somewhat agree	482	63	52	34	193	107	33	67	347
	43%	42%	43%	45%	43%	43%	39%	41%	43%
		*	*	*			*		
Bottom 2 Box (Net)	297	24	30	19	115	81	28	41	206
	26%	16%	25%	25%	26%	32%	32%	25%	26%
		*	*	*		A	A*		
Somewhat disagree	186	15	18	12	79	45	16	19	132
	16%	10%	15%	16%	18%	18%	18%	12%	16%
		*	*	*			*		
Strongly disagree	111	10	12	6	36	36	12	22	74
	10%	6%	10%	9%	8%	14%	14%	13%	9%
		*	*	*		D	*		
Sigma	1128	152	122	75	443	250	86	162	800
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B3_14. How much do you agree or disagree with the following... - In light of the ongoing COVID-19 pandemic, I am more concerned about diabetes than I was before

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering - Excluding Don't know (unwtd)	1359	168	136	143	500	296	116	216	934
Base: All Answering - Excluding Don't know (wtd)	1336	188	143	90	517	311	88	193	947
Top 2 Box (Net)	509	90	39	36	212	91	41	77	370
	38%	48%	27%	40%	41%	29%	47%	40%	39%
		BE	*	*	BE		BE*		
Strongly agree	133	24	16	9	53	20	11	21	96
	10%	13%	11%	9%	10%	6%	13%	11%	10%
			*	*			*		
Somewhat agree	376	66	23	28	159	70	30	56	274
	28%	35%	16%	31%	31%	23%	34%	29%	29%
		BE	*	B*	BE		BE*		
Bottom 2 Box (Net)	828	98	104	54	305	220	46	116	577
	62%	52%	73%	60%	59%	71%	53%	60%	61%
			ADF*	*		ADF	*	O	
Somewhat disagree	520	71	68	31	194	125	31	67	386
	39%	38%	48%	34%	38%	40%	36%	35%	41%
			*	*			*	O	O
Strongly disagree	308	27	36	23	111	96	15	49	191
	23%	15%	25%	25%	21%	31%	17%	25%	20%
			*	A*		ADF	*		
Sigma	1336	188	143	90	517	311	88	193	947
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B8. What chance do you think a Canadian who is 20 years old today has of being diagnosed with diabetes in their lifetime?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Under 50% (Net)	821	114	77	55	300	226	49	123	582
	55%	56%	47%	57%	52%	66%	48%	56%	56%
						BDF	*		
Under 10%	71	8	10	6	19	26	2	14	46
	5%	4%	6%	6%	3%	8%	2%	6%	4%
						D	*		
10% to under 20%	212	23	18	12	91	54	13	33	150
	14%	11%	11%	12%	16%	16%	13%	15%	14%
							*		
20% to under 30%	261	33	25	15	91	78	19	36	192
	18%	16%	15%	15%	16%	23%	19%	17%	18%
						D	*		
30% to under 40%	178	27	17	16	64	42	11	28	126
	12%	13%	10%	17%	11%	12%	11%	13%	12%
							*		
40% to under 50%	100	23	7	7	35	25	3	12	68
	7%	11%	4%	7%	6%	7%	3%	6%	7%
		BF					*		
Over 50% chance	81	9	10	6	38	7	12	13	61
	5%	4%	6%	6%	7%	2%	12%	6%	6%
					E		AE*		
Don't know	585	82	79	37	236	110	41	83	402
	39%	40%	48%	38%	41%	32%	40%	38%	38%
			E		E		*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B9. About what proportion of all heart attacks do you think are related to diabetes?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Under 40% (Net)	632	92	65	46	219	164	46	120	416
	43%	45%	39%	47%	38%	48%	45%	55%	40%
						D	*	Q	
Under 10%	76	7	11	3	19	31	5	9	49
	5%	3%	6%	3%	3%	9%	5%	4%	5%
						ACD	*		
10% to under 20%	180	21	9	14	74	55	8	32	120
	12%	10%	5%	14%	13%	16%	8%	15%	11%
				B	B	B	*		
20% to under 30%	218	33	17	21	76	52	19	39	144
	15%	16%	10%	21%	13%	15%	19%	18%	14%
				BD			*		
30% to under 40%	158	30	28	9	51	26	14	39	104
	11%	15%	17%	9%	9%	8%	14%	18%	10%
		E	DE				*	Q	
40% to under 50%	55	4	4	4	23	14	6	5	45
	4%	2%	3%	4%	4%	4%	6%	2%	4%
							*		
Over 50%	44	10	2	3	19	9	*	8	33
	3%	5%	1%	3%	3%	3%	*	4%	3%
							*		
Don't know	755	99	95	45	312	155	49	85	550
	51%	48%	57%	46%	54%	45%	48%	39%	53%
			E		E		*		OP
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B9A. How many Canadians do you think are diagnosed with diabetes every year?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Under 200,000 (Net)	572	77	62	45	191	149	48	82	397
	39%	38%	38%	46%	33%	43%	47%	37%	38%
				D		D	D*		
10,000	121	14	10	15	37	29	14	13	92
	8%	7%	6%	16%	7%	9%	14%	6%	9%
				ABDE			D*	O	O
50,000	256	43	25	17	77	79	15	36	170
	17%	21%	15%	17%	13%	23%	15%	17%	16%
		D				D	*		
100,000	195	20	27	12	77	41	18	33	135
	13%	10%	16%	13%	13%	12%	18%	15%	13%
							*		
200,000	110	11	12	3	54	25	5	25	74
	7%	6%	7%	3%	9%	7%	5%	12%	7%
							*	O	
Don't know	804	116	91	50	329	169	49	111	574
	54%	57%	55%	51%	57%	49%	48%	51%	55%
							*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B9B. How much would you estimate that our health care system spends on treating diabetes every year?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
\$15 Billion Or Under (Net)	543	73	56	39	204	133	38	95	360
	37%	36%	34%	40%	36%	39%	37%	44%	34%
							*	Q	
\$1 billion	154	11	15	9	66	44	10	23	101
	10%	5%	9%	9%	11%	13%	9%	11%	10%
					A	A	*	O	
\$5 billion	225	33	20	21	82	50	18	40	148
	15%	16%	12%	22%	14%	15%	17%	18%	14%
							*		
\$15 billion	164	29	21	10	56	39	10	33	110
	11%	14%	13%	10%	10%	11%	10%	15%	11%
							*		
\$30 billion	59	8	10	5	20	10	6	5	45
	4%	4%	6%	5%	4%	3%	6%	2%	4%
							*		
Don't know	884	124	100	53	349	200	58	118	640
	59%	61%	61%	54%	61%	58%	57%	54%	61%
							*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

B9C. How many Canadians do you think die of diabetes-related complications (e.g. heart attacks, strokes, etc. related to diabetes) every day?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
20 Or Fewer (Net)	424	50	33	34	160	114	32	77	270
	29%	24%	20%	35%	28%	33%	32%	35%	26%
				B		B	*	Q	
0-5	95	5	7	7	46	25	6	17	58
	6%	3%	4%	7%	8%	7%	6%	8%	6%
					A		*		
6-10	198	25	14	15	64	59	21	30	134
	13%	12%	8%	15%	11%	17%	21%	14%	13%
						BD	BD*		
11-20	130	19	13	12	50	30	5	30	78
	9%	9%	8%	13%	9%	9%	5%	14%	8%
							*	Q	
More than 20	278	40	39	21	93	62	23	31	213
	19%	19%	24%	21%	16%	18%	23%	14%	20%
							*		
Don't know	785	115	94	43	320	167	46	110	562
	53%	56%	57%	44%	56%	49%	45%	50%	54%
					C		*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

N2. Do you agree or disagree that the government should commit towards implementing a nation-wide diabetes strategy to reduce the burden of diabetes?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Top 2 Box (Net)	1283	188	130	86	504	290	85	198	901
	86%	92%	78%	89%	88%	85%	83%	91%	86%
		BF			B		*		
Strongly agree	652	93	58	45	264	141	51	113	435
	44%	46%	35%	46%	46%	41%	50%	52%	42%
					B		B*	Q	
Somewhat agree	631	95	72	42	240	149	34	85	466
	42%	46%	43%	43%	42%	43%	33%	39%	45%
							*		
Bottom 2 Box (Net)	72	6	15	4	19	23	6	9	44
	5%	3%	9%	4%	3%	7%	6%	4%	4%
			AD				*		
Somewhat disagree	62	3	13	3	19	21	4	9	37
	4%	2%	8%	3%	3%	6%	4%	4%	4%
			AD			A	*		
Strongly disagree	10	3	2	1	-	2	2	-	7
	1%	1%	1%	1%	-	1%	2%	-	1%
		D	D	D			D*		
Not sure	131	11	21	7	50	30	11	11	99
	9%	5%	13%	7%	9%	9%	11%	5%	10%
			A				*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

N3. And in your opinion, which one of these should be the most appropriate timeline for the governments to commit to this initiative (implementing a nation-wide diabetes strategy)?

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1316	167	128	138	488	285	110	221	896
Base: All Answering (wtd)	1283	188	130	86	504	290	85	198	901
Immediate, within the next year	458	68	41	29	167	113	40	56	330
	36%	36%	31%	34%	33%	39%	47%	28%	37%
			*	*			BD*		
Medium-term, 2-5 years from now	539	77	58	38	208	129	30	79	382
	42%	41%	45%	44%	41%	44%	35%	40%	42%
			*	*			*		
Longer-term, 5 years or more from now	49	4	1	7	20	13	3	12	31
	4%	2%	1%	8%	4%	5%	4%	6%	3%
			*	AB*			*		
Only once the Coronavirus pandemic has been successfully managed	237	39	30	12	109	35	11	51	158
	18%	21%	23%	14%	22%	12%	13%	26%	18%
		E	E*	*	E		*	Q	
Sigma	1283	188	130	86	504	290	85	198	901
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

N4. Depending on where they live in Canada, some people living with diabetes have no costs due to government coverage, while others without access to coverage by government, employer or private insurance plans must spend thousands of dollars annually to manage their diabetes. Diabetes can cost those living with it up to \$15,000 each year out of pocket. To what degree do you think that governments should cover the costs of diabetes medications, devices and supplies for people

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Top 2 Box (Net)	1224	180	125	82	482	267	88	184	874
	82%	88%	75%	84%	84%	78%	86%	84%	84%
		BE			B		*	O	
Strongly agree	725	100	74	52	284	157	59	109	515
	49%	49%	45%	53%	50%	46%	58%	50%	49%
							*	O	
Somewhat agree	499	81	51	30	198	110	29	76	359
	34%	40%	31%	31%	35%	32%	29%	35%	34%
							*		
Bottom 2 Box (Net)	94	12	9	6	34	27	7	11	65
	6%	6%	5%	6%	6%	8%	7%	5%	6%
							*		
Somewhat disagree	74	12	6	5	29	17	4	9	55
	5%	6%	4%	5%	5%	5%	4%	4%	5%
							*		
Strongly disagree	21	-	2	1	5	9	3	2	10
	1%	-	1%	1%	1%	3%	3%	1%	1%
							A*		
Not sure	168	12	32	10	57	49	7	23	106
	11%	6%	19%	10%	10%	14%	7%	11%	10%
			ADF			A	*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)

N5. Each province in Canada is responsible for their healthcare coverage and manage it differently. Some provincial governments do not cover the costs of health-protecting medical devices for those living with diabetes once they reach adulthood. To what degree do you believe that governments should cover the costs of

		REGION							
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	BIPOC (NET)	NON - BIPOC
		A	B	C	D	E	F	P	Q
Base: All Answering (unwtd)	1491	184	153	155	548	325	126	242	1016
Base: All Answering (wtd)	1486	204	166	98	573	343	102	218	1045
Top 2 Box (Net)	1214	185	124	83	479	260	84	186	867
	82%	90%	75%	85%	84%	76%	82%	85%	83%
		BE			BE		*		
Strongly agree	693	106	69	53	270	146	49	106	486
	47%	52%	41%	54%	47%	43%	48%	49%	47%
							*		
Somewhat agree	521	78	55	30	208	114	35	80	381
	35%	38%	33%	31%	36%	33%	34%	37%	36%
							*		
Bottom 2 Box (Net)	103	9	15	6	36	28	9	15	69
	7%	4%	9%	6%	6%	8%	9%	7%	7%
							*		
Somewhat disagree	80	7	13	3	31	22	4	10	57
	5%	4%	8%	3%	5%	6%	4%	5%	5%
							*		
Strongly disagree	23	1	2	3	5	7	5	5	13
	2%	1%	1%	3%	1%	2%	5%	2%	1%
							AD*		
Not sure	170	11	27	9	58	55	9	17	108
	11%	5%	17%	9%	10%	16%	9%	8%	10%
			A			AD	*		
Sigma	1486	204	166	98	573	343	102	218	1045
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P/Q

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of contents](#)