1. Do you have a diagnosed mental health condition?

	Ontario
Base: All Respondents (unwtd)	371
Base: All Respondents (wtd)	385
	121
Yes	31%
	264
No	69%
	385
Sigma	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

2. And which of the following mental health conditions have you been diagnosed with?

Bipolar and related disorders 12 10% 4 Schizophrenia 4 Schizophrenia Anxiety and related disorders 75% 18 Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 15	been diagnosed with?	
Base: All Answering (unwtd) Base: All Answering (wtd) 121 Bipolar and related disorders 12 10% Schizophrenia 4 Anxiety and related disorders Attention Deficit/Hyperactivity Disorder (ADHD) 18 Attention Deficit/Hyperactivity Disorder (ADHD) 191 14% 69 57% Obsessive-compulsive and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 20% Alzheimer's disease or dementia 3 Alzheimer's disease or dementia 4 Antisocial and related disorders 4% Substance use and related disorders 15 13%		
Base: All Answering (wtd) 12 Bipolar and related disorders 12 10% Schizophrenia 4 Anxiety and related disorders Attention Deficit/Hyperactivity Disorder (ADHD) 14% Depression and related disorders 5 Obsessive-compulsive and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 4% Substance use and related disorders 15 Substance use and related disorders		Ontario
Base: All Answering (wtd) 12 Bipolar and related disorders 12 10% Schizophrenia 4 Anxiety and related disorders Attention Deficit/Hyperactivity Disorder (ADHD) 14% Depression and related disorders 5 Obsessive-compulsive and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 4% Substance use and related disorders 15 Substance use and related disorders		
Base: All Answering (wtd) 12 Bipolar and related disorders 12 10% Schizophrenia 4 Anxiety and related disorders Attention Deficit/Hyperactivity Disorder (ADHD) 14% Depression and related disorders 5 Obsessive-compulsive and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 4% Substance use and related disorders 15 Substance use and related disorders		
Base: All Answering (wtd) 12 Bipolar and related disorders 12 10% Schizophrenia 4 Anxiety and related disorders Attention Deficit/Hyperactivity Disorder (ADHD) 14% Depression and related disorders 5 Obsessive-compulsive and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 4% Substance use and related disorders 15 Substance use and related disorders	Base: All Answering (unwtd)	90
Bipolar and related disorders 12 10% 4 Schizophrenia 4 Anxiety and related disorders 75% 18 Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 3 Alzheimer's disease or dementia 4 Antisocial and related disorders 4% Substance use and related disorders 15 Substance use and related disorders	. ,	
Bipolar and related disorders 4 Schizophrenia 4 Anxiety and related disorders 75% 18 Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 14% Alzheimer's disease or dementia 4 Antisocial and related disorders 15 Substance use and related disorders 13%	Base: All Answering (wtd)	121
Bipolar and related disorders 4 Schizophrenia 4 Anxiety and related disorders 75% 18 Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 14% Alzheimer's disease or dementia 4 Antisocial and related disorders 15 Substance use and related disorders 13%		
Schizophrenia 4 4% 91 75% Anxiety and related disorders 18 Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 24 Post-traumatic stress disorder (PTSD) 20% 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 3 Alzheimer's disease or dementia 4 Antisocial and related disorders 15 Substance use and related disorders 13%		12
Schizophrenia 4% Anxiety and related disorders 75% Attention Deficit/Hyperactivity Disorder (ADHD) 14% Depression and related disorders 57% Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 4% Substance use and related disorders 13%	Bipolar and related disorders	10%
Schizophrenia 4% Anxiety and related disorders 75% Attention Deficit/Hyperactivity Disorder (ADHD) 14% Depression and related disorders 57% Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 24 Post-traumatic stress disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 4% Substance use and related disorders 13%		
Anxiety and related disorders P1 75% 18 Attention Deficit/Hyperactivity Disorder (ADHD) Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 4% 15 Substance use and related disorders 18 18 19 10 10 11 11 11 12 13 15 15 15 13 16 17 18 18 18 18 19 19 10 10 10 11 11 11 12 13 14 15 15 13 18 18 18 18 19 10 10 10 11 11 11 12 13 13 13 13 13 13	Calcianation	
Anxiety and related disorders 75% 18 Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 4 Antisocial and related disorders 15 Substance use and related disorders 13%	Schizophrenia	4%
Anxiety and related disorders 75% 18 Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 4 Substance use and related disorders 15 Substance use and related disorders		91
Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 Depression and related disorders 5 Obsessive-compulsive and related disorders 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 24 Antisocial and related disorders 4 Antisocial and related disorders 15 Substance use and related disorders 13%	Anxiety and related disorders	
Attention Deficit/Hyperactivity Disorder (ADHD) 14% 69 57% 5 Obsessive-compulsive and related disorders 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 15 Substance use and related disorders 13%		7370
Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 4% 15 Substance use and related disorders		18
Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 4% 15 Substance use and related disorders	Attention Deficit/Hyperactivity Disorder (ADHD)	
Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 4 Substance use and related disorders 15 Substance use and related disorders	Attention benefit hyperactivity bisorder (Abrib)	14%
Depression and related disorders 5 Obsessive-compulsive and related disorders 4% Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 4 Substance use and related disorders 15 Substance use and related disorders		60
Obsessive-compulsive and related disorders 4% 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 4 Antisocial and related disorders 5 4% 5 15 13%	Depression and related disorders	
Obsessive-compulsive and related disorders 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 15 Substance use and related disorders 13%	Depression and related disorders	3770
Obsessive-compulsive and related disorders 24 Post-traumatic stress disorder (PTSD) 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 15 Substance use and related disorders 13%		5
Post-traumatic stress disorder (PTSD) 24 20% 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 15 Substance use and related disorders 13%	Observative commutative and related the	
Post-traumatic stress disorder (PTSD) 20% 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 15 Substance use and related disorders 13%	Obsessive-compulsive and related disorders	4%
Post-traumatic stress disorder (PTSD) 20% 1 Dissociative identity disorder and/or dissociative amnesia 1% Alzheimer's disease or dementia 2% Antisocial and related disorders 15 Substance use and related disorders 13%		
Dissociative identity disorder and/or dissociative amnesia 1% 3 Alzheimer's disease or dementia 4 Antisocial and related disorders 15 Substance use and related disorders 13%		
Dissociative identity disorder and/or dissociative amnesia 1% 3 Alzheimer's disease or dementia 2% Antisocial and related disorders 4 Substance use and related disorders 15 13%	Post-traumatic stress disorder (PISD)	20%
Dissociative identity disorder and/or dissociative amnesia 1% 3 Alzheimer's disease or dementia 2% Antisocial and related disorders 4 Substance use and related disorders 15 13%		1
Alzheimer's disease or dementia 2% 4 Antisocial and related disorders 15 Substance use and related disorders 13%		_
Alzheimer's disease or dementia 2% 4 Antisocial and related disorders 4% 5 Substance use and related disorders 15 13%	Dissociative identity disorder and/or dissociative amnesia	1%
Alzheimer's disease or dementia 2% 4 Antisocial and related disorders 4% 5 Substance use and related disorders 15 13%		
Antisocial and related disorders 4 4% 15 Substance use and related disorders 13%		
Antisocial and related disorders 4% 15 Substance use and related disorders 13%	Alzheimer's disease or dementia	2%
Antisocial and related disorders 4% 15 Substance use and related disorders 13%		1
Substance use and related disorders 13%	Anticogial and related disorders	-
Substance use and related disorders 13%	Antisocial and related disorders	7/0
Substance use and related disorders 13%	Substance use and related disorders	15
15		
		15

Borderline personality disorder	13%
	11
Eating disorder	9%
	-
None	-
	9
Other	8%
	-
Don't know/ Not stated	-
	283
Sigma	233%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

3. Thinking about your overall mental health and wellness, would you say that it is better, worse, or about the same as it was, prior

vou say that it is better, worse, or about the same as it	Was, prior
	Ontario
Base: All Respondents (unwtd)	371
Base: All Respondents (wtd)	385
	57
Better	15%
	210
About the same	54%
Worse	119
	31%
	Е
Sigma	385
	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

8_1. How difficult would it be for you to do each of the following? -

Access mental health services in your local community

Access mental health services in your local community	
	Ontario
Base: All Respondents (unwtd)	371
Base: All Respondents (wtd)	385
	156
Top 2 Box (Net)	41%
	41
Very Difficult	11%
	115
Somewhat Difficult	30%
Bottom 2 Box (Net)	149
	39%
	CEF
Not Very Difficult	101
	26%
Not At All Difficult	48
	12%
	E
Don't Know	80
	21%
Sigma	385
	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

8_2. How difficult would it be for you to do each of the following? -

Talk to loved ones about your mental health

Talk to loved ones about vour mental heal	th
	Ontario
Base: All Respondents (unwtd)	371
Base: All Respondents (wtd)	385
	172
Top 2 Box (Net)	45%
	45
Very Difficult	12%
	128
Somewhat Difficult	33%
Somewhat Simewit	3370
Bottom 2 Box (Net)	187
	48%
Not Very Difficult	105
	27%
	82
Not At All Difficult	21%
	С
Don't Know	26
	7%
Sigma	385
	100%
	255.5
4	

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

9_4. Please rate the extent to which you agree or disagree with the following statements. - The mental health of my child(ren)

following statements The mental health	of my child(ren)
	Ontario
Base: All Answering (unwtd)	101
Base: All Answering (wtd)	98
	58
Top 2 Box (Net)	60%
Strongly agree	19 19%
Strongly agree	19%
	40
Somewhat agree	40%
Bottom 2 Box (Net)	29
	30%
Somewhat disagree	16
	16%
	12
Strongly disagree	13 14%
Strongly disagree	1470
	10
Don't Know	11%
Sigma	98
	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L Minimum Base: 30 (**), Small Base: 100 (*)