# <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Table 1 TID01 - Have you personally been with someone in the final hours or minutes of their life, or not? Base: All Respondents

Unweighted Base Weighted Base

Don't know

Prefer not to say

Γ		GEN	IDER				AGE					SOCIAL	GRADE			EDUC	ATION		ETHN	ICITY
	TOTAL	MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (I)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (0)	DEGR/ MAST/ PHD (p)	NO FORML QUAL (q)	WHITE (r)	BAME (s)
ı	612	302	309	91	83	96	90	109	86	57	185	203	118	106	133	124	234	64	549	62
ı	619	288	330	85*	106*	108*	121*	90*	67*	41*	179	189	120	131*	135	126	243	58*	557	60*
	301 49%	140 49%	161 49%	17 19%	41 38%c	51 47%c	70 57%cd	54 60%cd	43 65%cd e	26 63%cd	103 57%l	92 49%	49 41%	58 44%	67 50%o	45 36%	125 52%o	32 55‰	281 50%s	20 34%
	313 51%	147 51%	165 50%	68 80%de fghi	66 62%fg hi	56 51%h	52 43%	34 38%	22 33%	15 37%	76 42%	95 51%	70 58%j	71 55%	67 50%	77 61%p	117 48%	26 45%	271 49%	40 66%r
	2	:	2 1%		-	1 1%	-	1 1%	-	-	-	1 1%	1 1%	-	- :	2 2%p	-	-	2	-
L	2	1 *	1	1 1%		-	-	-	1 2%	-	1	-	:	1 1%	- :	2 2%		- 1	2	

Proportions/Means: Columns Tested (5% risk level) - a/b - o'dlerf/g/h/i - j/k/l/m - n/o/p/q - x/s Overlap formulae used. \*small base

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos MORI Terms and Conditions.

# <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Unweighted Base Weighted Base No Don't know

Table 2 TID07 - Have you personally been with someone in the final hours or minutes of their life, or not? Base: All Respondents

		GOVERN	MENT OFFI	CE REGION			AR	EA				TENURE	_		MAI	RITAL STAT	rus		NUMBER IN		EXPER WITH HOU MINU	FINAL JRS/
TOTAL	SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (I)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
612	47	167	209	105	84	134	147	176	155	202	159	89	147	7	351	176	83	127	228	255	308	300
619	47*	162	183	143*	83*	148	148	177	146	181	212	67*	139	8**	370	175	72*	110	222	286	301	313
301 49%	20 41%	79 48%	101 55%e	70 49%	32 39%	85 58%gi	65 44%	89 50%	62 43%	108 60%km	102 48%	33 49%	52 38%	1 12%	196 53%p	59 34%	46 63%p	60 55%	112 51%	128 45%	301 100%v	-
313 51%	28 59%	82 51%	80 44%	72 51%	50 61%c	63 42%	81 55%	86 48%	83 57%f	70 39%	109 51%j	34 51%	87 62%j	7 88%	172 47%	114 65%oq	25 35%	47 43%	110 49%	155 54%r	-	313 100%u
2	1 :	-	1	1 1%	-		-	2	-	1	1 1%	-	-	-	1	1 1%	-	1 1%	-	1	-	
2	-	1 1%	1	-	-	:	2 1%	-	-	2 1%	-	-	-	-	1	-	1 2%	1 1%	-	1	-	-

Proportions/Means: Columns Tested (5% risk level) - arbic/die - fighti - jikiltmh - o.ipiq - riskt - u/v Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

#### J18009000-14-04 05-APR - 14-APR 2019 PUBLIC ATTITUDES TO DEATH

Table 3
TID02 - How much, if anything, would you say you know about what happens to a person in the final hours or minutes of their life?
Base: All Respondents

GENDER AGE SOCIAL GRADE ETHNICITY GCSE/ O-LV/ CSE/ NVQ12 A-LVL DEGR/ MAST/ PHD NO FORML QUAL FE-MALE OR EQUIV TOTAL MALE 45-54 55-64 65-74 C1 (k) WHITE BAME 15-24 25-34 35-44 75+ C2 (I) DE Unweighted Base 121\* 67\* 41\* 131\* Weighted Base 85\* 106\* 108\* 90\* 58\* 60\* A great deal 13% 14% 20%h 14% 13% 18%k 10% 10% 17% 11% 18% 13% 17% 9% 13% 13% 19% A fair amount 20% 19% 14% 14% 22% 15% 22% 27% 18% 26%m 17% 15% 23% 15% 21% 15% 19% 18% 28% 28% Just a little 24% 25% 23% 19% 16% 17% 15% 19% 23% 19% 18% 20% 22% 18% 18% 11% 27%jm 19% 12% 23% Hardly anything 22% 23% 16% 13% 11% 15% 22%jk 20%p 19%p 13% Nothing at all 12% 18% 17% 13% 10% 10% 10% 15% 14% 12% Don't know 6% Prefer not to say 1% 1% 1% 1% 2% 2% 2% 2% 33% 33% 43%c Top 2 Box 33% 23% 34% 35% 32% 36% 34% 36% 27% 31% 34% 25% 39%o 28% 35% 36% 33% 60% 60% 61% 61% 61% Bot 3 Box 59% 63% 57% 67% 58% 56% 57% 59% -157 -28% Net Diff -169 -27% -13 -22%

Proportions Means: Columns Tested (5% risk level) - a/b - o/d/e/f/g/h/i - j/kl/im - n/o/p/q - r/s Overlap formulae used. \* small base

#### J18009000-14-04 05-APR - 14-APR 2019 PUBLIC ATTITUDES TO DEATH

Table 4
TID02 - How much, if anything, would you say you know about what happens to a person in the final hours or minutes of their life?

EXPERIENCE WITH FINAL NUMBER IN HOURS/ MARITAL STATUS GOVERNMENT OFFICE REGION AREA TENURE HOUSEHOLD MINUTES FROM A PR-IVATE LAND-LORD OWNED REING OUT-RIGHT NTED FROM BO-UGHT GR-EATER LONDON METRO POL ITAN BY HOUS-EHOLD ON A MOR-LOCAL AUTH-ORITY MAR/ LIVI-NG AS WID/ DIV/ SEP SCOT-LAND SI-NGLE TOTAL NORTH SOUTH RURAL URBAN OTHER NO (v) YES LANDS URBAN TGAGE Unweighted Base Weighted Base 47\* 143\* 83\* 67\* 72\* 13% 15% 13% 15% 17% 13% 10% 15% 13% 14% 16% 13% 25% 16% 14% 15% 11% 25%v 13% 10% 3% 16% A fair amount 19% 20% 26%d 18% 16% 18% 16% 17% 18% 19% 20% 27%v 12% 20% 13% 22% 20% 25% 22% 14% 18% 28% 22% 33% 25% 27% 30% 23% 24% 28% 24% 33% 32% 28% 28% 19% 32%b 21%b 23%b 20% 17% 22% 14% 25%u Hardly anything 12% 18% 24% 21% 16% 16% 22% 11% 22% 19% 20% 19% 19% 36% 13% 14% 13% 7% 13% 14% 13% 12% 18% 12% 13% 12% 15% 10% 21%i 20%oa 7% 4% 23%u 12% 11% 9%f 10%jk 10%u 5% 5% 7% 2% 12%jk Prefer not to say 2% 33% 33% 36% 33% 28% 36% 35% 30% 33% 35% 38% 32% 32% 29% 25% 34% 30% 33% 34% 34% 32% 52%v 15% 60% 62% 66% 62% 46% 75%u 61% 57% 65% 56% 63% 62% 58% 61% 57% 61% 60% 57% 61% 56% 75%

Proportions/Means: Columns Tested (5% risk level) - a/b/c/d/e - f/g/hli - j/kl/lm/h - o/p/q - r/s/t - u/v Overlap formulae used. " small base; "" very small base (under 30) ineligible for sig testing

A great deal

Just a little

Nothing at all

Don't know

Top 2 Box

Bot 3 Box

# <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Table 5
TID03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

		GEN	DER				AGE					SOCIAL	GRADE			EDUC	ATION		ETHN	ICITY
	TOTAL	MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (i)	C1 (k)	C2 (I)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORML QUAL (q)	WHITE (r)	BAME (s)
Unweighted Base	534	259	274	78	68	84	80	98	77	49	167	185	100	82	109	108	215	51	478	55
Weighted Base	537	245	291	70*	88*	94*	109*	81*	60*	35*	159	173	102*	102*	108*	108*	223	47*	482	53*
Conversations with family and friends	224 42%	101 41%	123 42%	32 46%	40 45%	39 41%	48 44%	37 46%h	18 30%	11 31%	69 43%m	85 49%m	41 40%	29 29%	34 31%	48 45%q	111 50%nq	11 23%	202 42%	22 42%
Being with someone in the final hours or minutes of their life	178 33%	81 33%	97 34%	6 9%	19 22%c	27 29%c	41 38%cd	34 42%cd	30 50%cd e	20 58%cd ef	72 45%kl m	55 32%	26 26%	25 24%	32 30%	19 18%	89 40%o	19 40%o	168 35%s	10 18%
Conversations with healthcare professionals	116 22%	33 13%	83 28%a	10 14%	17 19%	28 29%ch	25 22%	19 24%	7 12%	10 29%h	43 27%lm	49 28%lm	11 11%	13 13%	30 28%o	15 14%	53 24%o	8 17%	104 22%	12 22%
Documentaries or factual programmes on radio, TV, or the internet	109 20%	48 19%	61 21%	25 36%df hi	11 13%	27 29%dh i	17 16%	18 23%i	8 14%	2 5%	46 29%l	38 22%l	7 6%	19 18%l	19 18%	28 26%q	55 25%q	4 8%	99 21%	9 17%
Films, dramas or soap operas on radio, TV or the internet	85 16%	37 15%	48 16%	21 30%fg hi	14 16%h	20 22%hi	15 13%h	12 15%h	2 3%	1 3%	21 13%	31 18%	23 23%m	10 10%	18 16%q	29 27%pq	28 13%	1 3%	80 17%	5 10%
Personal experience as a healthcare professional	79 15%	29 12%	49 17%	5 8%	17 20%h	18 19%h	16 15%	14 17%h	3 4%	6 16%h	23 14%	30 17%	11 11%	15 15%	17 16%	11 10%	39 17%	4 8%	67 14%	12 22%
Books and magazines (non fiction)	53 10%	25 10%	28 10%	12 17%d	5 6%	9 10%	9 8%	11 13%	4 7%	2 6%	23 15%lm	22 13%m	6 6%	2 2%	7 7%	12 11%q	31 14%q	:	47 10%	6 11%
Religious or spiritual texts	51 9%	30 12%b	19 7%	9 13%	12 14%	10 11%	9 9%	6 7%	3 4%	1 3%	18 11%	13 8%	9 9%	11 11%	6 5%	9 9%	30 14%nq	1 3%	34 7%	16 30%r
Printed or online information from hospitals, hospitals, charities, or support organisations	47 9%	23 9%	24 8%	10 14%	7 7%	11 12%	6 6%	8 9%	4 6%	2 6%	17 11%I	20 12%I	2 2%	7 7%	9 8%	10 9%	24 11%	4 8%	44 9%	3 6%
Books or magazines (fiction)	42 8%	21 9%	21 7%	11 16%ef h	9 11%	4 4%	5 5%	8 10%	3 5%	2 5%	14 9%	13 8%	9 9%	6 6%	7 7%	13 12%	18 8%	2 4%	37 8%	5 9%
Conversations with spiritual or religious leaders	42 8%	19 8%	23 8%	3 5%	7 8%	5 5%	9 8%	9 11%	7 12%	1 2%	7 4%	17 10%	11 11%	7 7%	5 5%	6 6%	19 9%	5 10%	32 7%	8 16%r
A personal near- death experience	34 6%	20 8%	15 5%	7 10%	5 6%	8 8%	5 4%	3 4%	3 5%	4 10%	10 6%	12 7%	2 2%	10 10%	8 7%	10 9%	11 5%	2 5%	28 6%	5 10%

# <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Table 5
TID03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

Weighted Base From social media From podcasts From elsewhere Don't know Prefer not to say

	GEN	DER				AGE					SOCIAL	GRADE			EDUCA	ATION		ETHN	IICITY
TOTAL	MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (I)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORML QUAL (q)	WHITE (r)	BAME (s)
537	245	291	70*	88*	94*	109*	81*	60*	35*	159	173	102*	102*	108*	108*	223	47*	482	53*
22 4%	10 4%	12 4%	12 17%efg hi	7 7%gh	2 2%	2 2%	-	-	-	6 4%	8 4%	4 4%	5 4%	3 3%	11 10%pq	7 3%	-	14 3%	7 13%r
9 2%	5 2%	4 1%	3 4%	1 1%	2 2%	1 1%	1 2%	-	-	4 3%	3 2%	2 2%	-	1 1%	2 2%	6 3%	- :	6 1%	3 5%
58 11%	24 10%	34 12%	10 15%d	3 3%	14 15%d	14 13%	8 10%	4 7%	5 13%	19 12%	19 11%	10 10%	10 9%	10 10%	12 11%	28 12%	4 9%	53 11%	5 10%
35 6%	18 7%	16 6%	6 8%	6 7%	8 8%	6 5%	3 3%	5 8%	2 6%	7 5%	6 4%	7 7%	14 13%jk	6 5%	5 5%	10 4%	10 21%no	32 7%	3 5%
9 2%	5 2%	4 1%	1 1%	Ī.,	-	4 4%	2 3%	2 3%		2 1%	1 1%	3 3%	3 3%	1 1%	3 3%	1	4 8%np	8 2%	1 2%

Proportions/Means: Columns Tested (5% risk level) - a/b - o'dlerf/g/h/i - j/k/l/m - n/o/p/q - x/s Overlap formulae used. \*small base

# <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Table 6
TID03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

			GOVERNI	MENT OFFIC	E REGION			AR	EA				TENURE			MAF	RITAL STAT	rus		NUMBER IN HOUSEHOLD		EXPER WITH HOU MINU	FINAL JRS/
	TOTAL	SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (i)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (I)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (o)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Unweighted Base	534	43	148	179	92	72	121	120	157	136	182	139	71	128	7	309	146	77	114	198	220	295	235
Weighted Base	537	44*	142	155	123*	72*	130*	122	156	128	163	185	53*	119	8**	327	140	68*	98*	192	245	290	242
Conversations with family and friends	224 42%	22 50%	55 39%	58 37%	56 45%	33 46%	51 39%	53 43%	59 38%	62 48%	59 36%	104 56%jl m	12 23%	45 38%	2 29%	139 43%	59 42%	24 36%	35 36%	84 44%	105 43%	102 35%	120 50%u
Being with someone in the final hours or minutes of their life	178 33%	13 29%	51 36%	52 34%	43 35%	19 27%	62 48%gh i	31 25%	44 28%	41 32%	73 45%km	60 32%	16 31%	26 22%	-	114 35%p	30 21%	35 51%op	39 40%t	70 36%	69 28%	174 60%v	4 2%
Conversations with healthcare professionals	116 22%	9 21%	22 15%	36 23%	32 26%	17 23%	31 24%	24 20%	32 21%	29 22%	33 20%	50 27%	8 15%	21 18%	2 27%	73 22%	27 19%	16 24%	21 22%	38 20%	56 23%	74 26%v	40 17%
Documentaries or factual programmes on radio, TV, or the internet	109 20%	8 18%	32 22%	29 19%	25 20%	15 21%	27 21%	23 19%	25 16%	34 26%h	25 16%	40 22%	5 10%	33 28%jl	3 41%	63 19%	37 26%	9 14%	15 15%	36 18%	58 24%	43 15%	65 27%u
Films, dramas or soap operas on radio, TV or the internet	85 16%	12 26%c	23 16%	20 13%	22 18%	10 13%	24 19%	18 15%	19 12%	23 18%	15 9%	37 20%j	9 18%	23 19%j	1 15%	47 14%	30 22%	8 12%	11 11%	31 16%	43 18%	26 9%	59 24%u
Personal experience as a healthcare professional	79 15%	6 14%	20 14%	28 18%	14 11%	11 16%	22 17%	19 16%	17 11%	20 16%	19 12%	32 17%	9 16%	17 14%	=	51 16%	19 14%	8 12%	13 13%	19 10%	47 19%s	60 21%v	18 8%
Books and magazines (non fiction)	53 10%	6 13%	7 5%	14 9%	15 12%	11 15%b	14 11%	11 9%	12 8%	16 12%	15 9%	20 11%	3 6%	14 12%	-	35 11%	14 10%	4 6%	7 7%	18 9%	28 11%	26 9%	27 11%
Religious or spiritual texts	51 9%	6 14%	7 5%	9 6%	17 14%bc	12 16%bc	13 10%	12 10%	11 7%	14 11%	15 9%	15 8%	5 10%	11 9%	3 33%	25 8%	22 16%oq	3 5%	13 14%	13 7%	24 10%	23 8%	28 11%
Printed or online information from hospitals, hospices, charities, or support organisations	47 9%	3 8%	12 8%	13 8%	13 11%	5 7%	9 7%	10 8%	13 8%	15 12%	8 5%	19 11%	2 3%	16 13%ji	-	30 9%	11 <i>8</i> %	7 10%	7 7%	15 8%	25 10%	31 11%	14 6%
Books or magazines (fiction)	42 8%	6 14%	10 7%	12 8%	6 5%	8 11%	6 4%	12 10%	10 6%	14 11%	13 8%	14 8%	1 2%	14 12%l	_ :	22 7%	17 12%	3 5%	7 7%	23 12%t	13 5%	11 <i>4</i> %	31 13%u

#### J18009000-14-04 05-APR - 14-APR 2019 PUBLIC ATTITUDES TO DEATH

Weighted Base

Conversations with spiritual or religious leaders

A personal near-death experience

From social media

From podcasts

From elsewhere

Prefer not to say

Don't know

Table 6
TID03 - Where does your understanding about what happens or may happen to someone in the final hours or minutes of their life come from?
Base: All who know at least a little about what happens to someone in the final minutes of their life

EXPERIENCE WITH FINAL NUMBER IN HOUSEHOLD HOURS/ MARITAL STATUS GOVERNMENT OFFICE REGION AREA TENURE MINUTES RE-NTED FROM A PR-IVATE LAND-LORD OWNED BEING RE-OWNED OUT-RIGHT BY HOUS-EHOLD BO-UGHT ON A MOR-TGAGE NTED FROM LOCAL AUTH-ORITY GR-EATER LONDON METRO POL ITAN MAR/ LIVI-NG AS WID/ DIV/ SEP SCOT-LAND MID-LANDS SUB URBAN SI-NGLE TOTAL NORTH SOUTH RURAL URBAN OTHER 2 YES NO (v) 537 128 245 290 242 142 123\* 122 163 140 68\* 21 7% 10 15%o 14 14%s 34 6% 15 12%fh 15 8% 12 5% 18 6% 2 3% 8 5% 18 13%oq 9% 4% 6% 4% 10% 7% 4% 7% 9% 3% 9% 6% 25% 22 4% 14 11%jk 11 4% 6 4% 5 3% 2 3% 2 25% 12 8%o 9 5% 4 1% 18 7%u 2% 5 3% 5 2% 4 3% 3 1% 5 2% 4 2% 3% 1% 14% 2% 32 11% 26 11% 58 11% 21 14% 11 15% 12 10% 20 12% 25 14% 13 11% 43 13% 9 7% 33 14% 15 12% 15 11% 2 4% 1 15% 8% 9% 9% 9% 9% 9% 14 35 6% 26 11%u 12 7% 15 10% 6 5% 3 5% 16%jk

Proportions/Means: Columns Tested (5% risk level) - arbitidie - figithi - jiklimin - orpiq - siskt - ulv Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

# <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Table 7
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

		GEN	IDER				AGE					SOCIAL	GRADE			EDUC/	ATION		ETHN	ICITY
	TOTAL	MALE (a)	FE- MALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65-74 (h)	75+ (i)	AB (j)	C1 (k)	C2 (I)	DE (m)	GCSE/ O-LV/ CSE/ NVQ12 (n)	A-LVL OR EQUIV (o)	DEGR/ MAST/ PHD (p)	NO FORML QUAL (q)	WHITE (r)	BAME (s)
Unweighted Base	612	302	309	91	83	96	90	109	86	57	185	203	118	106	133	124	234	64	549	62
Weighted Base	619	288	330	85*	106*	108*	121*	90*	67*	41*	179	189	120	131*	135	126	243	58*	557	60*
Is in pain	384 62%	162 56%	221 67%a	61 72%di	59 56%	71 66%	78 64%	54 60%	39 59%	20 50%	126 70%lm	124 66%l	64 53%	71 54%	78 58%	81 65%q	165 68%q	24 42%	348 62%	35 59%
Is frightened	323 52%	134 47%	187 57%a	54 63%hi	55 52%	57 52%	68 56%	44 49%	30 44%	16 38%	107 60%lm	104 55%	54 45%	59 45%	71 53%q	67 53%q	140 58%q	21 36%	297 53%	26 42%
Is panicked	245 40%	99 35%	145 44%a	43 50%i	43 41%	43 40%	46 38%	35 39%	24 37%	11 27%	88 49%lm	76 40%	43 36%	38 29%	44 33%	63 50%nq	111 46%nq	13 22%	226 41%	19 31%
Is anxious	241 39%	109 38%	131 <i>40</i> %	39 45%i	42 39%	44 41%	51 42%	29 33%	26 38%	11 27%	81 45%l	72 38%	39 32%	50 38%	54 40%	51 41%	107 44%q	15 26%	227 41%s	14 23%
Appears to choke or gasp for air	199 32%	73 25%	125 38%a	39 45%di	24 23%	36 33%	37 30%	31 35%	22 33%	10 25%	63 35%	55 29%	41 34%	41 31%	45 33%	52 41%q	78 32%	11 19%	184 33%	15 24%
Is breathless	166 27%	67 23%	98 30%	29 34%d	14 13%	29 27%d	35 29%d	30 33%d	19 29%d	10 23%	51 29%	49 26%	29 24%	36 28%	35 26%	42 33%	63 26%	13 22%	147 26%	18 31%
Would not be able to make those around them understand what they are saying	147 24%	58 20%	89 27%	24 28%	25 24%	17 16%	30 24%	23 26%	17 26%	11 28%	56 31%m	41 22%	25 21%	26 20%	26 20%	30 24%	72 30%	13 22%	132 24%	15 25%
Could not talk to those around them	131 21%	57 20%	73 22%	25 29%	19 18%	22 20%	25 20%	20 22%	13 20%	7 17%	43 24%	37 19%	23 19%	28 22%	21 16%	31 24%	61 25%	13 22%	116 21%	15 24%
Is dropping in and out of consciousness	102 17%	45 16%	57 17%	23 27%dg h	12 12%	17 16%	21 17%	11 12%	9 13%	10 24%	30 17%	20 11%	20 17%	32 24%k	25 19%	29 23%	36 15%	7 12%	91 16%	11 18%
Is not aware that they are about to die	100 16%	44 15%	56 17%	28 33%de fghi	17 16%	12 11%	19 16%	9 10%	9 14%	5 13%	22 12%	32 17%	19 16%	27 21%	25 18%	26 20%	38 16%	8 14%	88 16%	12 20%
Is cold, for example, their hands go cold	88 14%	33 12%	54 16%	19 22%df	10 9%	16 15%	12 10%	17 19%	11 16%	4 9%	24 13%	28 15%	14 12%	22 17%	22 16%	21 17%	29 12%	9 15%	80 14%	9 14%
Is not aware of the treatment they are receiving	87 14%	35 12%	51 16%	18 21%eh	16 15%	11 10%	19 15%	14 15%	5 8%	5 12%	32 18%k	18 9%	14 11%	24 18%k	15 11%	18 14%	46 19%	8 13%	79 14%	8 13%
Could not hear those around them	85 14%	39 14%	45 14%	18 21%d	8 7%	14 13%	19 16%	15 16%	7 10%	4 11%	32 18%	26 14%	12 10%	15 12%	13 9%	23 18%	37 15%	7 12%	77 14%	8 14%
Something else	35 6%	15 5%	19 6%	6 6%	3 3%	5 4%	8 6%	6 7%	6 8%	2 6%	11 6%	12 7%	3 3%	8 6%	2 1%	10 8%n	16 7%n	6 10%n	29 5%	6 10%
None of these	62 10%	26 9%	36 11%	2	6 6%	14 13%c	13 11%	9 10%	9 13%c	9 23%cdf	14 8%	22 12%	11 9%	15 11%	15 11%	7 6%	22 9%	8 14%	57 10%	4 7%

#### <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Weighted Base

Prefer not to say

Don't know

Table 7
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

SOCIAL GRADE AGE GCSE/ O-LV/ CSE/ NVQ12 (n) A-LVL OR EQUIV (o) DEGR/ MAST/ PHD (p) NO FORML QUAL (q) FE-MALE (b) TOTAL MALE 15-24 (c) 25-34 (d) 35-44 (e) 45-54 (f) 55-64 65-74 (h) 75+ (i) C1 (k) C2 (I) DE (m) WHITE BAME (s) 330 23 4% 13 4% 19 3% 5 6% 4 4% 4 2%

Proportions,Means: Columns Tested (5% risk level) - a/b - old/erf/g/h/i - j/e/l/m - n/o/p/q - r/s Overlap formulae used. \*small base

#### <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Table 8
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

			GOVERNI	MENT OFFIC	CE REGION			AR	EA				TENURE			MA	RITAL STAT	rus		NUMBER IN		EXPER WITH HOL MINL	FINAL IRS/
	TOTAL	SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (I)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (0)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
Unweighted Base	612	47	167	209	105	84	134	147	176	155	202	159	89	147	7	351	176	83	127	228	255	308	300
Weighted Base	619	47*	162	183	143*	83*	148	148	177	146	181	212	67*	139	8**	370	175	72*	110	222	286	301	313
Is in pain	384 62%	30 64%	102 63%	97 53%	106 74%ce	49 59%	106 72%gh	77 52%	103 58%	98 67%g	111 61%	151 71%lm	35 52%	77 55%	5 66%	223 60%	114 65%	46 64%	70 64%	133 60%	180 63%	181 60%	201 64%
Is frightened	323 52%	28 59%	80 49%	87 47%	84 59%	45 54%	92 63%gh	57 39%	81 46%	92 63%gh	88 48%	130 61%jl	26 38%	70 50%	6 75%	178 48%	103 59%o	40 55%	58 52%	109 49%	156 55%	152 51%	170 54%
Is panicked	245 40%	25 52%	66 41%	66 36%	54 38%	34 42%	64 43%	54 37%	58 33%	69 47%h	73 40%l	97 46%l	16 23%	52 37%l	4 54%	134 36%	79 45%	32 45%	45 41%	87 39%	113 39%	113 37%	132 42%
Is anxious	241 39%	21 45%	58 36%	71 39%	61 43%	30 36%	64 43%g	41 28%	75 42%g	62 43%g	73 40%	84 39%	21 31%	57 41%	3 41%	138 37%	74 42%	29 40%	47 43%	85 38%	110 38%	118 39%	123 39%
Appears to choke or gasp for air	199 32%	19 40%	65 40%c	50 27%	43 30%	22 27%	58 39%h	44 29%	46 26%	52 36%	60 33%	79 38%l	14 21%	39 28%	5 61%	111 30%	66 38%	23 31%	30 27%	71 32%	98 34%	101 34%	97 31%
Is breathless	166 27%	14 29%	49 30%	51 28%	36 25%	16 19%	43 29%	36 24%	47 26%	41 28%	58 32%l	48 23%	10 15%	40 29%l	6 73%	94 25%	55 32%	16 22%	31 28%	59 27%	75 26%	82 27%	82 26%
Would not be able to make those around them understand what they are saying	147 24%	10 22%	34 21%	42 23%	39 28%	22 26%	35 24%	27 18%	45 26%	40 27%	47 26%l	49 23%	8 13%	37 26%l	2 26%	91 25%	40 23%	17 23%	26 24%	57 26%	64 22%	76 25%	71 23%
Could not talk to those around them	131 <i>21</i> %	8 17%	30 19%	41 23%	27 19%	24 29%	29 20%	32 21%	31 18%	39 26%	39 22%	37 17%	10 15%	39 28%kl	2 26%	81 22%	37 21%	13 18%	18 16%	48 21%	65 23%	66 22%	64 20%
Is dropping in and out of consciousness	102 17%	12 26%	28 17%	26 14%	18 13%	17 21%	16 11%	24 16%	32 18%	31 21%f	31 17%	28 13%	9 13%	30 21%	2 26%	55 15%	36 20%	12 16%	19 17%	42 19%	41 14%	49 16%	53 17%
Is not aware that they are about to die	100 16%	9 20%	26 16%	22 12%	25 18%	17 21%	26 18%	16 11%	26 15%	32 22%g	15 8%	38 18%j	12 18%j	27 19%j	5 59%	49 13%	38 22%o	14 19%	16 14%	37 16%	48 17%	38 13%	62 20%u
Is cold, for example, their hands go cold	88 14%	11 23%c	25 15%	20 11%	21 15%	11 14%	23 16%	17 12%	25 14%	23 16%	26 14%	31 15%	5 7%	19 13%	5 59%	45 12%	31 18%	12 17%	16 14%	35 16%	38 13%	46 15%	43 14%
Is not aware of the treatment they are receiving	87 14%	7 14%	27 17%	18 10%	23 16%	12 15%	23 16%	16 11%	28 16%	20 14%	18 10%	35 17%	12 17%	18 13%	1 12%	46 12%	30 17%	11 15%	14 12%	31 14%	42 15%	41 14%	46 15%
Could not hear those around them	85 14%	8 16%	26 16%	19 11%	19 14%	12 15%	25 17%	15 10%	21 12%	24 17%	22 12%	27 13%	5 8%	26 19%l	1 12%	52 14%	26 15%	7 9%	12 11%	30 14%	44 15%	47 16%	38 12%

# <u>J18009000-14-04 05-APR - 14-APR 2019</u> PUBLIC ATTITUDES TO DEATH

Weighted Base Something else

Don't know Prefer not to say

Table 8
TID04 - Which, if any, of the following would worry you about being with a person in the final hours or minutes of their life? I would be worried that this person...
Base: All Respondents

		GOVERN	MENT OFFIC	CE REGION			AR	EA				TENURE			MA	RITAL STAT	rus		NUMBER IN		EXPER WITH I HOU MINU	FINAL JRS/
TOTAL	SCOT- LAND (a)	NORTH (b)	MID- LANDS (c)	SOUTH (d)	GR- EATER LONDON (e)	RURAL (f)	SUB URBAN (g)	URBAN (h)	METRO POL ITAN (i)	OWNED OUT- RIGHT BY HOUS- EHOLD (j)	BEING BO- UGHT ON A MOR- TGAGE (k)	RE- NTED FROM LOCAL AUTH- ORITY (I)	RE- NTED FROM A PR- IVATE LAND- LORD (m)	OTHER (n)	MAR/ LIVI- NG AS (0)	SI- NGLE (p)	WID/ DIV/ SEP (q)	1 (r)	2 (s)	3+ (t)	YES (u)	NO (v)
619	47*	162	183	143*	83*	148	148	177	146	181	212	67*	139	8**	370	175	72*	110	222	286	301	313
35 6%	2 4%	7 4%	16 9%	5 4%	5 6%	9 6%	10 7%	9 5%	8 6%	12 7%	10 5%	2 4%	9 6%	1 12%	19 5%	13 7%	4 5%	6 5%	16 7%	14 5%	24 8%v	11 3%
62 10%	2 4%	19 12%	26 14%d	7 5%	8 9%	14 10%	23 16%i	17 10%	7 5%	22 12%	19 9%	12 17%m	8 6%	-	43 12%	11 6%	8 11%	9 9%	30 14%t	22 8%	33 11%	29 9%
23 4%	1 2%	2 2%	5 3%	10 7%b	5 6%	1 1%	4 3%	12 7%f	6 4%	7 4%k	1 1%	3 5%k	8 6%k	-	14 4%	8 4%	2 3%	4 4%	7 3%	11 4%	5 2%	17 6%u
8 1%	2	3	3	-	:	3	5 3%hi	-	:	3	2	1	-	:	4	-	3 5%on	2	1	4	3 1%	2

Proportions/Means: Columns Tested (5% risk level) - arbic\de - fight\(^1\) - \(^1\)\(^1\) overlap formulae used. "small base," very small base (under 30) ineligible for sig testing

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos MORI Terms and Conditions.