

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS**2ND FEBRUARY - 1ST MARCH 2010****INTERNAL USE ONLY****IPSOS MORI****Table 1****CM01 - WHICH OF THE FOLLOWING CANCERS DO YOU THINK KILLS THE MOST PEOPLE IN YOUR COUNTRY? YOU MAY CHOOSE UP TO TWO.****BASE: ALL RESPONDENTS**

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
UNWEIGHTED BASE	1004	432	572	87	55	164	209	200	280	135	443	141	214	1004
WEIGHTED BASE	1000	490	510	149*	159*	178	182	152	165	136*	468	126*	204	1004
	100%	49%	51%	15%*	16%*	18%	18%	15%	16%	14%*	47%	13%*	20%	100%
LUNG CANCER	604	314	290	94	92	122	119	88	81	136	468	-	-	578
	60%hop	64%	57%	63%h	58%	69%h	65%h	58%	49%	100%zop	100%zop	-	-	58%
BREAST CANCER	441	167	274	69	93	84	80	61	52	-	212	48	182	424
	44%ahm	34%	54%za	47%h	59%gh	47%h	44%h	40%	32%	-	45%m	38%m	89%zmno	42%
BOWEL OR COLON CANCER	392	186	206	44	59	66	74	68	76	-	196	66	129	420
	39%m	38%	40%	30%	37%	37%	41%	44%c	46%c	-	42%m	53%zm	63%zmn	42%
PROSTATE CANCER	98	63	35	17	12	17	14	20	18	-	36	4	58	103
	10%mo	13%b	7%	11%	8%	10%	8%	13%	11%	-	8%m	3%	28%zmno	10%
SKIN CANCER	71	32	39	18	10	14	15	5	6	-	24	7	39	65
	7%m	6%	8%	12%gh	6%	8%	8%	3%	4%	-	5%m	6%m	19%zmn	6%
NONE OF THESE	4	1	2	-	-	1	-	1	2	-	-	-	-	7
	*	*	*	-	-	*	-	*	1%	-	-	-	-	1%
DON'T KNOW	63	44	19	5	14	4	6	11	18	-	-	-	-	64
	6%mnop	9%b	4%	4%	9%	2%	3%	7%e	11%zcef	-	-	-	-	6%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/o/p
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS
2ND FEBRUARY - 1ST MARCH 2010
INTERNAL USE ONLY
IPSOS MORI

Table 1

CM01 - WHICH OF THE FOLLOWING CANCERS DO YOU THINK KILLS THE MOST PEOPLE IN YOUR COUNTRY? YOU MAY CHOOSE UP TO TWO.

BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT						UNWEIGHTED TOTAL
		UNIVERSITY EDUCATION (a)	HIGHER VOCATIONAL EDUCATION (b)	HIGHER GENERAL SECONDARY/PRE- UNIVERSITY EDUCATION (c)	UPPER SECONDARY VOCATIONAL EDUCATION (d)	LOWER GENERAL OR VOCATIONAL SECONDARY EDUCATION (e)	PRIMARY EDUCATION/NO EDUCATION (g)	
UNWEIGHTED BASE	1004	55	222	104	217	290	98	1004
WEIGHTED BASE	1000	53*	216	126*	241	243	102*	1004
	100%	5%*	22%	13%*	24%	24%	10%*	100%
LUNG CANCER	604	29	133	82	135	151	61	578
	60%	55%	62%	65%	56%	62%	60%	58%
BREAST CANCER	441	25	85	62	116	113	33	424
	44%	47%	39%	49%	48%	46%	32%	42%
BOWEL OR COLON CANCER	392	20	109	50	99	81	29	420
	39%	37%	50%zeg	40%	41%	33%	28%	42%
PROSTATE CANCER	98	2	25	11	22	27	7	103
	10%	4%	12%	9%	9%	11%	7%	10%
SKIN CANCER	71	16	8	5	17	14	9	65
	7%	31%zbcdeg	4%	4%	7%	6%	9%	6%
NONE OF THESE	4	-	1	1	1	-	1	7
	*	-	*	1%	*	-	1%	1%
DON'T KNOW	63	4	7	5	12	17	17	64
	6%	7%	3%	4%	5%	7%	16%zbcde	6%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS

2ND FEBRUARY - 1ST MARCH 2010

INTERNAL USE ONLY

IPSOS MORI

Table 2

CM02 - LUNG CANCER IS MAINLY CAUSED BY SMOKING CIGARETTES AND OTHER TOBACCO PRODUCTS. BEARING THIS IN MIND, TO WHAT EXTENT DO YOU AGREE OR DISAGREE WITH THE FOLLOWING STATEMENT. I HAVE LESS SYMPATHY FOR PEOPLE WITH LUNG CANCER THAN PEOPLE WITH OTHER TYPES OF CANCER.

BASE: ALL RESPONDENTS

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
UNWEIGHTED BASE	1004	432	572	87	55	164	209	200	280	135	443	141	214	1004
WEIGHTED BASE	1000	490	510	149*	159*	178	182	152	165	136*	468	126*	204	1004
	100%	49%	51%	15%*	16%*	18%	18%	15%	16%	14%*	47%	13%*	20%	100%
STRONGLY AGREE	54	19	35	7	15	4	6	8	14	3	24	12	12	56
	5%	4%	7%	5%	9%	2%	3%	5%	8%ef	2%	5%	9% ^m	6%	6%
TEND TO AGREE	127	70	57	37	14	16	20	19	16	19	61	12	29	121
	13%	14%	11%	25% ^{zdefgh}	9%	9%	11%	12%	10%	14%	13%	10%	14%	12%
NEITHER AGREE NOR DISAGREE	126	75	51	15	11	26	24	20	28	17	61	16	24	133
	13%	15% ^b	10%	10%	7%	14%	13%	13%	17%	12%	13%	13%	12%	13%
TEND TO DISAGREE	111	52	60	18	18	22	23	14	14	14	56	8	23	114
	11%	11%	12%	12%	11%	12%	13%	9%	8%	10%	12%	6%	11%	11%
STRONGLY DISAGREE	559	260	300	70	96	109	104	89	85	80	264	76	115	552
	56%	53%	59%	47%	60%	61%	57%	59%	52%	59%	56%	61%	56%	55%
AGREE (COMB)	181	89	92	44	29	20	27	26	30	21	85	24	41	177
	18%	18%	18%	30% ^{zefg}	18%	11%	15%	17%	18%	16%	18%	19%	20%	18%
DISAGREE (COMB)	671	311	359	88	114	131	128	103	99	94	320	84	138	666
	67%	64%	70%	60%	72%	73% ^{ch}	70% ^h	67%	60%	69%	68%	67%	67%	66%
REFUSED	22	14	8	1	5	1	4	3	8	4	2	1	2	28
	2% ⁿ	3%	1%	1%	3%	1%	2%	2%	5% ^{ze}	3% ⁿ	*	1%	1%	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/o/p
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS**2ND FEBRUARY - 1ST MARCH 2010****INTERNAL USE ONLY****IPSOS MORI****Table 2**

CM02 - LUNG CANCER IS MAINLY CAUSED BY SMOKING CIGARETTES AND OTHER TOBACCO PRODUCTS. BEARING THIS IN MIND, TO WHAT EXTENT DO YOU AGREE OR DISAGREE WITH THE FOLLOWING STATEMENT. I HAVE LESS SYMPATHY FOR PEOPLE WITH LUNG CANCER THAN PEOPLE WITH OTHER TYPES OF CANCER.

BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT					UNWEIGHTED TOTAL	
		UNIVERSITY EDUCATION (a)	HIGHER VOCATIONAL EDUCATION (b)	HIGHER GENERAL SECONDARY/PRE- UNIVERSITY EDUCATION (c)	UPPER SECONDARY VOCATIONAL EDUCATION (d)	LOWER GENERAL OR VOCATIONAL SECONDARY EDUCATION (e)		PRIMARY EDUCATION/NO EDUCATION (g)
UNWEIGHTED BASE	1004	55	222	104	217	290	98	1004
WEIGHTED BASE	1000	53*	216	126*	241	243	102*	1004
	100%	5%*	22%	13%*	24%	24%	10%*	100%
STRONGLY AGREE	54	4	10	5	17	11	5	56
	5%	7%	5%	4%	7%	5%	5%	6%
TEND TO AGREE	127	5	25	19	29	32	18	121
	13%	9%	12%	15%	12%	13%	17%	12%
NEITHER AGREE NOR DISAGREE	126	1	26	14	36	37	11	133
	13%	3%	12%	11%	15%a	15%a	10%	13%
TEND TO DISAGREE	111	4	20	7	32	25	22	114
	11%	8%	9%	6%	13%	10%	22%zbce	11%
STRONGLY DISAGREE	559	39	133	82	126	129	37	552
	56%g	73%zdeg	61%g	65%g	52%	53%g	36%	55%
AGREE (COMB)	181	8	35	24	46	43	23	177
	18%	16%	16%	19%	19%	18%	22%	18%
DISAGREE (COMB)	671	43	153	89	158	154	60	666
	67%	81%eg	71%	70%	66%	63%	59%	66%
REFUSED	22	*	2	-	1	9	9	28
	2%	1%	1%	-	1%	4%	9%zbcd	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS

2ND FEBRUARY - 1ST MARCH 2010

INTERNAL USE ONLY

IPSOS MORI

Table 3
DEMOGRAPHICS
 BASE: ALL RESPONDENTS

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
UNWEIGHTED BASE	1004	432	572	87	55	164	209	200	280	135	443	141	214	1004
WEIGHTED BASE	1000	490	510	149*	159*	178	182	152	165	136*	468	126*	204	1004
	100%	49%	51%	15%*	16%*	18%	18%	15%	16%	14%*	47%	13%*	20%	100%
SEX														
MALE	490	490	-	76	75	86	96	78	72	72	242	56	75	432
	49%bp	100%zb	-	51%	47%	49%	52%	51%	43%	53%p	52%p	44%	37%	43%
FEMALE	510	-	510	73	84	92	86	74	93	64	226	70	129	572
	51%a	-	100%za	49%	53%	51%	48%	49%	57%	47%	48%	56%	63%zmn	57%
AGE														
15-24	149	76	73	149	-	-	-	-	-	27	67	17	32	87
	15%defgh	16%	14%	100%zdefgh	-	-	-	-	-	20%	14%	14%	16%	9%
25-34	159	75	84	-	159	-	-	-	-	10	82	14	39	55
	16%cefgh	15%	16%	-	100%zcefgh	-	-	-	-	8%	17% ^m	11%	19% ^m	5%
35-44	178	86	92	-	-	178	-	-	-	20	102	23	28	164
	18%cd ^f gh	18%	18%	-	-	100%zcdfgh	-	-	-	15%	22% ^p	18%	14%	16%
45-54	182	96	86	-	-	-	182	-	-	28	91	22	35	209
	18%cd ^e degh	19%	17%	-	-	-	100%zcd ^e degh	-	-	21%	19%	18%	17%	21%
55-64	152	78	74	-	-	-	-	152	-	22	66	18	35	200
	15%cd ^e f ^h	16%	15%	-	-	-	-	100%zcdf ^h	-	16%	14%	14%	17%	20%
65+	165	72	93	-	-	-	-	-	165	24	57	32	32	280
	16%cd ^e f ^g	15%	18%	-	-	-	-	-	100%zcdf ^g	17%	12%	25% ^{zn}	16%	28%
EDUCATION LEVEL OF RESPONDENT														
UNIVERSITY EDUCATION	53	29	25	-	10	16	10	8	5	3	26	3	17	55
	5% ^c	6%	5%	-	6%	9% ^{ch}	6% ^c	6% ^c	3%	2%	6%	2%	8%	5%
HIGHER VOCATIONAL EDUCATION	216	122	94	8	51	50	42	31	32	24	109	33	43	222
	22% ^c	25%	18%	5%	32% ^c	28% ^c	23% ^c	20% ^c	19% ^c	18%	23%	26%	21%	22%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/o/p
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS**2ND FEBRUARY - 1ST MARCH 2010****INTERNAL USE ONLY****IPSOS MORI**

Table 3
DEMOGRAPHICS
BASE: ALL RESPONDENTS

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
WEIGHTED BASE	1000	490	510	149*	159*	178	182	152	165	136*	468	126*	204	1004
	100%	49%	51%	15%*	16%*	18%	18%	15%	16%	14%*	47%	13%*	20%	100%
HIGHER GENERAL SECONDARY/PRE-UNIVERSITY EDUCATION	126	58	68	37	20	21	22	9	15	18	64	11	27	104
	13%g	12%	13%	25%zefgh	13%	12%	12%g	6%	9%	13%	14%	8%	13%	10%
UPPER SECONDARY VOCATIONAL EDUCATION	241	117	125	13	55	54	44	41	31	34	101	35	58	217
	24%c	24%	24%	9%	35%ch	30%ch	24%c	27%c	19%c	25%	22%	28%	28%	22%
LOWER GENERAL OR VOCATIONAL SECONDARY EDUCATION	243	105	139	44	6	31	52	51	54	35	116	31	44	290
	24%d	21%	27%	29%d	4%	17%d	29%de	34%zde	33%zde	26%	25%	25%	22%	29%
PRIMARY EDUCATION/NO EDUCATION	102	49	53	44	14	1	9	9	24	17	44	12	11	98
	10%ef	10%	10%	30%zdefgh	9%e	1%	5%e	6%e	15%efg	13%	9%	10%	5%	10%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/o/p
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS
2ND FEBRUARY - 1ST MARCH 2010
INTERNAL USE ONLY
IPSOS MORI

Table 3
DEMOGRAPHICS
BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT						UNWEIGHTED TOTAL
		UNIVERSITY EDUCATION (a)	HIGHER VOCATIONAL EDUCATION (b)	HIGHER GENERAL SECONDARY/PRE- UNIVERSITY EDUCATION (c)	UPPER SECONDARY VOCATIONAL EDUCATION (d)	LOWER GENERAL OR VOCATIONAL SECONDARY EDUCATION (e)	PRIMARY EDUCATION/NO EDUCATION (g)	
UNWEIGHTED BASE	1004	55	222	104	217	290	98	1004
WEIGHTED BASE	1000	53*	216	126*	241	243	102*	1004
	100%	5%*	22%	13%*	24%	24%	10%*	100%
SEX								
MALE	490	29	122	58	117	105	49	432
	49%	54%	56%e	46%	48%	43%	48%	43%
FEMALE	510	25	94	68	125	139	53	572
	51%	46%	44%	54%	52%	57%b	52%	57%
AGE								
15-24	149	-	8	37	13	44	44	87
	15%abd	-	4%	29%zabd	5%	18%abd	44%zabde	9%
25-34	159	10	51	20	55	6	14	55
	16%e	19%e	23%ze	16%e	23%e	3%	13%e	5%
35-44	178	16	50	21	54	31	1	164
	18%g	30%eg	23%eg	17%g	22%eg	13%g	1%	16%
45-54	182	10	42	22	44	52	9	209
	18%	20%	20%	18%	18%	21%g	8%	21%
55-64	152	8	31	9	41	51	9	200
	15%	16%	14%	7%	17%c	21%cg	9%	20%
65+	165	5	32	15	31	54	24	280
	16%	9%	15%	12%	13%	22%d	24%	28%
EDUCATION LEVEL OF RESPONDENT								
UNIVERSITY EDUCATION	53	53	-	-	-	-	-	55
	5%bcde	100%zbcdeg	-	-	-	-	-	5%
HIGHER VOCATIONAL EDUCATION	216	-	216	-	-	-	-	222
	22%acdeg	-	100%zacdeg	-	-	-	-	22%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - NETHERLANDS**2ND FEBRUARY - 1ST MARCH 2010****INTERNAL USE ONLY****IPSOS MORI**

Table 3
DEMOGRAPHICS
BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT						UNWEIGHTED TOTAL
		UNIVERSITY EDUCATION (a)	HIGHER VOCATIONAL EDUCATION (b)	HIGHER GENERAL SECONDARY/PRE- UNIVERSITY EDUCATION (c)	UPPER SECONDARY VOCATIONAL EDUCATION (d)	LOWER GENERAL OR VOCATIONAL SECONDARY EDUCATION (e)	PRIMARY EDUCATION/NO EDUCATION (g)	
WEIGHTED BASE	1000	53*	216	126*	241	243	102*	1004
	100%	5%*	22%	13%*	24%	24%	10%*	100%
HIGHER GENERAL SECONDARY/PRE-UNIVERSITY EDUCATION	126	-	-	126	-	-	-	104
	13%abdeg	-	-	100%zabdeg	-	-	-	10%
UPPER SECONDARY VOCATIONAL EDUCATION	241	-	-	-	241	-	-	217
	24%abceg	-	-	-	100%zabceg	-	-	22%
LOWER GENERAL OR VOCATIONAL SECONDARY EDUCATION	243	-	-	-	-	243	-	290
	24%abcdg	-	-	-	-	100%zabcdg	-	29%
PRIMARY EDUCATION/NO EDUCATION	102	-	-	-	-	-	102	98
	10%abcde	-	-	-	-	-	100%zabcde	10%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI