

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 1

CM01 - WHICH OF THE FOLLOWING CANCERS DO YOU THINK KILLS THE MOST PEOPLE IN YOUR COUNTRY? YOU MAY CHOOSE UP TO TWO.

BASE: ALL RESPONDENTS

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
UNWEIGHTED BASE	1005	505	500	197	206	208	143	110	141	418	180	249	36	1005
WEIGHTED BASE	1000	486	514	162	197	181	144	128*	189	394	195	247	38*	1005
	100%	49%	51%	16%	20%	18%	14%	13%*	19%	39%	19%	25%	4%*	100%
LUNG CANCER	589	299	289	103	123	112	86	76	89	394	195	-	-	598
	59%hop	62%	56%	63%h	63%h	62%h	60%	59%	47%	100%zop	100%zop	-	-	60%
BREAST CANCER	216	82	135	35	40	41	31	23	46	-	85	104	27	211
	22%am	17%	26%a	21%	20%	23%	22%	18%	24%	-	43%zm	42%zm	73%zmno	21%
BOWEL OR COLON CANCER	216	101	115	27	48	34	35	33	39	-	80	114	23	211
	22%am	21%	22%	17%	24%	19%	24%	26%	21%	-	41%zm	46%zm	60%zm	21%
PROSTATE CANCER	53	33	20	8	8	11	6	6	14	-	19	17	17	49
	5%am	7%	4%	5%	4%	6%	4%	5%	7%	-	10%zm	7%am	45%zmno	5%
SKIN CANCER	32	14	18	4	8	3	7	5	6	-	12	12	8	30
	3%am	3%	4%	2%	4%	1%	5%	4%	3%	-	6%am	5%am	22%zmno	3%
DON'T KNOW	127	69	58	22	18	20	15	15	37	-	-	-	-	122
	13%mnop	14%	11%	13%	9%	11%	11%	12%	19%zde	-	-	-	-	12%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/op
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 1

CM01 - WHICH OF THE FOLLOWING CANCERS DO YOU THINK KILLS THE MOST PEOPLE IN YOUR COUNTRY? YOU MAY CHOOSE UP TO TWO.

BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT								UNWEIGHTED TOTAL
		DON'T READ (ILLITERATE) (a)	WITHOUT STUDIES BUT CAN READ (b)	INCOMPLETE PRIMARY STUDIES (c)	1ST GRADE MORE OR LESS TILL 10 YEARS OLD (d)	2ND GRADE, 1ST CYCLE UNTIL 14 YEARS (e)	2ND GRADE, 2ND CYCLE UNTIL 18 YEARS (f)	3RD GRADE DEGREE UNIVERSITY, 3 YEARS (g)	UNIVERSITY STUDIES (h)	
UNWEIGHTED BASE	1005	5	18	43	179	366	251	81	62	1005
WEIGHTED BASE	1000	10**	28**	58*	248	324	211	69*	51*	1005
	100%	1%**	3%**	6%*	25%	32%	21%	7%*	5%*	100%
LUNG CANCER	589 59% ^c	6 59%	14 50%	22 39%	133 53%	191 59% ^c	144 68% ^{zcode}	43 62% ^c	35 69% ^{cd}	598 60%
BREAST CANCER	216 22%	2 23%	10 34%	12 21%	70 28% ^{fh}	67 21%	35 17%	14 21%	6 12%	211 21%
BOWEL OR COLON CANCER	216 22% ^h	- -	5 18%	12 21%	58 23% ^h	73 23% ^h	45 22%	17 25% ^h	5 11%	211 21%
PROSTATE CANCER	53 5%	- -	2 7%	4 6%	19 8% ^e	10 3%	9 4%	6 9% ^e	3 5%	49 5%
SKIN CANCER	32 3%	- -	1 5%	1 2%	9 3%	14 4%	5 2%	2 3%	- -	30 3%
DON'T KNOW	127 13%	4 41%	7 24%	14 25% ^{zefg}	34 14%	37 11%	17 8%	5 8%	8 16%	122 12%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g/h
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 2

CM02 - LUNG CANCER IS MAINLY CAUSED BY SMOKING CIGARETTES AND OTHER TOBACCO PRODUCTS. BEARING THIS IN MIND, TO WHAT EXTENT DO YOU AGREE OR DISAGREE WITH THE FOLLOWING STATEMENT. I HAVE LESS SYMPATHY FOR PEOPLE WITH LUNG CANCER THAN PEOPLE WITH OTHER TYPES OF CANCER.

BASE: ALL RESPONDENTS

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
UNWEIGHTED BASE	1005	505	500	197	206	208	143	110	141	418	180	249	36	1005
WEIGHTED BASE	1000	486	514	162	197	181	144	128*	189	394	195	247	38*	1005
	100%	49%	51%	16%	20%	18%	14%	13%*	19%	39%	19%	25%	4%*	100%
STRONGLY AGREE	77	37	40	12	13	14	13	10	14	38	13	20	-	74
	8%	8%	8%	8%	7%	8%	9%	8%	7%	10%	6%	8%	-	7%
TEND TO AGREE	61	25	36	12	10	8	7	11	14	23	10	22	1	57
	6%	5%	7%	7%	5%	4%	5%	9%	7%	6%	5%	9%	3%	6%
NEITHER AGREE NOR DISAGREE	91	45	46	15	17	13	9	11	27	31	7	38	5	85
	9%h	9%	9%	9%	9%	7%	6%	8%	14%h	8%	4%	16%zmn	14%h	8%
TEND TO DISAGREE	187	85	102	32	38	30	24	24	38	68	45	47	7	185
	19%	17%	20%	20%	19%	17%	17%	19%	20%	17%	23%	19%	18%	18%
STRONGLY DISAGREE	555	277	279	87	116	106	88	71	88	229	118	115	24	577
	56%o	57%	54%	54%	59%h	59%h	61%h	55%	46%	58%o	60%o	47%	65%	57%
AGREE (COMB)	138	62	76	24	23	22	20	21	28	61	22	41	1	131
	14%	13%	15%	15%	12%	12%	14%	17%	15%	16%	11%	17%p	3%	13%
DISAGREE (COMB)	742	362	381	119	154	137	113	95	126	297	163	162	31	762
	74%o	74%	74%	74%	78%h	75%	78%h	74%	67%	75%o	84%zmo	66%	83%	76%
DON'T KNOW	29	18	11	4	4	9	2	1	8	5	3	5	-	27
	3%	4%	2%	2%	2%	5%g	2%	1%	4%	1%	1%	2%	-	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/o/p
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 2

CM02 - LUNG CANCER IS MAINLY CAUSED BY SMOKING CIGARETTES AND OTHER TOBACCO PRODUCTS. BEARING THIS IN MIND, TO WHAT EXTENT DO YOU AGREE OR DISAGREE WITH THE FOLLOWING STATEMENT. I HAVE LESS SYMPATHY FOR PEOPLE WITH LUNG CANCER THAN PEOPLE WITH OTHER TYPES OF CANCER.

BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT								UNWEIGHTED TOTAL
		DON'T READ (ILLITERATE) (a)	WITHOUT STUDIES BUT CAN READ (b)	INCOMPLETE PRIMARY STUDIES (c)	1ST GRADE MORE OR LESS TILL 10 YEARS OLD (d)	2ND GRADE, 1ST CYCLE UNTIL 14 YEARS (e)	2ND GRADE, 2ND CYCLE UNTIL 18 YEARS (f)	3RD GRADE DEGREE UNIVERSITY, 3 YEARS (g)	UNIVERSITY STUDIES (h)	
UNWEIGHTED BASE	1005	5	18	43	179	366	251	81	62	1005
WEIGHTED BASE	1000	10**	28**	58*	248	324	211	69*	51*	1005
	100%	1%**	3%**	6%*	25%	32%	21%	7%*	5%*	100%
STRONGLY AGREE	77	-	2	8	23	23	17	3	3	74
	8%	-	6%	13%	9%	7%	8%	4%	6%	7%
TEND TO AGREE	61	-	4	4	19	23	9	1	1	57
	6%	-	16%	7%	8%	7%	4%	1%	1%	6%
NEITHER AGREE NOR DISAGREE	91	-	2	10	23	28	16	9	3	85
	9%	-	7%	17%	9%	9%	8%	13%	6%	8%
TEND TO DISAGREE	187	4	11	4	52	68	31	12	5	185
	19%	40%	39%	7%	21%c	21%c	15%	17%	10%	18%
STRONGLY DISAGREE	555	6	7	28	124	174	137	45	35	577
	56%	60%	26%	48%	50%	54%	65%zcde	64%d	68%cde	57%
AGREE (COMB)	138	-	6	12	42	46	25	4	4	131
	14%g	-	22%	21%g	17%g	14%g	12%	5%	7%	13%
DISAGREE (COMB)	742	10	19	32	176	242	168	57	40	762
	74%c	100%	66%	55%	71%	75%c	79%c	82%cc	78%cc	76%
DON'T KNOW	29	-	2	5	8	8	2	-	4	27
	3%	-	6%	8%fa	3%	3%	1%	-	8%zefa	3%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g/h
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 3
DEMOGRAPHICS
 BASE: ALL RESPONDENTS

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
UNWEIGHTED BASE	1005	505	500	197	206	208	143	110	141	418	180	249	36	1005
WEIGHTED BASE	1000	486	514	162	197	181	144	128*	189	394	195	247	38*	1005
	100%	49%	51%	16%	20%	18%	14%	13%*	19%	39%	19%	25%	4%*	100%
SEX														
MALE	486	486	-	83	100	91	66	66	80	206	93	99	18	505
	49%bo	100%zb	-	51%	51%	50%	46%	52%	42%	52%o	48%	40%	48%	50%
FEMALE	514	-	514	79	97	90	78	61	109	188	101	147	20	500
	51%a	-	100%za	49%	49%	50%	54%	48%	58%	48%	52%	60%zm	52%	50%
AGE														
15-24	162	83	79	162	-	-	-	-	-	70	32	34	4	197
	16%defgh	17%	15%	100%zdefgh	-	-	-	-	-	18%	17%	14%	10%	20%
25-34	197	100	97	-	197	-	-	-	-	82	42	49	7	206
	20%cefg	21%	19%	-	100%zcefg	-	-	-	-	21%	21%	20%	17%	20%
35-44	181	91	90	-	-	181	-	-	-	80	32	41	8	208
	18%cdfgh	19%	18%	-	-	100%zcdfgh	-	-	-	20%	16%	17%	21%	21%
45-54	144	66	78	-	-	-	144	-	-	58	28	34	8	143
	14%cddegh	14%	15%	-	-	-	100%zcdegh	-	-	15%	14%	14%	23%	14%
55-64	128	66	61	-	-	-	-	128	-	46	29	35	1	110
	13%cdfe	14%	12%	-	-	-	-	100%zcdefh	-	12%	15%	14%	3%	11%
65+	189	80	109	-	-	-	-	-	189	57	32	53	10	141
	19%cdefg	16%	21%	-	-	-	-	-	100%zcdefg	15%	16%	22%o	25%	14%
EDUCATION LEVEL OF RESPONDENT														
DON'T READ (ILLITERATE)	10	2	8	-	-	-	-	2	8	4	2	-	-	5
	1%	*	2%	-	-	-	-	2%	4%zdef	1%	1%	-	-	*
WITHOUT STUDIES BUT CAN READ	28	17	12	2	2	2	-	3	21	5	9	6	1	18
	3%	3%	2%	1%	1%	1%	-	2%	11%zcdefg	1%	5%o	2%	4%	2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/o/p
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 3
DEMOGRAPHICS
 BASE: ALL RESPONDENTS

	TOTAL (z)	SEX		AGE						CM01				UNWEIGHTED TOTAL
		MALE (a)	FEMALE (b)	15-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	LUNG CANCER ONLY (m)	LUNG CANCER AND ONE OTHER (n)	ONE CHOSEN - NOT LUNG CANCER (o)	TWO CHOSEN - NOT LUNG CANCER (p)	
WEIGHTED BASE	1000	486	514	162	197	181	144	128*	189	394	195	247	38*	1005
	100%	49%	51%	16%	20%	18%	14%	13%*	19%	39%	19%	25%	4%*	100%
INCOMPLETE PRIMARY STUDIES	58	35	22	5	5	5	6	15	21	16	7	20	1	43
	6%	7%	4%	3%	3%	3%	4%	12%zcd	11%zcd	4%	3%	8% ^m	3%	4%
1ST GRADE MORE OR LESS TILL 10 YEARS OLD	248	112	136	21	34	28	39	43	83	73	60	68	14	179
	25% ^{cde}	23%	26%	13%	17%	15%	27% ^{cde}	34% ^{cde}	44% ^{zcd}	19%	31% ^m	28% ^m	37% ^m	18%
2ND GRADE, 1ST CYCLE UNTIL 14 YEARS	324	148	176	73	60	57	53	39	42	136	55	83	13	366
	32% ^h	30%	34%	45% ^{zdegh}	31%	31%	37% ^h	31%	22%	34%	28%	34%	34%	36%
2ND GRADE, 2ND CYCLE UNTIL 18 YEARS	211	111	100	50	60	49	27	18	8	104	40	45	5	251
	21% ^h	23%	20%	31% ^{zfg}	30% ^{zfg}	27% ^{gh}	18% ^h	14% ^h	4%	27% ^{zo}	20%	18%	13%	25%
3RD GRADE DEGREE UNIVERSITY, 3 YEARS	69	35	34	8	24	20	8	5	6	26	17	19	2	81
	7%	7%	7%	5%	12% ^{zcfgh}	11% ^{cgh}	5%	4%	3%	7%	9%	8%	5%	8%
UNIVERSITY STUDIES	51	26	25	3	12	21	11	3	1	30	5	6	1	62
	5% ^h	5%	5%	2%	6% ^h	11% ^{zcg}	8% ^{ch}	2%	*	8% ^{no}	2%	3%	4%	6%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l - z/m/n/o/p
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 3
DEMOGRAPHICS
 BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT								UNWEIGHTED TOTAL
		DON'T READ (ILLITERATE) (a)	WITHOUT STUDIES BUT CAN READ (b)	INCOMPLETE PRIMARY STUDIES (c)	1ST GRADE MORE OR LESS TILL 10 YEARS OLD (d)	2ND GRADE, 1ST CYCLE UNTIL 14 YEARS (e)	2ND GRADE, 2ND CYCLE UNTIL 18 YEARS (f)	3RD GRADE DEGREE UNIVERSITY , 3 YEARS (g)	UNIVERSITY STUDIES (h)	
UNWEIGHTED BASE	1005	5	18	43	179	366	251	81	62	1005
WEIGHTED BASE	1000	10**	28**	58*	248	324	211	69*	51*	1005
	100%	1%**	3%**	6%*	25%	32%	21%	7%*	5%*	100%
SEX										
MALE	486	2	17	35	112	148	111	35	26	505
	49%	17%	59%	61%	45%	46%	52%	51%	50%	50%
FEMALE	514	8	12	22	136	176	100	34	25	500
	51%	83%	41%	39%	55%	54%	48%	49%	50%	50%
AGE										
15-24	162	-	2	5	21	73	50	8	3	197
	16%dh	-	5%	8%	9%	23%zcdgh	24%zcdgh	12%	6%	20%
25-34	197	-	2	5	34	60	60	24	12	206
	20%	-	6%	9%	14%	19%	28%zcode	35%zcode	23%	20%
35-44	181	-	2	5	28	57	49	20	21	208
	18%dj	-	6%	9%	11%	18%	23%cd	28%zcode	40%zcdef	21%
45-54	144	-	-	6	39	53	27	8	11	143
	14%	-	-	10%	16%	16%	13%	11%	23%	14%
55-64	128	2	3	15	43	39	18	5	3	110
	13%	19%	10%	26%zefgh	17%fgh	12%	9%	7%	6%	11%
65+	189	8	21	21	83	42	8	6	1	141
	19%efgh	81%	73%	37%zefgh	33%zefgh	13%fh	4%	8%	2%	14%
EDUCATION LEVEL OF RESPONDENT										
DON'T READ (ILLITERATE)	10	10	-	-	-	-	-	-	-	5
	1%	100%	-	-	-	-	-	-	-	*
WITHOUT STUDIES BUT CAN READ	28	-	28	-	-	-	-	-	-	18
	3%def	-	100%	-	-	-	-	-	-	2%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g/h
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI

J09-037536 - GLOBAL LUNG CANCER COALITION - ATTITUDES TO LUNG CANCER - SPAIN

25TH JANUARY - 5TH FEBRUARY 2010

INTERNAL USE ONLY

IPSOS MORI

Table 3
DEMOGRAPHICS
 BASE: ALL RESPONDENTS

	TOTAL (z)	EDUCATION LEVEL OF RESPONDENT								UNWEIGHTED TOTAL
		DON'T READ (ILLITERATE) (a)	WITHOUT STUDIES BUT CAN READ (b)	INCOMPLETE PRIMARY STUDIES (c)	1ST GRADE MORE OR LESS TILL 10 YEARS OLD (d)	2ND GRADE, 1ST CYCLE UNTIL 14 YEARS (e)	2ND GRADE, 2ND CYCLE UNTIL 18 YEARS (f)	3RD GRADE DEGREE UNIVERSITY, 3 YEARS (g)	UNIVERSITY STUDIES (h)	
WEIGHTED BASE	1000	10**	28**	58*	248	324	211	69*	51*	1005
	100%	1%**	3%**	6%*	25%	32%	21%	7%*	5%*	100%
INCOMPLETE PRIMARY STUDIES	58	-	-	58	-	-	-	-	-	43
	6%defg	-	-	100%zdefgh	-	-	-	-	-	4%
1ST GRADE MORE OR LESS TILL 10 YEARS OLD	248	-	-	-	248	-	-	-	-	179
	25%cefg	-	-	-	100%zcefg	-	-	-	-	18%
2ND GRADE, 1ST CYCLE UNTIL 14 YEARS	324	-	-	-	-	324	-	-	-	366
	32%cdfgh	-	-	-	-	100%zcdfgh	-	-	-	36%
2ND GRADE, 2ND CYCLE UNTIL 18 YEARS	211	-	-	-	-	-	211	-	-	251
	21%cddegh	-	-	-	-	-	100%zcddegh	-	-	25%
3RD GRADE DEGREE UNIVERSITY, 3 YEARS	69	-	-	-	-	-	-	69	-	81
	7%defh	-	-	-	-	-	-	100%zdefh	-	8%
UNIVERSITY STUDIES	51	-	-	-	-	-	-	-	51	62
	5%defg	-	-	-	-	-	-	-	100%zdefg	6%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g/h
 * small base; ** very small base (under 30) ineligible for sig testing

For further information, phone the Ipsos MORI Omnibus team on +44 (0) 20 8861 8084



Ipsos MORI