

Palliative Care - East of England

Q1 Which of the following best describes how you feel talking about death generally?
Base: All respondents

	Gender		Age							PCT - East of England													Carer			Unwtd sample	
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
I feel very comfortable talking about death	225 32%	117 36%	102 30%	9 28%	53 33%	78 33%	40 39%	19 27%	23 34%	18 37%	23 31%	14 21%	14 55%	9 41%	16 36%	26 28%	15 37%	6 29%	15 36%	21 46%	18 24%	9 26%	21 32%	43 31%	6 32%	167 33%	219 32%
I feel fairly comfortable talking about death	283 41% _{ai}	131 40%	148 43%	9 29%	68 42%	97 41%	39 38%	34 48%	30 45%	12 24%	37 50% _{ai}	27 42%	7 26%	8 35%	16 37%	45 48% _{ai}	11 27%	7 35%	20 48%	17 37%	32 44%	17 51%	26 41%	58 42%	6 35%	209 42%	294 42%
I have no strong feelings either way	90 13%	48 15%	41 12%	3 11%	20 12%	32 14%	14 14%	12 16%	9 13%	9 18%	8 11%	12 19%	1 4%	5 12%	4 10%	11 24%	10 19%	4 5%	2 4%	2 5%	12 17%	4 11%	6 9%	24 18%	3 17%	59 12%	88 13%
I feel fairly uncomfortable talking about death	62 9% _{aj}	16 5%	45 13% _{za}	9 28%	17 10%	21 9%	7 7%	3 4%	3 4%	9 17% _{aj}	* *	4 5%	2 8%	- -	4 10% _{aj}	8 9%	3 7%	3 16%	2 5%	4 9%	8 11% _{aj}	4 12%	10 16% _{aj}	8 6%	2 11%	50 10%	58 8%
I feel very uncomfortable talking about death	16 2%	9 3%	7 2%	1 4%	- -	7 3%	2 2%	3 4%	2 3%	- -	1 1%	2 4%	- -	1 3%	3 8% _z	3 3%	2 4%	- -	2 6%	1 1%	1 2%	- -	1 1%	4 3%	1 5%	11 2%	19 3%
Not stated	17 3% _{beC}	6 2%	2 *	- -	5 3%	1 *	1 1%	- -	1 2%	1 3%	4 5%	6 9% _z	2 7%	- -	- 1%	1 -	- -	- -	- -	2 3%	2 3%	- -	1 1%	1 1%	- -	7 1%	15 2%
Comfortable	507 73%	247 76%	250 72%	17 50%	121 74%	175 74%	79 76%	53 75%	53 79%	30 61%	60 82% _{ai}	41 64%	21 81%	17 76%	32 73%	71 76%	26 65%	13 64%	34 84%	39 82%	50 68%	26 77%	47 73%	100 73%	12 67%	375 75%	513 74%
Not comfortable	78 11% _{aj}	25 8%	52 15% _{za}	10 33%	17 10%	27 12%	9 9%	6 8%	5 7%	9 17% _{aj}	1 2%	6 9%	2 8%	1 3%	8 17% _{aj}	11 12%	5 16%	3 11%	4 10%	5 12% _{aj}	9 12%	4 17% _{aj}	11 17% _{aj}	12 9%	3 16%	61 12%	77 11%
NET	430 62% _{bi}	223 68% _b	198 57%	7 24%	104 64%	147 63%	69 67%	48 67%	48 72% _z	22 44%	59 80% _{zik}	35 54%	19 73%	16 55%	25 64%	60 53%	21 64%	9 48%	30 73%	34 72%	41 56%	22 65%	36 56%	88 64%	9 51%	315 63%	436 63%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q1 Which of the following best describes how you feel talking about death generally?
 Base: All respondents

	Total (z)	Children under 17 in household		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
I feel very comfortable talking about death	225	67	74	146	124	12	28	14	36	225	-	210	2	221	1	143	77	48	17	89	113	89	109	91
I feel fairly comfortable talking about death	283	93	76	203	206	1	17	11	40	283	-	221	17	280	2	151	127	50	22	65	118	68	109	87
I have no strong feelings either way	90	29	16	74	61	-	6	-	18	-	-	31	18	90	-	49	42	10	7	15	20	10	22	14
I feel fairly uncomfortable talking about death	62	23	8	52	35	-	2	3	19	-	62	6	51	57	5	33	29	9	5	8	10	9	13	6
I feel very uncomfortable talking about death	16	5	6	10	12	-	-	-	4	-	16	1	15	16	*	12	4	1	4	-	1	2	2	-
Not stated	17	1	1	7	8	-	-	-	-	-	-	7	-	8	-	3	5	2	1	-	-	-	-	*
Comfortable	507	160	150	349	330	13	45	24	75	507	-	430	19	501	4	294	204	98	40	154	231	157	218	178
Not comfortable	78	28	14	61	47	-	2	3	23	-	78	8	66	72	6	45	32	10	9	8	10	11	14	6

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q1 Which of the following best describes how you feel talking about death generally?
 Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
NET	430 62% ^{hjl}	132 61%	136 75% ^{zc}	287 59%	283 63% ^h	13 100%	43 82%	21 78%	52 45%	507 100% ^z	-78 -100%	423 89% ^{zl}	-47 -46%	429 64% ^z	-2 -17%	249 64%	172 61%	89 74% ^{zr}	30 54%	146 83% ^z	221 85% ^z	146 82% ^z	204 80% ^z	172 86% ^{zv}

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q1 Which of the following best describes how you feel talking about death generally?

Base: All respondents

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
I feel very comfortable talking about death	225	23	67	27	44	102	75	65	180	5	149	7	108	38	119	122	10	23	1	211	10	61	32	64	11	24	28	159	63
I feel fairly comfortable talking about death	283	27	84	28	64	132	108	57	222	10	197	15	127	50	148	158	5	43	6	256	16	71	26	105	24	23	28	170	109
I have no strong feelings either way	90	7	18	9	9	40	28	24	63	2	64	3	43	14	52	51	3	7	-	78	10	27	9	23	13	12	4	54	37
I feel fairly uncomfortable talking about death	62	*	11	4	9	19	20	28	50	1	47	4	34	17	39	32	4	3	4	44	13	18	2	18	12	5	3	33	27
I feel very uncomfortable talking about death	16	-	4	-	-	3	2	7	7	2	8	3	4	-	4	14	1	-	-	10	6	7	*	3	5	2	-	4	12
Not stated	17	-	1	-	-	1	-	7	3	-	1	2	6	1	7	2	-	-	-	8	1	6	1	-	-	*	1	8	-
Comfortable	507	49	151	55	107	233	184	122	402	14	346	22	235	89	267	280	15	66	7	467	26	132	59	169	35	47	57	329	172
Not comfortable	78	*	15	4	9	21	22	35	57	3	56	7	38	17	44	46	5	3	4	54	19	25	2	21	16	7	3	36	38
G		1%	8%	6%	7%	7%	9%	19%	11%	18%	12%	20%	12%	14%	12%	12%	22%	4%	34%	9%	34%	13%	3%	10%	26%	10%	5%	8%	16%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q1 Which of the following best describes how you feel talking about death generally?

Base: All respondents

NET

Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
430	49	136	51	98	212	162	87	344	11	290	16	197	72	224	234	10	63	3	413	7	107	57	148	19	40	53	293	133
62% ^{gt} D	87% ^{zef}	74% ^{zg}	75%	78% ^{zfg}	72% ^{zg}	69% ^g	46%	66% ^z	56%	62%	47%	61%	60%	60%	62%	41%	82% ^{zo}	32%	68% ^{zt}	11%	56% ^D	81% ^{zAD}	69% ^D	29%	60% ^D	82%	69% ^{zH}	54%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q2 Have you ever attended the funeral of a family member, a friend or work colleague?
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Yes	672	326	334	30	155	233	102	71	66	47	70	64	25	22	44	90	39	16	41	43	71	34	65	137	19	495	673
	97%	100%zb	97%	100%	96%	99%z	99%	99%	99%	94%	96%	100%	93%	100%	100%	96%	98%	84%	100%	92%	97%	100%	100%	99%	100%	99%z	97%
No	9	-	9	-	7	1	1	*	*	1	*	-	-	-	3	-	2	-	2	*	-	-	1	-	6	7	
	1%	-	3%za	-	4%	*	1%	1%	1%	3%	*	-	-	-	3%	-	11%	-	4%	1%	-	-	1%	-	1%	1%	
Not stated	12	-	1	-	-	1	-	-	1	1	3	-	2	-	-	1	1	-	2	2	-	-	1	-	1	13	
	2%beC	-	*	-	-	*	-	-	1%	3%	4%	-	7%	-	-	1%	2%	5%	-	3%	3%	-	-	*	-	*	2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q2 Have you ever attended the funeral of a family member, a friend or work colleague?
 Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
																								Total (z)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Yes	672	211	178	483	438	13	49	27	117	501	72	473	97	672	-	391	275	119	56	172	261	175	250	198
	97%	97%	98%	98%z	98%z	100%	94%	100%	100%	99%zj	93%	99%zj	95%	100%z	-	100%zp	97%	100%	100%	97%	100%zs	98%	99%	100%zs
No	9	6	3	7	6	-	3	-	-	4	6	2	6	-	9	-	9	-	-	5	1	3	4	1
	1%km	3%	1%	1%	1%	-	6%	-	-	1%	7%zi	*	5%zk	-	100%	-	3%o	-	-	3%tw	*	2%	1%	*
Not stated	12	1	1	1	1	-	-	-	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	2%cdikmop	*	*	*	*	-	-	-	-	*	-	*	-	-	-	*	*	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q2 Have you ever attended the funeral of a family member, a friend or work colleague?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes	672	57	183	68	125	293	233	181	520	19	460	33	320	120	368	371	23	76	11	600	51	189	70	208	61	66	65	423	239
	97%t	100%	99%	100%	100%	99%z	100%z	96%	99%z	97%	99%z	98%	99%z	100%	99%z	98%	96%	100%	100%	99%zt	91%	99%	100%	98%	95%	100%	99%	99%z	97%
No	9	-	2	-	-	2	1	7	5	-	6	-	3	-	3	8	1	-	-	5	4	2	-	4	3	-	1	2	8
	1%sg	-	1%	-	-	1%	*	4%	1%	-	1%	-	1%	-	1%	2%	4%	-	-	1%	8%zs	1%	-	2%	5%	-	1%	*	3%G
Not stated	12	-	-	-	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	1	-
	2%ehjog	-	-	-	-	*	-	*	-	3%	-	2%	-	-	-	*	-	-	-	*	2%	-	-	1%	-	-	-	*	-

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q3 Have you ever seen a dead person?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Yes	494	237	246	21	74	169	93	62	63	33	52	38	19	21	32	61	27	16	36	39	56	24	39	105	16	353	553	
		71% ^d	73%	71%	69%	46%	72% ^d	90% ^{zde}	87% ^{zde}	94% ^{zde}	67%	71%	59%	74%	93%	73%	65%	68%	84%	87%	83%	77%	70%	61%	76%	85%	70%	80%
No	184	89	96	9	86	66	10	9	4	15	19	26	5	2	12	32	13	2	5	7	15	10	22	33	3	145	127	
		27% ^{fgh}	27%	28%	31%	53% ^{zef}	28% ^{fgh}	9%	13%	30%	26%	40%	19%	7%	27%	34%	32%	11%	13%	15%	21%	30%	35%	24%	15%	29%	18%	
Not stated	14	1	3	-	3	-	1	-	-	1	3	1	2	-	-	1	-	1	-	1	2	-	3	-	-	3	13	
		2% ^{abC}	1%	-	2%	-	1%	-	-	3%	4%	1%	7%	-	-	1%	-	5%	-	2%	3%	-	4%	-	-	1%	2%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q3 Have you ever seen a dead person?

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes						
				Christian	Muslim	Other belief	Atheist	No religion	Comf	Not comf	Comf	Not comf	Yes	No	Yes	No	Agree	Disagree	Medical/nursing Care	Any spiritual/religious preferences	Privacy and peace	Dying with dignity	Where prefer to die		
				(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)		
Total (z)	Yes (a)	Yes (b)	No (c)																						
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Yes	494	130	149	334	328	12	42	13	73	381	49	353	59	489	4	320	168	105	52	136	194	135	202	162	
		71%alp	60%	83%zc	68%	74%	86%	81%	46%	63%	75%z	63%	74%l	57%	73%z	42%	82%zp	59%	88%z	94%z	77%	74%	76%	80%z	82%zt
No	184	85	32	153	117	2	10	15	41	125	26	123	41	179	5	71	112	15	3	41	67	44	52	36	
		27%boq	39%z	17%	31%zb	26%	14%	19%	54%	35%	25%	33%	26%	39%zk	27%	58%	18%	40%zo	12%	5%	23%	26%w	24%	20%	18%
Not stated	14	3	-	3	1	-	-	-	3	1	3	-	3	3	-	1	3	-	1	-	-	-	-	-	
		2%cdik	1%	-	1%	*	-	-	2%do	*	4%l	-	3%k	1%	-	*	1%	-	1%	-	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q3 Have you ever seen a dead person?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes	494	42	138	51	90	234	147	129	367	15	307	31	228	95	262	279	20	64	7	439	42	147	54	133	50	49	51	313	173
		71% ^{fjC}	75%	75% ^f	75%	72%	79% ^{zfg}	63%	70%	79%	66%	93%	71%	79%	71%	74%	84%	84% ^z	64%	72%	74%	77% ^C	77%	62%	77%	74%	78%	74%	70%
No	184	14	46	17	35	61	86	56	154	4	157	2	94	25	108	96	4	12	4	165	13	43	16	78	15	17	14	110	74
		27% ^{eq}	25%	25%	25%	28%	37% ^{zbe}	30%	29% ^z	18%	34% ^z	5%	29%	21%	29%	25%	16%	16%	36%	27%	23%	23%	23%	36% ^{zA}	23%	26%	22%	26%	30%
Not stated	14	-	-	1	-	-	-	3	3	1	3	1	1	-	1	3	-	-	-	3	1	-	1	3	-	-	-	3	1
		nos ^{GH}	-	1%	-	-	-	2%	1%	3%	1%	2%	*	-	*	1%	-	-	-	*	3%	-	1%	1%	-	-	-	1%	*

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q4 Has anyone you care for very much (such as a close family member or friend) died within the last 5 years?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambd (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Yes	391	181	202	16	78	144	66	41	38	28	36	34	12	17	32	51	23	9	27	23	38	17	42	95	10	273	413
	56%	56%	59%	52%	48%	61%	64%z	58%	56%	58%	50%	52%	45%	78%	73%zj	54%	58%	48%	67%	48%	53%	50%	65%	69%zC	54%	54%	60%
No	284	142	138	15	85	88	36	29	27	18	34	29	12	5	12	41	17	9	12	23	32	17	22	39	9	226	258
	41%A	43%	40%	48%	52%	37%	35%	40%	41%	37%	47%	46%	45%	22%	27%	44%	42%	46%	30%	50%	43%	50%	34%	28%	46%	45%zA	37%
Not stated	18	3	4	-	-	3	1	1	3	3	3	1	3	-	-	2	-	1	1	1	3	-	*	4	-	3	22
	3%B	1%	1%	-	-	1%	1%	2%	4%	6%	4%	2%	10%	-	-	2%	-	5%	3%	2%	4%	-	1%	3%	-	1%	3%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q4 Has anyone you care for very much (such as a close family member or friend) died within the last 5 years?

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Yes	391 56%p	108 50%	117 65%z	268 55%	262 59%	12 86%	30 56%	13 49%	60 51%	294 58%	45 58%	279 59%	57 55%	391 58%z	-	391 100%zp	-	119 100%z	56 100%z	127 72%zt	162 62%	119 67%z	170 67%z	136 68%z
No	284 41%boq rsuvw	108 50%z	62 34%	217 44%b	178 40%	2 14%	21 41%	14 51%	56 48%	204 40%	32 42%	190 40%	45 44%	275 41%	9 91%	-	284 100%zo	-	-	46 26%	95 36% s	56 31%	79 31%	58 29%
Not stated	18 3%cdik mo	1 1%	2 1%	5 1%	5 1%	-	1 3%	-	1 1%	8 2%	-	6 1%	1 1%	7 1%	1 9%	-	-	-	-	4 2%	4 2%	4 2%	5 2%	5 3%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q4 Has anyone you care for very much (such as a close family member or friend) died within the last 5 years?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes	391	45	119	42	84	186	139	95	282	16	253	23	169	70	199	210	13	48	4	339	38	109	49	110	36	38	42	238	147
	56%	79% ^{zef}	64%	62%	67% ^g	63% ^{zg}	60%	51%	54%	84%	54%	69%	53%	58%	54%	55%	56%	63%	40%	56%	67%	57%	70%	52%	56%	57%	65%	56%	59%
No	284	11	63	24	39	105	91	90	237	3	209	9	152	48	169	166	9	28	5	261	17	79	21	102	28	27	22	183	98
	41% ^{ae}	20%	34%	35%	31%	36% ^a	39% ^a	48% ^{ade}	45% ^z	16%	45% ^z	28%	47%	40%	46%	44%	40%	45%	52%	43%	29%	42%	30%	48%	44%	40%	34%	43%	40%
Not stated	18	*	3	2	2	4	3	3	5	-	4	1	2	1	3	3	1	-	1	6	2	2	1	2	-	2	*	5	2
	3% ^{ehjlnsG}	1%	1%	2%	2%	1%	1%	2%	1%	-	1%	2%	*	1%	1%	1%	4%	-	9%	1%	4%	1%	1%	1%	-	3%	1%	1%	1%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q5 How would you rate the medical and nursing care from the NHS they received in the last days before they died?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterboro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	391	181*	202	16**	78**	144	66*	41*	38*	28**	36**	34**	12**	17**	32**	51**	23**	9**	27**	23**	38**	17**	42**	95*	10**	273	413	
Unw. Sample	413	129	278	7	27	140	102	72	55	29	47	40	13	8	33	53	25	10	26	24	42	17	46	108	12	281	413	
Very good	96	54	42	-	15	40	16	9	15	8	9	7	3	9	10	8	8	4	7	5	15	*	3	16	2	77	109	
	24%b	30%	21%	-	19%	27%	24%	23%	40%z	27%	25%	22%	25%	49%	30%	16%	33%	41%	26%	21%	39%	2%	8%	17%	24%	28%	26%	
Good	91	36	53	3	14	31	17	10	12	9	7	9	2	1	7	13	7	4	4	7	6	2	11	24	4	54	105	
	23%	20%	26%	20%	18%	21%	26%	25%	32%	33%	20%	28%	19%	4%	21%	26%	30%	40%	16%	33%	16%	10%	26%	25%	36%	20%	25%	
Neither good nor poor	51	22	28	4	7	14	14	8	3	1	3	3	2	3	8	6	3	1	5	4	4	3	5	18	1	30	58	
	13%	12%	14%	24%	9%	10%	21%ze	19%	7%	4%	7%	9%	16%	16%	25%	12%	11%	16%	19%	19%	10%	19%	12%	19%	10%	11%	14%	
Poor	33	19	14	-	10	11	7	5	1	1	3	2	3	2	3	10	-	-	3	1	4	2	2	14	1	18	34	
	9%	10%	7%	-	12%	8%	10%	12%	3%	3%	7%	5%	25%	9%	8%	19%	-	-	10%	2%	12%	12%	5%	15%zC	9%	7%	8%	
Very poor	27	11	10	5	2	11	4	3	-	4	3	3	1	-	1	2	*	-	3	1	4	2	4	7	-	18	23	
	7%	6%	5%	34%	3%	8%	5%	6%	-	13%	7%	9%	7%	-	3%	3%	2%	-	11%	3%	10%	14%	8%	7%	-	7%	6%	
Not applicable	90	39	51	3	27	37	9	6	7	6	12	8	1	4	4	12	5	*	5	5	5	7	15	16	2	71	79	
	23%fi	21%	25%	22%	34%	26%	14%	14%	18%	21%	32%	24%	9%	22%	13%	24%	22%	4%	18%	23%	13%	43%	36%	17%	22%	26%	19%	
Not stated	4	-	4	-	3	-	*	1	-	-	*	1	-	-	-	*	-	-	-	-	-	-	2	*	-	4	5	
	1%	-	2%z	-	4%	-	*	2%	-	-	1%	4%	-	-	-	-	2%	-	-	-	-	-	5%	*	-	1%	1%	
Good	186	90	94	3	29	70	33	20	27	17	17	17	5	9	17	22	15	8	11	12	21	2	14	40	6	132	214	
	48%	50%	47%	20%	37%	49%	50%	48%	72%zef	60%	46%	50%	44%	53%	51%	42%	48%	63%	80%	42%	53%	55%	12%	34%	42%	60%	48%	52%
Poor	60	30	25	5	12	22	10	7	1	4	5	5	4	2	4	11	*	-	6	1	8	4	6	21	1	36	57	
	15%bh	17%	12%	34%	15%	15%h	15%h	18%h	3%	16%	14%	14%	32%	9%	11%	22%	2%	-	21%	6%	22%	25%	14%	22%	9%	13%	14%	
NET	126	60	70	-2	17	48	22	12	26	13	12	12	1	8	13	10	14	8	6	11	13	-2	9	19	5	96	157	
	32%A	33%	34%	-15%	22%	33%	34%	30%	69%zef	44%	32%	36%	12%	45%	41%	20%	61%	80%	21%	47%	33%	-13%	21%	20%	51%	35%A	38%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q5 How would you rate the medical and nursing care from the NHS they received in the last days before they died?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	391	108*	117*	268	262	12**	30**	13**	60*	294	45*	279	57*	391	-**	391	-**	119*	56*	127*	162	119*	170
Unw. Sample	413	88	143	261	304	3	24	11	54	310	49	293	62	412	-	413	-	133	64	135	166	117	176	138	
Very good	96	27	26	68	64	8	1	3	15	78	8	67	11	96	-	96	-	53	4	29	37	24	40	36	
Good	91	25	26	62	62	3	9	3	10	72	9	64	12	91	-	91	-	42	10	28	29	26	37	29	
Neither good nor poor	51	10	14	36	26	1	6	3	14	32	10	38	10	51	-	51	-	10	11	21	26	17	26	19	
Poor	33	5	15	19	28	-	3	-	2	23	4	26	4	33	-	33	-	2	11	18	21	16	20	17	
Very poor	27	11	11	15	16	-	1	-	7	19	4	18	4	27	-	27	-	2	15	7	13	10	14	11	
Not applicable	90	27	25	64	65	-	8	4	12	66	10	62	15	89	-	90	-	9	4	22	34	25	31	23	
Not stated	4	3	1	3	2	-	2	-	-	4	-	4	-	4	-	4	-	*	-	2	2	2	2	1	
Good	186	52	52	130	126	11	10	6	25	150	17	131	23	186	-	186	-	96	14	56	66	50	77	65	
Poor	60	16	26	34	44	-	4	-	10	42	8	44	8	60	-	60	-	5	26	25	33	26	34	27	
NET	126	37	26	97	82	11	6	6	15	109	9	87	15	126	0	126	0	91	-12	32	33	24	44	37	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q5 How would you rate the medical and nursing care from the NHS they received in the last days before they died?

Base: All who had someone close die in last 5 years

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information				Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	391	45**	119*	42**	84*	186	139*	95*	282	16**	253	23**	169*	70*	199	210	13**	48*	4**	339	38*	109*	49**	110*	36**	38**	42**	238	147*	
Unw. Sample	413	53	145	45	79	235	128	81	286	14	251	26	175	68	208	218	18	65	5	347	48	113	55	110	43	47	34	247	156	
Very good	96	12	27	8	14	47	29	24	71	4	55	9	42	17	49	60	4	13	3	88	6	30	7	30	3	9	15	66	29	
	24%	27%	22%	20%	17%	25%	21%	25%	25%	24%	22%	38%	25%	24%	25%	29%	31%	28%	61%	26%	15%	27%	15%	27%	9%	24%	36%	28%	20%	
Good	91	7	22	12	23	50	36	17	63	4	52	6	41	19	50	44	3	14	1	73	13	24	14	26	11	7	6	62	25	
	23%	17%	19%	28%	28%	27%	26%	18%	22%	22%	21%	25%	24%	27%	25%	21%	20%	28%	19%	22%	33%	22%	28%	23%	32%	17%	14%	26%	17%	
Neither good nor poor	51	6	18	4	14	23	24	8	40	1	39	1	27	8	29	23	2	7	-	43	7	12	3	15	8	8	3	18	32	
	13%G	14%	16%	8%	17%	12%	17%	8%	14%	8%	15%	6%	16%	12%	15%	11%	15%	14%	-	13%	18%	11%	6%	14%	21%	20%	8%	8%	22%zG	
Poor	33	8	20	9	11	23	17	3	28	-	27	1	12	5	17	15	1	5	-	30	3	7	4	16	3	1	3	18	15	
	9%	19%	17%zG	21%	14%	12%z	12%	3%	10%	-	11%	4%	7%	7%	8%	7%	8%	11%	-	9%	7%	7%	8%	14%	7%	2%	7%	8%	10%	
Very poor	27	6	8	4	3	11	8	7	14	2	16	2	14	4	15	17	3	*	1	22	4	12	3	3	2	2	4	12	14	
	7%	13%	7%	10%	4%	6%	6%	8%	5%	15%	6%	11%	8%	5%	7%	8%	23%	1%	20%	6%	10%	11%	7%	3%	6%	4%	9%	5%	10%	
Not applicable	90	5	21	5	17	32	24	34	64	5	60	4	32	16	37	50	-	8	-	79	6	24	17	17	9	12	10	57	31	
	23%e	11%	18%	13%	20%	17%	17%	36%zbe	23%	31%	24%	17%	19%	22%	19%	24%	-	17%	-	23%	17%	22%	34%	16%	24%	32%	24%	24%	21%	
Not stated	4	-	2	-	1	1	2	2	4	-	4	-	1	1	2	2	*	-	-	4	-	-	*	3	-	-	1	4	-	
	1%	-	2%	-	2%	*	1%	2%	1%	-	1%	-	1%	2%	1%	1%	3%	-	-	1%	-	-	1%	3%	-	-	2%	2%	-	
Good	186	20	49	21	37	97	65	41	133	7	107	14	83	36	99	104	7	27	3	161	18	54	21	56	15	16	21	128	54	
	48%jH	44%	41%	49%	44%	52%b	47%	43%	47%	46%	42%	63%	49%	52%	50%	49%	51%	56%	80%	48%	48%	50%	43%	51%	41%	42%	50%	54%zH	37%	
Poor	60	14	28	13	15	34	26	10	42	2	43	3	26	9	31	32	4	6	1	52	6	19	8	19	5	2	7	30	29	
	15%	32%	23%z	30%	18%	18%	18%	11%	15%	15%	17%	14%	16%	13%	16%	15%	32%	12%	20%	15%	17%	17%	16%	17%	13%	6%	16%	13%	20%	
NET	126	5	21	8	22	63	39	31	91	5	64	11	57	27	68	72	3	22	2	109	12	35	13	37	10	14	15	98	25	
	32%bjH	12%	18%	18%	27%	34%b	28%	32%	32%	31%	25%	49%	34%	39%	34%	34%	20%	45%z	59%	32%	32%	32%	27%	33%	27%	36%	35%	41%zH	17%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England												Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Weighted Base	391	181*	202	16**	78**	144	66*	41*	38*	28**	36**	34**	12**	78**	32**	51**	23**	9**	27**	23**	38**	17**	42**	95*	10**	273	413
Unw. Sample	413	129	278	7	27	140	102	72	55	29	47	40	13	8	33	53	25	10	26	24	42	17	46	108	12	281	413
The staff/nurses were very good/kind/caring/helpful	85	37	47	-	20	34	15	5	9	6	10	2	2	9	6	11	7	4	7	6	9	1	6	17	4	62	96
	22%	20%	23%	-	25%	23%	22%	13%	24%	21%	27%	7%	20%	49%	18%	22%	29%	40%	24%	25%	24%	7%	14%	18%	40%	23%	23%
Staff too busy/unattentive/didn't care	43	23	19	-	10	19	9	4	-	3	1	3	5	1	5	8	1	-	4	3	3	1	4	14	2	24	39
	11%h	13%	9%	-	13%	13%h	14%h	9%h	-	11%	4%	8%	41%	8%	16%	16%	3%	-	15%	13%	9%	5%	9%	15%	22%	9%	9%
Died suddenly/ unexpectedly	30	8	22	-	12	11	3	2	1	2	2	4	*	-	1	11	1	*	-	3	1	1	3	3	*	27	33
	8%	5%	11%z	-	16%	8%	5%	5%	4%	7%	6%	12%	3%	-	4%	21%	6%	4%	-	14%	4%	3%	7%	3%	4%	10%	8%
Died at home/nursing home/hospice	29	14	16	6	-	13	4	2	5	1	1	3	-	-	1	7	3	-	1	2	6	1	3	3	2	24	37
	7%	8%	8%	35%	-	9%	6%	4%	13%	2%	3%	9%	-	-	3%	14%	13%	-	3%	9%	17%	8%	6%	4%	18%	9%	9%
Took care/time with relatives/explained things to relatives	21	12	9	-	1	11	4	1	3	*	2	2	1	1	4	4	1	-	*	2	2	-	1	6	-	15	24
	5%	7%	4%	-	2%	8%	7%	3%	7%	2%	6%	6%	13%	5%	13%	7%	5%	-	2%	10%	5%	-	2%	6%	-	5%	6%
Died overseas	18	8	11	-	3	12	1	2	-	-	2	3	-	3	1	-	2	-	-	-	2	2	5	9	-	9	17
	5%	4%	5%	-	4%	8%zf	1%	6%	-	-	4%	8%	-	18%	2%	-	7%	-	-	-	6%	9%	11%	9%	-	3%	4%
Medical care poor/not always cared for well	17	9	6	-	-	7	4	2	1	-	3	1	-	2	1	1	-	-	1	1	3	1	4	6	*	8	22
	4%	5%	3%	-	-	5%	7%	6%	3%	-	8%	2%	-	-	7%	1%	4%	-	3%	6%	8%	3%	9%	7%	4%	3%	5%
Hospital care was very good/excellent	14	7	7	1	2	4	1	1	4	-	2	2	-	-	1	3	2	-	-	-	1	-	3	4	2	7	16
	3%	4%	3%	9%	2%	2%	2%	3%	12%zef	-	5%	6%	-	-	4%	5%	10%	-	-	-	2%	-	7%	4%	17%	3%	4%
Not always clean environment/or personal cleaning	12	5	7	-	3	4	3	*	1	-	-	2	4	-	*	-	*	-	1	2	1	-	*	1	*	11	13
	3%	3%	3%	-	4%	3%	4%	1%	4%	-	-	7%	38%	-	1%	-	2%	-	2%	9%	3%	-	1%	1%	4%	4%	3%
Treated with dignity/ respect	11	6	6	-	-	5	5	*	*	1	2	-	-	-	3	1	-	1	-	1	2	-	1	2	-	9	14
	3%	3%	3%	-	-	4%	7%z	1%	1%	4%	5%	-	-	-	8%	1%	-	11%	-	3%	6%	-	3%	2%	-	3%	3%
Time delays/delay in being seen/left waiting in pain and distress	10	4	6	-	3	3	1	2	-	2	2	1	1	-	*	-	-	-	-	-	4	-	-	3	-	6	10
	3%	2%	3%	-	4%	2%	2%	5%	-	8%	6%	2%	6%	-	1%	-	-	-	-	-	10%	-	-	3%	-	2%	2%
Care was adequate nothing extraordinary	10	3	7	-	3	4	1	1	-	1	-	-	-	2	1	-	-	2	-	2	-	3	3	-	7	10	
	3%	1%	4%	-	4%	3%	1%	4%	-	3%	-	-	-	-	6%	1%	-	-	7%	-	5%	-	7%	3%	-	3%	2%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Wrong/inadequate/late diagnosis led to death	9 2%	2 1%	7 3%	2 15%	2 3%	1 1%	1 1%	2 5%	-	-	2 7%	-	2 9%	-	*	*	1 2%	1 9%	-	-	-	2 14%	1 3%	1 1%	*	8 3%	8 2%	
GP/Doctor was not very good	9 2%	2 1%	4 2%	3 20%	2 3%	* *	1 1%	1 3%	1 2%	-	1 2%	-	-	-	1 2%	1 3%	-	3 11%	* 2%	-	-	-	-	-	2 2%	-	7 3%	8 2%
Excellent McMillan care	9 2%	4 2%	5 2%	-	3 4%	4 3%	1 1%	1 1%	*	-	1 3%	-	-	-	*	*	-	-	*	3 8%	-	3 7%	1 1%	-	8 3%	8 2%		
Everything possible was done	8 2%	3 2%	5 2%	-	-	5 4%	2 2%	1 4%	-	-	-	-	1 4%	1 3%	2 4%	1 5%	-	-	-	2 5%	-	1 3%	2 2%	-	7 2%	9 2%		
Lack of information about condition/possible outcome to patient/family	7 2%	3 2%	1 *	3 20%	-	2 1%	2 3%	1 2%	-	-	-	-	1 8%	-	2 4%	-	-	3 11%	-	*	1 1%	-	-	1 1%	-	6 2%	6 1%	
District Nursing support excellent	7 2%	4 2%	3 1%	-	6 8%	* *	* *	-	-	-	3 8%	-	-	-	*	1 1%	-	-	-	-	4 10%	-	-	1 1%	-	6 2%	4 1%	
Dependent on nursing staff/some good some bad	6 2%	3 2%	3 1%	-	-	3 2%	3 4%	1 2%	-	1 2%	1 3%	-	-	*	1 1%	-	1 8%	*	1 1%	-	2 12%	-	2 7%	2 1%	-	4 1%	8 2%	
Poor environment/lack of facilities/space	6 2%	1 *	5 3%	-	3 4%	2 1%	* 1%	1 2%	-	2 5%	-	-	-	-	1 3%	-	-	*	1 1%	-	-	3 7%	1 1%	-	3 1%	5 1%		
Was not there/didn't see for myself/first hand	5 1%	4 2%	1 1%	-	-	2 2%	2 3%	1 2%	-	-	1 4%	1 9%	-	-	-	-	-	2 7%	-	-	-	-	1 2%	-	-	5 2%	4 1%	
Not much information/care given to family	5 1%	3 2%	2 1%	-	2 1%	1 1%	1 1%	-	-	1 4%	-	-	-	-	-	-	-	-	-	1 4%	-	2 6%	1 1%	-	4 1%	4 1%		
Personal experience/saw it first hand	5 1%	5 3%	-	-	-	1 1%	1 2%	1 3%	1 3%	1 4%	1 4%	-	-	-	1 2%	-	1 15%	-	-	-	-	-	-	-	-	5 2%	4 1%	
Word of mouth/only what I've heard from family members	5 1%	1 *	4 2%	-	2 2%	-	1 2%	1 3%	* 1%	1 2%	1 3%	-	-	-	-	-	-	-	-	2 5%	-	1 2%	1 1%	-	3 1%	6 1%		
Not applicable/no answer	5 1%	3 2%	2 1%	-	-	1 1%	2 3%	-	1 4%	-	-	-	-	-	1 2%	-	-	1 5%	2 8%	-	-	-	*	3 3%	-	1 1%	4 1%	
Lack of/overstretched/unavailable staff	4 1%	1 1%	3 1%	-	-	2 1%	1 2%	1 2%	-	2 5%	1 2%	1 2%	-	-	1 1%	-	-	-	-	-	-	1 3%	-	1 1%	-	3 1%	5 1%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age							PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Private care/private hospital care/private sector care was better	4 1%	1 1%	3 1%	-	-	3 2%	1 2%	-	-	1 3%	-	-	-	-	1 4%	-	-	-	-	-	-	2 11%	-	-	-	4 1%	4 1%	
Constant changes/agency nurses	4 1%	1 *	3 1%	-	-	1 1%	2 3%	1 2%	-	-	-	-	-	-	1 3%	1 2%	-	-	1 2%	*	2 2%	-	-	1 1%	1 2%	-	2 1%	6 1%
Lack of joined up care and treatment/ communication between departments	3 1%	2 1%	1 1%	-	-	3 2%	-	-	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	2 12%	1 1%	-	-	3 1%	3 1%	
Good pain relief/pain control	3 1%	1 1%	2 1%	-	-	* *	2 3%z	-	-	-	*	-	-	-	* 1%	*	-	-	1 4%	-	*	1 1%	-	-	2 3%C	*	5 1%	
The person was in hospital	3 1%	2 1%	* *	-	-	2 2%	-	-	*	1 4%	-	-	-	-	-	-	-	-	-	-	1 2%	-	-	* 1%	-	1 *	3 1%	
Contracted infection/C Difficile/MRSA	3 1%	1 *	2 1%	-	-	* *	2 3%z	* 1%	-	1 3%	-	1 2%	-	-	1 1%	-	*	-	-	*	-	-	-	-	* *	-	2 1%	5 1%
Hospice excellent	1 *	-	* *	-	-	1 1%	-	-	-	-	-	*	-	-	-	-	*	-	-	-	-	-	-	-	1 1%	-	2 *	
Poor behaviour of staff/ untrained/ unknowledgeable	* *	- -	* *	-	-	-	-	-	-	* 2%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 *	
Marie Curie excellent	* *	- -	* *	-	-	* *	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	* *	-	1 *	
Other	12 3%	8 4%	4 2%	-	-	3 2%	3 4%	2 5%	4 10%ze	-	3 9%	1 3%	1 9%	1 4%	2 5%	2 3%	1 3%	-	1 4%	-	-	*	1 2%	4 5%	-	7 3%	17 4%	
Don't know	5 1% ^b	5 3%	* *	-	4 5%	-	1 1%	-	* 1%	-	4 11%	*	-	-	-	-	-	-	-	-	-	-	1 2%	1 1%	-	4 2%	3 1%	
Not stated	82 21%	39 21%	43 21%	3 22%	10 13%	29 20%	10 15%	14 34%zef	13 35%zef	10 34%	7 20%	8 24%	2 16%	-	8 24%	8 15%	9 38%	3 34%	4 15%	6 27%	6 16%	5 30%	7 16%	21 22%	2 16%	56 21%	94 23%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household			Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	391	108*	117*	268	262	12**	30**	13**	60*	294	45*	279	57*	391	-**	391	-**	119*	56*	127*	162	119*	170	136*
Unw. Sample	413	88	143	261	304	3	24	11	54	310	49	293	62	412	-	413	-	133	64	135	166	117	176	138
The staff/nurses were very good/kind/caring/helpful	85	29	19	63	54	8	7	*	10	74	4	65	5	85	-	85	-	49	5	23	26	18	26	20
Staff too busy/unattentive/didn't care	43	15	16	26	31	-	4	-	7	32	6	33	4	43	-	43	-	8	13	24	22	23	26	25
Died suddenly/unexpectedly	30	9	9	21	20	-	5	1	3	27	2	24	4	30	-	30	-	9	3	13	15	11	13	11
Died at home/nursing home/hospice	29	6	6	22	16	-	3	3	6	24	5	21	7	29	-	29	-	7	3	8	12	6	9	8
Took care/time with relatives/explained things to relatives	21	7	6	15	16	-	-	-	2	20	*	16	*	21	-	21	-	16	2	6	8	6	7	7
Died overseas	18	9	5	13	13	-	4	-	*	9	3	12	3	18	-	18	-	-	1	3	3	5	6	6
Medical care poor/not always cared for well	17	4	8	7	14	-	-	-	2	13	3	13	3	17	-	17	-	2	7	8	10	7	10	9
Hospital care was very good/excellent	14	3	2	11	9	-	2	*	1	9	1	8	3	14	-	14	-	8	*	5	7	3	6	6
Not always clean environment/or personal cleaning	12	4	6	5	9	-	-	-	2	10	2	11	*	12	-	12	-	2	5	4	3	4	6	6

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Childr en under 17 in househ old		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family recevied enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
		Treated with dignity/ respect	11 3%	2 2%	3 3%	8 3%	7 3%	-	-	-	3 5%	11 4%	* 1%	11 4%	* 1%	11 3%	-	11 3%	-	7 6%	-	7 6%	8 5%	6 5%	7 4%
Time delays/delay in being seen/left waiting in pain and distress	10 3% ⁱ	-	2 2%	7 3%	7 3%	-	-	-	1 1%	3 1%	1 2%	7 3%	-	10 3%	-	10 3%	-	1 *	5 9% ^{zq}	3 3%	3 2%	3 3%	3 2%	4 3%	
Care was adequate nothing extraordinary	10 3%	2 1%	1 1%	9 3%	8 3%	-	1 5%	-	-	4 1%	2 4%	4 1%	3 5%	10 3%	-	10 3%	-	2 1%	4 7%	4 3% ^u	5 3%	1 1%	4 2%	3 2%	
Wrong/inadequate/late diagnosis led to death	9 2%	5 5%	2 2%	7 3%	4 2%	-	2 5%	-	3 5%	4 1%	3 7% ⁱ	5 2%	3 5%	9 2%	-	9 2%	-	2 1%	2 3%	3 2%	7 4% ^w	4 3%	5 3%	1 1%	
GP/Doctor was not very good	9 2%	2 2%	2 2%	6 2%	6 2%	-	2 8%	-	-	8 3%	-	7 3%	1 1%	9 2%	-	9 2%	-	5 4%	4 7% ^z	3 2%	4 3%	3 2%	6 3%	3 3%	
Excellent McMillan care	9 2% ^k	1 1%	1 1%	7 3%	5 2%	-	-	2 17%	-	* *	7 16% ^{zi}	2 1%	6 11% ^{zk}	9 2%	-	9 2%	-	1 1%	1 2%	-	3 2%	1 1%	3 2%	3 -	
Everything possible was done	8 2%	1 1%	5 4%	3 1%	6 2%	-	1 2%	-	1 2%	7 2%	2 4%	7 3%	1 2%	8 2%	-	8 2%	-	6 5% ^z	-	2 1%	3 2%	1 1%	2 1%	2 1%	
Lack of information about condition/possible outcome to patient/ family	7 2%	-	2 2%	5 2%	7 3%	-	-	-	-	6 2%	1 2%	4 2%	2 4%	7 2%	-	7 2%	-	-	6 10% ^{zq}	2 2%	6 4%	3 2%	6 3%	4 3%	
District Nursing support excellent	7 2%	3 2%	-	7 3%	4 2%	-	2 8%	-	-	6 2%	-	3 1%	-	7 2%	-	7 2%	-	7 6% ^z	-	3 2%	-	2 2%	6 4%	4 3%	
Dependent on nursing staff/some good some bad	6 2%	1 1%	3 2%	3 1%	4 1%	-	* 1%	1 9%	1 1%	6 2%	-	5 2%	1 1%	6 2%	-	6 2%	-	3 2%	1 2%	3 2%	5 3%	2 2%	2 1%	2 2%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Poor environment/lack of facilities/space	6 2%	4 4%	5 2%	2 1%	3 1%	3 25%	*	-	-	6 2%	-	6 2%	-	6 2%	-	6 2%	-	6 2%	-	* 10%za	6 *	1 *	1 *	1 1%	4 2%	4 3%st
Was not there/didn't see for myself/first hand	5 1%cd	-	5 2%	-	1 *	-	-	-	4 7%zd	4 1%	-	5 2%	-	5 1%	-	5 1%	-	5 1%	-	-	-	1 -	-	1 -	1 -	-
Not much information/care given to family	5 1%	2 2%	2 1%	2 1%	4 1%	-	-	-	-	3 1%	2 5%	3 1%	2 3%	5 1%	-	5 1%	-	5 1%	-	2 2%	-	2 2%	2 1%	2 2%	2 1%	2 2%
Personal experience/saw it first hand	5 1%	1 1%	4 1%	1 1%	4 1%	-	-	-	1 2%	2 1%	-	2 1%	1 2%	5 1%	-	5 1%	-	5 1%	-	3 3%	-	-	1 1%	1 1%	2 1%	1 1%
Word of mouth/only what I've heard from family members	5 1%	2 2%	3 3%	1 *	2 1%	-	2 6%	-	1 1%	5 2%	-	5 2%	-	5 1%	-	5 1%	-	5 1%	-	1 1%	-	1 1%	3 2%	-	1 -	2 1%
Not applicable/no answer	5 1%	-	4 1%	1 1%	5 2%	-	-	-	-	5 2%	-	4 1%	-	5 1%	-	5 1%	-	5 1%	-	-	-	-	1 1%	-	2 1%	1 1%
Lack of/overstretched/unavailable staff	4 1%	2 1%	2 2%	2 1%	3 1%	-	-	-	1 1%	4 1%	1 1%	3 1%	1 1%	4 1%	-	4 1%	-	4 1%	-	1 1%	3 6%z	1 1%	1 1%	1 1%	1 *	-
Private care/private hospital care/private sector care was better	4 1%	1 1%	4 1%	1 1%	3 1%	-	-	1 9%	-	3 1%	-	3 1%	-	4 1%	-	4 1%	-	4 1%	-	-	-	2 2%	2 1%	2 2%	3 2%	4 3%
Constant changes/agency nurses	4 1%	1 1%	3 1%	1 1%	3 1%	-	-	-	1 1%	3 1%	-	4 1%	-	4 1%	-	4 1%	-	4 1%	-	1 1%	1 1%	1 1%	2 1%	2 1%	3 2%	2 1%
Lack of joined up care and treatment/communication between departments	3 1%	1 1%	1 2%	1 *	3 1%	-	-	-	-	3 1%	-	3 1%	1 1%	3 1%	-	3 1%	-	3 1%	-	1 *	-	-	3 2%	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
	Total (z)	Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Good pain relief/pain control	3 1%	* *	1 1%	2 1%	2 1%	-	-	-	1 2%	2 1%	* 1%	2 1%	* 1%	3 1%	-	3 1%	-	2 1%	-	1 1%	2 1%	1 1%	2 1%	2 1%	
The person was in hospital	3 1%	-	* *	2 1%	2 1%	-	-	-	-	1 *	1 3%	1 *	1 2%	3 1%	-	3 1%	-	2 2%	-	-	* *	* *	* *	-	-
Contracted infection/C Difficile/MRSA	3 1%	-	1 1%	1 *	2 1%	-	-	1 4%	-	3 1%	-	3 1%	-	3 1%	-	3 1%	-	1 *	1 2%	1 1%	2 1%	1 1%	2 1%	1 *	
Hospice excellent	1 *	* *	- *	1 *	* *	-	-	-	* 1%	1 *	-	1 *	-	1 *	-	1 *	-	* *	* 1%	* *	* *	-	1 *	* *	
Poor behaviour of staff/untrained/unknowledgeable	* *	- -	- *	* *	* *	-	-	-	-	* *	-	-	-	* *	-	* *	-	* *	-	-	-	-	-	-	
Marie Curie excellent	* *	* *	- *	* *	* *	-	-	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	* *	-	-	* *	* *	
Other	12 3%	* *	5 4%	8 3%	8 3%	-	-	3 24%	1 1%	9 3%	2 4%	9 3%	2 4%	12 3%	-	12 3%	-	3 2%	2 4%	4 3%	7 4%	6 5%	8 5%	5 3%	
Don't know	5 1% ^c	-	4 4% ^{zc}	1 *	5 2%	-	-	-	-	5 2%	-	5 2%	-	5 1%	-	5 1%	-	-	-	4 3%	5 3%	* *	* *	-	
Not stated	82 21%	19 18%	29 25%	52 19%	52 20%	1 8%	4 13%	3 25%	21 35% ^{zcd}	58 20%	12 26%	59 21%	13 23%	82 21%	-	82 21%	-	21 18%	8 14%	27 22%	34 21%	29 25%	36 21%	28 21%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
	Total (z)																												
Weighted Base	391	45**	119*	42**	84*	186	139*	95*	282	16**	253	23**	169*	70*	199	210	13**	48*	4**	339	38*	109*	49**	110*	36**	38**	42**	238	147*
Unw. Sample	413	53	145	45	79	235	128	81	286	14	251	26	175	68	208	218	18	65	5	347	48	113	55	110	43	47	34	247	156
The staff/nurses were very good/kind/caring/helpful	85	6	21	9	14	42	30	19	67	1	53	4	37	17	49	42	2	12	3	79	5	17	6	31	8	9	12	59	24
Staff too busy/unattentive/didn't care	22%	13%	18%	20%	17%	22%	22%	20%	24%	7%	21%	19%	22%	24%	25%	20%	14%	25%	80%	23%	13%	16%	12%	28%	21%	25%	29%	25%	17%
Died suddenly/unexpectedly	43	11	22	10	18	27	21	5	34	1	32	2	20	4	23	13	1	6	1	37	5	10	5	15	1	3	6	22	20
Died at home/nursing home/hospice	11%	24%	18%	25%	21%	15%	15%	5%	12%	6%	13%	9%	12%	6%	11%	6%	11%	12%	20%	11%	12%	10%	11%	13%	3%	7%	15%	9%	14%
Took care/time with relatives/explained things to relatives	30	3	6	2	3	11	6	16	25	2	18	*	12	13	16	22	*	3	-	30	*	4	12	8	2	1	3	14	17
Died overseas	8%	7%	5%	5%	3%	6%	4%	17%	9%	13%	7%	2%	7%	18%	11%	8%	10%	3%	6%	9%	1%	4%	24%	8%	5%	3%	8%	6%	11%
Medical care poor/not always cared for well	29	4	7	3	4	13	12	5	20	*	20	1	17	8	18	14	-	4	-	26	2	8	2	10	3	2	3	16	13
Hospital care was very good/excellent	7%	10%	6%	7%	4%	7%	9%	6%	7%	3%	8%	4%	10%	11%	9%	7%	-	8%	-	8%	6%	8%	3%	9%	8%	6%	6%	7%	9%
Not always clean environment/or personal cleaning	21	2	8	2	5	11	10	3	17	-	17	*	12	4	15	11	-	4	2	21	*	7	1	7	1	5	-	18	3
	5%	5%	7%	5%	6%	8%	8%	3%	6%	-	7%	2%	7%	6%	8%	5%	-	9%	51%	6%	1%	6%	1%	7%	3%	13%	-	7%	2%
	18	1	2	3	2	7	6	5	9	2	12	3	7	-	7	12	-	1	-	17	1	9	3	2	2	1	1	14	4
	5%	1%	2%	6%	3%	4%	5%	5%	3%	15%	5%	15%	4%	-	3%	6%	-	2%	-	5%	2%	8%	6%	2%	7%	3%	2%	6%	3%
	17	4	9	3	5	14	4	3	13	-	11	1	5	2	6	11	-	2	-	15	1	2	3	5	2	1	2	9	8
	4%	9%	8%	7%	6%	7%	3%	3%	4%	-	4%	2%	3%	3%	3%	5%	-	3%	-	4%	1%	2%	6%	4%	6%	2%	5%	4%	5%
	14	3	5	2	2	9	5	1	9	-	10	*	5	1	6	9	-	2	-	9	4	7	1	-	1	2	2	9	4
	3%	7%	5%	6%	2%	5%	3%	1%	3%	-	4%	2%	3%	1%	3%	4%	-	4%	-	3%	11%	7%	3%	-	2%	6%	5%	4%	3%
	12	-	5	*	2	4	4	2	10	-	9	-	3	3	5	5	*	1	1	11	1	3	3	2	-	2	1	4	8
	3%	-	5%	1%	2%	2%	3%	2%	3%	-	4%	-	2%	4%	3%	2%	3%	3%	20%	3%	2%	3%	6%	2%	-	6%	2%	2%	6%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Treated with dignity/respect	11 3%	1 2%	5 4%	1 3%	3 3%	6 3%	5 4%	1 1%	11 4%	-	11 4%	-	10 6%z	3 4%	11 6%z	7 3%	-	3 6%	-	11 3%	-	2 2%	3 7%	4 4%	1 2%	1 2%	-
Time delays/delay in being seen/left waiting in pain and distress	10 3%	-	4 3%	1 3%	3 3%	4 2%	3 3%	-	7 2%	-	8 3%	-	1 1%	3 5%	4 2%l	6 3%	1 5%	-	-	9 3%	1 2%	1 1%	3 5%	7 6%	-	-	9 4%	1 1%	
Care was adequate nothing extraordinary	10 3%	* 1%	2 2%	2 4%	1 2%	4 2%	7 5%	1 1%	9 3%	* 3%	8 3%	* 2%	6 4%	3 4%	7 4%	3 1%	* 3%	2 5%	-	7 2%	2 5%	3 2%	-	1 1%	5 13%	* 1%	1 3%	5 2%	5 3%
Wrong/inadequate/late diagnosis led to death	9 2%G	* 1%	3 2%	1 2%	1 2%	4 3%	5 2%	2 2%	5 2%	* 2%	6 2%	* 1%	5 3%	3 5%	6 3%	4 2%	2 18%	2 3%	-	6 2%	3 8%zs	2 2%	-	2 1%	3 9%	-	1 1%	8 1%	8 5%zG
GP/Doctor was not very good	9 2%	* 1%	1 1%	* 1%	3 4%	2 2%	3 2%	3 3%	7 2%	-	8 3%	-	8 5%	3 4%	8 4%	5 2%	-	* 1%	-	8 2%	2 2%	6%zC	7 1%	1 -	1 -	3 -	-	4 2%	5 3%
Excellent McMillan care	9 2%	-	* 1%	1 1%	1 1%	2 1%	7 5%e	* -	7 3%	-	7 3%	-	4 2%	4 6%	5 2%	3 2%	-	1 1%	-	8 2%	1 3%	3 3%	-	-	3 9%	1 3%	-	7 3%	1 1%
Everything possible was done	8 2%e	1 3%	1 1%	1 2%	-	1 1%	2 2%	3 3%	5 2%	-	4 2%	1 4%	7 4%	1 2%	7 3%	4 2%	-	2 4%	-	8 2%	2 2%	-	1 3%	1 1%	1 2%	3 8%	2 4%	5 2%	4 3%
Lack of information about condition/possible outcome to patient/family	7 2%	1 3%	3 3%	1 2%	-	1 1%	-	4 4%	6 2%	-	5 2%	-	4 2%	1 1%	4 2%	5 2%	-	1 1%	-	5 1%	2 5%	6 5%z	-	1 1%	-	1 2%	-	7 -	7 5%zG
District Nursing support excellent	7 2%	-	-	-	2 3%	4 2%	3 2%	-	3 1%	4 24%	3 1%	4 17%	6 4%	6 9%z	6 3%	4 2%	-	-	-	6 2%	* 1%	6 6%zC	-	-	* 1%	-	* 1%	3 1%	4 3%
Dependent on nursing staff/some good some bad	6 2%	1 2%	1 1%	-	4 4%	4 2%	4 3%	-	6 2%	-	5 2%	-	1 1%	1 1%	2 1%	1 1%	1 6%	1 2%	-	6 2%	-	* 2%	1 1%	1 1%	1 4%	1 2%	2 5%	4 2%	2 1%
Poor environment/lack of facilities/space	6 2%hj	1 2%	1 1%	-	-	1 1%	2 1%	3 3%	1 *	4 27%	1 *	2 7%	5 3%	4 6%	5 3%	2 1%	-	1 1%	-	6 2%	1 2%	3 3%	-	1 1%	1 2%	-	2 4%	2 1%	4 3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Was not there/didn't see for myself/first hand	5 1%	-	3 2%	-	-	1 1%	-	1 1%	4 2%	-	4 2%	-	2 1%	-	2 1%	1 1%	-	2 4%	-	5 1%	-	1 1%	-	1 1%	2 5%	-	-
Not much information/care given to family	5 1%	-	-	-	2 2%	4 2%	3 2%	1 1%	5 2%	-	4 1%	1 6%	2 1%	2 2%	4 2%	2 1%	-	3 3%	-	4 1%	1 2%	-	-	2 2%	1 4%	-	1 3%	1 1%	4 3%
Personal experience/saw it first hand	5 1%	1 3%	2 2%	-	1 1%	5 2%	2 2%	-	5 2%	-	2 1%	-	2 1%	-	2 1%	1 11%	1 2%	-	3 1%	4 4%	1 1%	1 3%	1 1%	-	1 3%	-	3 1%	1 1%	
Word of mouth/only what I've heard from family members	5 1%	1 3%	1 1%	-	3 4%	2 1%	3 2%	-	3 1%	-	3 1%	-	3 2%	*	3 1%	3 2%	-	1 1%	-	5 1%	-	-	-	3 3%	1 2%	-	-	2 1%	2 2%
Not applicable/no answer	5 1%	-	1 1%	-	1 2%	2 1%	1 1%	-	2 1%	-	* *	-	* *	-	* *	2 1%	-	2 5%	-	3 1%	1 3%	1 1%	2 4%	-	-	* 1%	1 2%	3 1%	1 1%
Lack of/overstretched/unavailable staff	4 1%	1 2%	1 1%	1 1%	-	2 1%	2 1%	-	1 *	2 12%	1 *	2 9%	3 2%	1 1%	3 2%	3 1%	-	1 1%	-	4 1%	1 1%	1 1%	1 2%	-	1 2%	-	2 4%	1 *	
Private care/private hospital care/private sector care was better	4 1%	-	2 2%	-	3 4%	3 2%	3 2%	-	2 1%	-	3 1%	-	2 1%	2 3%	3 2%	2 1%	-	2 4%	-	3 1%	2 2%	2 2%	1 2%	-	-	1 2%	-	2 1%	2 1%
Constant changes/agency nurses	4 1%	*	1 1%	1 3%	-	3 2%	1 *	-	4 1%	-	3 1%	-	1 1%	1 1%	1 1%	1 1%	-	1 2%	-	4 1%	-	1 *	-	1 1%	1 4%	1 *	-	4 3%	
Lack of joined up care and treatment/communication between departments	3 1%	-	-	-	2 2%	-	3 2%	-	3 1%	-	3 1%	-	1 1%	-	1 1%	1 *	-	-	-	3 1%	1 2%	-	-	-	1 2%	1 2%	2 5%	3 1%	1 *
Good pain relief/pain control	3 1%	-	1 1%	*	*	1 *	*	-	2 1%	*	1 1%	*	1 1%	*	1 1%	1 *	-	*	-	2 1%	*	*	-	*	1 2%	-	1 3%	1 *	2 1%
The person was in hospital	3 1%	-	*	-	2 2%	2 1%	3 2%	-	1 *	-	2 1%	*	-	2 3%	2 1%	3 1%	-	-	-	3 1%	-	1 1%	-	-	1 1%	-	1 2%	3 1%	-

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Contracted infection/C Difficile/MRSA	3 1%	*	1	-	1	2	1	*	2	-	1	-	1	1	3	2	-	*	-	2	*	1	*	1	1	-	-	1	2
Hospice excellent	1 *	1%	*	*	*	1	1	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	*	-	-	*	-	1
Poor behaviour of staff/untrained/un knowledgeable	*	*	*	-	-	*	-	-	-	-	-	-	*	-	*	-	-	*	-	*	-	-	-	-	-	-	*	*	-
Marie Curie excellent	*	-	-	-	-	*	*	-	*	-	*	-	-	-	-	*	-	-	-	*	-	-	-	-	-	-	*	-	*
Other	12 3%	-	7	2	3	10	1	2	9	-	8	-	5	1	5	7	1	*	-	11	2	3	1	1	2	5	*	7	4
Don't know	5 1% ^{jo}	-	1	-	-	1	-	4	5	-	1	-	1	-	1	*	-	-	-	5	-	*	-	-	-	4	1	5	-
Not stated	82 21% ^{ns}	12	30	10	18	37	25	24	56	-	54	4	27	9	31	53	4	8	-	63	10	26	8	28	4	7	7	57	23
		28%	26%	23%	22%	20%	18%	26%	20%	-	21%	17%	16%	12%	16%	25%	28%	16%	-	19%	27%	24%	16%	26%	10%	19%	17%	24%	16%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	186	90*	94*	3**	29**	70*	33*	20*	27*	17**	17**	17**	5**	9**	17**	22**	15**	8**	11**	12**	21**	2**	14**	40*	6**	132*	214
Unw. Sample	214	68	144	2	10	72	51	35	39	19	24	20	6	3	16	32	15	7	12	13	26	4	17	57	8	142	214
The staff/nurses were very good/kind/caring/helpful	79 43%g	37 41%	41 43%	-	17 57%	32 45%	14 44%	5 27%	8 31%	6 35%	9 52%	2 15%	2 45%	9 92%	6 35%	11 50%	7 46%	4 49%	7 58%	6 47%	6 29%	1 60%	5 35%	17 43%	4 67%	56 43%	90 42%
Took care/time with relatives/explained things to relatives	21 11%	12 13%	9 10%	-	1 5%	11 16%	4 13%	1 6%	3 10%	*	2 13%	2 11%	1 29%	1 9%	4 25%	4 18%	1 7%	-	*	2 19%	2 8%	-	1 5%	6 15%	-	15 11%	24 11%
Hospital care was very good/excellent	14 7%	7 8%	7 7%	1 44%	2 6%	4 5%	1 3%	1 7%	4 16%z	-	2 10%	2 12%	-	-	1 8%	3 12%	2 16%	-	-	-	1 3%	-	3 20%	4 10%	2 29%	7 5%	16 7%
Died at home/nursing home/hospice	11 6%	6 6%	6 6%	-	-	7 10%	* 1%	1 4%	3 11%	-	-	2 10%	-	-	1 6%	1 5%	3 21%	-	-	2 13%	3 14%	-	-	1 3%	-	10 8%	14 7%
Treated with dignity/respect	11 6%	6 6%	6 6%	-	-	5 8%	* 15%z	* 2%	* 2%	1 6%	2 10%	-	-	-	3 15%	1 3%	-	1 14%	-	1 6%	2 12%	-	1 7%	2 5%	-	9 7%	14 7%
Everything possible was done	8 4%	3 4%	4 5%	-	-	4 6%	2 5%	1 7%	-	-	-	-	1 8%	1 5%	2 10%	1 8%	1 -	-	-	-	2 9%	-	1 5%	2 4%	-	6 5%	8 4%
District Nursing support excellent	7 4%e	4 4%	3 3%	-	6 21%	* 1%	* -	-	-	-	-	3 16%	-	-	-	* 1%	-	-	-	-	4 18%	-	-	1 2%	-	6 5%	4 2%
Care was adequate nothing extraordinary	5 3%	3 3%	3 3%	-	-	3 4%	1 2%	1 6%	-	1 5%	-	-	-	-	* 4%	1 3%	-	-	2 17%	-	1 7%	-	-	-	-	5 3%	7 3%
GP/Doctor was not very good	5 3%	2 2%	3 4%	-	2 8%	-	* 1%	1 7%e	1 3%	-	1 5%	3 18%	-	-	-	* 2%	1 4%	-	-	-	-	-	-	1 2%	-	4 3%	5 2%
Personal experience/saw it first hand	5 2%	5 5%	-	-	1 2%	1 4%	1 5%	1 4%	1 4%	1 6%	-	1 7%	-	-	1 4%	-	1 18%	-	1 -	-	-	-	-	-	-	5 3%	4 2%
Not much information/care given to family	4 2%	3 3%	2 2%	-	2 6%	1 2%	-	-	-	1 7%	-	-	-	-	-	-	-	-	-	-	1 7%	-	2 12%	1 3%	-	3 2%	3 1%
Excellent McMillan care	4 2%	3 3%	1 1%	-	-	3 4%	-	1 3%	* 2%	-	-	1 7%	-	-	-	2 -	-	-	-	-	2 11%	-	-	1 1%	-	3 -	4 2%
Staff too busy/unattentive/didn't care	3 2%	1 1%	2 2%	-	-	2 2%	2 5%	-	-	2 13%	-	-	-	-	-	-	1 5%	-	-	-	-	-	-	*	*	3 2%	4 2%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Gender		Age						PCT - East of England										Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suf-folk (t)		West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Poor environment/lack of facilities/space	3	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1
	2%	-	3%z	-	10%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20%	-	-	-	*
Good pain relief/pain control	3	1	2	-	-	*	2	-	-	-	*	-	-	*	-	-	-	1	-	*	-	-	2	*	-	5	
	1%	1%	2%	-	-	1%	7%z	-	-	-	3%	-	-	3%	1%	-	-	10%	-	2%	-	-	6%zC	5%	-	2%	
The person was in hospital	3	2	*	-	-	2	-	-	*	1	-	-	-	-	-	-	-	-	-	1	-	*	1	-	1	3	
	1%	2%	*	-	-	3%	-	-	*	7%	-	-	-	-	-	-	-	-	-	4%	-	3%	3%	-	1%	1%	
Died suddenly/ unexpectedly	3	-	3	-	-	2	*	*	*	2	-	-	*	-	*	-	-	-	-	*	-	-	*	-	2	4	
	1%	-	3%	-	-	2%	1%	2%	2%	9%	-	6%	-	-	2%	-	-	-	-	2%	-	-	1%	-	2%	2%	
Word of mouth/only what I've heard from family members	2	-	2	-	-	-	1	*	*	*	1	-	-	-	-	-	-	-	-	-	-	-	*	1	-	1	4
	1%	-	2%	-	-	-	4%	2%	2%	3%	7%	-	-	-	-	-	-	-	-	-	-	2%	3%	-	1%	2%	
Not applicable/no answer	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	1	
	1%	2%	-	-	-	-	6%z	-	-	-	-	-	-	-	-	-	-	-	15%	-	-	-	5%zC	-	-	*	
Was not there/didn't see for myself/first hand	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
	1%	2%	-	-	-	2%	-	-	-	-	9%	-	-	-	-	-	-	-	-	-	-	-	-	-	1%	*	
Medical care poor/not always cared for well	1	-	1	-	-	*	-	-	*	-	-	-	-	-	-	1	-	-	-	-	-	*	*	*	*	3	
	1%	-	1%	-	-	1%	1%	-	2%	-	-	-	-	-	6%	-	-	-	-	-	-	3%	1%	7%	*	1%	
Dependent on nursing staff/some good some bad	1	1	1	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	2	
	1%	1%	1%	-	-	-	2%	4%	-	-	3%	-	-	-	3%	-	-	-	-	-	-	-	1%	-	1%	1%	
Wrong/inadequate/late diagnosis led to death	1	-	1	-	-	1	*	-	-	-	-	-	-	-	*	-	1	-	-	-	-	-	-	*	1	2	
	1%	-	1%	-	-	1%	1%	-	-	-	-	-	-	-	1%	-	11%	-	-	-	-	-	-	-	5%	1%	
Not always clean environment/or personal cleaning	1	-	1	-	-	-	*	-	*	-	-	-	-	-	*	-	-	-	-	-	-	*	-	*	*	2	
	*	-	1%	-	-	-	1%	-	2%	-	-	-	-	-	3%	-	-	-	-	-	-	3%	-	7%	*	1%	
Hospice excellent	1	-	1	-	-	1	-	-	-	-	*	-	-	-	*	-	-	-	-	-	-	-	1	-	-	2	
	*	-	1%	-	-	1%	-	-	-	-	2%	-	-	-	3%	-	-	-	-	-	-	-	2%	-	-	1%	
Lack of/overstretched/unavailable staff	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
	*	-	1%	-	-	-	2%	-	-	-	5%	-	-	-	-	-	-	-	-	-	-	-	-	-	1%	*	
Died overseas	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	
	*	-	1%	-	-	1%	-	-	-	-	-	-	-	3%	-	-	-	-	-	-	-	-	1%	-	-	*	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Gender		Age					PCT - East of England											Carer			Unwtd sample						
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)		West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Time delays/delay in being seen/left waiting in pain and distress	1*	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
	*	-	1%	-	-	-	2%	-	-	-	-	3%	-	-	-	-	-	-	-	-	-	-	-	1%	-	-	*	
Constant changes/agency nurses	*	-	*	-	-	-	*	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	*	1
	*	-	*	-	-	-	1%	-	-	-	-	-	-	-	2%	-	-	-	-	-	-	-	-	-	-	*	*	*
Marie Curie excellent	*	-	*	-	-	*	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	1
	*	-	*	-	-	*	-	-	-	-	2%	-	-	-	-	-	-	-	-	-	-	-	-	1%	-	-	*	*
Other	6	3	3	-	-	1	1	1	3	-	-	1	1	-	1	1	-	1	1	-	-	-	*	*	4	-	1	11
	3% ^C	3%	4%	-	-	1%	4%	7%	9% ^z	-	-	5%	20%	-	3%	4%	6%	-	10%	-	-	-	20%	2%	10% ^z ^C	-	1%	5%
Not stated	45	20	26	2	3	17	4	8	10	6	4	6	1	-	3	6	4	2	2	4	3	*	2	8	2	33	57	
	24%	22%	27%	56%	11%	24%	14%	39% ^z ^f	39% ^z ^f	34%	25%	37%	29%	-	19%	29%	28%	32%	15%	35%	16%	20%	15%	19%	26%	25%	27%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	186	52**	52*	130*	126	11**	10**	6**	25**	150*	17**	131*	23**	186	-**	186	-**	96*	14**	56*	66*	50*	77*
Unw. Sample	214	45	69	139	163	2	8	4	27	170	19	154	28	214	-	214	-	109	16	68	77	56	88	74	
The staff/nurses were very good/kind/caring/helpful	79	29	19	57	48	8	7	*	10	71	4	60	5	79	-	79	-	48	4	21	24	16	24	19	
	43%	55%	36%	44%	38%	73%	72%	7%	40%	47%	20%	46%	22%	43%	-	43%	-	50%	29%	38%	35%	32%	32%	29%	
Took care/time with relatives/explained things to relatives	21	7	6	15	16	-	-	-	2	20	*	16	*	21	-	21	-	16	2	6	8	6	7	7	
	11%	14%	11%	12%	13%	-	-	-	9%	13%	2%	12%	2%	11%	-	11%	-	17%z	13%	10%	11%	12%	8%	11%	
Hospital care was very good/excellent	14	3	2	11	9	-	2	*	1	9	1	8	3	14	-	14	-	8	*	5	7	3	6	6	
	7%	6%	5%	9%	7%	-	17%	5%	5%	6%	8%	6%	12%	7%	-	7%	-	8%	3%	8%	11%	6%	8%	9%	
Died at home/nursing home/hospice	11	3	3	8	5	-	2	2	2	8	3	8	3	11	-	11	-	5	*	2	5	1	3	2	
	6% ^d	6%	6%	6%	4%	-	20%	36%	9%	5%	16%	6%	13%	6%	-	6%	-	5%	3%	3%	8%	2%	3%	3%	
Treated with dignity/respect	11	2	3	8	7	-	-	-	3	11	*	11	*	11	-	11	-	7	-	7	8	6	7	5	
	6%	4%	6%	6%	6%	-	-	-	12%	7%	3%	8%	2%	6%	-	6%	-	7%	-	12%z	12%z	13%	9%	8%	
Everything possible was done	8	1	4	3	6	-	-	-	1	6	2	7	1	8	-	8	-	6	-	1	2	1	2	2	
	4%	2%	8%	3%	5%	-	-	-	5%	4%	9%	5%	4%	4%	-	4%	-	6%	-	2%	3%	2%	2%	3%	
District Nursing support excellent	7	3	-	7	4	-	2	-	-	6	-	3	-	7	-	7	-	7	-	3	-	2	6	4	
	4%	5%	-	5%	4%	-	23%	-	-	4%	-	2%	-	4%	-	4%	-	7%z	-	5%	-	5%	8%zt	6%	
Care was adequate nothing extraordinary	5	2	1	5	5	-	-	-	-	4	*	1	1	5	-	5	-	2	2	1	2	*	1	1	
	3% ^k	3%	1%	3%	4%	-	-	-	-	3%	2%	1%	5%	3%	-	3%	-	2%	16%	1%	3%	1%	1%	2%	
GP/Doctor was not very good	5	2	2	3	3	-	2	-	-	4	-	3	1	5	-	5	-	5	-	3	1	3	3	*	
	3%	4%	3%	3%	2%	-	23%	-	-	3%	-	3%	3%	3%	-	3%	-	5%	-	5%w	2%	5%w	4%	1%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Total (z)	Children under 17 in household		Religion						Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Personal experience/saw it first hand	5 2%	1 2%	1 2%	4 3%	- 3%	- -	- -	1 4%	2 1%	- -	2 2%	1 6%	5 2%	- -	5 2%	- -	3 4%	- -	- -	1 2%	1 2%	2 3%
Not much information/care given to family	4 2%	2 3%	1 2%	2 1%	3 2%	- -	- -	- -	3 2%	2 10%	3 2%	2 7%	4 2%	- -	4 2%	- -	2 2%	- -	1 2%	1 2%	1 3%	1 2%	1 2%	
Excellent McMillan care	4 2%	1 1%	* 1%	3 3%	2 1%	- -	- -	2 36%	- -	3 19%	- -	3 15%	4 2%	- -	4 2%	- -	1 1%	- -	- -	3 4%	1 1%	3 4%	- -	
Staff too busy/unattentive/didn't care	3 2%	2 3%	1 2%	3 2%	2 2%	- -	- -	1 5%	2 2%	- -	2 2%	- -	3 2%	- -	3 2%	- -	3 3%	- -	2 3%	2 3%	1 3%	2 2%	2 3%	
Poor environment/lack of facilities/space	3 2%	3 6%	- -	3 2%	- -	3 27%	- -	- -	3 2%	- -	3 2%	- -	3 2%	- -	3 2%	- -	- -	3 20%	- -	- -	- -	3 4%	3 4%	
Good pain relief/pain control	3 1%	* 1%	1 1%	2 2%	2 1%	- -	- -	1 4%	2 2%	* 2%	2 2%	* 2%	3 1%	- -	3 1%	- -	2 2%	- -	1 3%	2 3%	1 1%	2 2%	2 3%	
The person was in hospital	3 1%	- -	* 1%	2 2%	2 1%	- -	- -	- -	1 1%	1 7%	1 1%	1 6%	3 1%	- -	3 1%	- -	2 2%	- -	- -	* 1%	* 1%	* 1%	- -	
Died suddenly/unexpectedly	3 1%	2 3%	- -	3 2%	3 2%	- -	- -	- -	3 2%	- -	3 2%	- -	3 1%	- -	3 1%	- -	2 2%	* 3%	2 4%	2 3%	2 4%	2 3%	2 3%	
Word of mouth/only what I've heard from family members	2 1%	- -	2 3%	* *	2 2%	- -	- -	- -	2 1%	- -	2 2%	- -	2 1%	- -	2 1%	- -	1 1%	- -	1 2%	1 2%	- -	1 1%	2 2%	
Not applicable/no answer	2 1%	- -	- -	2 1%	2 1%	- -	- -	- -	2 1%	- -	2 1%	- -	2 1%	- -	2 1%	- -	- -	- -	- -	- -	- -	2 2%	- -	
Was not there/didn't see for myself/first hand	1 1%	- -	- -	1 1%	- -	- -	- -	1 6%	- -	- -	1 1%	- -	1 1%	- -	1 1%	- -	- -	- -	- -	- -	- -	- -	- -	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Total (z)	Children under 17 in household		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes							
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)		
		Medical care poor/not always cared for well	1 1%	-	-	1 1%	*	-	-	-	1 4%	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	3%	*	*	-	1 1%	1 1%
Dependent on nursing staff/some good some bad	1 1%	-	-	1 1%	1 1%	-	-	-	-	1 1%	-	1 *	1 3%	1 1%	-	1 1%	-	1 1%	5%	1 1%	1 1%	1 1%	1 1%	1 1%		
Wrong/inadequate/late diagnosis led to death	1 1%	-	*	1 1%	*	-	-	-	1 3%	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 2%	1 2%	*	1 1%	*		
Not always clean environment/or personal cleaning	1 *	-	-	1 1%	*	-	-	-	2%	1 1%	-	1 1%	-	1 *	-	1 *	-	1 1%	-	*	-	-	1 1%	1 1%		
Hospice excellent	1 *	*	-	1 1%	*	-	-	-	2%	1 1%	-	1 1%	-	1 *	-	1 *	-	3%	*	*	-	-	1 1%	*		
Lack of/overstretched/unavailable staff	1 *	-	-	1 1%	-	-	-	-	3%	1 1%	-	1 1%	-	1 *	-	1 *	-	1 1%	-	1 1%	1 1%	2% 2%	1 1%	-		
Died overseas	1 *	-	-	1 *	1 *	-	-	-	-	1 *	-	1 *	-	1 *	-	1 *	-	-	-	-	-	-	-	1 1%		
Time delays/delay in being seen/left waiting in pain and distress	1 *	-	-	1 *	1 *	-	-	-	-	1 *	-	1 *	-	1 *	-	1 *	-	1 1%	-	1 1%	1 1%	1 1%	1 1%	1 1%		
Constant changes/agency nurses	* *	-	-	* *	* *	-	-	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	* 1%	1% 1%	1% 1%	1% 1%	1% 1%		
Marie Curie excellent	* *	*	-	* *	* *	-	-	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	* 1%	-	-	* *	* *		
Other	6 3%	*	3 7%	2 2%	5 4%	-	-	-	1 2%	3 2%	2 11%	3 3%	2 9%	6 3%	-	6 3%	-	3 3%	*	3%	3%	2 3%	1 2%	2 4%	4 5%	2 3%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Not stated	Total (z)	Yes (a)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
	45	8	18	26	33	-	1	3	7	35	4	34	4	45	-	45	-	17	3	19	20	18	19	17
	24%q	15%	35%z	20%	27%	-	5%	51%	27%	24%	23%	26%	19%	24%	-	24%	-	18%	20%	33%	31%	37%zv	25%	27%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	186	20**	49*	21**	37**	97*	65*	41**	133	7**	107*	14**	83*	36**	99*	104*	7**	27**	3**	161	18**	54*	21**	56*	15**	16**	21**	128*	54*
Unw. Sample	214	31	67	26	40	125	67	38	152	4	121	15	94	38	113	112	10	35	4	180	26	58	30	59	22	23	16	145	63
The staff/nurses were very good/kind/caring/helpful	79	6	20	9	14	41	26	19	62	*	48	4	35	13	44	41	2	11	3	73	4	17	5	26	8	9	12	55	22
	43%	30%	41%	42%	38%	42%	40%	46%	46%z	4%	45%	25%	42%	36%	45%	40%	27%	40%	100%	45%	23%	32%	25%	47%	53%	55%	58%	43%	41%
Took care/time with relatives/explained things to relatives	21	2	8	2	5	11	10	3	17	-	17	*	12	4	15	11	-	4	2	21	*	7	1	7	1	5	-	18	3
	11%	12%	17%	11%	15%	11%	16%	8%	12%	-	16%z	3%	15%	12%	16%	11%	-	15%	65%	13%	2%	13%	3%	13%	7%	32%	-	14%	6%
Hospital care was very good/excellent	14	3	5	2	2	9	5	1	9	-	10	*	5	1	6	9	-	2	-	9	4	7	1	-	1	2	2	9	4
	7%	16%	11%	12%	5%	9%	7%	3%	7%	-	9%	3%	6%	2%	6%	9%	-	7%	-	6%	22%	13% ^C	7%	-	5%	15%	9%	7%	8%
Died at home/nursing home/hospice	11	*	1	1	1	5	3	1	8	-	7	*	6	4	8	6	-	2	-	10	1	5	*	2	2	1	1	7	4
	6%	2%	2%	4%	2%	5%	5%	3%	6%	-	7%	3%	7%	11%	8%	6%	-	7%	-	6%	8%	9%	2%	3%	14%	9%	5%	5%	8%
Treated with dignity/respect	11	1	5	1	3	6	5	1	11	-	11	-	10	3	11	7	-	3	-	11	-	2	3	4	1	1	-	9	2
	6%	5%	11%	5%	7%	6%	8%	2%	8%z	-	10%z	-	12%z	7%	11%z	7%	-	11%	-	7%	-	4%	17%	8%	5%	6%	-	7%	4%
Everything possible was done	8	1	-	1	-	1	2	3	4	-	3	1	6	1	6	4	-	1	-	7	1	-	1	1	-	3	2	5	3
	4%	4%	-	3%	-	1%	3%	8%	3%	-	3%	6%	7%	2%	6%	4%	-	5%	-	4%	4%	-	7%	2%	-	20%	9%	4%	5%
District Nursing support excellent	7	-	-	-	2	4	3	-	3	4	3	4	6	6	6	4	-	-	-	6	*	6	-	-	*	-	*	3	4
	4%h	-	-	-	6%	5%	4%	-	2%	51%	3%	27%	8%z	17%	7%	4%	-	-	-	4%	2%	11%z ^C	-	-	2%	-	2%	2%	8%
Care was adequate nothing extraordinary	5	*	1	-	-	4	2	1	4	*	3	*	3	3	4	1	*	2	-	4	*	1	-	*	2	*	1	5	*
	3%	2%	2%	-	-	4%	4%	3%	3%	6%	3%	3%	4%	8%	4%	1%	5%	8%	-	3%	2%	2%	-	1%	13%	2%	7%	4%	1%
GP/Doctor was not very good	5	*	1	*	3	3	2	-	3	-	4	-	4	3	4	2	-	*	-	4	1	3	1	-	1	-	*	4	1
	3%	2%	2%	2%	8%	3%	4%	-	3%	-	4%	-	5%	8%	4%	1%	-	2%	-	3%	4%	6%	3%	-	5%	-	2%	3%	2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Personal experience/saw it first hand	5 2%	1 6%	2 5%	-	1 3%	5 z	2 3%	-	5 3%	-	2 2%	-	2 2%	-	2 2%	1 21%	1 4%	-	-	3 2%	1 8%	1 2%	1 7%	1 2%	-	1 6%	-	3 2%	1 3%	
Not much information/care given to family	4 2%	-	-	-	2 5%	3 3%	1 3%	4 3%	-	3 3%	1 10%	1 2%	2 5%	3 3%	1 1%	-	1 5%	-	-	4 3%	-	-	-	2 3%	1 9%	-	1 7%	1 1%	3 6%	
Excellent McMillan care	4 2%	-	*	1 3%	1 3%	1 e	3 5%	-	3 3%	-	3 3%	3 4%	3 10%	4 4%	3 3%	-	1 2%	-	-	3 2%	1 5%	3 5%	-	-	-	1 6%	-	3 2%	1 1%	
Staff too busy/unattentive/didn't care	3 2%	-	*	-	1 3%	2 3%	1 2%	3 2%	-	2 2%	1 9%	2 3%	1 2%	3 3%	-	-	2 7%	-	-	3 2%	-	3 5%	*	2 2%	-	-	-	3 2%	* 1%	
Poor environment/lack of facilities/space	3 2%	-	-	-	-	-	3 7%	-	3 39%	-	-	3 3%	3 8%	3 3%	-	-	-	-	-	3 2%	-	3 5%	-	-	-	-	-	-	3 5%	
Good pain relief/pain control	3 1%	-	1 3%	*	1 1%	1 1%	-	2 1%	4 4%	1 2%	2 2%	1 2%	1 1%	1 1%	1 1%	-	-	2 2%	-	2 1%	2 2%	1 1%	-	1 1%	6 6%	-	1 5%	1 1%	2 3%	
The person was in hospital	3 1%	-	*	-	2 5%	2 2%	3 4%	-	1 1%	-	2 2%	2 3%	2 6%	2 2%	3 3%	-	-	-	-	3 2%	-	1 2%	-	-	1 3%	1 6%	-	3 2%	-	
Died suddenly/unexpectedly	3 1%	*	*	2 9%	-	3 3%	2 2%	-	2 2%	-	2 2%	2 3%	* 1%	* 1%	* 1%	2 1%	-	1 2%	-	2 1%	2 2%	1 1%	-	2 3%	2 3%	-	-	2 1%	1 1%	
Word of mouth/only what I've heard from family members	2 1%	1 6%	*	-	1 3%	2 2%	1 2%	-	2 1%	-	1 1%	-	1 2%	1 1%	2 2%	-	*	-	-	2 1%	-	-	-	1 2%	1 5%	-	2 1%	* 1%		
Not applicable/no answer	2 1%	-	-	-	2 2%	-	-	-	-	-	-	-	-	-	-	-	-	2 7%	-	2 1%	-	2 9%	-	-	-	-	-	2 1%	-	
Was not there/didn't see for myself/first hand	1 1%	-	-	-	-	-	1 3%	1 1%	-	1 1%	-	1 2%	-	1 1%	1 1%	-	-	-	-	1 1%	-	-	-	1 3%	-	-	-	1 1%	-	
Medical care poor/not always cared for well	1 1%	*	1 2%	*	1 2%	1 1%	1 1%	-	1 1%	-	1 1%	-	* 1%	* 1%	1 1%	1 1%	-	-	-	1 1%	-	*	2 2%	*	1 1%	-	3 3%	-	* 1%	2 2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as good/very good

	Total (z)	Made plans						Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Dependent on nursing staff/some good some bad	1 1%	-	1	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-	1	-	-	-	1	1	-	-	-	1	-
Wrong/inadequate/late diagnosis led to death	1 1%	-	*	*	1	1	-	1	*	1	*	-	1	1	*	-	-	-	1	-	-	-	*	1	-	-	*	1	
Not always clean environment/or personal cleaning	1 *	-	*	-	*	1	*	-	1	-	1	-	*	*	1	-	-	-	1	-	-	*	-	*	-	-	*	*	
Hospice excellent	1 *	*	*	*	*	1	1	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	*	-	-	*	-	1	
Lack of/overstretched/unavailable staff	1 *	-	-	-	-	1	-	-	1	-	1	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	1	-	
Died overseas	1 *	-	-	-	-	1	-	-	1	-	1	-	1	1	1	-	-	-	1	-	-	1	-	-	-	-	1	-	
Time delays/delay in being seen/left waiting in pain and distress	1 *	-	1	-	-	1	-	-	*	-	1	-	1	1	1	-	-	-	*	-	-	-	1	-	-	-	*	-	
Constant changes/agency nurses	* *	*	-	*	-	*	-	-	*	-	*	-	*	*	-	-	2	-	*	-	-	-	-	-	-	*	-	*	
Marie Curie excellent	* *	-	-	-	-	*	*	-	*	-	*	-	*	*	-	-	-	-	*	-	-	-	-	-	-	*	-	1	
Other	6 3%	-	1	1	1	4	1	2	3	-	3	-	3	1	3	4	1	-	4	2	3	1	*	*	1	*	4	2	
Not stated	45 24% ^{ln}	8 41%	17 35% ^e	7 32%	10 28%	21 21%	14 21%	11 28%	33 24%	-	24 23%	4 24%	12 15%	4 11%	16 16%	29 28%	3 36%	3 12%	-	36 22%	5 28%	10 18%	6 29%	19 33%	2 11%	2 16%	4 21%	33 26%	11 21%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	60*	30**	25**	5**	12**	22**	10**	7**	1**	4**	5**	5**	4**	2**	4**	11**	***	**	6**	1**	8**	4**	6**	21**	1**	36**	57*
Unw. Sample	57	22	32	2	3	21	16	11	2	3	8	4	3	1	5	9	1	-	4	3	5	4	7	20	1	34	57
Staff too busy/unattentive/didn't care	24	17	5	-	6	10	4	2	-	-	1	1	4	-	2	8	-	-	1	-	2	1	3	12	1	10	21
	39%	57%	22%	-	55%	44%	42%	29%	-	-	25%	32%	100%	-	54%	69%	-	-	23%	-	25%	21%	56%	57%	100%	27%	37%
Medical care poor/not always cared for well	14	7	5	-	-	7	3	2	1	-	3	1	-	-	2	1	-	-	1	1	2	1	3	6	-	6	16
	23%	23%	19%	-	-	32%	26%	21%	49%	-	56%	18%	-	-	62%	7%	-	-	13%	41%	27%	13%	50%	26%	-	17%	28%
Time delays/delay in being seen/left waiting in pain and distress	10	4	5	-	3	3	1	2	-	2	2	-	1	-	*	-	-	-	-	-	4	-	-	3	-	6	9
	16%	12%	20%	-	26%	13%	7%	25%	-	49%	44%	-	19%	-	12%	-	-	-	-	-	47%	-	-	12%	-	17%	16%
Wrong/inadequate/late diagnosis led to death	7	2	5	2	2	1	1	2	-	-	-	2	-	2	-	-	-	-	-	-	-	2	1	1	-	7	5
	12%	7%	21%	43%	20%	3%	6%	20%	-	-	-	51%	-	100%	-	-	-	-	-	-	-	54%	22%	3%	-	19%	9%
Not always clean environment/or personal cleaning	5	4	1	-	-	3	1	-	1	-	-	1	3	-	*	-	-	-	1	-	-	-	-	1	-	4	5
	8%	13%	4%	-	-	14%	13%	-	51%	-	-	20%	81%	-	12%	-	-	-	10%	-	-	-	-	4%	-	11%	9%
Lack of information about condition/possible outcome to patient/family	5	2	-	3	-	1	-	1	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	5	3
	8%	5%	-	57%	-	4%	-	10%	-	-	-	-	-	-	15%	-	-	-	54%	-	-	-	-	-	-	13%	5%
GP/Doctor was not very good	4	-	1	3	-	*	*	-	-	-	-	-	-	-	*	-	-	-	3	*	-	-	-	1	-	3	3
	6%	-	3%	57%	-	2%	4%	-	-	-	-	-	-	-	4%	-	-	-	54%	29%	-	-	-	4%	-	9%	5%
The staff/nurses were very good/kind/caring/helpful	4	-	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	4	2
	6%	-	15%	-	26%	3%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36%	-	10%	-	-	10%	4%
Lack of/overstretched/unavailable staff	3	1	2	-	-	2	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	3
	5%	2%	8%	-	-	9%	-	10%	-	34%	-	-	-	-	7%	-	-	-	-	-	-	13%	-	6%	-	4%	5%
Poor environment/lack of facilities/space	2	1	2	-	-	2	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	2
	4%	2%	6%	-	-	7%	-	10%	-	34%	-	-	-	-	7%	-	-	-	-	-	-	-	-	3%	-	4%	4%
Died at home/nursing home/hospice	2	2	*	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	*	-	-	1	1	1	-	1	3
	3%	5%	2%	-	-	4%	10%	-	-	-	-	-	-	-	8%	-	-	-	29%	-	-	12%	5%	-	2%	5%	
Contracted infection/C Difficile/MRSA	2	-	2	-	-	*	1	-	-	1	-	-	-	-	-	*	-	-	*	-	-	-	-	-	-	2	3
	3%	-	6%	-	-	2%	11%	-	-	17%	-	-	-	-	-	100%	-	-	29%	-	-	-	-	-	-	4%	5%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Constant changes/agency nurses	1 2%	1 2%	1 2%	-	-	1 3%	-	1 10%	-	-	-	-	-	-	-	1 7%	-	-	-	-	-	-	-	1 10%	-	-	1 4%	2 4%
Dependent on nursing staff/some good some bad	1 2%	-	1 5%	-	-	-	1 12%	-	-	-	1 15%	-	-	-	-	-	-	-	-	-	-	-	-	1 4%	-	-	2 1%	4 4%
Not much information/ care given to family	1 1%	1 2%	-	-	-	1 6%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 12%	-	-	1 2%	2 2%	
Lack of joined up care and treatment/ communication between departments	1 1%	-	1 2%	-	-	1 3%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 10%	-	-	1 2%	1 2%	
Died overseas	1 1%	-	1 2%	-	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 13%	-	-	-	1 2%	2 2%	
Excellent McMillan care	1 1%	-	1 2%	-	-	1 2%	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	1 1%	2 2%	
Other	1 1%	1 2%	-	-	-	-	1 10%	-	-	-	-	-	-	-	1 7%	-	-	-	-	-	-	-	-	-	-	1 2%	1 2%	
Not stated	4 7%	4 13%	1 1%	-	-	2 11%	1 7%	1 16%	-	-	1 23%	-	-	-	1 6%	-	-	-	-	-	2 28%	-	-	2 11%	-	2 5%	4 7%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	60*	16**	26**	34**	44**	-**	4**	-**	10**	42**	8**	44**	8**	60*	-**	60*	-**	5**	26**	25**	33**	26**	34**
Unw. Sample	57	13	33	23	43	-	4	-	8	40	9	39	9	57	-	57	-	7	29	22	28	19	25	21	
Staff too busy/unattentive/didn't care	24	6	13	11	19	-	3	-	2	20	2	19	2	24	-	24	-	1	6	16	14	15	17	16	
Medical care poor/not always cared for well	14	4	7	5	12	-	-	-	2	11	2	10	3	14	-	14	-	1	5	8	8	6	8	7	
Time delays/delay in being seen/left waiting in pain and distress	10	-	2	7	7	-	-	-	1	2	1	7	-	10	-	10	-	-	5	3	3	3	3	3	
Wrong/inadequate/late diagnosis led to death	7	5	2	6	4	-	2	-	2	3	3	4	2	7	-	7	-	1	2	1	5	3	4	1	
Not always clean environment/or personal cleaning	5	1	4	1	4	-	-	-	1	5	-	4	*	5	-	5	-	1	3	1	1	2	3	3	
Lack of information about condition/possible outcome to patient/family	5	-	1	4	5	-	-	-	-	4	1	4	1	5	-	5	-	-	4	-	4	1	4	4	
GP/Doctor was not very good	4	-	1	3	4	-	-	-	-	4	-	4	-	4	-	4	-	-	4	-	3	-	3	3	
The staff/nurses were very good/kind/caring/helpful	6	4	-	11	8	-	-	-	-	1	-	4	-	4	-	4	-	1	-	-	1	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Lack of/overstretched/unavailable staff	3 5%	2 10%	2 8%	1 2%	3 6%	-	-	-	-	3 7%	-	2 5%	-	3 5%	-	3 5%	-	-	3 11%	-	1 2%	1 2%	-
Poor environment/lack of facilities/space	2 4%	2 10%	2 6%	1 2%	2 5%	-	-	-	-	2 5%	-	2 5%	-	2 4%	-	2 4%	-	-	2 9%	-	2 9%	-	-	-	-
Died at home/nursing home/hospice	2 3%	-	1 4%	1 3%	2 4%	-	-	-	-	1 2%	1 11%	1 2%	1 11%	2 3%	-	2 3%	-	1 14%	*	1 1%	-	1 2%	-	1 2%	1 2%
Contracted infection/C Difficile/MRSA	2 3%	-	1 3%	1 2%	2 4%	-	-	-	-	2 4%	-	2 4%	-	2 3%	-	2 3%	-	-	1 5%	-	1 4%	*	1 2%	1 4%	-
Constant changes/agency nurses	1 2%	1 4%	1 3%	1 2%	1 3%	-	-	-	-	1 3%	-	1 3%	-	1 2%	-	1 2%	-	1 13%	1 3%	-	1 4%	1 3%	1 2%	1 3%	
Dependent on nursing staff/some good some bad	1 2%	1 5%	1 3%	* 1%	* 1%	-	-	-	1 8%	1 3%	-	1 3%	-	1 2%	-	1 2%	-	1 16%	*	1 2%	1 3%	1 2%	1 2%	1 2%	
Not much information/care given to family	1 1%	-	-	1 2%	1 1%	-	-	-	-	-	1 8%	1 2%	-	1 1%	-	1 1%	-	1 14%	-	1 3%	1 2%	1 3%	1 2%	1 2%	
Lack of joined up care and treatment/communication between departments	1 1%	1 4%	-	1 2%	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 13%	-	1 2%	-	-	-	-	
Died overseas	1 1%	1 3%	-	1 2%	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	1 2%	1 2%	1 2%	1 2%	1 2%	
Excellent McMillan care	* 1%	-	*	-	* 1%	-	-	-	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	*	-	*	1 2%	1 2%	1 1%	1 1%	
Other	1 1%	-	1 3%	-	1 2%	-	-	-	-	1 2%	-	1 2%	-	1 1%	-	1 1%	-	-	1 3%	-	1 2%	1 3%	1 2%	1 3%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)
Not stated	4 7%	-	2 7%	2 7%	1 2%	-	-	-	3 8%	1 10%	3 8%	1 10%	4 7%	-	4 7%	-	-	3 13%	3 11%	3 8%	2 9%	2 7%	2 9%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
	Total (z)																												
Weighted Base	60*	14**	28**	13**	15**	34**	26**	10**	42**	2**	43**	3**	26**	9**	31**	32**	4**	6**	1**	52**	6**	19**	8**	19**	5**	2**	7**	30**	29**
Unw. Sample	57	8	26	8	9	37	17	9	37	2	36	4	22	8	26	33	4	7	1	46	9	18	9	16	5	3	5	25	31
Staff too busy/unattentive/didn't care	24	9	17	8	9	17	11	2	18	1	17	1	12	2	12	7	1	3	1	20	3	6	2	10	1	1	3	14	9
Medical care poor/not always cared for well	39%	60%	60%	61%	64%	50%	43%	19%	43%	38%	40%	28%	44%	24%	40%	20%	35%	57%	100%	39%	40%	33%	30%	52%	12%	39%	47%	46%	31%
Time delays/delay in being seen/left waiting in pain and distress	14	4	8	3	4	11	3	2	10	-	9	1	5	1	5	9	-	1	-	11	1	2	3	3	2	-	2	7	5
Wrong/inadequate/late diagnosis led to death	23%	25%	30%	20%	29%	32%	10%	22%	24%	-	21%	16%	17%	10%	15%	28%	-	20%	-	22%	8%	13%	35%	17%	44%	-	33%	24%	19%
Not always clean environment/or personal cleaning	10	-	3	1	3	4	3	-	6	-	7	-	*	3	3	5	1	-	-	9	1	1	3	6	-	-	-	8	1
Lack of information about condition/possible outcome to patient/family	16%	-	11%	9%	20%	11%	14%	-	15%	-	17%	-	1%	39%	11%	17%	17%	-	-	17%	11%	4%	33%	33%	-	-	-	28%	4%
GP/Doctor was not very good	7	-	2	-	-	3	4	2	4	-	5	-	5	2	5	3	2	2	-	4	3	2	-	1	2	-	2	1	7
The staff/nurses were very good/kind/caring/helpful	12%	-	8%	-	-	8%	15%	22%	9%	-	12%	-	19%	26%	16%	9%	56%	27%	-	9%	46%	12%	-	7%	48%	-	23%	2%	23%
Lack of overstretching/unavailable staff	5	-	3	-	-	2	1	1	4	-	3	-	1	1	1	3	-	1	1	5	*	3	*	-	-	1	1	-	5
	8%	-	11%	-	-	6%	4%	8%	9%	-	7%	-	5%	10%	5%	9%	-	24%	100%	9%	7%	14%	6%	-	-	39%	14%	-	17%
	5	-	1	1	-	1	-	4	4	-	3	-	3	-	3	5	-	-	-	5	-	4	-	-	-	1	-	-	5
	8%	-	3%	6%	-	2%	-	38%	9%	-	7%	-	12%	-	10%	15%	-	-	-	9%	-	21%	-	-	-	34%	-	-	16%
	4	-	*	-	-	1	-	3	3	-	4	-	3	-	3	4	-	-	-	4	-	3	-	-	*	-	-	*	4
	6%	-	1%	-	-	2%	-	30%	8%	-	9%	-	13%	-	11%	11%	-	-	-	7%	-	18%	-	-	9%	-	-	1%	12%
	4	-	-	-	-	4	-	4	4	-	4	-	1	3	4	1	4	-	-	4	-	-	-	3	-	1	-	3	1
	6%	-	-	-	-	14%	-	9%	9%	-	9%	-	2%	35%	12%	2%	-	-	-	7%	-	-	-	16%	-	27%	-	10%	2%
	3	1	1	-	-	1	2	-	-	2	-	2	2	1	2	2	-	1	-	3	-	-	1	-	1	-	2	3	-
	5%	5%	5%	-	-	4%	6%	-	-	62%	-	45%	8%	6%	7%	7%	-	10%	-	5%	-	-	7%	-	15%	-	23%	9%	-

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor

	Made plans														Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)						
Poor environment/lack of facilities/space	2 4%	1 5%	1 3%	-	-	1 2%	2 6%	-	-	2 62%	2 45%	2 6%	-	2 5%	2 7%	-	-	-	-	2 4%	-	-	-	1 15%	-	2 23%	2 7%	-							
Died at home/nursing home/hospice	2 3%	1 5%	1 2%	-	-	1 3%	-	1 9%	1 2%	-	1 2%	1 4%	-	1 3%	2 5%	-	-	-	-	2 4%	-	2 10%	-	-	-	-	-	1 1%	2 5%						
Contracted infection/C Difficile/MRSA	2 3%	-	1 3%	-	-	1 3%	-	* 4%	1 3%	-	* 1%	1 3%	1 9%	2 5%	1 4%	-	* 7%	-	1 2%	* 6%	1 4%	-	1 4%	-	-	-	-	-	2 5%						
Constant changes/agency nurses	1 2%	-	1 3%	1 6%	-	1 2%	1 2%	-	1 3%	-	1 1%	1 2%	-	1 2%	1 4%	-	-	-	-	1 3%	-	-	-	-	1 61%	-	-	1 5%							
Dependent on nursing staff/some good some bad	1 2%	1 5%	-	-	* 3%	1 2%	1 5%	-	1 2%	-	1 3%	1 3%	-	1 2%	-	-	-	-	-	1 2%	-	-	1 10%	* 2%	-	-	-	1 1%	3 3%						
Not much information/care given to family	1 1%	-	-	-	-	1 2%	-	-	1 2%	-	1 2%	1 2%	-	1 2%	1 2%	-	-	-	-	1 10%	-	-	1 3%	-	-	-	-	1 2%							
Lack of joined up care and treatment/communication between departments	1 1%	-	-	-	-	1 2%	-	-	1 1%	-	1 1%	1 2%	-	1 2%	1 2%	-	-	-	-	1 1%	-	-	-	-	1 27%	-	1 2%								
Died overseas	1 1%	1 4%	-	-	-	1 2%	1 2%	-	1 1%	-	1 1%	-	-	-	1 2%	-	-	-	-	1 1%	-	-	-	-	-	1 8%	1 2%	-							
Excellent McMillan care	* 1%	-	-	-	-	-	* 4%	-	* 1%	-	* 1%	2 2%	-	1 1%	1 1%	-	-	-	-	1 1%	-	2 2%	-	-	-	-	-	2 2%							
Other	1 1%	-	1 3%	1 6%	-	1 2%	-	-	1 2%	-	-	-	-	-	1 2%	-	-	-	-	1 1%	-	-	-	1 34%	-	1 -	1 -	3 3%							
Not stated	4 7%	3 21%	3 10%	2 18%	2 16%	3 10%	3 12%	-	3 8%	-	4 9%	* 11%	-	-	4 12%	* 9%	-	-	-	4 8%	-	2 12%	1 9%	1 6%	-	-	3 11%	1 3%							

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	51*	22**	28**	4**	7**	14**	14**	8**	3**	1**	3**	3**	2**	3**	8**	6**	3**	1**	5**	4**	4**	3**	5**	18**	1**	30**	58*
Unw. Sample	58	18	39	1	3	16	20	12	4	2	4	5	3	2	8	5	4	2	5	5	5	2	6	19	1	36	58
Staff too busy/unattentive/didn't care	12 24%	5 21%	8 27%	-	-	7 50%	3 24%	2 22%	-	1 100%	-	-	1 55%	1 51%	3 41%	*	-	-	3 54%	1 21%	1 34%	-	-	2 14%	1 100%	8 26%	12 21%
Died at home/nursing home/hospice	6 11%	5 21%	1 4%	4 100%	-	1 5%	1 9%	-	-	-	-	-	-	-	4 63%	-	-	-	-	-	1 24%	-	1 20%	-	-	6 19%	4 7%
Care was adequate nothing extraordinary	5 9%	-	5 17%	-	3 41%	1 10%	-	*	5%	-	-	-	-	1 18%	-	-	-	-	-	-	*	9%	-	3 16%	-	2 6%	3 5%
Not always clean environment/or personal cleaning	3 5%	1 4%	2 6%	-	-	1 7%	1 7%	*	15%	-	-	-	1 79%	-	-	-	-	-	-	-	1 34%	-	-	-	-	3 9%	4 7%
Lack of information about condition/possible outcome to patient/family	2 5%	1 6%	1 3%	-	-	1 4%	2 13%	-	-	-	-	-	1 49%	-	1 10%	-	-	-	-	-	*	9%	-	1 8%	-	1 3%	3 5%
Medical care poor/not always cared for well	2 4%	2 8%	* 1%	-	-	-	1 10%	1 11%	-	-	-	-	-	-	-	-	-	-	-	1 21%	1 24%	-	*	8%	-	2 6%	3 5%
Constant changes/agency nurses	2 4%	-	2 7%	-	-	* 3%	1 11%	-	-	-	-	-	-	1 12%	-	-	-	1 10%	*	12%	-	-	-	1 8%	-	1 2%	3 5%
Word of mouth/only what I've heard from family members	2 4%	-	2 6%	-	2 26%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 48%	-	-	-	-	2 6%	1 2%
The staff/nurses were very good/kind/caring/helpful	2 3%	-	2 6%	-	-	1 10%	* 2%	-	-	-	1 29%	-	-	-	1 10%	-	-	-	-	-	-	-	*	6%	-	2 6%	3 5%
Dependent on nursing staff/some good some bad	2 3%	1 2%	1 4%	-	-	1 5%	1 7%	-	-	-	-	1 18%	-	-	-	-	-	1 49%	*	7%	-	-	-	1 4%	-	1 3%	3 5%
Died suddenly/unexpectedly	2 3%	-	2 6%	-	-	1 7%	1 4%	-	-	-	-	*	-	-	1 9%	-	-	-	-	-	-	-	1 14%	-	-	1 4%	3 5%
Excellent McMillan care	1 3%	1 4%	* 2%	-	-	* 3%	1 7%	-	-	-	-	-	-	-	-	-	-	-	-	*	1 24%	-	-	* 3%	-	1 3%	2 3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Wavene (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suf-folk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Private care/private hospital care/private sector care was better	1 2%	1 5%	-	-	-	1 9%	-	-	-	-	-	-	-	-	1 15%	-	-	-	-	-	-	-	-	-	-	-	1 4%	1 2%
Poor environment/lack of facilities/space	1 2%	-	1 4%	-	-	1 4%	* 3%	-	-	-	-	-	-	-	1 10%	-	-	*	-	-	-	-	-	-	-	-	1 3%	2 3%
Contracted infection/C Difficile/MRSA	1 2%	1 2%	* 2%	-	-	-	1 4%	* 6%	-	-	-	1 18%	-	-	* 6%	-	-	-	-	-	-	-	-	-	-	3% -	1 2%	2 3%
Everything possible was done	1 1%	-	1 2%	-	-	1 5%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 14%	-	-	1 2%	1 2%	
Lack of joined up care and treatment/ communication between departments	1 1%	-	1 2%	-	-	1 4%	-	-	-	1 55%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 2%	1 2%	
Lack of/overstretched/ unavailable staff	1 1%	1 2%	-	-	-	1 4%	-	-	-	-	1 18%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 2%	1 2%	
Poor behaviour of staff/ untrained/ unknowledgeable	* 1%	-	* 2%	-	-	-	-	* 6%	-	* 45%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	* 2%	1 2%	
Wrong/inadequate/late diagnosis led to death	* 1%	-	* 1%	-	-	-	-	* 5%	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	-	-	1 2%	
Other	2 5%	2 9%	* 1%	-	-	1 8%	-	1 46%	-	1 28%	-	-	-	1 16%	-	-	-	-	-	-	-	-	*	8% 2%	-	2 7%	3 5%	
Not stated	16 31%	7 32%	8 28%	-	2 33%	4 25%	3 23%	4 55%	1 39%	-	1 43%	1 52%	* 21%	-	2 22%	1 11%	2 86%	1 51%	2 29%	2 47%	* 9%	3 100%	* 7%	8 44%	-	7 24%	20 34%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	51*	10**	14**	36**	26**	1**	6**	3**	14**	32**	10**	38**	10**	51*	-**	51*	-**	10**	11**	21**	26**	17**	26**
Unw. Sample	58	8	15	41	36	1	6	4	9	36	12	40	13	58	-	58	-	12	14	19	26	17	26	17	
Staff too busy/unattentive/didn't care	12 24%	3 36%	-	11 31%	6 23%	-	1 24%	-	4 28%	6 20%	4 44%	9 23%	3 29%	12 24%	-	12 24%	-	4 43%	6 54%	6 27%	5 19%	5 31%	7 25%	7 36%	
Died at home/nursing home/hospice	6 11%	-	1 5%	4 11%	-	-	1 12%	-	4 28%	5 15%	1 9%	5 14%	-	6 11%	-	6 11%	-	1 7%	1 8%	1 5%	1 3%	* 2%	* 1%	* 2%	
Care was adequate nothing extraordinary	5 9%	-	-	5 13%	3 13%	-	1 24%	-	-	* 1%	1 15%	3 9%	1 14%	5 9%	-	5 9%	-	-	1 13%	3 16%	3 12%	* 2%	3 12%	1 8%	
Not always clean environment/or personal cleaning	3 5%	-	-	2 5%	1 3%	-	-	-	1 7%	1 2%	2 20%	3 7%	-	3 5%	-	3 5%	-	* 4%	2 17%	1 7%	* 1%	* 2%	2 7%	1 5%	
Lack of information about condition/possible outcome to patient/family	2 5%	-	1 10%	1 3%	2 9%	-	-	-	-	2 7%	-	1 2%	1 13%	2 5%	-	2 5%	-	-	2 18%	2 10%	2 8%	2 12%	2 8%	1 3%	
Medical care poor/not always cared for well	2 4%	-	1 6%	* 1%	1 5%	-	-	-	-	1 3%	1 13%	2 5%	* 4%	2 4%	-	2 4%	-	-	1 12%	-	1 3%	1 5%	1 3%	1 5%	
Constant changes/agency nurses	2 4%	* 5%	-	2 5%	1 6%	-	-	-	1 4%	1 3%	-	2 5%	-	2 4%	-	2 4%	-	-	-	1 2%	1 2%	1 3%	1 6%	1 3%	
Word of mouth/only what I've heard from family members	2 4%	2 19%	2 13%	-	-	-	2 30%	-	-	2 6%	-	2 5%	-	2 4%	-	2 4%	-	-	-	-	2 7%	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Total (z)	Childr en under 17 in househ old		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
		The staff/nurses were very good/kind/caring/helpful	2 3%	-	2 5%	-	1 5%	-	-	-	-	2 5%	-	1 4%	-	2 3%	-	2 3%	-	-	1 5%	1 4%	1 5%	1 6%	1 4%
Dependent on nursing staff/some good some bad	2 3%	1 8%	2 5%	-	-	-	* 7%	1 40%	-	2 5%	-	2 4%	-	2 3%	-	2 3%	-	2 17%	-	1 6%	1 5%	1 4%	1 3%	1 7%	
Died suddenly/ unexpectedly	2 3%	* 3%	1 5%	1 2%	1 2%	-	1 12%	-	* 2%	* 3%	* 3%	-	-	2 3%	-	2 3%	-	1 12%	-	1 3%	1 3%	-	-	-	
Excellent McMillan care	1 3%	* 5%	-	* 1%	* 2%	-	-	-	-	-	1 9%	1 4%	-	1 3%	-	1 3%	-	1 8%	-	-	-	-	-	-	
Private care/private hospital care/private sector care was better	1 2%	-	1 3%	-	-	-	-	1 37%	-	1 4%	-	1 3%	-	1 2%	-	1 2%	-	-	-	1 6%	1 5%	1 7%	1 5%	1 6%	
Poor environment/lack of facilities/space	1 2%	-	1 3%	1 2%	1 2%	-	* 7%	-	-	1 3%	-	1 3%	-	1 2%	-	1 2%	-	* 4%	1 5%	1 3%	1 2%	1 4%	1 2%	1 3%	
Contracted infection/C Difficile/MRSA	1 2%	-	1 3%	1 1%	1 2%	-	-	1 17%	-	1 3%	-	1 3%	-	1 2%	-	1 2%	-	1 5%	-	1 5%	1 2%	1 3%	1 2%	1 3%	
Everything possible was done	1 1%	-	1 5%	-	-	-	1 12%	-	-	1 2%	-	1 2%	-	1 1%	-	1 1%	-	1 7%	-	1 3%	1 3%	-	-	-	
Lack of joined up care and treatment/ communication between departments	1 1%	1 6%	1 2%	1 2%	1 2%	-	-	-	-	-	-	1 6%	-	1 1%	-	1 1%	-	-	-	-	-	-	-	-	
Lack of/overstretched/ unavailable staff	1 1%	-	1 1%	1 2%	1 2%	-	-	-	-	-	1 5%	1 5%	-	1 1%	-	1 1%	-	-	1 5%	-	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
	Total (z)	Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Poor behaviour of staff/untrained/unknowledgeable	*	-	-	*	*	-	-	-	-	*	-	-	-	*	-	*	-	*	-	-	-	-
Wrong/inadequate/late diagnosis led to death	1%	-	3%	-	1%	-	-	-	-	-	*	4%	4%	1%	-	1%	-	-	3%	2%	1%	2%	1%	2%
Other	2	-	*	2	2	-	-	1	-	2	-	2	*	2	-	2	-	-	*	1	2	-	*	1
	5%	-	3%	6%	6%	-	-	23%	-	6%	-	5%	4%	5%	-	5%	-	-	4%	6%	6%	-	2%	7%
Not stated	16	3	8	8	8	1	2	-	5	9	4	11	4	16	-	16	-	2	1	4	7	5	9	6
	31%	29%	56%	22%	31%	100%	28%	-	38%	29%	39%	29%	42%	31%	-	31%	-	24%	13%	21%	28%	30%	36%	30%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Weighted Base	51*	6**	18**	4**	14**	23**	24**	8**	40**	1**	39**	1**	27**	8**	29**	23**	2**	7**	-**	43**	7**	12**	3**	15**	8**	8**	3**
Unw. Sample	58	8	22	5	10	31	18	11	41	2	38	2	27	12	32	26	3	11	-	47	8	14	5	14	10	10	2	22	35
Staff too busy/unattentive/didn't care	12	2	3	3	6	8	8	2	9	-	10	-	6	-	6	5	-	*	-	10	2	1	*	4	1	2	3	4	8
Died at home/nursing home/hospice	24%	31%	17%	75%	41%	34%	32%	24%	23%	-	24%	-	21%	-	19%	24%	-	7%	-	23%	30%	12%	13%	24%	8%	25%	100%	21%	26%
Care was adequate nothing extraordinary	6	1	1	-	-	2	5	-	5	-	5	-	5	1	5	-	-	1	-	6	-	-	-	4	1	-	-	5	1
Not always clean environment/or personal cleaning	11%	11%	4%	-	-	8%	21%	-	12%	-	12%	-	18%	8%	16%	-	-	14%	-	13%	-	-	-	27%	9%	-	-	27%	2%
Lack of information about condition/possible outcome to patient/family	5	-	1	2	1	*	4	-	5	-	5	-	3	-	3	2	-	-	-	3	1	1	-	*	3	-	-	-	5
Medical care poor/not always cared for well	9%	-	8%	50%	10%	2%	18%	-	12%	-	12%	-	12%	-	11%	8%	-	-	-	7%	21%	12%	-	2%	38%	-	-	-	15%
Constant changes/agency nurses	3	-	*	*	-	1	1	1	2	-	2	-	1	-	1	*	*	-	-	2	*	*	-	*	-	1	-	2	1
Word of mouth/only what I've heard from family members	5%	-	2%	10%	-	5%	4%	13%	4%	-	5%	-	5%	-	5%	2%	22%	-	-	4%	6%	4%	-	2%	-	13%	-	10%	2%
The staff/nurses were very good/kind/caring/helpful	2	1	2	-	-	*	-	-	2	-	2	-	1	1	1	-	-	1	-	*	2	2	-	1	-	-	-	-	2
	5%	23%	13%	-	-	1%	-	-	5%	-	5%	-	3%	8%	3%	-	-	9%	-	1%	30%	14%	-	4%	-	-	-	-	6%
	2	-	-	-	-	2	1	*	1	-	*	-	-	*	*	1	-	*	-	2	-	-	-	1	-	*	-	1	1
	4%	-	-	-	-	8%	4%	5%	3%	-	1%	-	-	5%	1%	4%	-	6%	-	5%	-	-	-	6%	-	5%	-	5%	4%
	2	-	-	-	-	2	-	-	2	-	2	-	-	*	*	-	-	1	-	2	-	1	-	1	*	-	-	2	2
	4%	-	-	-	-	8%	-	-	5%	-	5%	-	-	6%	2%	-	-	7%	-	5%	-	4%	-	6%	6%	-	-	-	6%
	2	-	-	-	2	-	2	-	2	-	2	-	2	-	2	2	-	-	-	2	-	-	-	2	-	-	-	-	2
	4%	-	-	-	13%	-	8%	-	4%	-	5%	-	7%	-	6%	8%	-	-	-	4%	-	-	-	12%	-	-	-	-	6%
	2	-	1	-	-	*	*	1	1	1	1	1	1	1	1	-	-	1	-	1	1	-	-	2	-	-	-	*	1
	3%	-	3%	-	-	1%	1%	9%	2%	59%	2%	59%	3%	8%	3%	-	-	13%	-	2%	9%	-	-	11%	-	-	2%	4%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Dependent on nursing staff/some good some bad	2 3%	-	1	-	1	2	1	-	2	-	1	-	-	1	1	1	1	1	1	2	-	*	-	-	1	1	-
Died suddenly/unexpectedly	2 3%	1	1	-	-	1	*	-	1	-	1	-	1	1	1	1	1	1	2	-	*	1	-	1	-	-	1	1	
Excellent McMillan care	1 3%	-	-	-	-	1	1	-	*	-	*	-	*	*	*	*	*	*	1	-	-	-	-	*	-	-	1	*	
Private care/private hospital care/private sector care was better	1 2%	-	1	-	1	1	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	-	-	1	-	
Poor environment/lack of facilities/space	1 2%	-	1	-	-	*	-	-	1	-	1	-	1	1	1	-	-	1	-	*	1	*	-	1	-	-	-	1	
Contracted infection/C Difficile/MRSA	1 2%	*	*	-	1	1	1	-	1	-	*	-	*	1	1	1	1	1	1	1	-	-	*	-	1	-	-	1	
Everything possible was done	1 1%	1	1	-	-	1	-	-	1	-	1	-	1	1	1	-	-	1	-	1	-	-	-	-	1	-	-	1	
Lack of joined up care and treatment/communication between departments	1 1%	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	
Lack of/overstretched/unavailable staff	1 1%	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	
Poor behaviour of staff/untrained/unknowledgeable	* 1%	*	*	-	-	*	-	-	-	-	-	-	*	-	*	-	-	*	-	*	-	-	-	-	-	-	*	-	
Wrong/inadequate/late diagnosis led to death	* 1%	*	*	*	-	*	-	-	*	-	*	-	*	-	*	-	-	-	*	-	*	-	-	-	-	-	-	*	-

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/ Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
	Total (z)																											
Other	2	2	-	-	2	-	-	2	-	2	-	1	-	1	2	-	*	-	2	-	-	-	-	1	1	-	1	2
	5%	-	11%	-	10%	-	-	6%	-	4%	-	4%	-	4%	9%	-	6%	-	6%	-	-	-	15%	17%	-	4%	5%	
Not stated	16	1	7	-	4	5	4	5	10	-	12	-	7	5	7	9	1	3	13	2	6	1	3	1	3	-	7	9
	31%	22%	38%	-	25%	23%	17%	61%	26%	-	30%	-	26%	58%	25%	41%	39%	47%	31%	26%	51%	38%	23%	18%	44%	-	36%	29%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years but NHS care was not applicable

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Weighted Base	90*	39**	51*	3**	27**	37**	9**	6**	7**	6**	12**	8**	1**	4**	4**	12**	5**	***	5**	5**	5**	7**	15**	16**	2**	71*	79*	
Unw. Sample	79	21	58	2	9	31	14	12	10	5	10	10	1	2	4	7	4	1	5	3	6	7	14	11	2	65	79	
Died suddenly/ unexpectedly	26 29%	8 21%	18 35%	-	12 46%	9 24%	2 25%	1 25%	1 15%	1 10%	2 19%	4 47%	-	-	1 31%	10 79%	1 20%	*	100%	-	3 60%	1 22%	1 8%	2 14%	2 13%	*	23 33%	25 32%
Died overseas	17 19% ^C	8 20%	9 18%	-	3 11%	11 30%	1 8%	2 34%	-	-	1 10%	3 35%	-	3 83%	-	-	2 32%	-	-	-	2 43%	1 13%	5 31%	8 51%	-	8 12%	14 18%	
Died at home/nursing home/hospice	10 12%	2 4%	9 17% ^Z	2 51%	-	4 11%	2 18%	1 19%	2 26%	1 10%	1 10%	1 18%	-	-	2 13%	-	-	-	1 16%	-	3 50%	1 19%	1 6%	2 7%	7 81%	7 10%	16 20%	
Was not there/didn't see for myself/first hand	4 4%	3 7%	1 2%	-	-	1 3%	2 21%	1 13%	-	-	-	-	1 100%	-	-	-	-	-	2 39%	-	-	-	1 5%	-	-	4 5%	3 4%	
Excellent McMillan care	3 3%	-	3 6%	-	3 11%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3 19%	-	-	3 4%	1 1%	
Private care/private hospital care/private sector care was better	3 3%	-	3 5%	-	-	3 7%	-	-	-	1 15%	-	-	-	-	-	-	-	-	-	-	-	2 26%	-	-	3 4%	3 4%		
Not applicable/no answer	3 3%	1 2%	2 3%	-	-	1 4%	-	-	1 21%	-	-	-	-	-	1 8%	-	-	1 27%	-	-	-	-	*	1 8%	-	1 2%	3 4%	
Staff too busy/unattentive/didn't care	2 2%	-	2 4%	-	2 8%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 40%	-	-	-	-	-	2 3%	1 1%	
Not always clean environment/or personal cleaning	2 2%	-	2 4%	-	2 8%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 40%	-	-	-	-	-	2 3%	1 1%	
Lack of joined up care and treatment/communication between departments	2 2%	2 5%	-	-	-	2 5%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 28%	-	-	-	2 3%	1 1%	
Dependent on nursing staff/some good some bad	2 2%	2 5%	-	-	-	2 5%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 28%	-	-	-	2 3%	1 1%	
Word of mouth/only what I've heard from family members	1 1%	1 2%	-	-	-	-	-	1 13%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 5%	-	-	1 1%	1 1%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years but NHS care was not applicable

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
The staff/nurses were very good/kind/caring/helpful	*	-	*	-	-	-	-	-	*	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	1%	-	1%	-	-	-	-	-	7%	-	4%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1%	
Other	3	2	1	-	-	2	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	2	
	3% ^b	6%	1%	-	-	7%	7%	-	-	-	21%	-	-	17%	-	-	-	-	-	-	-	-	-	-	-	4%	3%	
Don't know	5	5	*	-	4	-	1	-	*	-	4	*	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	
	6% ^b	13%	1%	-	15%	-	9%	-	5%	-	35%	4%	-	-	-	-	-	-	-	-	-	-	6%	5%	-	6%	4%	
Not stated	15	8	7	2	2	6	2	1	2	4	1	*	-	3	-	2	-	1	-	-	1	2	3	3	-	12	11	
	17%	21%	13%	49%	9%	16%	16%	14%	26%	65%	7%	4%	-	69%	-	48%	-	17%	-	-	19%	16%	18%	-	17%	14%		

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years but NHS care was not applicable

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	90*	27**	25**	64*	65*	-**	8**	4**	12**	66*	10**	62**	15**	89*	-**	90*	-**	9**	4**	22**	34**	25**	31**
Unw. Sample	79	20	24	55	59	-	5	3	10	59	9	55	12	78	-	79	-	4	5	23	32	23	33	25	
Died suddenly/unexpectedly	26 29%	7 27%	8 31%	18 28%	17 26%	-	4 49%	1 35%	3 24%	23 35%	1 12%	20 32%	4 24%	25 28%	-	26 29%	-	6 74%	3 67%	10 44%	12 35%	9 36%	10 33%	8 36%	
Died overseas	17 19%	8 30%	5 20%	12 18%	12 18%	-	4 51%	-	* 2%	7 11%	3 27%	10 16%	3 21%	17 19%	-	17 19%	-	-	1 17%	2 8%	2 5%	5 20%	5 17%	5 20%	
Died at home/nursing home/hospice	10 12%	2 9%	1 5%	9 14%	9 14%	-	-	1 19%	* 2%	10 15%	* 3%	7 11%	3 17%	10 12%	-	10 12%	-	* 5%	1 27%	6 25%	6 17%	5 18%	5 16%	5 20%	
Was not there/didn't see for myself/first hand	4 4%	-	-	4 6%	1 2%	-	-	-	3 22%	4 5%	-	4 6%	-	4 4%	-	4 4%	-	-	-	-	1 3%	-	1 3%	-	
Excellent McMillan care	3 3%	-	-	3 5%	3 4%	-	-	-	-	-	3 28%	-	3 19%	3 3%	-	3 3%	-	-	-	-	-	-	-	-	
Private care/private hospital care/private sector care was better	3 3%	1 3%	-	3 4%	3 4%	-	-	-	-	2 3%	-	2 3%	-	3 3%	-	3 3%	-	-	-	1 4%	1 3%	1 4%	2 6%	3 12%	
Not applicable/no answer	3 3%	-	1 4%	2 3%	3 4%	-	-	-	-	3 4%	-	2 4%	-	3 3%	-	3 3%	-	-	-	-	1 3%	-	* 1%	1 4%	
Staff too busy/unattentive/didn't care	2 2%	2 8%	2 8%	-	2 3%	-	-	-	-	2 3%	-	2 3%	-	2 2%	-	2 2%	-	-	-	-	-	-	-	-	
Not always clean environment/or personal cleaning	2 2%	2 8%	2 8%	-	2 3%	-	-	-	-	2 3%	-	2 3%	-	2 2%	-	2 2%	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q6 Why do you say that?

Base: All who had someone close die in last 5 years but NHS care was not applicable

	Total (z)	Childr en under 17 in househ old		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family receivd enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
Lack of joined up care and treatment/ communication between departments	2 2%	-	-	2 8%	-	2 3%	-	-	-	-	2 3%	-	2 3%	-	2 2%	-	2 2%	-	-	-	-	2 6%	-	-	-
Dependent on nursing staff/some good some bad	2 2%	-	-	2 8%	-	2 3%	-	-	-	-	2 3%	-	2 3%	-	2 2%	-	2 2%	-	-	-	-	2 6%	-	-	-
Word of mouth/only what I've heard from family members	1 1%	-	-	1 1%	-	-	-	-	1 6%	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	-	-	-	-	-
The staff/nurses were very good/kind/caring/helpful	* 1%	-	-	* 2%	-	* 1%	-	-	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	* 5%	-	* 2%	-	* 2%	* 2%	* 2%	
Other	3 3%	-	-	3 5%	-	1 1%	-	-	2 65%	3 5%	-	3 5%	-	3 3%	-	3 3%	-	-	1 15%	1 3%	3 9%	3 13%	3 10%	1 3%	
Don't know	5 6% ^c	-	-	4 17%	1 1%	5 8%	-	-	-	5 7%	-	5 8%	-	5 6%	-	5 6%	-	-	-	4 18%	5 14%	* 1%	* 1%	-	
Not stated	15 17%	7 26%	1 5%	14 21%	9 14%	-	-	-	6 52%	7 11%	3 33%	8 13%	3 22%	15 17%	-	15 17%	-	1 16%	-	1 6%	3 10%	3 13%	5 16%	3 13%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years but NHS care was not applicable

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	90*	5**	21**	5**	17**	32**	24**	34**	64**	5**	60*	4**	32**	16**	37**	50**	-**	8**	-**	79*	6**	24**	17**	17**	9**	12**	10**	57*	31**
Unw. Sample	79	6	27	6	19	40	24	22	52	6	52	5	29	9	33	45	-	12	-	69	5	23	10	19	6	11	9	50	27
Died suddenly/unexpectedly	26	2	5	-	3	7	4	16	22	2	15	-	10	12	14	20	-	1	-	26	-	3	11	7	1	1	3	11	15
Died overseas	17	-	2	3	2	5	5	5	8	2	11	3	6	-	6	11	-	1	-	16	1	9	2	2	2	1	-	13	4
Died at home/nursing home/hospice	19%	-	8%	51%	14%	17%	23%	14%	12%	48%	18%	88%	18%	-	16%	22%	-	13%	-	20%	13%	36%	14%	12%	28%	8%	-	22%	13%
Died at home/nursing home/hospice	10	3	4	2	3	5	4	3	6	*	7	*	5	3	5	7	-	1	-	9	1	2	1	5	-	1	2	4	6
Was not there/didn't see for myself/first hand	12%	54%	19%	37%	17%	16%	15%	10%	10%	9%	12%	12%	14%	18%	13%	14%	-	12%	-	11%	15%	7%	8%	28%	-	8%	15%	7%	20%
Excellent McMillan care	4	-	3	-	-	1	-	-	3	-	3	-	1	-	1	-	-	2	-	4	-	1	-	-	2	-	-	2	1
Private care/private hospital care/private sector care was better	4%	-	12%	-	-	3%	-	-	5%	-	5%	-	3%	-	3%	-	-	23%	-	5%	-	4%	-	-	22%	-	-	3%	3%
Not applicable/no answer	3	-	-	-	-	3	-	-	3	-	3	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	3	-	
Staff too busy/unattentive/didn't care	3%	-	-	-	-	12%	-	-	5%	-	5%	-	-	-	-	-	-	-	-	4%	-	-	-	33%	-	-	5%	-	
Not always clean environment/or personal cleaning	3	-	1	-	2	2	-	-	1	-	2	-	1	2	2	1	-	2	-	2	1	1	1	-	-	1	-	1	2
Private care/private hospital care/private sector care was better	3%	-	4%	-	11%	6%	8%	-	1%	-	3%	-	3%	12%	5%	2%	-	22%	-	2%	15%	4%	6%	-	-	7%	-	2%	6%
Not applicable/no answer	3	-	1	-	1	*	1	-	2	-	*	-	*	*	2	-	*	-	-	1	1	1	-	-	-	*	1	1	
Staff too busy/unattentive/didn't care	3%	-	5%	-	8%	1%	6%	-	3%	-	1%	-	1%	-	1%	5%	-	5%	-	2%	21%	6%	-	-	-	4%	9%	2%	4%
Not always clean environment/or personal cleaning	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	
Private care/private hospital care/private sector care was better	2%	-	-	-	-	-	-	-	3%	-	3%	-	-	-	-	-	-	-	-	3%	-	-	12%	-	-	-	-	7%	
Not applicable/no answer	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	
Staff too busy/unattentive/didn't care	2%	-	-	-	-	-	-	-	3%	-	3%	-	-	-	-	-	-	-	-	3%	-	-	12%	-	-	-	-	7%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q6 Why do you say that?

Base: All who had someone close die in last 5 years but NHS care was not applicable

	Total (z)	Made plans						Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live				
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)		
Lack of joined up care and treatment/communication between departments	2 2%	-	-	-	2 12%	-	2 9%	-	2 3%	-	2 3%	-	-	-	-	-	-	-	2 3%	-	-	-	-	-	-	2 20%	2 4%	-			
Dependent on nursing staff/some good some bad	2 2%	-	-	-	2 12%	-	2 9%	-	2 3%	-	2 3%	-	-	-	-	-	-	-	2 3%	-	-	-	-	-	-	2 20%	2 4%	-			
Word of mouth/only what I've heard from family members	1 1%	-	1 3%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	-	-	-	-	-	-	-	-	-			
The staff/nurses were very good/kind/caring/helpful	* 1%	-	* 2%	-	-	* 2%	-	-	* 1%	-	-	-	* 2%	-	* 1%	-	-	-	* 1%	-	-	* 3%	-	-	-	-	-	* 1%			
Other	3 3%	-	2 12%	-	2 15%	3 10%	-	-	3 5%	-	3 5%	-	1 2%	-	1 2%	-	-	-	3 4%	-	-	-	1 4%	-	2 20%	-	3 5%				
Don't know	5 6%	-	1 4%	-	-	1 3%	-	4 13%	5 8%	-	1 1%	-	1 3%	-	1 2%	-	-	-	5 7%	-	*	-	-	-	-	4 34%	1 8%	5 9%			
Not stated	15 17%	3 16%	1 12%	2 12%	7 22%	4 17%	6 19%	8 13%	8 13%	-	12 21%	-	8 25%	-	8 21%	-	-	11 22%	-	1 14%	-	8 10%	3 52%	7 30%	-	3 20%	1 7%	1 10%	2 24%	12 22%	2 5%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q7 And how would you rate the care and support they received from social services in the last days before they died?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England														Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	391	181*	202	16**	78**	144	66*	41*	38*	28**	36**	34**	12**	17**	32**	51**	23**	9**	27**	23**	38**	17**	42**	95*	10**	273	413	
Unw. Sample	413	129	278	7	27	140	102	72	55	29	47	40	13	8	33	53	25	10	26	24	42	17	46	108	12	281	413	
Very good	37	24	13	-	10	11	3	3	9	3	2	2	1	8	4	5	4	-	3	1	2	-	2	3	-	34	36	
		9%ba	13%	6%	-	12%	8%	5%	8%	25%zef	11%	6%	5%	44%	14%	9%	18%	-	10%	2%	6%	-	5%	3%	-	12%za	9%	
Good	42	22	18	-	2	9	12	6	10	5	6	3	3	2	4	5	3	3	2	3	1	1	2	14	1	25	53	
		11%e	12%	9%	-	3%	6%	17%ze	16%e	27%ze	16%	16%	8%	23%	12%	12%	10%	13%	34%	9%	11%	3%	5%	14%	9%	9%	13%	
Neither good nor poor	51	24	27	2	17	17	7	5	3	*	2	11	-	-	3	11	2	-	4	5	4	5	4	16	3	30	52	
		13%	13%	13%	11%	22%	12%	10%	13%	7%	2%	5%	33%	-	-	8%	21%	8%	-	14%	23%	10%	30%	17%	31%	11%	13%	
Poor	19	8	11	-	2	6	6	3	2	2	2	3	1	1	*	1	-	1	1	1	3	-	2	6	1	13	23	
		5%	4%	6%	-	3%	4%	9%z	7%	5%	6%	6%	10%	9%	8%	1%	3%	-	13%	2%	2%	8%	-	6%	6%	8%	5%	6%
Very poor	24	8	11	3	8	7	3	*	1	2	-	1	1	2	2	*	-	5	*	6	-	5	7	1	11	20		
		6%gC	5%	5%	20%	11%	5%	4%	1%	3%	5%	-	2%	13%	-	7%	3%	2%	-	17%	2%	17%	-	11%	8%	10%	4%	5%
Not applicable	207	94	112	11	36	90	34	21	12	17	23	14	6	6	17	26	13	4	12	11	21	11	25	47	4	152	214	
		53%h	52%	56%	69%	46%	63%zh	51%h	50%	32%	59%	63%	42%	51%	35%	51%	52%	55%	45%	44%	51%	55%	65%	60%	49%	42%	56%	52%
Not stated	12	2	9	-	2	4	2	2	*	*	2	-	-	-	2	1	1	1	1	2	*	-	2	3	-	8	15	
		3%	1%	5%z	-	2%	3%	2%	5%	1%	2%	4%	-	-	6%	2%	4%	8%	3%	9%	1%	-	4%	3%	-	3%	4%	
Good	79	46	31	-	12	20	15	10	19	8	8	4	3	10	8	10	7	3	5	3	3	1	4	16	1	59	89	
		20%be	25%	15%	-	16%	14%	22%	24%	52%zef	27%	22%	12%	28%	56%	26%	19%	31%	34%	19%	14%	9%	5%	10%	17%	9%	22%	22%
Poor	44	16	22	3	11	13	9	3	3	3	2	4	2	1	3	3	*	1	5	1	10	-	7	13	2	24	43	
		11%	9%	11%	20%	14%	9%	13%	8%	11%	6%	12%	21%	8%	9%	6%	2%	13%	19%	4%	25%	-	17%	14%	18%	9%	10%	
NET	35	29	9	-3	1	7	6	7	16	5	6	*	1	8	6	7	7	2	*	2	-6	1	-3	3	-1	35	46	
		9%be	16%zb	4%	-20%	2%	5%	9%	16%ze	44%zef	16%	16%	*	7%	48%	17%	13%	29%	21%	*	10%	-16%	5%	-6%	3%	-8%	13%za	11%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q7 And how would you rate the care and support they received from social services in the last days before they died?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	391	108*	117*	268	262	12**	30**	13**	60*	294	45*	279	57*	391	-**	391	-**	119*	56*	127*	162	119*	170	136*	
Unw. Sample	413	88	143	261	304	3	24	11	54	310	49	293	62	412	-	413	-	133	64	135	166	117	176	138	
Very good	37	14	11	26	21	8	1	-	7	32	1	30	2	37	-	37	-	24	-	7	11	6	8	12	
	9% _{rv}	13%	9%	10%	8%	67%	4%	-	11%	11%	3%	11%	3%	9%	-	9%	-	20% _{zr}	-	6%	7%	5%	4%	9% _v	
Good	42	9	14	26	28	-	5	-	9	33	6	28	8	42	-	42	-	19	2	18	15	16	18	16	
	11%	8%	12%	10%	11%	-	16%	-	14%	11%	13%	10%	15%	11%	-	11%	-	16%	4%	15%	9%	13%	10%	12%	
Neither good nor poor	51	15	14	37	38	1	4	1	6	36	8	32	15	51	-	51	-	12	8	23	27	27	31	22	
	13%	14%	12%	14%	15%	8%	13%	4%	10%	12%	17%	12%	26% _{zk}	13%	-	13%	-	10%	14%	19%	16%	22% _z	18%	16%	
Poor	19	5	6	12	9	-	2	1	6	13	4	16	2	19	-	19	-	5	11	9	10	8	11	7	
	5%	4%	5%	5%	4%	-	8%	5%	10%	4%	9%	6%	4%	5%	-	5%	-	4%	20% _{zq}	7%	6%	7%	6%	5%	
Very poor	24	6	10	13	15	3	-	-	3	20	3	14	3	24	-	24	-	5	18	3	6	3	13	12	
	6% _s	6%	8%	5%	6%	25%	-	-	4%	7%	7%	5%	6%	6%	-	6%	-	4%	32% _{zq}	2%	3%	3%	8% _{stu}	9% _{stu}	
Not applicable	207	55	60	146	144	-	16	12	29	155	20	153	22	206	-	207	-	52	17	65	93	58	88	64	
	53% _r	51%	51%	54%	55%	-	54%	87%	48%	53%	44%	55%	39%	53%	-	53%	-	44%	30%	52%	57% _w	49%	52%	47%	
Not stated	12	4	3	8	8	-	2	*	1	6	3	6	4	12	-	12	-	2	-	*	2	1	2	3	
	3%	3%	3%	3%	3%	-	6%	3%	1%	2%	7%	2%	7%	3%	-	3%	-	2%	-	*	1%	1%	1%	2%	
Good	79	23	25	52	48	8	6	-	15	65	7	57	10	79	-	79	-	43	2	26	26	22	25	28	
	20% _r	21%	21%	19%	18%	67%	20%	-	25%	22%	15%	21%	18%	20%	-	20%	-	36% _{zr}	4%	20%	16%	19%	15%	21%	
Poor	44	11	16	25	24	3	2	1	9	33	7	30	6	44	-	44	-	10	29	12	15	11	24	19	
	11%	10%	14%	9%	9%	25%	8%	5%	15%	11%	16%	11%	10%	11%	-	11%	-	8%	52% _{zq}	9%	9%	9%	14% _{su}	14%	
NET	35	12	9	27	24	5	4	-1	6	32	*	28	5	35	0	35	0	33	-27	14	11	11	1	9	
	9% _{rv}	11%	7%	10%	9%	41%	12%	-5%	11%	11% _j	-1%	10%	8%	9%	0%	9%	0%	28% _{zr}	-48%	11% _{vw}	7% _v	9% _v	1%	6% _v	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q7 And how would you rate the care and support they received from social services in the last days before they died?

Base: All who had someone close die in last 5 years

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	391	45**	119*	42**	84*	186	139*	95*	282	16**	253	23**	169*	70*	199	210	13**	48*	4**	339	38*	109*	49**	110*	36**	38**	42**	238	147*
Unw. Sample	413	53	145	45	79	235	128	81	286	14	251	26	175	68	208	218	18	65	5	347	48	113	55	110	43	47	34	247	156
Very good	37	5	10	1	4	15	5	14	23	-	17	2	15	4	17	24	1	8	1	33	4	11	2	8	2	2	11	29	7
Good	42	7	13	9	6	21	7	9	30	-	25	1	12	3	15	25	3	3	*	32	5	11	5	11	4	5	5	28	13
Neither good nor poor	51	9	22	13	21	25	25	9	42	-	39	1	27	15	33	22	-	5	-	45	6	14	10	16	4	4	3	20	31
Poor	19	4	7	3	6	12	10	3	16	1	14	1	7	6	10	11	*	2	-	17	2	6	1	4	2	4	1	11	8
Very poor	24	*	1	-	2	11	5	10	11	9	12	6	14	8	15	18	-	1	-	22	*	15	-	2	1	2	4	5	18
Not applicable	207	20	63	15	44	101	86	42	153	6	140	11	93	34	108	104	7	29	3	182	20	48	31	65	22	19	18	137	67
Not stated	12	-	3	1	*	2	1	8	7	-	7	*	1	-	1	5	2	*	-	8	1	4	*	4	*	1	*	8	3
Good	79	11	23	10	10	36	12	23	53	-	41	3	26	8	31	50	4	11	1	65	9	22	7	20	6	7	16	57	20
Poor	44	4	8	3	9	23	15	13	27	10	26	7	21	13	25	30	*	3	-	39	3	21	1	7	3	6	5	17	26
NET	35	7	14	6	1	13	-2	10	26	-10	15	-4	5	-6	6	20	4	8	1	26	6	1	7	13	3	2	11	41	-6

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suf-folk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	391	181*	202	16**	78**	144	66*	41*	38*	28**	36**	34**	12**	17**	32**	51**	23**	9**	27**	23**	38**	17**	42**	95*	10**	273	413
Unw. Sample	413	129	278	7	27	140	102	72	55	29	47	40	13	8	33	53	25	10	26	24	42	17	46	108	12	281	413
Social services not involved	27	8	19	2	5	8	9	1	2	*	4	3	1	1	6	2	1	*	2	1	2	2	*	6	-	21	33
	7%	5%	9%z	15%	6%	6%	14%zg	3%	5%	2%	12%	9%	7%	4%	18%	4%	6%	4%	8%	3%	6%	14%	1%	7%	-	8%	8%
No support from/never saw anyone from social services	23	7	12	3	3	8	6	2	-	2	1	1	-	3	1	1	*	-	5	2	3	-	4	3	-	16	23
	6%	4%	6%	20%	4%	6%	8%h	5%	-	7%	2%	2%	-	17%	3%	2%	2%	-	20%	10%	7%	-	8%	3%	-	6%	6%
Nurses/Macmillan nurses/ staff were good/caring/ helpful	23	8	14	-	5	10	3	2	4	4	-	1	*	-	5	1	4	1	3	-	-	-	5	2	*	21	24
	6%	5%	7%	-	6%	7%	4%	4%	11%	13%	-	2%	4%	-	15%	3%	15%	6%	12%	-	-	-	11%	2%	3%	8%	6%
Sudden death	19	9	10	-	10	6	2	1	-	3	2	1	-	-	1	6	-	-	-	1	4	-	-	*	-	18	14
	5%A	5%	5%	-	12%	4%	3%	2%	-	10%	5%	4%	-	-	4%	13%	-	-	-	6%	10%	-	-	*	-	7%	3%
Was in a care home/ hospital/hospice not aware of any involvement from social services	16	4	12	-	3	6	3	2	2	1	1	2	-	-	1	1	*	-	*	1	2	1	6	2	-	14	24
	4%	2%	6%z	-	4%	4%	4%	6%	5%	2%	3%	6%	-	-	4%	2%	2%	-	2%	4%	4%	6%	14%	2%	-	5%	6%
Social services were good/there when needed	10	7	4	-	-	-	7	2	1	1	3	*	*	-	-	4	-	2	-	-	-	-	1	5	-	5	15
	3%	4%	2%	-	-	-	10%ze	6%e	4%e	3%	7%	1%	4%	-	-	7%	-	19%	-	-	-	-	2%	5%	-	2%	4%
Died abroad	9	8	2	-	-	8	-	1	-	-	2	-	3	-	-	2	-	-	-	-	1	2	4	4	-	5	7
	2%b	4%	1%	-	-	6%z	-	3%	-	-	-	-	18%	-	-	7%	-	-	-	-	-	6%	4%	4%	-	2%	2%
Limited contact/one visit/only came to assess need	8	8	*	-	8	-	-	*	-	-	-	-	8	-	-	-	-	*	-	-	-	-	-	-	-	8	2
	2%b	4%b	*	-	10%	-	-	1%	-	-	-	-	44%	-	-	-	-	-	2%	-	-	-	-	-	-	-	3%
Several aids/equipment was delivered to their home	8	1	7	-	2	3	1	-	2	-	-	-	-	1	1	1	1	1	2	1	-	-	2	*	6	9	
	2%	1%	3%z	-	3%	2%	1%	-	5%	-	-	-	-	2%	2%	5%	9%	4%	9%	2%	-	-	2%	3%	2%	2%	
I was not there/not there at the time	8	3	5	-	2	2	2	1	1	-	*	3	1	-	-	1	-	-	2	-	-	-	1	-	-	8	8
	2%	1%	3%	-	3%	1%	3%	2%	2%	-	1%	8%	9%	-	-	1%	-	-	7%	-	-	-	2%	-	-	3%	2%
Difficult to obtain/ inefficient	8	4	4	-	2	1	2	3	-	2	1	4	-	-	1	-	-	-	-	-	-	-	-	1	-	6	9
	2%	2%	2%	-	3%	*	2%	8%ze	-	6%	3%	11%	-	-	2%	-	-	-	-	-	-	-	-	1%	-	2%	2%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England												Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Pressure from/stress involved in dealing with Social Services	7 2%	5 3%	3 1%	-	6 7%	2 1%	-	-	-	-	-	-	-	-	1 3%	-	-	-	-	-	5 12%	-	2 4%	3 3%	1 10%	4 1%	4 1%	
Was being looked after/ died at home	7 2%b	5 2%	2 1%	4 24%	-	1 1%	* 1%	-	1 3%	-	1 4%	1 2%	-	-	4 8%	-	-	-	-	-	1 2%	-	-	1 1%	-	5 2%	6 1%	
Care was scarce/only came for a limited time/ family left to get on with most of the caring	6 2%b	5 3%	1 *	-	-	4 3%	1 1%	* 1%	1 1%	-	-	1 13%	-	-	-	-	-	4 14%	-	1 2%	-	-	-	1 2%	-	5 2%	5 1%	
Minimal information/ information not given in a timely manner	6 1%	-	3 1%	3 20%	-	2 1%	* 1%	-	* 1%	1 2%	-	-	-	-	1 1%	-	-	-	3 11%	-	-	-	1 3%	* *	-	5 2%	6 1%	
Tactless/uncaring	6 1%	2 1%	1 1%	-	-	1 *	2 3%	1 1%	1 1%	1 2%	1 3%	1 4%	-	-	1 3%	1 2%	-	-	1 2%	-	-	-	-	1 1%	-	3 1%	8 2%	
Everything took a long time/delays in care/ support	5 1%	-	5 2%z	-	2 3%	-	-	* 1%	2 6%zef	-	-	-	-	-	1 2%	-	* 2%	-	-	3 11%	-	-	1 3%	1 1%	* 4%	3 1%	6 1%	
Friends/family supported each other	3 1%	1 1%	2 1%	-	-	* *	2 3%z	-	* 1%	-	-	1 3%	-	1 8%	-	* 1%	-	-	-	-	-	-	-	1 1%	2 2%	-	1 *	5 1%
Did not ask/request any help from social services	3 1%	2 1%	1 1%	-	-	-	2 3%z	1 3%e	-	-	-	-	-	-	-	-	-	-	-	2 8%	1 3%	-	-	2 2%	-	1 *	4 1%	
Hearsay/other people told me they were good	3 1%	2 1%	1 *	-	-	-	-	1 2%	2 5%zef	-	1 3%	-	-	-	-	1 5%	-	-	-	-	-	-	1 2%	1 1%	-	2 1%	4 1%	
They were just doing their job	2 1%	2 1%	1 *	-	-	2 1%	-	-	-	-	-	-	-	-	1 1%	-	-	-	-	2 7%	-	-	-	-	-	2 1%	2 *	
Good communication/ advice received	1 *	1 *	* *	-	-	-	-	1 2%z	* 1%	-	-	-	-	-	-	* 1%	-	-	-	-	1 2%	-	-	-	-	1 *	2 *	
Good/attentive GP	1 *	1 *	* *	-	-	-	1 1%	* 1%	-	* 2%	-	-	-	-	-	-	-	-	-	-	-	-	1 2%	-	-	1 *	2 *	
Other	14 4%	5 3%	9 4%	-	2 3%	4 3%	3 3%	2 4%	3 9%	1 5%	2 6%	3 9%	1 5%	1 4%	1 4%	3 6%	-	-	-	-	-	-	1 6%	1 1%	2 2%	-	12 4%	17 4%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age					PCT - East of England											Carer			Unwtd sample					
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, proficiency (B)	No (C)	
Don't know	17 4%	10 6%	6 3%	1 9%	7 10%	4 3%	2 3%	1 2%	1 2%	1 4%	7 20%	1 4%	-	-	-	3 6%	*	-	-	-	-	-	3 8%	4 5%	-	12 4%	12 3%
No answer/blank response	183 47% ^C	79 44%	102 50%	5 33%	28 36%	80 55% ^z	26 40%	21 52%	16 44%	16 57%	14 38%	15 44%	7 59%	1 5%	16 49%	22 43%	14 60%	6 62%	9 33%	12 51%	21 54%	12 69%	19 46%	54 57% ^C	8 83%	114 42%	201 49%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	391	108*	117*	268	262	12**	30**	13**	60*	294	45*	279	57*	391	-**	391	-**	119*	56*	127*	162	119*	170
Unw. Sample	413	88	143	261	304	3	24	11	54	310	49	293	62	412	-	413	-	133	64	135	166	117	176	138	
Social services not involved	27	9	4	23	17	-	1	4	6	22	6	18	8	27	-	27	-	10	3	12	17	10	14	8	
No support from/never saw anyone from social services	23	7	7	14	17	3	2	-	-	19	3	18	1	23	-	23	-	3	19	4	9	4	12	10	
Nurses/Macmillan nurses/ staff were good/caring/ helpful	23	8	5	18	15	-	2	*	5	18	3	16	4	23	-	23	-	12	2	8	9	4	5	9	
Sudden death	19	1	2	17	12	-	2	1	1	12	1	16	1	19	-	19	-	7	4	2	4	2	2	3	
Was in a care home/ hospital/hospice not aware of any involvement from social services	16	4	5	11	15	-	1	-	*	11	4	10	6	16	-	16	-	3	1	4	6	3	6	5	
Social services were good/there when needed	10	-	5	5	7	-	2	-	1	9	*	6	*	10	-	10	-	8	-	4	1	4	6	4	
Died abroad	9	6	1	8	6	-	3	-	-	2	2	5	2	9	-	9	-	-	-	1	1	4	4	1	
Limited contact/one visit/only came to assess need	8	8	*	8	*	8	-	-	-	8	-	8	-	8	-	8	-	-	*	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Several aids/equipment was delivered to their home	8 2%	4 4%	5 4%	3 1%	5 2%	-	1 2%	-	2 3%	6 2%	2 4%	6 2%	1 2%	8 2%	-	8 2%	-	4 3%	1 1%	2 1%	2 1%	1 1%	1 1%
I was not there/not there at the time	8 2%	2 2%	1 1%	7 2%	5 2%	-	-	-	3 4%	7 2%	-	7 3%	-	8 2%	-	8 2%	-	1 1%	-	1 1%	4 3%	3 3%	5 3%	1 1%	
Difficult to obtain/inefficient	8 2%	3 3%	2 2%	6 2%	3 1%	-	2 8%	-	2 3%	6 2%	-	6 2%	1 1%	8 2%	-	8 2%	-	4 3%	2 4%	3 2%	3 2%	4 4%	5 3%	2 1%	
Pressure from/stress involved in dealing with Social Services	7 2%	2 2%	2 1%	6 2%	5 2%	-	-	-	2 3%	6 2%	1 2%	1 *	1 2%	7 2%	-	7 2%	-	5 4%	3 5%	-	-	-	4 2%	4 3%	
Was being looked after/died at home	7 2%	-	1 1%	6 2%	2 1%	-	-	1 5%	4 6%	7 2%	-	7 3%	-	7 2%	-	7 2%	-	-	2 3%	3 2%	2 1%	2 2%	2 1%	2 2%	
Care was scarce/only came for a limited time/family left to get on with most of the caring	6 2%	3 3%	2 2%	3 1%	1 *	-	-	-	3 5%	5 2%	1 2%	6 2%	-	6 2%	-	6 2%	-	3 3%	3 5%	3 3%	5 3%	4 4%	5 3%	3 3%	
Minimal information/information not given in a timely manner	6 1%	2 2%	2 1%	4 2%	5 2%	-	1 2%	-	-	4 1%	-	4 2%	1 2%	6 1%	-	6 1%	-	1 *	4 7%	-	3 2%	-	4 2%	3 2%	
Tactless/uncaring	6 1%	1 1%	2 2%	2 1%	3 1%	-	-	-	2 3%	4 1%	-	3 1%	1 1%	6 1%	-	6 1%	-	1 *	3 5%	2 2%	1 1%	2 1%	2 1%	2 2%	
Everything took a long time/delays in care/support	5 1%	2 2%	3 3%	1 *	4 2%	-	-	-	-	4 1%	1 2%	4 1%	1 2%	5 1%	-	5 1%	-	1 1%	1 1%	1 1%	1 1%	1 1%	1 1%	1 1%	
Friends/family supported each other	3 1%	-	2 2%	1 *	3 1%	-	-	-	-	3 1%	-	1 *	1 2%	3 1%	-	3 1%	-	1 1%	2 3%	2 2%	2 1%	2 2%	2 1%	1 *	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Did not ask/request any help from social services	3 1%	-	3 1%	*		3 1%	-	-	-	-	2 1%	-	2 1%	-	3 1%	-	3 1%	-	*	-	*	*	*	2 1%	*
Hearsay/other people told me they were good	3 1%	-	1 *	2 1%		2 1%	-	-	-	1 1%	3 1%	-	3 1%	-	3 1%	-	3 1%	-	*	-	2 2%	2 1%	2 1%	2 1%	2 1%
They were just doing their job	2 1%	1 1%	1 *	2 1%		2 1%	-	-	-	-	2 1%	-	2 1%	-	2 1%	-	2 1%	-	-	-	-	1 *	-	-	-
Good communication/advice received	1 *	-	1 *	1 *		1 *	-	-	-	-	1 *	1 1%	-	2 2%	1 *	-	1 *	-	1 1%	-	-	-	-	-	1 1%
Good/attentive GP	1 *	-	1 *	1 *		1 *	-	-	-	-	*	1 1%	1 1%	-	1 *	-	1 *	-	1 1%	-	1 1%	1 1%	1 1%	1 1%	1 1%
Other	14 4%	1 1%	12 5%	2 1%		11 4%	-	1 5%	1 9%	1 1%	8 3%	4 8%	6 2%	5 8%	14 4%	-	14 4%	-	4 3%	3 5%	5 4%	5 3%	4 4%	4 2%	4 3%
Don't know	17 4%	4 4%	12 4%	5 4%		10 4%	-	2 6%	2 18%	1 2%	11 4%	5 10%	4 4%	11 8%	4 4%	17 4%	-	17 4%	-	5 4%	1 1%	8 7%	11 7%	5 4%	7 4%
No answer/blank response	183 47%	49 46%	115 55%	15 43%		130 49%	1 8%	13 43%	4 33%	30 50%	138 47%	17 38%	136 49%	25 44%	182 47%	-	183 47%	-	51 43%	15 27%	67 53%	84 52%	64 54%	87 51%	73 54%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	391	45**	119*	42**	84*	186	139*	95*	282	16**	253	23**	169*	70*	199	210	13**	48*	4**	339	38*	109*	49**	110*	36**	38**	42**	238	147*
Unw. Sample	413	53	145	45	79	235	128	81	286	14	251	26	175	68	208	218	18	65	5	347	48	113	55	110	43	47	34	247	156
Social services not involved	27	4	8	1	7	14	10	9	21	1	21	2	14	7	16	14	2	3	1	24	3	6	3	9	3	4	2	13	15
No support from/never saw anyone from social services	23	2	6	1	5	13	10	7	12	5	15	2	16	6	16	11	*	5	2	21	1	10	*	4	4	1	3	9	14
Nurses/Macmillan nurses/ staff were good/caring/ helpful	23	3	5	2	4	10	9	2	18	2	14	4	8	2	10	9	1	7	*	21	2	6	*	5	4	3	3	17	6
Sudden death	19	-	2	-	3	3	7	9	15	-	10	-	8	11	12	13	-	1	-	19	-	-	9	6	1	1	1	10	9
Was in a care home/ hospital/hospice not aware of any involvement from social services	16	1	3	1	3	9	7	2	13	-	12	1	7	3	8	6	*	3	-	14	2	3	3	3	5	1	2	9	7
Social services were good/there when needed	10	2	4	4	*	6	1	1	5	-	5	-	6	1	6	7	2	1	-	10	-	3	2	5	*	-	-	7	3
Died abroad	9	-	1	3	1	5	1	3	2	2	6	3	5	-	5	5	-	-	-	9	-	5	2	1	2	-	-	7	2
Limited contact/one visit/only came to assess need	8	-	-	-	-	*	8	*	-	-	-	-	*	-	*	8	-	*	-	8	-	-	-	-	-	*	8	8	*

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
		Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)		
Several aids/equipment was delivered to their home	8 2%G	-	2	*	1	4	3	-	5	*	5	*	3	2	4	3	-	-	1	8	*	2	2	1	1	1	1	1	1	7	5%G
I was not there/not there at the time	8 2%	*	4	-	-	2	3	*	7	-	7	-	4	2	4	4	-	2	-	7	1	4	-	1	2	-	*	4	3	2%	
Difficult to obtain/inefficient	8 2%	-	2	2	4	5	5	-	7	-	5	-	5	3	5	2	-	2	-	7	1	3	-	1	1	1	1	5	3	2%	
Pressure from/stress involved in dealing with Social Services	7 2%h	-	-	-	-	4	1	3	3	4	4	4	4	5	5	7	-	-	-	7	-	4	-	1	-	1	2	3	5	3%	
Was being looked after/died at home	7 2%	1	1	1	-	2	4	-	4	-	4	*	5	*	5	3	-	-	-	6	*	*	-	5	-	-	1	6	*	2%	
Care was scarce/only came for a limited time/family left to get on with most of the caring	6 2%G	-	1	-	3	6	5	*	5	-	5	-	5	-	5	2	*	-	-	6	-	2	-	-	-	-	3	1	5	4%	
Minimal information/information not given in a timely manner	6 1%	-	1	-	-	1	1	3	6	-	6	-	5	1	6	3	-	1	-	5	1	3	-	1	1	*	1	2	4	3%	
Tactless/uncaring	6 1%	-	2	2	1	5	2	-	2	1	1	1	2	1	2	2	-	1	-	3	1	1	-	*	1	1	1	1	3	2%	
Everything took a long time/delays in care/support	5 1%	1	1	*	-	1	1	1	4	*	4	1	1	1	2	3	-	-	-	4	1	1	2	*	-	1	-	2	3	2%	
Friends/family supported each other	3 1%	1	3	-	-	2	-	-	3	-	3	-	1	-	1	1	-	*	-	2	1	1	-	1	-	*	1	2	1%		

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Did not ask/request any help from social services	3 1%	* 1%	* *	- -	3 2%	* *	- -	1 *	* 2%	* *	* 2%	1 *	- -	1 *	- -	2 3%	zo 4%	- -	3 1%	* 1%	- -	2 4%	- -	* 1%	* 1%	- -	2 1%	1 *	
Hearsay/other people told me they were good	3 1%	1 2%	2 1%	- -	2 1%	1 1%	- -	2 1%	- -	1 *	- -	1 1%	- -	1 *	- -	1 1%	- -	- -	3 1%	- -	- -	- -	2 2%	- -	- -	- -	2 1%	- -	
They were just doing their job	2 1%	- -	- -	- -	1 *	- -	- -	2 1%	- -	2 1%	- -	1 *	- -	1 *	- -	- -	- -	- -	2 *	- -	- -	2 1%	- -	- -	- -	1 1%	1 *	2 1%	
Good communication/advice received	1 *	- 1%	1 *	- -	1 *	- -	- -	* *	- -	* *	- -	* *	- -	* *	1 1%	- -	- -	- -	1 *	* 1%	- -	- -	- -	- 1%	- -	1 2%	1 *	- -	
Good/attentive GP	1 *	* 1%	* *	- -	1 1%	- -	- -	1 *	- -	1 *	- -	1 1%	- -	1 1%	- -	- -	1 1%	- -	* 2%	1 *	- -	- -	1 1%	- -	- -	* 1%	* *	1 *	
Other	14 4%	* 1%	4 3%	2 5%	3 3%	8 4%	3 2%	3 3%	12 4%	- -	7 3%	2 5%	5 4%	4 5%	7 4%	10 5%	1 4%	2 3%	- -	11 3%	3 7%	5 4%	3 6%	1 1%	2 6%	3 7%	* 1%	7 3%	7 4%
Don't know	17 4%	4 9%	8 6%	2 4%	7 8%	9 5%	6 4%	4 4%	2 11%	10 4%	- -	1 1%	5 7%	6 3%	8 4%	- -	- -	- -	14 4%	2 6%	5 4%	2 4%	2 2%	1 2%	6 17%	1 2%	12 5%	5 3%	
No answer/blank response	183 47%	25 56%	65 55%	24 58%	45 53%	84 45%	69 50%	47 49%	139 49%	1 6%	125 49%	6 28%	76 45%	23 33%	88 44%	103 49%	7 50%	21 44%	* 11%	151 44%	22 57%	52 47%	23 47%	62 56%	13 35%	15 39%	16 37%	123 51%	57 39%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as good/very good

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	79*	46**	31*	-**	12**	20**	15**	10**	19**	8**	8**	4**	3**	10**	8**	10**	7**	3**	5**	3**	3**	1**	4**	16**	1**	59**	89*
Unw. Sample	89	33	54	-	3	19	21	16	27	7	10	6	5	3	8	18	7	3	6	3	5	2	6	21	1	64	89
Nurses/Macmillan nurses/ staff were good/caring/ helpful	16 21%	8 18%	8 26%	-	2 16%	8 39%	2 14%	1 12%	4 19%	1 16%	-	* 6%	* 13%	-	5 56%	1 7%	4 49%	1 17%	3 64%	-	-	-	2 38%	1 7%	-	15 26%	17 19%
Social services were good/there when needed	10 12%	7 15%	3 9%	-	-	-	6 41%	2 23%	1 7%	* 6%	3 34%	-	* 13%	-	-	4 37%	-	2 57%	-	-	-	-	1 15%	4 26%	-	5 9%	13 15%
Limited contact/one visit/only came to assess need	8 10%	8 17%	-	-	8 64%	-	-	-	-	-	-	-	-	8 79%	-	-	-	-	-	-	-	-	-	-	-	8 13%	1 1%
Was in a care home/ hospital/hospice not aware of any involvement from social services	5 6%	2 4%	3 9%	-	-	2 11%	1 9%	* 4%	1 4%	-	-	1 23%	-	1 11%	1 7%	-	-	* 8%	-	-	-	* 50%	1 30%	1 7%	-	4 6%	7 8%
Several aids/equipment was delivered to their home	4 5%	-	4 12%	-	-	3 14%	* 2%	-	1 3%	-	-	-	-	1 7%	* 3%	1 16%	1 27%	-	-	1 21%	-	-	-	* 2%	-	3 6%	5 6%
Hearsay/other people told me they were good	2 3%	1 2%	1 3%	-	-	-	-	-	2 10%	-	1 12%	-	-	-	-	1 14%	-	-	-	-	-	-	-	1 6%	-	1 2%	3 3%
Friends/family supported each other	2 2%	1 3%	* 1%	-	-	-	1 9%	-	* 2%	-	-	* 8%	-	1 14%	-	-	-	-	-	-	-	-	-	1 8%	-	* 1%	2 2%
Good communication/ advice received	1 2%	1 2%	* 1%	-	-	-	-	1 8%	* 2%	-	-	-	-	-	* 5%	-	-	-	-	-	1 22%	-	-	-	-	1 2%	2 2%
I was not there/not there at the time	1 1%	-	1 4%	-	-	1 3%	-	-	* 2%	-	* 6%	-	-	-	1 6%	-	-	-	-	-	-	-	-	-	-	1 2%	2 2%
They were just doing their job	1 1%	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	1 7%	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%
Everything took a long time/delays in care/ support	1 1%	-	1 2%	-	-	-	-	-	1 3%	-	-	-	-	1 7%	-	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as good/very good

	Gender		Age						PCT - East of England										Carer			Unwtd sample				
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Care was scarce/only came for a limited time/ family left to get on with most of the caring	*	*	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	1
	1%	1%	-	-	-	-	4%	-	-	-	-	-	-	-	-	-	-	8%	-	-	-	-	-	-	1%	1%
Other	5	3	-	-	2	1	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	*	1	-	3	7
	6%	9%	-	-	8%	7%	7%	7%	-	12%	-	18%	7%	-	22%	-	-	-	-	-	-	7%	8%	-	6%	8%
No answer/blank response	29	11	-	2	7	4	5	9	6	3	3	2	-	3	1	3	-	1	3	2	*	*	7	1	19	34
	36%	36%	-	21%	36%	24%	47%	46%	78%	42%	68%	56%	-	36%	13%	37%	-	28%	100%	57%	50%	10%	42%	100%	32%	38%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as good/very good

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	79*	23**	25**	52**	48*	8**	6**	-**	15**	65*	7**	57*	10**	79*	-**	79*	-**	43*	2**	26**	26**	22**	25**
Unw. Sample	89	14	34	51	65	1	6	-	15	71	8	66	12	89	-	89	-	56	3	32	31	25	34	31	
Nurses/Macmillan nurses/staff were good/caring/helpful	16	6	3	13	9	-	2	-	5	14	*	13	1	16	-	16	-	11	*	6	7	3	4	8	
	21%	26%	12%	26%	20%	-	28%	-	35%	22%	4%	22%	7%	21%	-	21%	-	26%z	12%	25%	29%	16%	16%	29%	
Social services were good/there when needed	10	-	5	5	7	-	2	-	1	9	-	5	-	10	-	10	-	8	-	4	1	4	6	4	
	12%	-	19%	10%	14%	-	30%	-	6%	14%	-	9%	-	12%	-	12%	-	19%z	-	17%	4%	17%	23%	16%	
Limited contact/one visit/only came to assess need	8	8	-	8	-	8	-	-	-	8	-	8	-	8	-	8	-	-	-	-	-	-	-	-	
	10%	33%	-	15%	-	100%	-	-	-	12%	-	13%	-	10%	-	10%	-	-	-	-	-	-	-	-	
Was in a care home/hospital/hospice not aware of any involvement from social services	5	2	2	2	3	-	1	-	*	5	*	5	*	5	-	5	-	2	*	1	1	-	2	1	
	6%	10%	9%	4%	7%	-	16%	-	3%	7%	4%	8%	2%	6%	-	6%	-	4%	12%	4%	3%	-	7%	5%	
Several aids/equipment was delivered to their home	4	1	1	3	1	-	-	-	2	3	1	3	-	4	-	4	-	4	-	1	2	1	1	2	
	5%	5%	2%	6%	2%	-	-	-	13%	4%	10%	6%	-	5%	-	5%	-	8%z	-	6%	8%	5%	2%	6%	
Hearsay/other people told me they were good	2	-	2	*	2	-	-	-	-	2	-	2	-	2	-	2	-	*	-	2	2	2	2	2	
	3%q	-	6%	1%	4%	-	-	-	-	3%	-	3%	-	3%	-	3%	-	1%	-	8%	6%	7%	6%	7%	
Friends/family supported each other	2	-	2	-	2	-	-	-	-	2	-	-	1	2	-	2	-	-	1	1	1	1	1	-	
	2%	-	7%	-	4%	-	-	-	-	3%	-	-	14%	2%	-	2%	-	-	68%	5%	5%	6%	5%	-	
Good communication/advice received	1	-	*	1	1	-	-	-	-	1	*	-	1	1	-	1	-	1	-	-	-	-	-	1	
	2%	-	2%	1%	2%	-	-	-	-	1%	6%	-	12%	2%	-	2%	-	3%	-	-	-	-	-	3%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as good/very good

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		I was not there/not there at the time	1 1%	-	* 2%	1 1%	1 2%	-	-	-	-	1 2%	-	1 2%	-	1 1%	-	1 1%	-	* 1%	-	* 2%	1 2%	-	1 2%
They were just doing their job	1 1%	1 3%	-	1 1%	1 1%	-	-	-	-	1 1%	-	-	-	1 1%	-	1 1%	-	-	-	-	1 2%	-	-	-	
Everything took a long time/delays in care/support	1 1%	-	1 2%	-	-	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 2%	-	-	1 2%	1 2%	
Care was scarce/only came for a limited time/family left to get on with most of the caring	* 1%	-	* 2%	-	* 1%	-	-	-	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	-	-	-	-	-	
Other	5 6%	1 4%	2 6%	3 6%	4 8%	-	-	-	1 4%	3 4%	1 14%	3 6%	* 3%	5 6%	-	5 6%	-	3 7%	-	1 3%	2 7%	2 8%	1 3%	* 2%	
No answer/blank response	29 36%	7 28%	10 39%	17 33%	18 38%	-	3 42%	-	7 46%	21 33%	5 65%	21 36%	7 65%	29 36%	-	29 36%	-	15 36%	* 20%	9 35%	10 39%	10 47%	9 35%	10 35%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as good/very good

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	79*	11**	23**	10**	10**	36*	12**	23**	53*	-**	41*	3**	26**	8**	31**	50**	4**	11**	1**	65*	9**	22**	7**	20**	6**	7**	16**	57**	20**
Unw. Sample	89	16	34	12	11	51	13	17	61	-	50	3	32	13	40	49	7	14	2	72	13	28	12	21	9	10	8	61	26
Nurses/Macmillan nurses/staff were good/caring/helpful	16 21%	2 19%	4 18%	2 17%	3 29%	8 22%	4 29%	2 8%	15 28%z	-	11 26%	1 43%	6 22%	2 32%	8 25%	7 15%	* 9%	6 59%	* 32%	15 23%	2 18%	6 25%	* 3%	5 26%	1 21%	3 43%	1 7%	11 20%	5 26%
Social services were good/there when needed	10 12%h	2 14%	4 16%	4 42%	-	5 15%	* 4%	1 3%	5 9%	-	5 11%	-	5 20%	* 4%	5 17%	7 13%	2 38%	1 6%	-	10 15%	-	3 12%	2 30%	5 25%	-	-	-	7 13%	2 12%
Limited contact/one visit/only came to assess need	8 10%	-	-	-	-	-	-	8 34%	-	-	-	-	-	-	-	8 15%	-	-	-	8 12%	-	-	-	-	-	-	8 49%	-	-
Was in a care home/hospital/hospice not aware of any involvement from social services	5 6%	* 4%	1 5%	-	2 20%	3 9%z	1 10%	1 5%	3 6%	-	3 8%	-	3 10%	1 12%	4 12%	2 5%	* 9%	2 15%	-	4 6%	1 11%	1 4%	1 13%	-	1 13%	1 13%	1 8%	3 5%	2 10%
Several aids/equipment was delivered to their home	4 5%	-	1 6%	-	1 9%	2 7%z	2 16%	-	2 5%	-	2 5%	-	2 8%	2 28%	4 12%	2 4%	-	-	1 68%	3 5%	* 4%	1 3%	-	-	1 20%	1 8%	1 7%	1 2%	3 14%
Hearsay/other people told me they were good	2 3%	1 8%	1 4%	-	-	2 6%z	1 8%	-	2 4%z	-	1 2%	-	1 4%	-	1 3%	* 1%	-	* 4%	-	2 3%	-	-	-	2 10%	-	-	-	2 3%	-
Friends/family supported each other	2 2%e	1 12%	1 6%	-	-	* 1%	-	-	2 3%z	-	1 3%	-	-	-	-	-	-	* 3%	-	* 1%	1 16%	1 6%	-	-	* 6%	-	-	* 1%	1 7%
Good communication/advice received	1 2%h	-	1 5%	-	-	1 2%	-	-	* 1%	-	* 1%	-	* 2%	-	* 1%	1 2%	-	-	-	1 1%	* 5%	-	-	-	-	* 6%	1 5%	1 1%	-

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as good/very good

	Total (z)	Made plans						Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
		Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
I was not there/not there at the time	1 1%	* 4%	1 5%	-	-	1 3%z	1 5%	-	1 2%z	-	3 3%	* 2%	-	* 2%	1 2%	-	-	-	-	* 1%	1 7%	-	-	1 6%	-	-	-	-	1 2%	-
They were just doing their job	1 1%	-	-	-	-	1 2%z	-	-	1 1%	-	-	1 2%	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	-	1 4%	1 1%	-	
Everything took a long time/delays in care/support	1 1%	-	1 3%	-	-	1 2%z	-	-	1 1%	-	-	1 2%	1 8%	1 2%	1 1%	-	-	-	-	1 1%	-	-	-	-	-	1 8%	-	1 1%	-	
Care was scarce/only came for a limited time/family left to get on with most of the caring	* 1%	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	-	-	-	*	-	*	-	-	-	-	-	-	*	
Other	5 6%	-	1 6%	-	1 10%	2 7%	1 8%	1 4%	4 7%	-	2 4%	-	2 6%	-	2 5%	3 5%	1 13%	-	-	4 6%	1 8%	2 8%	* 4%	-	-	3 35%	-	4 7%	1 4%	
No answer/blank response	29 36%e	5 43%	7 30%	4 41%	3 32%	11 31%	4 30%	11 49%	19 36%	-	17 41%	2 57%	9 33%	3 36%	10 33%	21 41%	1 30%	3 27%	-	22 33%	3 33%	9 41%	4 62%	7 35%	2 41%	1 8%	4 27%	21 36%	7 35%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as poor/very poor

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Weighted Base	44**	16**	22**	3**	11**	13**	9**	3**	3**	3**	2**	4**	2**	1**	3**	9**	3**	***	1**	5**	1**	10**	-**	7**	13**	2**	24**	43*
Unw. Sample	43	13	27	1	4	13	14	5	4	3	4	3	2	1	4	6	1	1	4	2	6	-	6	14	3	23	43	
No support from/never saw anyone from social services	16	2	11	3	3	4	5	*	-	2	1	1	-	1	1	*	*	-	3	*	3	-	4	3	-	9	17	
	37%	9%	48%	100%	27%	29%	60%	11%	-	48%	32%	20%	-	100%	34%	14%	100%	-	67%	42%	26%	-	51%	24%	-	39%	40%	
Pressure from/stress involved in dealing with Social Services	7	5	3	-	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	-	2	3	1	4	4	
	17%	29%	12%	-	51%	15%	-	-	-	-	-	-	-	-	34%	-	-	-	-	-	49%	-	24%	20%	53%	16%	9%	
Difficult to obtain/ inefficient	6	3	4	-	2	1	2	2	-	2	*	3	-	-	-	1	-	-	-	-	-	-	-	*	-	6	7	
	14%	16%	16%	-	22%	5%	18%	54%	-	52%	15%	80%	-	-	-	35%	-	-	-	-	-	-	-	3%	-	25%	16%	
Minimal information/ information not given in a timely manner	4	-	1	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	4	3	
	10%	-	5%	100%	-	9%	-	-	-	19%	-	-	-	-	-	-	-	-	59%	-	-	-	9%	-	-	18%	7%	
Tactless/uncaring	4	2	1	-	-	1	2	-	1	1	-	1	-	-	1	1	-	-	1	-	-	-	-	1	-	2	6	
	10%	11%	7%	-	-	5%	24%	-	18%	19%	-	22%	-	-	32%	40%	-	-	11%	-	-	-	-	7%	-	10%	14%	
Care was scarce/only came for a limited time/ family left to get on with most of the caring	3	2	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	1	3	
	7%	14%	2%	-	-	11%	10%	-	18%	-	-	-	59%	-	-	-	-	-	11%	-	9%	-	-	11%	-	6%	7%	
Nurses/Macmillan nurses/ staff were good/caring/ helpful	2	-	2	-	-	2	*	-	-	2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	2	2	
	4%	-	8%	-	-	12%	4%	-	-	48%	-	-	-	-	-	10%	-	-	-	-	-	-	-	-	18%	6%	5%	
Several aids/equipment was delivered to their home	2	1	*	-	-	-	*	-	1	-	-	-	-	-	*	-	-	-	1	-	-	-	-	1	*	-	2	
	3%	7%	1%	-	-	-	4%	-	40%	-	-	-	-	-	10%	-	-	-	23%	-	-	-	-	9%	18%	-	5%	
Everything took a long time/delays in care/ support	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	
	2%	-	3%	-	-	-	-	-	25%	-	-	-	-	-	-	-	-	-	-	-	-	-	11%	6%	-	-	2%	
Good/attentive GP	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	
	2%	4%	-	-	-	-	7%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9%	-	-	3%	2%		
Friends/family supported each other	*	-	-	-	-	*	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	-	-	1	
	1%	-	2%	-	-	3%	-	-	-	-	-	-	-	-	14%	-	-	-	-	-	-	-	-	3%	-	-	2%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as poor/very poor

	Gender		Age						PCT - East of England											Carer			Unwtd sample			
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Was being looked after/ died at home	*	*	-	-	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	1
	1%	2%	-	-	-	4%	-	-	-	15%	-	-	-	-	-	-	-	-	-	-	-	-	3%	-	-	2%
Other	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
	2%	4%	-	-	-	8%	-	-	-	33%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3%	2%
No answer/blank response	7	3	4	-	-	5	*	1	1	-	1	-	-	*	-	1	-	1	2	-	*	3	1	3	7	
	15%	19%	16%	-	-	36%	4%	35%	17%	36%	-	41%	-	11%	-	100%	-	58%	24%	-	6%	23%	29%	13%	16%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as poor/very poor

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	44**	11**	16**	25**	24**	3**	2**	1**	9**	33**	7**	30**	6**	44**	-**	44**	-**	10**	29**	12**	15**	11**	24**
Unw. Sample	43	7	22	18	28	1	1	1	7	29	10	30	8	43	-	43	-	7	29	12	14	10	18	14	
No support from/never saw anyone from social services	16 37%	4 41%	6 35%	9 36%	12 49%	3 100%	-	-	-	14 41%	3 37%	15 51%	1 23%	16 37%	-	16 37%	-	1 11%	15 53%	4 36%	7 43%	4 35%	10 42%	10 50%	
Pressure from/stress involved in dealing with Social Services	7 17%	2 16%	2 11%	6 23%	5 20%	-	-	-	2 19%	6 20%	1 13%	1 3%	1 17%	7 17%	-	7 17%	-	5 49%	3 9%	-	-	-	4 16%	4 20%	
Difficult to obtain/inefficient	6 14%	3 27%	1 7%	5 21%	2 8%	-	2 100%	-	2 22%	6 17%	-	6 19%	1 11%	6 14%	-	6 14%	-	3 34%	1 5%	2 20%	3 18%	3 28%	4 17%	1 4%	
Minimal information/information not given in a timely manner	4 10%	1 11%	1 4%	4 15%	4 17%	-	-	-	-	3 9%	-	4 12%	1 11%	4 10%	-	4 10%	-	1 6%	3 11%	-	3 20%	-	3 13%	3 16%	
Tactless/uncaring	4 10%	1 5%	1 9%	2 7%	1 6%	-	-	-	2 21%	3 8%	-	2 6%	1 11%	4 10%	-	4 10%	-	-	3 9%	1 13%	1 10%	-	1 8%	1 4%	
Care was scarce/only came for a limited time/family left to get on with most of the caring	3 7%	-	2 13%	-	1 2%	-	-	-	-	2 6%	1 12%	3 10%	-	3 7%	-	3 7%	-	-	3 10%	1 5%	2 13%	1 13%	2 8%	1 3%	
Nurses/Macmillan nurses/staff were good/caring/helpful	2 4%	2 14%	2 11%	-	2 7%	-	-	-	-	2 6%	-	2 6%	-	2 4%	-	2 4%	-	-	2 5%	*	*	*	*	*	
Several aids/equipment was delivered to their home	2 3%	-	2 9%	-	2 6%	-	-	-	-	* 1%	1 16%	* 1%	1 22%	2 3%	-	2 3%	-	-	-	*	*	*	*	*	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as poor/very poor

	Total (z)	Childr en under 17 in househ old		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
		Everything took a long time/delays in care/support	1 2%	-	1 3%	-	-	1 3%	-	-	-	1 2%	-	1 2%	-	1 2%	-	1 2%	-	-	-	-	-	-	-
Good/attentive GP	1 2%	-	1 3%	-	-	1 3%	-	-	-	-	1 9%	1 2%	-	1 2%	-	1 2%	-	1 7%	-	1 6%	1 4%	1 6%	1 3%	1 3%	
Friends/family supported each other	* 1%	-	-	*	-	* 2%	-	-	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	-	1 1%	-	-	-	-	-	
Was being looked after/died at home	* 1%	-	-	*	-	* 1%	-	-	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	-	1 1%	-	-	-	-	-	
Other	1 2%	-	1 3%	-	-	-	-	1 100%	-	1 2%	-	1 2%	-	1 2%	-	1 2%	-	-	-	-	-	-	-	-	
No answer/blank response	7 15%	1 12%	3 15%	4 18%	3 10%	-	-	-	4 48%	3 9%	3 34%	4 13%	2 28%	7 15%	-	7 15%	-	-	6 21%	3 29%	4 24%	2 21%	4 16%	3 17%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as poor/very poor

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	44**	4**	8**	3**	9**	23**	15**	13**	27**	10**	26**	7**	21**	13**	25**	30**	**	3**	-**	39**	3**	21**	1**	7**	3**	6**	5**	17**	26**
Unw. Sample	43	3	12	3	8	25	13	10	28	6	27	6	16	9	21	28	1	4	-	35	5	13	1	10	5	7	5	17	25
No support from/never saw anyone from social services	16	2	2	-	3	7	5	7	9	5	9	2	10	3	10	11	*	1	-	14	1	7	-	4	2	1	2	4	12
	37%	44%	18%	-	40%	29%	31%	58%	34%	49%	35%	31%	46%	24%	39%	37%	100%	19%	-	36%	43%	33%	-	64%	58%	13%	37%	26%	45%
Pressure from/stress involved in dealing with Social Services	7	-	-	-	4	1	3	3	4	4	4	4	4	5	5	7	-	-	-	7	-	4	-	1	-	1	2	3	5
	17%	-	-	-	17%	6%	21%	10%	39%	14%	52%	18%	36%	19%	25%	-	-	-	19%	-	18%	-	15%	-	16%	33%	16%	18%	
Difficult to obtain/inefficient	6	-	1	1	3	3	4	-	6	-	5	-	4	3	4	1	-	2	-	6	1	3	-	1	1	1	4	2	
	14%	-	13%	22%	30%	15%	28%	-	23%	-	18%	-	20%	20%	17%	5%	-	67%	-	15%	23%	16%	-	10%	19%	13%	18%	26%	8%
Minimal information/information not given in a timely manner	4	-	1	-	-	1	1	3	4	-	4	-	4	1	4	3	-	-	-	4	1	3	-	-	1	-	1	1	3
	10%	-	7%	-	-	3%	4%	24%	16%	-	16%	-	17%	4%	17%	10%	-	-	-	9%	23%	15%	-	-	19%	-	12%	7%	12%
Tactless/uncaring	4	-	1	-	*	4	2	-	2	1	1	1	1	-	1	1	-	1	-	3	1	1	-	*	1	-	1	1	3
	10%	-	18%	-	4%	16%	12%	-	9%	9%	6%	12%	5%	-	5%	3%	-	31%	-	7%	23%	7%	-	5%	19%	-	18%	4%	10%
Care was scarce/only came for a limited time/family left to get on with most of the caring	3	-	1	-	-	3	2	-	2	-	2	-	2	-	2	2	-	-	-	3	-	2	-	-	-	-	1	2	
	7%	-	7%	-	-	13%	16%	-	8%	-	8%	-	10%	-	8%	7%	-	-	-	8%	-	10%	-	-	-	-	5%	8%	
Nurses/Macmillan nurses/staff were good/caring/helpful	2	-	*	*	*	-	2	-	-	2	-	2	2	-	2	2	-	-	-	2	-	-	-	*	-	-	2	-	
	4%	-	4%	9%	4%	-	10%	-	-	18%	-	25%	7%	-	6%	6%	-	-	-	5%	-	-	-	5%	-	-	30%	11%	-
Several aids/equipment was delivered to their home	2	-	*	*	*	1	-	-	-	*	-	*	-	-	-	2	-	-	-	2	-	1	-	*	-	-	-	1	
	3%	-	4%	9%	4%	5%	-	-	-	3%	-	4%	-	-	-	5%	-	-	-	4%	-	6%	-	5%	-	-	2%	5%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as poor/very poor

	Total (z)	Made plans						Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/ Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)
Everything took a long time/delays in care/ support	1 2%	-	-	-	-	1	-	1	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1	-	1	-
Good/attentive GP	1 2%	-	-	-	-	1	-	1	-	1	-	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	1
Friends/family supported each other	* 1%	-	*	-	-	*	-	-	-	*	-	-	-	-	*	-	-	-	*	-	-	-	*	-	-	-	-	*
Was being looked after/ died at home	* 1%	-	*	-	-	*	-	*	-	*	-	*	*	*	*	-	-	-	*	-	-	-	*	-	-	-	*	-
Other	1 2%	-	1	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	1	-	-	1	-
No answer/blank response	7 15%	2	3	2	2	3	3	5	-	6	-	1	2	3	5	-	*	-	6	1	3	1	1	-	3	-	3	3
		56%	35%	69%	27%	14%	21%	19%	-	22%	-	5%	12%	11%	18%	-	14%	-	15%	34%	13%	100%	12%	-	46%	-	20%	13%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as neither good nor poor

	Gender		Age							PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	51**	24**	27**	2**	17**	17**	7**	5**	3**	***	2**	11**	..**	..**	3**	11**	2**	..**	4**	5**	4**	5**	4**	16**	3**	30**	52*	
Unw. Sample	52	17	35	1	6	17	13	10	5	1	4	11	-	-	2	8	4	-	2	5	6	4	5	15	3	33	52	
Social services not involved	3 6%	-	3 12%	-	2 14%	-	1 14%	-	-	-	-	3 26%	-	-	-	-	-	-	-	-	-	-	*	1 3%	-	3 9%	3 6%	
Everything took a long time/delays in care/support	3 6%	-	3 11%	-	2 12%	-	-	*	1 20%	-	-	-	-	-	-	*	-	-	3 50%	-	-	-	-	*	-	3 9%	3 6%	
Care was scarce/only came for a limited time/family left to get on with most of the caring	3 6%	3 12%	-	-	-	3 17%	-	-	-	-	-	-	-	-	-	-	-	-	3 72%	-	-	-	-	-	-	3 9%	1 2%	
Several aids/equipment was delivered to their home	3 5%	-	3 10%	-	2 12%	1 4%	-	-	-	-	-	-	-	-	1 6%	-	-	-	2 40%	-	-	-	-	-	-	3 9%	2 4%	
I was not there/not there at the time	2 5%	-	2 9%	-	2 14%	-	-	-	-	-	-	2 21%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 8%	1 2%
Was in a care home/hospital/hospice not aware of any involvement from social services	2 4%	-	2 7%	-	-	-	*	*	1 46%	-	*	*	-	-	-	*	*	-	-	-	-	-	*	*	-	1 5%	5 10%	
They were just doing their job	2 3%	2 7%	-	-	-	2 9%	-	-	-	-	-	-	-	-	-	-	-	-	2 31%	-	-	-	-	-	-	2 5%	1 2%	
Minimal information/information not given in a timely manner	1 2%	-	1 4%	-	-	1 4%	*	6%	-	-	-	-	-	-	1 6%	-	-	-	-	-	-	-	*	2%	-	1 2%	2 4%	
Nurses/Macmillan nurses/staff were good/caring/helpful	1 2%	-	1 3%	-	-	*	2%	-	17%	-	-	*	3%	-	4%	-	-	-	-	-	-	-	-	2%	-	1 1%	4%	
No support from/never saw anyone from social services	1 1%	-	1 3%	-	-	*	2%	5%	-	-	-	-	-	-	*	4%	-	-	-	*	8%	-	-	-	-	1 2%	2 4%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as neither good nor poor

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Tactless/uncaring	1 1%	1 2%	-	-	-	-	1 10%	-	-	-	1 5%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 2%	1 2%	
Difficult to obtain/ inefficient	1 1%	1 2%	-	-	-	-	1 10%	-	-	-	1 5%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 2%	1 2%	
Friends/family supported each other	1 1%	-	1 2%	-	-	-	1 8%	-	-	-	1 5%	-	-	-	-	-	-	-	-	-	-	-	-	1 3%	-	-	1 2%	
Was being looked after/ died at home	* 1%	-	* 2%	-	-	-	-	* 17%	-	-	-	-	-	-	4%	-	-	-	-	-	-	-	-	-	-	* 1%	1 2%	
Did not ask/request any help from social services	* 1%	-	* 1%	-	-	-	-	* 6%	-	-	-	-	-	-	-	-	-	-	-	-	9%	-	-	-	-	* 1%	1 2%	
Other	6 12%	1 5%	5 18%	-	2 14%	2 10%	1 8%	1 20%	* 17%	-	* 20%	3 28%	-	1 54%	1 11%	-	-	-	-	-	-	-	-	-	* 2%	-	6 19%	7 13%
Don't know	4 8%	2 7%	2 9%	-	2 10%	1 4%	-	1 13%	1 35%	-	-	-	-	-	1 13%	-	-	-	-	-	-	-	3 68%	1 8%	-	2 6%	4 8%	
No answer/blank response	26 51%	16 67%	10 37%	2 100%	9 51%	9 53%	4 63%	2 36%	-	* 100%	1 62%	4 38%	-	1 46%	7 67%	1 61%	-	1 28%	1 19%	3 82%	5 100%	-	13 79%	3 100%	10 33%	23 44%		

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as neither good nor poor

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	51**	15**	14**	37**	38**	1**	4**	1**	6**	36**	8**	32**	15**	51**	-**	51**	-**	12**	8**	23**	27**	27**	31**
Unw. Sample	52	12	15	37	42	1	4	1	3	31	8	30	16	52	-	52	-	14	12	18	22	20	25	17	
Social services not involved	3 6%	-	-	3 9%	3 9%	-	-	-	-	3 9%	-	1 3%	2 16%	3 6%	-	3 6%	-	1 5%	-	3 14%	3 11%	3 12%	3 11%	1 3%	
Everything took a long time/delays in care/support	3 6%	2 14%	2 18%	1 1%	3 8%	-	-	-	-	2 6%	1 12%	2 6%	1 6%	3 6%	-	3 6%	-	-	5%	* 2%	1 3%	* 1%	* 1%	* 2%	
Care was scarce/only came for a limited time/family left to get on with most of the caring	3 6%	3 19%	-	3 8%	-	-	-	-	3 46%	3 8%	-	3 9%	-	3 6%	-	3 6%	-	3 24%	-	3 12%	3 11%	3 11%	3 9%	3 13%	
Several aids/equipment was delivered to their home	3 5%	3 18%	3 20%	-	2 5%	-	1 17%	-	-	3 8%	-	3 8%	-	3 5%	-	3 5%	-	-	1 8%	-	-	-	-	-	
I was not there/not there at the time	2 5%	2 16%	-	2 6%	2 6%	-	-	-	-	2 7%	-	2 7%	-	2 5%	-	2 5%	-	-	-	-	2 9%	2 9%	2 8%	-	
Was in a care home/hospital/hospice not aware of any involvement from social services	2 4%	-	1 6%	1 3%	2 5%	-	-	-	-	* 1%	* 4%	1 3%	1 7%	2 4%	-	2 4%	-	* 3%	* 6%	* 2%	1 3%	* 2%	* 1%	* 2%	
They were just doing their job	2 3%	-	2 12%	-	2 4%	-	-	-	-	2 4%	-	2 5%	-	2 3%	-	2 3%	-	-	-	-	-	-	-	-	
Minimal information/information not given in a timely manner	1 2%	1 4%	1 7%	-	* 1%	-	1 17%	-	-	1 2%	-	1 2%	* 3%	1 2%	-	1 2%	-	-	1 13%	-	* 1%	-	* 1%	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as neither good nor poor

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Nurses/Macmillan nurses/ staff were good/caring/ helpful	1 2%	*	1 2%	-	1 2%	1 2%	-	-	-	-	1 2%	-	1 2%	-	1 2%	-	1 2%	-	*	*	1 3%	*	-	*	1 4%
No support from/never saw anyone from social services	1 1%	-	1 2%	-	1 2%	1 2%	-	-	-	-	1 2%	-	*	-	1 1%	-	1 1%	-	-	*	-	*	-	-	
Tactless/uncaring	1 1%	-	1 2%	-	1 1%	-	-	-	-	-	-	-	-	1 1%	-	1 1%	-	1 5%	-	-	-	1 1%	1 2%	-	
Difficult to obtain/ inefficient	1 1%	-	1 2%	-	1 1%	-	-	-	-	-	-	-	-	1 1%	-	1 1%	-	1 5%	-	-	-	1 2%	1 2%	1 2%	
Friends/family supported each other	1 1%	-	1 1%	-	1 1%	-	-	-	-	1 2%	-	1 2%	-	1 1%	-	1 1%	-	1 5%	-	1 2%	1 2%	1 2%	1 2%	1 3%	
Was being looked after/ died at home	* 1%	-	* 1%	-	* 1%	-	-	-	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	* 6%	-	*	*	2 2%	-	*	
Did not ask/request any help from social services	* 1%	-	* 1%	-	* 1%	-	-	-	-	-	-	-	-	* 1%	-	* 1%	-	* 3%	-	-	-	-	-	-	
Other	6 12%	*	6 17%	-	4 11%	-	1 38%	1 100%	-	4 12%	1 19%	2 5%	4 31%	6 12%	-	6 12%	-	1 7%	3 37%	4 17%	4 14%	3 10%	3 10%	3 14%	
Don't know	4 8%	2 16%	4 11%	-	3 8%	-	-	-	-	1 4%	2 22%	1 4%	2 12%	4 8%	-	4 8%	-	3 27%	1 9%	2 7%	1 3%	1 2%	2 5%	2 7%	
No answer/blank response	26 51%	4 29%	8 57%	18 48%	20 52%	1 100%	2 45%	-	3 54%	19 53%	3 43%	18 56%	6 41%	26 51%	-	26 51%	-	3 28%	2 31%	14 59%	14 53%	15 58%	18 59%	13 61%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as neither good nor poor

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	51**	9**	22**	13**	21**	25**	25**	9**	42**	-**	39**	1**	27**	15**	33**	22**	-**	5**	-**	45**	6**	14**	10**	16**	4**	4**	3**	20**	31**
Unw. Sample	52	5	20	9	13	29	18	9	38	-	31	3	24	13	29	27	-	7	-	44	7	15	10	9	8	6	2	19	32
Social services not involved	3	-	1	-	-	1	-	2	3	-	3	-	1	2	3	3	-	*	-	3	-	-	3	1	-	-	-	1	3
Everything took a long time/delays in care/support	6%	-	2%	-	-	4%	-	26%	7%	-	8%	-	3%	16%	10%	13%	-	8%	-	7%	-	-	29%	3%	-	-	-	3%	9%
Care was scarce/only came for a limited time/family left to get on with most of the caring	3	*	*	*	-	*	-	1	3	-	2	1	*	-	*	1	-	-	-	2	1	1	2	-	-	-	-	*	3
Several aids/equipment was delivered to their home	6%	4%	2%	3%	-	2%	-	6%	7%	-	6%	38%	1%	-	1%	4%	-	-	-	5%	9%	4%	22%	-	-	-	-	2%	8%
I was not there/not there at the time	3	-	-	-	3	3	3	-	3	-	3	-	3	-	3	-	-	-	-	3	-	-	-	-	-	-	3	-	3
Was in a care home/hospital/hospice not aware of any involvement from social services	6%	-	-	-	14%	12%	11%	-	7%	-	7%	-	10%	-	9%	-	-	-	-	6%	-	-	-	-	-	-	90%	-	9%
They were just doing their job	3	-	1	-	-	-	1	-	3	-	3	-	1	-	1	-	-	-	-	3	-	-	2	1	-	-	-	-	3
Minimal information/information not given in a timely manner	5%	-	3%	-	-	-	2%	-	6%	-	7%	-	2%	-	2%	-	-	-	-	6%	-	-	22%	4%	-	-	-	-	9%
	2	-	-	-	-	-	-	-	2	-	2	-	2	2	2	2	-	-	-	2	-	2	-	-	-	-	-	-	2
	3%	-	-	-	-	-	-	-	4%	-	4%	-	-	-	-	-	-	-	-	4%	-	-	-	10%	-	-	-	-	5%
	1	-	1	-	-	*	1	-	1	-	1	-	1	-	1	-	-	*	-	1	-	-	-	1	*	-	-	1	
	2%	-	3%	-	-	2%	2%	-	2%	-	3%	-	4%	-	3%	-	-	8%	-	2%	-	-	-	4%	10%	-	-	-	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. ** very small base (under 30) intelligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years and rate social services as neither good nor poor

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Nurses/Macmillan nurses/ staff were good/caring/ helpful	1 2%	* 5%	- -	* 3%	- -	1 3%	* 1%	- -	* 1%	* -	- 32%	- -	- -	- -	* 1%	- -	- -	- -	* 1%	* 8%	* 3%	- -	- -	- -	- -	* 10%	- -	1 2%	
No support from/never saw anyone from social services	1 1%	- -	1 3%	- -	- -	* 1%	* 2%	- -	* 1%	- -	- -	1 3%	- -	1 2%	* 2%	- -	- -	- -	1 2%	- -	* 2%	* 4%	- -	- -	- -	- -	- -	- 1%	
Tactless/uncaring	1 1%	- -	- -	1 4%	1 3%	1 2%	1 2%	- -	- -	- -	- -	1 2%	1 4%	1 2%	- -	- -	- -	- -	1 1%	- -	- -	- -	- -	- -	1 16%	- -	1 3%	- -	
Difficult to obtain/ inefficient	1 1%	- -	- -	1 4%	1 3%	1 2%	1 2%	- -	- -	- -	- -	1 2%	1 4%	1 2%	- -	- -	- -	- -	1 1%	- -	- -	- -	- -	- -	1 16%	- -	1 3%	- -	
Friends/family supported each other	1 1%	- -	1 2%	- -	- -	1 2%	- -	1 1%	- -	1 1%	- -	1 2%	- -	1 2%	1 3%	- -	- -	- -	1 1%	- -	- -	- -	1 3%	- -	- -	- -	1 3%	- -	
Was being looked after/ died at home	* 1%	* 5%	- -	* 3%	- -	* 2%	- -	- -	- -	- -	- 32%	- -	- -	- -	- -	- -	- -	- -	- 8%	* 3%	* -	- -	- -	- -	- -	- -	- -	* 1%	
Did not ask/request any help from social services	* 1%	- -	- -	- -	* 1%	- -	- -	* 1%	- -	- -	- -	- -	- -	- -	- -	- -	* 7%	- -	- 6%	* -	- -	- -	* -	- -	- -	- -	- -	* 1%	
Other	6 12%	* 5%	2 8%	2 17%	2 9%	2 10%	2 26%	6 14%	- -	5 12%	* 32%	- -	3 9%	3 9%	5 23%	- -	1 15%	- -	4 10%	2 33%	2 14%	3 28%	- -	1 30%	- -	* 10%	1 6%	5 16%	
Don't know	4 8%	2 19%	2 10%	2 12%	2 8%	3 14%	2 9%	- -	2 6%	- -	2 6%	1 2%	2 11%	2 7%	2 11%	- -	- -	- -	3 7%	1 16%	2 11%	- -	2 11%	1 18%	- -	- -	2 12%	2 5%	
No answer/blank response	26 51%	6 72%	15 69%	8 64%	13 64%	12 47%	13 52%	6 68%	20 49%	- -	20 51%	- -	17 63%	7 45%	18 54%	9 43%	- -	3 56%	- -	23 52%	2 35%	7 49%	4 38%	11 72%	1 23%	3 75%	- -	14 72%	12 38%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

	Gender		Age							PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	207	94*	112*	11**	36**	90*	34*	21*	12**	17**	23**	14**	6**	6**	17**	26**	13**	4**	12**	11**	21**	11**	25**	47*	4**	152*	214	
Unw. Sample	214	64	149	5	13	86	52	37	18	17	27	20	6	4	17	20	11	5	13	11	24	11	28	53	5	152	214	
Social services not involved	23	8	15	2	2	7	8	1	2	*	4	*	1	1	6	2	1	*	2	-	2	2	-	6	-	18	29	
	11%	9%	13%	21%	7%	8%	24%	ze	6%	17%	3%	19%	2%	14%	10%	35%	8%	12%	9%	19%	-	11%	21%	-	13%	-	12%	14%
Sudden death	19	9	10	-	10	6	2	1	-	3	2	1	-	-	1	6	-	-	-	1	4	-	-	*	-	18	14	
	9%A	9%	9%	-	27%	7%	6%	4%	-	17%	8%	9%	-	-	8%	24%	-	-	-	11%	18%	-	-	1%	-	12%	7%	
Was in a care home/ hospital/hospice not aware of any involvement from social services	9	2	8	-	3	4	1	2	-	1	1	1	-	-	*	-	-	-	-	1	2	1	4	*	-	9	12	
	5%	2%	7%	-	8%	4%	3%	7%	-	4%	3%	4%	-	-	3%	-	-	-	-	8%	7%	5%	16%	1%	-	6%	6%	
Died abroad	9	8	2	-	-	8	-	1	-	-	-	2	-	3	-	-	2	-	-	-	-	1	2	4	-	5	7	
	5%b	8%	2%	-	-	9%	z	6%	-	-	-	12%	-	51%	-	-	13%	-	-	-	-	9%	7%	9%	-	3%	3%	
Was being looked after/ died at home	6	5	1	4	-	1	-	-	1	-	1	-	-	-	4	-	-	-	-	-	1	-	-	1	-	4	4	
	3%b	5%	1%	35%	-	1%	-	-	6%	-	4%	5%	-	-	14%	-	-	-	-	-	3%	-	-	2%	-	3%	2%	
No support from/never saw anyone from social services	6	5	1	-	-	4	-	2	-	1	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-	6	4	
	3%b	6%	1%	-	-	5%	-	7%	-	4%	-	-	-	25%	-	-	-	-	16%	16%	-	-	-	-	-	4%	2%	
I was not there/not there at the time	4	3	2	-	-	1	2	1	*	-	-	*	1	-	-	-	-	-	2	-	-	-	1	-	-	4	5	
	2%	3%	1%	-	-	1%	6%	z	3%	3%	-	2%	17%	-	-	-	-	-	16%	-	-	-	4%	-	-	3%	2%	
Nurses/Macmillan nurses/ staff were good/caring/ helpful	3	-	3	-	3	-	-	*	-	*	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	2	
	2%	-	3%	-	8%	-	-	2%	-	3%	-	-	-	-	-	-	-	-	-	-	-	-	11%	-	-	2%	1%	
Did not ask/request any help from social services	3	2	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	1	3	
	1%	2%	1%	-	-	-	5%	ze	3%	-	-	-	-	-	-	-	-	-	-	16%	3%	-	-	4%	-	*	1%	
Tactless/uncaring	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	*	-	-	-	-	-	-	-	-	-	4%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Difficult to obtain/ inefficient	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	
	*	1%	-	-	-	-	-	4%	ze	-	3%	-	-	-	-	-	-	-	-	-	-	-	-	2%	-	-	*	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

	Gender		Age							PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)		
Hearsay/other people told me they were good	1*	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1*	
Social services were good/there when needed	1*	-	1	-	-	-	*	*	-	*	*	*	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	2	
Good/attentive GP	* *	- *	* *	- -	- -	- -	- -	* 2%z	- -	* 3%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	* *	1
Everything took a long time/delays in care/support	* *	- -	* *	- -	- -	- -	- -	- 4%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2%	- -	* 10%	- -	- -	* *	1
Minimal information/information not given in a timely manner	* *	- -	* *	- -	- -	- -	- -	- 4%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2%	- -	- -	- -	* *	1	
Limited contact/one visit/only came to assess need	* *	- -	* *	- -	- -	- -	- *	- 2%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 4%	- -	- -	- -	- -	- -	- -	- -	- -	* *	1
Friends/family supported each other	* *	- -	* *	- -	- -	- *	- 1%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1%	- -	- -	- -	* *	1	
Other	2 1%	1 1%	1 1%	- -	- -	1 1%	- -	- 11%	- -	1 8%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1%	- -	- -	- -	2 2%	2	
Don't know	13 6%b	9 9%	4 4%	1 12%	6 16%	4 4%	2 6%	- -	- -	1 8%	7 32%	1 10%	- -	- -	2 7%	* 3%	- -	- -	- -	- -	- -	- -	- -	1 3%	3 6%	- -	10 6%	8	
No answer/blank response	111 54%	42 45%	69 61%z	3 32%	15 43%	55 61%	17 49%	12 57%	7 56%	10 58%	7 31%	8 54%	4 69%	1 14%	10 58%	12 46%	9 72%	4 91%	6 46%	6 50%	13 61%	6 57%	17 66%	29 62%	4 90%	75 50%	124		

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	207	55*	60*	146*	144*	-**	16**	12**	29**	155	20**	153*	22**	206	-**	207	-**	52**	17**	65*	93*	58*	88*
Unw. Sample	214	51	68	145	158	-	12	8	28	171	19	158	21	213	-	214	-	53	20	72	96	61	96	73	
Social services not involved	23	9	4	19	13	-	1	4	6	18	6	16	6	23	-	23	-	9	3	8	14	7	11	8	
Sudden death	19	1	2	17	12	-	2	1	1	12	1	16	1	19	-	19	-	7	4	2	4	2	2	3	
Was in a care home/hospital/hospice not aware of any involvement from social services	9	2	2	7	9	-	-	-	-	6	3	4	4	9	-	9	-	1	-	3	4	2	4	3	
Died abroad	9	6	1	8	6	-	3	-	-	2	2	5	2	9	-	9	-	-	-	1	1	4	4	1	
Was being looked after/died at home	6	-	1	5	2	-	-	1	4	6	-	6	-	6	-	6	-	-	1	2	1	2	2	2	
No support from/never saw anyone from social services	6	2	2	4	4	-	2	-	-	4	-	2	-	6	-	6	-	2	3	-	2	-	2	-	
I was not there/not there at the time	4	-	1	4	1	-	-	-	3	4	-	4	-	4	-	4	-	*	-	*	1	1	2	-	
Nurses/Macmillan nurses/staff were good/caring/helpful	3	-	-	3	3	-	-	-	-	*	3	-	3	3	-	3	-	*	-	-	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Did not ask/request any help from social services	3 1%	-	* 1%	2 1%	2 1%	-	-	-	-	2 1%	-	2 1%	-	3 1%	-	3 1%	-	-	-	*	*	*	2 2%	*	
Tactless/uncaring	1 *	-	1 2%	-	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 *	-	1 *	-	-	-	1 1%	-	1 2%	1 1%	1 2%	
Difficult to obtain/inefficient	1 *	-	1 1%	-	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 *	-	1 *	-	-	5%	1 1%	1 1%	1 1%	1 1%	1 1%	
Hearsay/other people told me they were good	1 *	-	-	1 *	-	-	-	-	1 *	-	1 *	-	1 *	-	1 *	-	1 *	-	-	-	-	-	-	-	
Social services were good/there when needed	1 *	-	* 1%	* *	* *	-	-	-	* 1%	* 1%	* *	* 1%	-	* *	-	1 *	-	-	-	-	-	-	-	-	
Good/attentive GP	* *	-	-	* *	* *	-	-	-	* *	-	-	-	* *	-	* *	-	* *	-	1%	-	-	-	-	-	
Everything took a long time/delays in care/support	* *	-	* 1%	-	* *	-	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	-	1%	*	1%	*	1%	
Minimal information/information not given in a timely manner	* *	-	-	* *	* *	-	-	-	* *	-	-	-	* *	-	* *	-	* *	-	-	-	-	-	*	*	
Limited contact/one visit/only came to assess need	* *	-	* 1%	-	* *	-	-	-	* *	-	-	-	* *	-	* *	-	* *	-	3%	-	-	-	-	-	
Friends/family supported each other	* *	-	* 1%	-	-	-	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	1%	-	*	*	1%	*	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

	Total (z)	Childr en under 17 in househ old		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
Other	2 1%	-	2	-	2	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	1
Don't know	13 6%	2	8	5	7	-	2	2	1	10	3	10	3	13	-	13	-	2	-	7	10	4	5	3	
No answer/blank response	111 54% ^c	34 61%	70 48%	40 68% ^{zc}	83 57%	-	7 42%	4 37%	14 50%	90 58%	4 18%	88 57%	7 31%	111 54%	-	111 54%	-	32 60%	6 36%	41 63%	55 59%	35 60%	54 61%	43 68% ^z	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	207	20**	63*	15**	44*	101*	86*	42**	153*	6**	140*	11**	93*	34**	108*	104*	7**	29**	3**	182	20**	48*	31**	65*	22**	19**	18**	137*	67*
Unw. Sample	214	29	74	20	46	126	82	36	151	8	136	13	100	33	115	107	7	39	3	185	22	52	31	67	20	22	18	140	70
Social services not involved	23	4	7	1	7	13	10	6	17	1	17	2	13	4	13	11	2	3	1	20	3	6	1	8	3	4	2	12	12
11%	11%	22%	12%	9%	15%	13%	12%	14%	11%	12%	12%	16%	14%	13%	12%	11%	35%	10%	27%	11%	16%	13%	2%	12%	14%	20%	11%	8%	18%
Sudden death	19	-	2	-	3	3	7	9	15	-	10	-	8	11	12	13	-	1	-	19	-	-	9	6	1	1	1	10	9
9%be	9%	-	3%	-	6%	3%	8%	20%	10%	-	7%	-	9%	31%	11%	12%	-	5%	-	10%	-	-	29%	10%	5%	3%	8%	7%	13%
Was in a care home/hospital/hospice not aware of any involvement from social services	9	1	1	1	1	4	5	1	8	-	8	-	4	1	4	3	-	1	-	9	*	1	2	3	4	-	1	6	3
5%	5%	3%	2%	4%	1%	3%	6%	3%	5%	-	6%	-	4%	3%	3%	3%	-	3%	-	5%	2%	2%	5%	4%	16%	-	3%	5%	5%
Died abroad	9	-	1	3	1	5	1	3	2	2	6	3	5	-	5	5	-	-	-	9	-	5	2	1	2	-	-	7	2
5%h	5%	-	2%	18%	2%	5%	1%	6%	1%	33%	4%	29%	6%	-	5%	5%	-	-	-	5%	-	9%	7%	2%	8%	-	-	5%	3%
Was being looked after/died at home	6	1	1	1	-	2	4	-	4	-	4	-	4	-	4	2	-	-	-	5	-	-	-	5	-	-	1	5	-
3%	3%	4%	2%	6%	-	2%	5%	-	2%	-	3%	-	5%	-	4%	2%	-	-	-	3%	-	-	-	7%	-	-	4%	4%	-
No support from/never saw anyone from social services	6	-	4	1	2	6	5	-	3	-	6	-	6	3	6	-	-	4	2	6	-	2	-	-	2	-	2	4	2
3%	3%	-	6%	4%	4%	6%	6%	-	2%	-	4%	-	6%	7%	5%	-	-	14%	58%	3%	-	5%	-	-	9%	-	8%	3%	2%
I was not there/not there at the time	4	-	3	-	-	1	-	*	3	-	3	-	1	-	1	*	-	2	-	4	-	1	-	-	2	-	*	3	1
2%	2%	-	5%	-	-	1%	-	1%	2%	-	2%	-	1%	-	1%	*	-	7%	-	2%	-	3%	-	-	8%	-	2%	2%	2%
Nurses/Macmillan nurses/staff were good/caring/helpful	3	*	*	-	-	*	3	-	3	-	3	-	*	-	*	-	-	*	-	3	-	-	-	-	3	-	*	3	-
2%	2%	2%	1%	-	-	*	3%	-	2%	-	2%	-	1%	-	*	-	-	2%	-	2%	-	-	-	-	13%	-	3%	2%	-
Did not ask/request any help from social services	3	*	*	-	-	3	*	-	*	*	*	*	1	-	1	-	*	2	-	3	-	-	2	-	-	*	-	2	*
1%	1%	2%	1%	-	-	2%	*	-	*	6%	*	3%	1%	-	1%	-	5%	6%	-	1%	-	-	7%	-	-	2%	-	1%	1%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
		Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)		
Tactless/uncaring	1*	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Difficult to obtain/ inefficient	1*	-	1	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	
Hearsay/other people told me they were good	1*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Social services were good/there when needed	1*	-	-	-	*	*	*	1	-	1	-	*	*	*	*	-	*	2	-	1	-	1	-	2	-	-	-	-	-	1	
Good/attentive GP	*	2	1	-	-	-	-	-	-	-	-	1	-	*	-	-	2	-	*	-	-	-	-	-	-	-	3	*	-	-	
Everything took a long time/delays in care/ support	*	2	1	-	*	-	-	-	*	*	-	*	-	*	*	-	-	-	*	-	-	-	*	-	-	-	*	*	-	-	
Minimal information/ information not given in a timely manner	*	-	-	-	*	-	-	*	-	*	-	*	-	*	-	1	-	-	*	-	-	-	-	2	-	-	*	*	-	-	
Limited contact/one visit/only came to assess need	*	-	-	-	-	*	-	*	-	-	-	*	-	*	-	1	-	-	*	-	-	-	-	2	-	-	-	-	-	1	
Friends/family supported each other	*	-	*	-	*	-	-	*	-	*	-	*	-	*	-	-	-	-	*	-	-	-	-	-	-	-	2	*	-	-	
Other	2	-	-	-	2	-	-	2	-	1	1	2	1	2	1	1	-	-	2	-	1	-	1	-	-	-	-	1	1	1	
Don't know	13	3	5	-	5	6	4	10	2	8	-	1	3	4	5	-	-	-	11	1	3	2	1	-	6	1	9	3	3		
	6%	12%	9%	-	11%	6%	4%	10%	6%	27%	-	1%	9%	4%	5%	-	-	-	6%	7%	6%	6%	1%	-	34%	5%	7%	5%	5%		

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q8 Why do you say that?

Base: All who had someone close die in last 5 years but social services was not applicable

Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/ Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
111 54%	11 55%	37 59%	9 58%	26 59%	56 56%	49 57%	19 45%	88 57%	1 15%	76 55%	4 40%	47 51%	12 35%	56 52%	62 60%	4 60%	15 51%	*	93 51%	15 75%	30 61%	14 44%	40 61%	9 40%	7 37%	11 63%	78 57%	33 49%

No answer/blank response

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q9 Do you agree or disagree that you and your family received enough support from NHS and social services during and after this difficult time?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	391	181*	202	16**	78**	144	66*	41*	38*	28**	36**	34**	12**	17**	32**	51**	23**	9**	27**	23**	38**	17**	42**	95*	10**	273	413
Unw. Sample	413	129	278	7	27	140	102	72	55	29	47	40	13	8	33	53	25	10	26	24	42	17	46	108	12	281	413
Strongly agree	39	23	16	-	8	13	8	4	6	3	5	3	4	-	5	4	3	1	*	2	7	-	3	5	2	32	43
	10%	13%	8%	-	10%	9%	13%	9%	16%	11%	13%	8%	36%	-	15%	7%	14%	7%	2%	8%	18%	-	6%	5%	16%	12%	10%
Tend to agree	80	37	42	-	15	28	16	10	11	8	7	7	*	1	5	16	6	5	9	4	4	1	8	16	3	58	90
	21%	21%	21%	-	20%	19%	24%	24%	30%	29%	19%	22%	4%	4%	14%	31%	25%	56%	32%	16%	10%	7%	18%	17%	27%	21%	22%
Neither agree nor disagree	90	43	46	9	22	33	12	7	5	6	5	11	1	-	5	16	7	1	4	7	9	7	10	28	4	55	83
	23%	23%	23%	57%	28%	23%	19%	18%	13%	22%	14%	34%	11%	-	15%	31%	29%	15%	15%	31%	24%	40%	24%	29%	39%	20%	20%
Tend to disagree	24	10	13	-	-	11	8	4	*	1	1	2	1	2	1	5	*	1	4	-	3	*	1	9	1	13	34
	6%	6%	6%	-	-	8%	11%zh	10%	1%	3%	3%	7%	13%	12%	8%	10%	2%	13%	13%	-	8%	2%	3%	9%	10%	5%	8%
Strongly disagree	32	11	17	3	5	15	5	3	1	4	2	1	3	3	3	1	1	-	5	*	2	1	5	8	-	20	30
	8%	6%	8%	20%	6%	10%	7%	8%	1%	13%	5%	4%	27%	17%	10%	2%	4%	-	17%	2%	6%	3%	13%	8%	-	7%	7%
Not applicable	116	57	58	4	25	42	17	12	13	6	15	9	1	12	12	9	6	-	6	9	11	7	14	28	1	85	118
	30%	31%	29%	23%	32%	29%	25%	29%	35%	21%	42%	26%	6%	67%	38%	18%	25%	-	21%	41%	28%	42%	32%	30%	8%	31%	29%
Not stated	11	-	11	-	3	2	1	2	1	*	2	-	*	1	*	*	1	-	*	2	1	2	1	1	-	9	15
	3%	-	5%za	-	4%	2%	1%	4%	4%	2%	4%	-	4%	-	4%	1%	2%	8%	-	2%	6%	5%	4%	1%	-	3%	4%
Agree	119	60	58	-	23	41	24	13	17	11	12	10	5	1	9	20	9	6	9	5	11	1	10	21	4	91	133
	30%	33%	29%	-	30%	29%	36%	32%	45%ze	40%	32%	30%	39%	4%	29%	39%	39%	63%	34%	24%	28%	7%	24%	22%	43%	33%	32%
Disagree	56	21	30	3	5	26	12	7	1	4	3	4	5	5	5	6	1	1	8	*	6	1	6	17	1	33	64
	14%h	12%	15%	20%	6%	18%h	19%h	17%h	3%	16%	8%	11%	40%	29%	14%	12%	6%	13%	31%	2%	15%	6%	15%	18%	10%	12%	15%
NET	63	39	28	-3	18	15	12	6	16	7	9	6	-4	-4	5	13	8	5	1	5	5	*	4	4	3	57	69
	16%eA	22%	14%	-20%	24%	11%	18%	15%	43%zef	24%	23%	19%	-1%	-25%	14%	26%	34%	50%	3%	22%	14%	2%	9%	4%	34%	21%zA	17%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q9 Do you agree or disagree that you and your family received enough support from NHS and social services during and after this difficult time?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	391	108*	268	117*	268	262	12**	30**	13**	60*	294	45*	279	57*	391	-**	391	-**	119*	56*	127*	162	119*	170	136*
Unw. Sample	413	88	261	143	261	304	3	24	11	54	310	49	293	62	412	-	413	-	133	64	135	166	117	176	138
Strongly agree	39	13	27	11	27	27	-	3	*	7	33	2	29	4	39	-	39	-	39	-	14	12	12	17	18
	10%r	12%	10%	10%	10%	10%	-	11%	3%	12%	11%	5%	10%	7%	10%	-	10%	-	33%zr	-	11%	7%	10%	10%	14%t
Tend to agree	80	20	59	20	59	54	-	6	5	13	65	7	58	9	80	-	80	-	80	-	32	35	25	39	28
	21%r	18%	22%	21%	22%	21%	-	21%	34%	21%	22%	16%	21%	16%	21%	-	21%	-	67%zr	-	25%	21%	21%	23%	21%
Neither agree nor disagree	90	26	64	25	64	70	1	3	1	14	63	10	65	15	89	-	90	-	-	-	29	43	33	40	29
	23%qr	24%	24%	22%	24%	27%z	8%	10%	8%	23%	21%	21%	23%	27%	23%	-	23%	-	-	-	23%	26%	23%	23%	21%
Tend to disagree	24	3	16	7	16	17	-	1	-	3	18	4	15	4	24	-	24	-	-	24	7	12	9	10	8
	6%q	2%	6%	6%	6%	7%	-	3%	-	5%	6%	8%	5%	7%	6%	-	6%	-	-	43%zq	5%	7%	7%	6%	6%
Strongly disagree	32	7	13	18	13	16	3	4	1	5	21	5	18	6	32	-	32	-	-	32	7	10	7	17	15
	8%ccq	6%	5%	15%zc	5%	6%	25%	14%	5%	8%	7%	12%	7%	11%	8%	-	8%	-	-	57%zq	6%	6%	6%	10%su	11%st
Not applicable	116	36	82	32	82	73	8	9	7	17	85	16	86	17	116	-	116	-	-	-	37	48	33	45	35
	30%qr	33%	31%	28%	31%	28%	67%	29%	49%	29%	29%	36%	31%	30%	30%	-	30%	-	-	-	29%	30%	28%	27%	26%
Not stated	11	5	6	4	6	6	-	3	-	1	8	1	8	2	11	-	11	-	-	-	1	3	-	3	2
	3%	4%	2%	3%	2%	2%	-	12%	-	2%	3%	2%	3%	3%	3%	-	3%	-	-	-	1%	2%	-	2%	2%
Agree	119	32	86	31	86	81	-	9	5	20	98	10	87	13	119	-	119	-	119	-	46	47	37	56	46
	30%r	30%	32%	27%	32%	31%	-	32%	37%	33%	33%	21%	31%	23%	31%	-	30%	-	100%zr	-	36%	29%	32%	33%	34%
Disagree	56	9	29	24	29	34	3	5	1	8	40	9	33	10	56	-	56	-	-	56	14	22	16	27	23
	14%ccq	9%	11%	21%zc	11%	13%	25%	17%	5%	13%	13%	20%	12%	18%	14%	-	14%	-	-	100%zq	11%	13%	13%	16%	17%st
NET	63	23	58	7	58	47	-3	4	4	12	59	*	54	3	63	0	63	0	119	-56	32	25	22	29	23
	16%bjl	21%	22%zb	6%	22%zb	18%	-25%	15%	32%	20%	20%zj	1%	19%il	6%	16%	0%	16%	0%	100%z	-100%	25%zrv	15%	18%	17%	17%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q9 Do you agree or disagree that you and your family received enough support from NHS and social services during and after this difficult time?

Base: All who had someone close die in last 5 years

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	391	45**	119*	42**	84*	186	139*	95*	282	16**	253	23**	169*	70*	199	210	13**	48*	4**	339	38*	109*	49**	110*	36**	38**	42**	238	147*
Unw. Sample	413	53	145	45	79	235	128	81	286	14	251	26	175	68	208	218	18	65	5	347	48	113	55	110	43	47	34	247	156
Strongly agree	39	7	11	3	10	22	14	9	26	4	25	7	24	13	29	21	2	7	3	36	2	17	4	7	2	6	4	26	12
Tend to agree	80	9	28	13	24	47	30	16	67	-	47	2	44	18	52	40	4	9	1	71	7	21	15	23	8	6	7	48	31
Neither agree nor disagree	90	14	26	10	21	36	43	20	74	*	69	2	40	18	49	46	*	8	-	78	9	16	10	38	7	5	13	57	31
Tend to disagree	24	5	8	5	5	17	10	4	19	1	17	1	8	5	10	14	*	5	-	20	2	5	3	6	4	3	-	11	13
Strongly disagree	32	2	11	3	4	8	11	18	6	22	3	3	14	4	14	21	-	3	-	28	3	14	3	5	2	2	5	11	21
Not applicable	116	7	30	8	16	53	32	32	71	5	66	7	36	12	42	61	5	16	-	99	14	31	13	26	14	16	13	78	35
Not stated	11	1	4	*	2	3	3	4	6	*	6	1	3	-	3	7	1	-	-	8	1	3	*	5	-	1	*	7	4
Agree	119	15	39	16	34	69	43	24	93	4	72	9	69	31	80	61	6	16	4	107	9	38	19	30	9	11	11	75	43
Disagree	56	7	19	8	10	26	18	15	37	6	39	4	21	10	25	35	*	8	-	48	6	20	7	11	6	5	5	21	34
NET	63	8	20	8	25	43	25	10	57	-2	33	4	48	21	56	25	6	9	4	59	3	19	12	19	4	7	5	54	9

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterboro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	391	181*	202	16**	78**	144	66*	41*	38*	28**	36**	34**	12**	17**	32**	51**	23**	9**	27**	23**	38**	17**	42**	95*	10**	273	413
Unw. Sample	413	129	278	7	27	140	102	72	55	29	47	40	13	8	33	53	25	10	26	24	42	17	46	108	12	281	413
Good support/caring attitude from staff	38 10%	16 9%	21 10%	-	13 17%	11 8%	5 7%	4 9%	4 11%	2 8%	3 7%	1 3%	1 12%	-	4 14%	11 22%	3 12%	1 6%	1 3%	-	2 5%	* 2%	8 19%	6 7%	-	30 11%	40 10%
No support/no extra support required	22 6%	13 7%	8 4%	6 35%	-	9 7%	3 5%	1 2%	-	2 5%	2 6%	1 4%	-	1 4%	-	6 12%	-	2 19%	3 10%	3 15%	2 5%	-	-	4 4%	-	15 6%	18 4%
Did not receive any support from NHS or Social Services	22 6%	4 2%	14 7%	3 20%	3 4%	8 5%	5 7%	2 6%	-	2 5%	1 4%	1 4%	-	1 8%	2 7%	1 2%	1 5%	-	6 21%	-	3 7%	3 7%	-	4 5%	-	14 5%	23 6%
Was not there/wasn't involved	13 3%	5 3%	8 4%	-	5 6%	2 2%	2 3%	2 4%	3 8%	-	2 5%	3 8%	* 3%	-	3 9%	-	-	-	4 14%	-	-	-	2 4%	3 3%	* 4%	10 4%	13 3%
It was a friend who died so not offered these services	11 3%	6 3%	5 2%	1 9%	2 2%	6 4%	* *	-	1 3%	-	2 7%	2 6%	-	-	2 7%	2 3%	-	-	-	-	2 6%	-	* 1%	3 3%	-	8 3%	8 2%
Died overseas	10 2%	6 3%	4 2%	-	3 4%	5 4%	-	1 3%	* 1%	-	-	* 1%	-	3 18%	-	-	2 7%	-	-	-	-	1 6%	4 9%	6 6% C	-	4 1%	7 2%
Little contact/no dealings with them/ wasn't relevant	9 2%	6 3%	3 1%	2 15%	-	4 3%	2 2%	1 2%	-	-	1 2%	2 5%	-	-	1 4%	-	-	-	-	-	-	3 16%	2 5%	1 1%	-	8 3%	6 1%
Family/friends supported each other	9 2%	1 1%	7 3%	-	2 3%	3 2%	1 1%	1 1%	1 3%	-	1 3%	* 1%	-	-	-	1 2%	1 3%	1 8%	-	3 15%	-	-	2 4%	1 1%	-	7 3%	11 3%
It was offered/we were offered support/offered to close family	8 2%	4 2%	5 2%	-	-	5 4%	3 5%	-	-	3 10%	* 1%	-	-	-	1 2%	-	-	-	* 1%	-	2 6%	-	1 3%	1 1%	-	8 3%	9 2%
More information would have been good/ information should have been forthcoming	6 2%	3 1%	3 2%	-	-	3 2%	2 3%	1 2%	1 2%	1 5%	1 2%	1 2%	2 19%	-	1 2%	-	-	-	-	-	1 2%	-	-	-	-	6 2%	8 2%
More support prior to death/not enough support after death	6 1%	1 1%	4 2%	-	3 4%	2 1%	* 1%	-	-	-	-	-	-	-	-	* 1%	-	-	-	-	3 9%	-	2 4%	1 1%	-	4 2%	5 1%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Lack of staff/doctors and nurses too busy/not always available	6 1%	1 *	5 2%z	-	-	4 2%	2 3%	-	-	1 3%	1 2%	1 2%	-	-	1 3%	-	1 5%	-	1 3%	-	-	1 3%	-	1 1%	1 10%	4 1%	8 2%
Died at home/nursing home	5 1%b	4 2%	1 *	-	4 5%	1 *	-	-	-	-	-	-	-	-	-	-	1 1%	-	-	-	4 10%	-	1 1%	-	-	5 2%	3 1%
Follow up support lacking/slow to materialise	5 1%	1 1%	3 2%	-	-	1 *	4 5%ze	-	*	-	-	1 2%	-	-	1 1%	1 1%	-	-	-	-	4 4%	-	1 3%	*	*	4 1%	9 2%
Case with Ombudsman/ complaint made/have taken legal action/ representation	4 1%	3 2%	1 *	-	-	4 3%	* 1%	-	-	2 8%	-	-	-	-	* 1%	-	-	-	-	-	1 2%	1 3%	-	1 1%	-	3 1%	4 1%
Support from GP/family doctor	4 1%	-	3 1%	-	-	1 1%	1 1%	* 1%	* 1%	* 2%	2 6%	-	-	-	-	-	-	* 4%	-	-	1 2%	-	-	* *	-	3 1%	7 2%
NHS support was good but not social services	4 1%	3 1%	1 1%	-	-	3 2%	-	1 3%	-	1 4%	-	-	1 13%	-	-	-	-	1 13%	-	-	-	-	-	1 2%	-	2 1%	3 1%
Lack of care/empathy/ understanding from staff	4 1%	1 *	3 1%	-	-	2 1%	-	2 4%z	-	1 4%	1 2%	-	-	-	1 2%	-	1 9%	-	-	-	-	-	-	1 1%	-	3 1%	6 1%
Good aftercare/support of family members/ following death	4 1%	1 1%	3 1%	-	2 2%	1 1%	* 1%	-	-	-	-	1 2%	-	-	2 3%	-	-	-	* 1%	-	1 2%	-	-	1 1%	2 17%	1 *	4 1%
Everything that could be done was done	3 1%	3 2%	-	-	-	3 2%	-	-	-	-	-	-	-	-	2 3%	-	-	-	-	2 8%	-	-	-	-	-	3 1%	2 *
No support from social services	3 1%	-	3 1%	-	-	1 1%	-	* 1%	1 3%z	-	1 3%	-	-	-	-	-	-	-	1 2%	-	-	1 3%	1 2%	1 1%	-	1 1%	5 1%
Personal experience/what I've witnessed/seen for myself	3 1%	1 1%	1 1%	-	-	-	2 3%ze	1 2%	-	-	-	-	1 4%	-	* 1%	-	1 15%	-	-	-	-	-	-	* 1%	-	2 1%	4 1%
No nursing/respite care offered or provided	3 1%	1 1%	2 1%	-	2 2%	-	1 1%	-	-	-	-	-	-	1 3%	-	-	-	-	-	-	-	-	2 4%	3 3%C	-	-	2 *

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Care from NHS/Social Services was adequate/ did what was necessary/ nothing special	2 1%	2 1%	-	-	2 1%	-	-	1 2%	-	-	1 2%	-	-	-	-	-	-	-	2 7%	-	-	-	-	-	-	2 1%	2 *
No care support for family members/carers/no recognition of carers	2 1%	1 1%	1 *	-	-	1 1%	1 2%	-	-	-	-	1 8%	-	-	-	-	1 9%	-	-	-	-	-	-	1 1%	-	1 *	2 *
Word of mouth/hearsay/ what I understand from other people	2 *	1 *	1 1%	-	-	-	1 1%	1 3%	ze	-	1 2%	-	-	-	*	1 1%	-	-	-	-	-	-	1 2%	1 1%	-	1 *	3 1%
Died suddenly	2 *	-	2 1%	-	-	1 1%	* *	-	-	1 2%	-	-	-	1 3%	* 1%	-	-	-	-	-	-	-	-	-	* 3%	1 1%	3 1%
Had to arrange/pay for/ sell property to get the help required	2 *	1 *	1 *	-	-	-	-	1 3%	ze	1 1%	-	-	-	-	1 1%	-	-	1 4%	-	-	-	-	-	-	-	2 1%	3 1%
Not aware of any support being offered	1 *	-	1 1%	-	-	1 1%	* 1%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 3%	1 1%	-	* *	2 *
Care/bereavement counselling took too long/had to go on waiting list	1 *	-	1 *	-	-	-	1 1%	1 1%	-	-	-	-	-	-	-	-	-	1 2%	-	-	-	-	1 1%	-	-	1 *	2 *
Kept well informed at all times/communication was good	1 *	-	1 *	-	-	-	* 1%	-	* 1%	-	-	-	-	-	* 1%	-	-	* 1%	-	-	-	-	-	-	-	1 *	2 *
No counselling/ bereavement counselling was offered	1 *	-	1 *	-	-	-	1 1%	-	-	-	-	-	-	-	-	-	-	-	-	1 2%	-	-	-	-	1 *	1 *	
Caught an infection/ MRSA/C Difficile/Food poisoning etc	* *	- *	* *	-	-	* *	-	-	-	-	-	-	-	-	-	-	2%	-	-	-	-	-	-	-	-	* *	1 *
Hospice was good/ helpful/supportive	* *	- *	* *	-	-	-	-	* 1%	-	-	1 1%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	* *	1 *
Other	18 5%	6 3%	12 6%	-	3 4%	6 4%	4 6%	2 4%	2 6%	-	-	1 4%	1 7%	-	2 8%	3 5%	1 5%	-	1 5%	* 2%	3 8%	1 6%	3 8%	4 5%	-	13 5%	22 5%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Gender		Age					PCT - East of England											Carer			Unwtd sample					
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Don't know	9 2% ^b	7 4%	2 1%	-	6 8%	1 1%	2 2%	-	-	1 4%	5 13%	-	-	-	-	2 8%	-	-	-	-	-	-	1 2%	1 1%	-	8 3%	5 1%
No/nothing/nothing more to say/add	2 *	1 1%	* *	-	-	-	-	-	2 5% ^{ze}	-	-	-	-	1 4%	-	* 2%	-	-	-	-	-	-	-	1 1%	-	* *	2 *
No answer/blank response	190 48%	90 49%	98 48%	3 22%	36 46%	69 48%	30 46%	25 61% ^z	22 58%	16 57%	16 45%	20 61%	5 46%	10 58%	15 46%	21 42%	13 56%	3 34%	11 39%	13 59%	19 50%	11 64%	15 35%	51 54%	7 66%	126 46%	208 50%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	391	108*	117*	268	262	12**	30**	13**	60*	294	45*	279	57*	391	-**	391	-**	119*	56*	127*	162	119*	170
Unw. Sample	413	88	143	261	304	3	24	11	54	310	49	293	62	412	-	413	-	133	64	135	166	117	176	138	
Good support/caring attitude from staff	38	10	12	26	33	-	1	*	2	31	6	28	7	38	-	38	-	31	3	8	11	6	8	9	
No support/no extra support required	22	8	2	19	10	-	1	1	8	22	*	21	-	22	-	22	-	6	1	11	12	10	12	11	
Did not receive any support from NHS or Social Services	22	4	5	15	17	3	-	1	*	19	2	16	2	22	-	22	-	-	19	4	9	4	10	9	
Was not there/wasn't involved	13	5	3	10	8	-	1	-	4	9	1	11	2	13	-	13	-	3	1	1	6	4	4	1	
It was a friend who died so not offered these services	11	3	*	11	2	-	3	5	1	7	4	7	4	11	-	11	-	*	-	4	9	5	7	3	
Died overseas	10	5	4	6	6	-	3	-	-	5	2	7	2	10	-	10	-	-	-	1	1	4	4	4	
Little contact/no dealings with them/wasn't relevant	9	5	1	8	5	-	-	1	2	5	2	5	2	9	-	9	-	-	1	4	4	5	5	4	
Family/friends supported each other	9	3	5	4	5	-	2	1	*	8	*	8	1	9	-	9	-	2	-	4	4	3	4	3	
It was offered/we were offered support/offered to close family	8	2	1	8	4	-	1	2	1	5	2	5	3	8	-	8	-	6	-	4	7	3	6	3	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
More information would have been good/information should have been forthcoming	6 2%	1 1%	2 1%	4 3%	2 1%	6 2%	-	-	-	-	4 1%	1 3%	5 2%	1 2%	6 2%	-	6 2%	-	1 1%	5 9% ^{zq}	2 2%	2 1%	3 3%	5 3%	4 3%
More support prior to death/not enough support after death	6 1%	2 2%	1 1%	5 2%	6 2%	-	-	-	-	2 1%	* 1%	5 2%	1 1%	6 1%	-	6 1%	-	-	1 1%	-	*	-	-	2 1%	1 1%
Lack of staff/doctors and nurses too busy/not always available	6 1%	2 1%	3 2%	3 1%	4 2%	-	-	-	2 3%	4 1%	1 3%	4 1%	1 3%	6 1%	-	6 1%	-	2 2%	3 6% ^z	2 2%	3 2%	2 2%	3 2%	1 1%	
Died at home/nursing home	5 1%	1 1%	-	5 2%	5 2%	-	-	-	-	4 2%	* 1%	-	1 1%	5 1%	-	5 1%	-	4 3%	-	*	1 *	-	4 2%	4 3% ^s	
Follow up support lacking/slow to materialise	5 1%	-	2 2%	1 1%	3 1%	-	1 2%	1 4%	-	3 1%	2 4%	4 1%	* 1%	5 1%	-	5 1%	-	1 *	4 7% ^{zq}	2 2%	2 1%	1 1%	1 1%	2 2%	
Case with Ombudsman/complaint made/have taken legal action/representation	4 1%	1 1%	-	4 2%	1 *	-	-	-	-	2 1%	-	2 1%	-	4 1%	-	4 1%	-	1 1%	3 5% ^z	1 *	1 *	1 *	1 *	1 1%	
Support from GP/family doctor	4 1%	* 1%	2 2%	2 1%	4 1%	-	-	-	-	4 1%	-	3 1%	-	4 1%	-	4 1%	-	2 2%	-	1 1%	1 *	1 1%	1 1%	1 1%	
NHS support was good but not social services	4 1%	1 1%	3 2%	1 *	1 *	-	-	-	1 2%	3 1%	-	3 1%	-	4 1%	-	4 1%	-	1 1%	3 5% ^z	-	4 2%	1 1%	3 1%	-	
Lack of care/empathy/understanding from staff	4 1%	1 1%	1 1%	3 1%	3 1%	-	-	-	1 1%	3 1%	-	3 1%	1 1%	4 1%	-	4 1%	-	2 1%	1 3%	3 2%	2 1%	1 1%	1 1%	1 1%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Children under 17 in household			Religion						Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
	Total (z)	Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Good aftercare/support of family members/following death	4 1%	-	*	3 1%	1 *	-	2 6%	-	-	4 1%	-	3 1%	-	4 1%	-	4 1%	-	4 3%	-	2 2%	2 1%	2 1%	2 1%	2 2%
Everything that could be done was done	3 1%	2 2%	2 1%	2 1%	3 1%	-	-	-	-	3 1%	-	3 1%	-	3 1%	-	3 1%	-	3 3%	-	-	-	-	-	-
No support from social services	3 1%	1 1%	2 1%	1 *	3 1%	-	-	-	-	3 1%	-	3 1%	-	3 1%	-	3 1%	-	1 1%	1 2%	1 1%	1 1%	1 *	1 1%	1 1%
Personal experience/what I've witnessed/seen for myself	3 1%	-	-	3 1%	3 1%	-	-	-	-	* *	1 2%	1 *	2 3%	3 1%	-	3 1%	-	2 2%	* 1%	* *	* *	* *	2 1%	1 1%
No nursing/respite care offered or provided	3 1%	2 2%	3 2%	-	-	-	-	3 4%	zd	2 1%	-	-	-	3 1%	-	3 1%	-	-	3 5%	zd	1 1%	-	-	1 1%
Care from NHS/Social Services was adequate/did what was necessary/nothing special	2 1%	-	2 2%	-	2 1%	-	-	-	-	2 1%	-	2 1%	-	2 1%	-	2 1%	-	1 1%	-	-	1 *	-	-	-
No care support for family members/carers/no recognition of carers	2 1%	-	1 1%	1 *	1 1%	-	-	-	1 1%	2 1%	-	1 *	1 2%	2 1%	-	2 1%	-	1 1%	1 2%	2 2%	2 2%	2 1%	1 1%	1 1%
Word of mouth/hearsay/what I understand from other people	2 *	-	1 1%	1 *	1 *	-	-	-	1 1%	2 1%	-	2 1%	-	2 *	-	2 *	-	1 1%	-	1 1%	1 *	-	1 1%	1 1%
Died suddenly	2 *	1 1%	1 1%	1 *	* *	-	-	1 4%	1 1%	* *	1 1%	1 1%	1 1%	2 *	-	2 *	-	-	-	1 1%	* *	* *	* *	* *

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Children under 17 in household		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Had to arrange/pay for/sell property to get the help required	2*	-	2	-	2	-	-	-	2	-	2	-	2	-	2	-	*	2%	1	1	1	1	1	
Not aware of any support being offered	1*	1	1	*	1	-	-	-	1	-	1	-	1	-	1	-	-	-	*	-	*	*	-	
Care/bereavement counselling took too long/had to go on waiting list	1*	-	-	1	*	-	-	-	*	-	1	-	1	-	1	-	-	-	1	1	1	1	1	
Kept well informed at all times/communication was good	1*	-	-	1	*	-	*	-	1	-	1	-	1	-	1	-	*	*	*	*	-	-	*	
No counselling/bereavement counselling was offered	1*	-	1	-	1	-	-	-	-	2%	1	-	1	-	1	-	-	1	1	-	1	1	1	
Caught an infection/MRSA/C Difficile/Food poisoning etc	* *	- -	* *	- -	* *	- -	- -	- -	* *	- -	* *	- -	* *	- -	* *	- -	- -	1%	-	*	*	*	-	
Hospice was good/helpful/supportive	* *	- -	- -	* *	* *	- -	- -	- -	- -	- -	* *	- -	* *	- -	* *	- -	- -	1%	*	*	*	*	*	
Other	18 5%	1 1%	5 4%	11 4%	12 5%	-	2 6%	1 4%	1 2%	10 3%	5 12%	9 3%	6 10%	18 5%	18 5%	18 5%	6 5%	3 5%	6 5%	5 3%	3 3%	6 4%	8 6%	
Don't know	9 2%	2 2%	4 3%	5 2%	6 2%	-	-	1 5%	2 3%	8 3%	1 3%	8 3%	1 2%	9 2%	9 2%	9 2%	1 1%	-	4 3%	5 3%	-	-	-	
No/nothing/nothing more to say/add	2 *	- -	1 1%	* *	1 *	- -	- -	* -	2 1%	- -	* *	- -	2 *	- -	2 *	- -	* *	- -	- -	- -	- -	- -	* *	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
	Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
No answer/blank response	190 48%	53 49%	59 50%	129 48%	126 48%	9 75%	17 57%	4 27%	30 50%	143 49%	19 43%	136 49%	25 45%	189 48%	-	190 48%	-	53 44%	11 19%	69 54%	83 51%	64 54%	90 53%	67 49%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	391	45**	119*	42**	84*	186	139*	95*	282	16**	253	23**	169*	70*	199	210	13**	48*	4**	339	38*	109*	49**	110*	36**	38**	42**	238	147*
Unw. Sample	413	53	145	45	79	235	128	81	286	14	251	26	175	68	208	218	18	65	5	347	48	113	55	110	43	47	34	247	156
Good support/caring attitude from staff	38	5	9	3	9	18	18	9	30	2	24	2	22	11	26	20	2	6	-	35	2	6	10	7	6	5	3	21	15
10%		12%	8%	6%	10%	10%	13%	9%	11%	9%	9%	7%	13%	15%	13%	9%	14%	12%	-	10%	5%	5%	21%	7%	16%	14%	7%	9%	11%
No support/no extra support required	22	*	4	4	6	14	13	1	18	-	15	1	11	*	11	7	1	5	-	17	3	1	4	8	-	1	7	14	7
6%A		1%	4%	8%	7%	7%	10%	1%	6%	-	6%	6%	7%	*	6%	3%	8%	9%	-	5%	7%	1%	7%	7%	-	3%	16%	6%	5%
Did not receive any support from NHS or Social Services	22	3	3	1	3	9	10	8	14	5	11	2	12	6	12	14	-	3	-	20	*	6	1	5	4	*	3	9	13
6%		7%	2%	3%	3%	5%	7%	8%	5%	30%	4%	8%	7%	8%	6%	7%	-	7%	-	6%	1%	6%	2%	5%	11%	1%	7%	4%	9%
Was not there/wasn't involved	13	1	4	-	4	6	6	2	10	*	10	*	7	3	7	8	-	2	-	13	-	5	-	5	3	*	-	6	6
3%		2%	4%	-	4%	3%	4%	2%	4%	3%	4%	2%	4%	4%	4%	4%	-	4%	-	4%	-	4%	-	4%	7%	1%	-	3%	4%
It was a friend who died so not offered these services	11	2	6	-	3	5	4	-	9	2	11	-	3	6	6	7	-	2	-	9	2	4	2	-	-	5	*	6	5
3%		4%	5%	-	4%	3%	3%	-	3%	11%	4%	-	2%	8%	3%	3%	-	3%	-	3%	5%	4%	4%	-	-	13%	1%	3%	3%
Died overseas	10	-	1	1	1	5	4	2	4	2	6	3	3	-	3	6	-	*	-	10	-	7	*	-	2	-	-	8	2
2%h		-	1%	2%	1%	3%	3%	2%	1%	13%	3%	13%	2%	-	2%	3%	-	1%	-	3%	-	7%zC	1%	-	6%	-	-	3%	1%
Little contact/no dealings with them/ wasn't relevant	9	2	4	3	2	5	1	2	6	-	6	-	6	-	6	4	2	-	-	6	2	1	2	1	2	-	2	5	4
2%		5%	4%	7%	2%	2%	1%	2%	2%	-	2%	-	3%	-	3%	2%	18%	-	-	2%	6%	1%	4%	1%	6%	-	5%	2%	2%
Family/friends supported each other	9	2	4	2	2	6	2	1	6	-	7	-	2	1	2	4	1	2	-	7	1	1	2	1	1	2	*	3	5
2%		4%	3%	5%	2%	3%	1%	1%	2%	-	3%	-	1%	2%	1%	2%	6%	4%	-	2%	2%	1%	5%	1%	3%	4%	1%	1%	3%
It was offered/we were offered support/offered to close family	8	1	1	2	1	5	5	-	8	-	5	1	6	4	6	4	-	3	-	8	-	4	1	2	1	*	-	6	2
2%		2%	1%	4%	1%	3%	3%	-	3%	-	2%	5%	3%	6%	3%	2%	-	5%	-	2%	-	4%	1%	2%	4%	1%	-	3%	1%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
More information would have been good/information should have been forthcoming	6 2%	-	4	1	1	2	1	-	6	1	3	1	2	1	2	5	*	-	-	5	1	2	1	1	1	1	-	2	5
More support prior to death/not enough support after death	6 1%	-	*	-	1	3	4	-	5	-	6	-	2	3	5	2	-	*	-	6	-	-	-	3	1	-	1	3	3
Lack of staff/doctors and nurses too busy/not always available	6 1%	-	1	1	1	4	2	1	4	1	4	1	4	1	5	3	-	1	-	5	1	2	2	2	-	-	-	2	3
Died at home/nursing home	5 1%hj	-	*	-	*	4	*	1	1	4	1	4	4	4	4	5	-	-	-	4	-	4	-	1	-	-	-	1	4
Follow up support lacking/slow to materialise	5 1%	*	1	1	2	3	3	-	2	*	2	1	1	1	1	3	-	*	-	4	1	*	-	2	1	1	-	3	2
Case with Ombudsman/complaint made/have taken legal action/representation	4 1%	1	-	-	*	1	2	-	1	-	4	-	-	1	1	4	-	-	-	4	-	-	2	*	-	1	1	4	-
Support from GP/family doctor	4 1%	1	1	1	-	3	1	1	2	1	1	1	2	-	2	1	-	1	*	3	-	1	-	1	-	-	*	2	1
NHS support was good but not social services	4 1%	-	-	-	-	3	1	1	4	-	4	-	3	1	4	3	-	1	-	4	-	3	-	-	-	1	-	1	3
Lack of care/empathy/understanding from staff	4 1%	*	2	1	2	2	2	-	3	-	2	-	2	2	3	1	-	1	-	2	1	*	-	1	1	-	*	1	2

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Good aftercare/support of family members/ following death	4 1%	* 1%	2 2%	- -	1 1%	* 2%	3 -	4 1%	- -	4 1%	- -	3 2%	1 1%	4 2%	3 1%	- -	- -	- -	3 1%	- -	2 2%	1 1%	- -	- -	1 2%	* 1%	3 1%	* -	
Everything that could be done was done	3 1%	- -	2 2%	- -	2 1%	2 1%	2 2%	2 1%	- -	3 1%	- -	3 2%	- -	3 2%	2 1%	- -	- -	2 43%	3 1%	- -	2 2%	- -	- -	- -	2 4%	- -	3 1%	- -	
No support from social services	3 1%	1 1%	2 1%	- -	1 1%	2 1%	- -	3 1%	- -	3 1%	* 2%	1 1%	1 2%	2 1%	2 1%	* 3%	1 1%	- -	3 1%	- -	1 1%	- -	* -	1 2%	1 2%	1 1%	2 1%	1 1%	
Personal experience/what I've witnessed/seen for myself	3 1%	- -	1 1%	- -	* 1%	2 *	* *	2 1%	- -	* -	- -	- -	- -	- -	1 *	1 11%	- -	- -	1 *	2 5%zs	- -	2 3%	* *	- -	1 2%	- -	1 *	2 1%	
No nursing/respite care offered or provided	3 1%	- -	- -	- -	1 *	- -	2 2%	2 1%	1 6%	2 1%	1 4%	- -	- -	- -	2 1%	- -	- -	- -	3 1%	- -	1 1%	- -	- -	- -	- -	2 4%	2 1%	1 1%	
Care from NHS/Social Services was adequate/ did what was necessary/ nothing special	2 1%	- -	1 1%	- -	1 1%	- -	- -	2 1%	- -	2 1%	- -	1 *	- -	1 *	1 *	- -	- -	- -	2 *	1 2%	- -	- -	2 1%	1 2%	- -	- -	1 *	2 1%	
No care support for family members/carers/no recognition of carers	2 1%	1 3%	1 1%	- -	1 1%	1 *	1 1%	2 1%	- -	2 1%	- -	- -	1 1%	1 *	- -	- -	- -	- -	1 *	1 4%zs	1 1%	- -	- -	- -	1 2%	- -	- -	2 -	
Word of mouth/hearsay/ what I understand from other people	2 *	1 2%	1 1%	* 1%	1 1%	1 1%	- -	1 *	- -	- -	- -	- -	- -	- -	1 *	- -	- -	* 8%	2 1%	- -	- -	- -	1 1%	- -	- -	- -	1 *	- -	
Died suddenly	2 *	- -	1 1%	* 1%	1 1%	1 *	1 1%	1 1%	* 2%	1 *	* 1%	1 *	1 *	1 *	1 1%	- -	1 1%	- -	2 1%	- -	- -	- -	1 1%	- -	1 2%	- -	1 *	1 *	
Had to arrange/pay for/ sell property to get the help required	2 *	- -	1 1%	1 2%	- -	1 1%	- *	1 *	- -	1 *	- -	1 *	- -	1 *	1 1%	* 3%	- -	- -	2 1%	- -	1 1%	- -	- -	- -	1 2%	- -	- -	2 1%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Gender		Age						PCT - East of England												Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Wavene y (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suf-folk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capaci ty (B)	No (C)
Weighted Base	119*	60**	58*	**	23**	41*	24**	13**	17**	11**	12**	10**	5**	1**	9**	20**	9**	6**	9**	5**	11**	1**	10**	21**	4**	91*	133
Unw. Sample	133	45	87	-	8	43	36	21	24	13	18	12	6	1	7	21	8	6	8	5	12	2	14	31	4	94	133
Good support/caring attitude from staff	31	16	15	-	11	9	4	3	3	1	3	1	1	-	4	10	2	1	1	-	2	*	4	5	-	25	32
	26%	27%	25%	-	46%	23%	18%	21%	20%	8%	24%	11%	31%	-	47%	52%	27%	9%	8%	-	19%	34%	36%	24%	-	28%	24%
It was offered/we were offered support/offered to close family	6	1	5	-	-	3	3	-	-	3	*	-	-	-	1	-	-	*	-	-	-	-	1	1	-	5	8
	5%	2%	8%z	-	-	7%	13%	-	-	24%	3%	-	-	-	6%	-	-	4%	-	-	-	-	13%	3%	-	6%	6%
No support/no extra support required	6	4	2	-	-	5	1	-	-	2	1	-	-	-	-	-	-	1	3	-	-	-	-	1	-	5	4
	5%	6%	4%	-	-	12%z	3%	-	-	13%	6%	-	-	-	-	-	-	12%	31%	-	-	-	-	3%	-	6%	3%
Died at home/nursing home	4	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	4	1
	3%	6%	-	-	17%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35%	-	-	-	-	4%	1%
Good aftercare/support of family members/ following death	4	1	3	-	2	1	*	-	-	-	-	1	-	-	2	-	-	*	-	1	-	-	-	1	2	1	4
	3%	2%	5%	-	8%	4%	2%	-	-	-	-	5%	-	-	9%	-	-	4%	-	8%	-	-	-	4%	40%	1%	3%
Everything that could be done was done	3	3	-	-	3	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	3	2
	3%	6%	-	-	8%	-	-	-	-	-	-	-	-	-	8%	-	-	-	33%	-	-	-	-	-	-	4%	2%
Was not there/wasn't involved	3	-	3	-	2	-	-	*	-	-	*	-	-	2	-	-	-	-	-	-	-	-	-	-	-	3	2
	2%	-	5%z	-	10%	-	-	3%	-	-	4%	-	-	25%	-	-	-	-	-	-	-	-	-	-	-	3%	2%
Family/friends supported each other	2	-	2	-	2	*	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	2	4
	2%	-	4%z	-	5%	1%	-	-	-	-	-	-	-	-	7%	12%	-	-	-	-	-	-	10%	3%	-	2%	3%
Personal experience/what I've witnessed/seen for myself	2	1	1	-	-	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	*	*	-	2	3
	2%	2%	2%	-	-	7%	5%	-	-	-	-	-	100%	-	-	-	23%	-	-	-	-	-	3%	1%	-	2%	2%
Lack of staff/doctors and nurses too busy/not always available	2	-	2	-	-	2	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	3
	2%	-	4%	-	-	4%	3%	-	-	-	7%	-	-	-	4%	-	9%	-	8%	-	-	-	-	-	-	3%	2%
Support from GP/family doctor	2	-	2	-	-	*	*	*	*	*	*	-	-	-	-	-	-	-	-	1	-	-	*	*	-	1	4
	2%	-	3%	-	-	1%	2%	4%	3%	4%	4%	-	-	-	-	-	-	-	-	8%	-	-	2%	-	2%	3%	
Lack of care/empathy/ understanding from staff	2	-	2	-	-	1	-	1	-	*	-	-	-	-	*	-	1	-	-	-	-	-	-	-	-	2	3
	1%	-	3%	-	-	2%	-	6%	-	4%	-	-	-	-	2%	-	14%	-	-	-	-	-	-	-	-	2%	2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Word of mouth/hearsay/ what I understand from other people	1 1%	-	1 2%	-	-	-	1 3%	* 3%	-	-	1 7%	-	-	-	-	* 2%	-	-	-	-	-	-	-	-	1 4%	-	* -	2 2%
NHS support was good but not social services	1 1%	1 2%	-	-	-	-	-	1 8%	-	1 9%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%
Case with Ombudsman/ complaint made/have taken legal action/ representation	1 1%	1 2%	-	-	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	-	-	1 8%	-	-	-	1 4%	-	-	1 1%	
No care support for family members/carers/no recognition of carers	1 1%	-	1 1%	-	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	1 14%	-	-	-	-	-	-	-	1 1%	1 1%	
Care from NHS/Social Services was adequate/ did what was necessary/ nothing special	1 1%	1 1%	-	-	-	-	-	1 4%	-	-	1 7%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%	
No support from social services	1 1%	-	1 1%	-	-	1 2%	-	-	-	-	1 6%	-	-	-	-	-	-	-	-	-	-	-	-	1 3%	-	-	1 1%	
More information would have been good/ information should have been forthcoming	1 1%	-	1 1%	-	-	-	-	1 4%	-	-	-	-	-	1 6%	-	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%	
Follow up support lacking/slow to materialise	1 *	1 1%	-	-	-	1 2%	-	-	-	-	1 5%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%	
Had to arrange/pay for/ sell property to get the help required	* *	-	* 1%	-	-	-	-	* 3%	-	-	-	-	-	-	-	-	-	-	* 5%	-	-	-	-	-	-	* *	1 1%	
Kept well informed at all times/communication was good	* *	-	* 1%	-	-	-	* 2%	-	-	-	-	-	-	-	-	-	-	-	* 4%	-	-	-	-	-	-	* *	1 1%	
It was a friend who died so not offered these services	* *	-	* 1%	-	-	-	* 1%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	* 3%	-	* *	1 1%		

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Other	6 5%	3 5%	3 6%	-	-	2 5%	2 10%	1 7%	1 6%	-	-	1 11%	1 19%	-	1 6%	1 6%	-	-	1 16%	-	1 7%	-	1 6%	3 13%	-	4 4%	11 8%
Don't know	1 1%	1 2%	-	-	1 3%	-	-	-	-	1 11%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%
No/nothing/nothing more to say/add	* *	- -	* 1%	-	-	-	-	-	*	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	1 1%
No answer/blank response	53 44%	26 44%	25 44%	-	7 30%	18 44%	10 41%	7 49%	10 61%	5 43%	5 44%	7 71%	2 50%	-	4 46%	5 26%	5 60%	2 41%	3 36%	4 67%	3 31%	1 66%	5 46%	10 48%	3 60%	37 41%	58 44%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	119*	32**	31**	86*	81*	-**	9**	5**	20**	98*	10**	87*	13**	119*	-**	119*	-**	119*	-**	46*	47*	37**	56*
Unw. Sample	133	32	44	86	95	-	8	4	20	107	10	100	15	133	-	133	-	133	-	51	52	38	60	50	
Good support/caring attitude from staff	31 26%w	9 28%	9 30%	21 25%	26 33%	-	1 7%	* 9%	2 11%	27 27%	3 29%	25 29%	4 27%	31 26%	-	31 26%	-	31 26%	-	8 17%	11 24%	6 16%	7 13%	8 18%	
It was offered/we were offered support/offered to close family	6 5%	2 7%	1 2%	5 6%	4 5%	-	1 11%	-	1 6%	5 5%	-	5 6%	* 3%	6 5%	-	6 5%	-	6 5%	-	4 9%	5 10%	3 9%	3 6%	3 7%	
No support/no extra support required	6 5%	5 16%	-	6 7%	2 3%	-	-	1 15%	3 14%	6 6%	-	6 7%	-	6 5%	-	6 5%	-	6 5%	-	6 13%z	6 12%z	6 15%	6 10%	6 13%z	
Died at home/nursing home	4 3%	-	-	4 4%	4 5%	-	-	-	-	4 4%	-	-	-	4 3%	-	4 3%	-	4 3%	-	-	-	-	4 7%	4 8%	
Good aftercare/support of family members/following death	4 3%	-	*	3 4%	1 1%	-	2 18%	-	-	4 4%	-	3 4%	-	4 3%	-	4 3%	-	4 3%	-	2 5%	2 4%	2 5%	2 4%	2 5%	
Everything that could be done was done	3 3%	2 6%	2 5%	2 2%	3 4%	-	-	-	-	3 3%	-	3 4%	-	3 3%	-	3 3%	-	3 3%	-	-	-	-	-	-	
Was not there/wasn't involved	3 2%	2 7%	* 2%	2 3%	3 3%	-	-	-	-	3 3%	-	3 3%	-	3 2%	-	3 2%	-	3 2%	-	* 1%	2 5%	-	-	* 1%	
Family/friends supported each other	2 2%	1 4%	1 3%	1 2%	1 1%	-	1 7%	1 15%	-	2 2%	-	2 2%	1 5%	2 2%	-	2 2%	-	2 2%	-	2 4%	2 4%	1 3%	1 2%	1 2%	
Personal experience/what I've witnessed/seen for myself	2 2%	-	-	2 3%	2 3%	-	-	-	-	-	1 11%	1 13%	2 2%	2 2%	-	2 2%	-	2 2%	-	* 1%	* 1%	* 1%	2 3%	1 3%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (d)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Lack of staff/doctors and nurses too busy/not always available	2 2%	2 5%	1 1%	2 5%	1 1%	-	-	-	2 8%	2 2%	-	2 3%	-	2 2%	-	2 2%	-	2 2%	-	2 3%	2 3%	2 4%	2 3%
Support from GP/family doctor	2 2%	* 1%	1 2%	* 1%	2 2%	-	-	-	-	2 2%	-	1 1%	-	2 2%	-	2 2%	-	2 2%	-	2 2%	-	-	-	* 1%	-
Lack of care/empathy/understanding from staff	2 1%	-	1 2%	* 1%	1 1%	-	-	-	1 4%	2 2%	-	1 1%	-	2 1%	-	2 1%	-	2 1%	-	2 1%	-	1 3%	1 2%	-	-
Word of mouth/hearsay/what I understand from other people	1 1%	-	-	1 4%	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 2%	1 2%	-	1 2%
NHS support was good but not social services	1 1%	-	1 1%	-	-	-	-	-	1 5%	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	1 2%	-	1 2%
Case with Ombudsman/complaint made/have taken legal action/representation	1 1%	-	1 1%	-	-	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	-
No care support for family members/carers/no recognition of carers	1 1%	-	1 1%	-	-	-	-	1 4%	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 2%	1 2%	-	-	-
Care from NHS/Social Services was adequate/did what was necessary/nothing special	1 1%	-	-	1 2%	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	1 2%	-	-
No support from social services	1 1%	1 2%	-	1 2%	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		More information would have been good/information should have been forthcoming	1 1%	-	-	1 2%	-	-	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-
Follow up support lacking/slow to materialise	1 *	-	-	1 1%	-	-	-	1 11%	-	1 1%	-	1 1%	-	1 *	-	1 *	-	1 *	-	1 *	-	1 1%	1 1%	-	-	1 1%
Had to arrange/pay for/sell property to get the help required	* *	-	-	1 1%	-	1 1%	-	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	* *	-	-	-	-	-	-
Kept well informed at all times/communication was good	* *	-	-	* *	-	-	4% 4%	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	* *	-	-	-	-	-	-
It was a friend who died so not offered these services	* *	-	-	1 1%	-	-	-	-	-	* *	-	* *	-	* *	-	* *	-	* *	-	* *	-	1% 1%	1% 1%	1% 1%	1% 1%	-
Other	6 5%	1 4%	2 8%	4 5%	4 5%	-	4% 4%	11% 11%	1 6%	4 4%	1 8%	5 5%	-	6 5%	-	6 5%	-	6 5%	-	6 5%	-	3 6%	2 4%	1 3%	3 5%	3 6%
Don't know	1 1%	-	-	1 1%	1 2%	-	-	-	-	-	1 13%	-	1 10%	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	-	-
No/nothing/nothing more to say/add	* *	-	-	1 1%	-	-	-	-	2% 2%	* *	-	* 1%	-	* *	-	* *	-	* *	-	* *	-	-	-	-	-	1% 1%
No answer/blank response	53 44%	13 39%	15 49%	36 41%	31 38%	-	7 70%	3 66%	9 47%	43 43%	4 39%	37 42%	6 43%	53 44%	-	53 44%	-	53 44%	-	53 44%	-	22 49%	19 40%	20 53%	26 48%	19 40%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	119*	15**	39*	16**	34**	69*	43**	24**	93*	4**	72*	9**	69*	31**	80*	61*	6**	16**	4**	107*	9**	38**	19**	30**	9**	11**	11**	75*	43**
Unw. Sample	133	24	52	20	32	84	42	23	101	1	81	7	71	30	87	64	9	21	5	115	13	41	19	29	15	15	13	91	40
Good support/caring attitude from staff	31	5	8	3	9	15	13	9	26	-	19	-	20	10	23	16	2	6	-	29	1	5	10	7	2	5	2	15	15
It was offered/we were offered support/offered to close family	6	1	1	2	1	5	2	-	5	-	3	1	3	2	4	2	-	3	-	6	-	2	1	2	1	*	-	4	2
No support/no extra support required	6	-	1	2	4	5	5	1	6	-	6	-	3	-	3	2	1	-	-	6	-	-	1	2	-	1	3	2	4
Died at home/nursing home	4	-	-	-	-	4	-	-	-	4	-	4	4	4	4	4	-	-	-	4	-	4	-	-	-	-	-	-	4
Good aftercare/support of family members/following death	4	*	2	-	1	*	3	-	4	-	4	-	3	1	4	3	-	-	-	3	-	2	1	-	-	1	*	3	*
Everything that could be done was done	3	-	2	-	2	2	2	2	2	-	3	-	3	-	3	2	-	-	2	3	-	2	-	-	-	2	-	3	-
Was not there/wasn't involved	3	*	*	-	2	3	2	-	3	-	3	-	3	-	3	*	-	-	-	3	-	-	-	3	-	-	-	*	2
Family/friends supported each other	2	1	2	-	1	2	1	1	2	-	2	-	1	1	2	-	1	1	-	2	1	1	-	-	1	1	*	1	1
Personal experience/what I've witnessed/seen for myself	2	-	1	-	-	1	-	*	1	-	-	-	-	-	-	*	1	-	-	*	2	-	2	-	-	1	-	1	1

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Total (z)	Made plans						Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
		Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Lack of staff/doctors and nurses too busy/not always available	2 2%	-	-	1 5%	1 2%	2 3%	2 4%	-	2 2%	-	2 3%	-	2 3%	-	2 1%	-	1 5%	-	2 2%	-	2 4%	1 4%	-	-	-	-	-
Support from GP/family doctor	2 2%	1 6%	* 1%	-	-	1 2%	1 2%	-	1 1%	-	1 1%	* 5%	2 3%	-	2 2%	-	1 6%	* 11%	2 2%	-	1 2%	-	* 1%	-	1 1%	-	5 5%	1 2%	* 1%
Lack of care/empathy/ understanding from staff	2 1%	* 3%	1 2%	* 2%	1 3%	2 2%	1 3%	-	1 1%	-	1 2%	-	* 1%	1 4%	2 2%	* 1%	-	* 3%	-	2 2%	-	* 1%	-	-	1 9%	-	5 5%	1 1%	1 2%
Word of mouth/hearsay/ what I understand from other people	1 1%	1 5%	* 1%	* 2%	1 2%	1 2%	1 2%	-	1 1%	-	-	-	-	-	1 1%	-	-	* 8%	1 1%	-	-	-	1 4%	-	-	-	1 1%	-	
NHS support was good but not social services	1 1%	-	-	-	1 2%	-	-	-	1 1%	-	1 1%	-	1 2%	-	1 1%	-	1 7%	-	1 1%	-	1 3%	-	-	-	-	-	1 1%	-	
Case with Ombudsman/ complaint made/have taken legal action/ representation	1 1%	-	-	-	-	1 2%	-	-	1 1%	-	1 1%	-	1 3%	1 1%	1 2%	-	-	-	1 1%	-	-	-	-	-	1 8%	-	1 1%	-	
No care support for family members/carers/no recognition of carers	1 1%	-	-	-	1 2%	1 1%	1 2%	-	1 1%	-	1 1%	-	1 3%	1 1%	-	-	-	-	1 1%	-	-	-	-	1 9%	-	-	-	1 2%	
Care from NHS/Social Services was adequate/ did what was necessary/ nothing special	1 1%	-	1 2%	-	1 2%	1 1%	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	1 8%	-	-	-	1 8%	-	-	1 1%	-	
No support from social services	1 1%	-	1 2%	-	1 2%	1 1%	1 2%	-	1 1%	-	1 1%	-	1 1%	1 2%	1 1%	-	1 4%	-	1 1%	-	-	-	-	1 7%	-	-	-	1 2%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and agree received enough support

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		More information would have been good/information should have been forthcoming	1 1%	-	1 2%	-	-	1 1%	-	-	1 1%	-	-	1 1%	1 2%	1 1%	1 1%	-	-	-	1 1%	-	-	-	-	-	1 5%	-	1 1%
Follow up support lacking/slow to materialise	1 *	-	-	-	1 2%	1 1%	-	1 1%	-	-	-	-	1 2%	1 1%	1 1%	-	-	-	1 1%	-	-	-	-	1 6%	-	1 1%	-		
Had to arrange/pay for/sell property to get the help required	* *	-	-	-	-	-	*	-	-	-	-	-	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*	1%	
Kept well informed at all times/communication was good	* *	-	-	-	-	*	-	-	*	-	-	-	1 1%	*	-	-	-	-	*	-	*	-	-	-	-	-	-	*	1%
It was a friend who died so not offered these services	* *	-	*	-	-	*	-	-	*	-	*	*	-	*	-	-	-	-	*	-	-	-	-	-	-	*	*	3%	
Other	6 5%	-	4 10%	1 6%	1 4%	5 7%	1 3%	1 4%	5 5%	-	2 3%	-	2 3%	5 15%	5 6%	2 3%	-	2 38%	6 6%	*	4 4%	2 5%	-	-	1 9%	2 18%	2 16%	3 5%	3 7%
Don't know	1 1%	-	-	-	1 4%	1 2%	1 3%	-	-	-	1 2%	-	1 4%	1 2%	1 2%	-	-	-	1 2%	-	1 3%	-	-	-	-	-	1 2%	-	
No/nothing/nothing more to say/add	* *	-	-	-	-	*	-	-	*	-	*	-	*	*	*	-	-	-	*	-	-	-	-	-	*	-	*	-	
No answer/blank response	53 44%	8 49%	18 46%	10 66%	14 39%	25 36%	16 36%	12 51%	43 46%	-	33 45%	3 36%	28 41%	7 24%	31 38%	31 50%	2 28%	6 35%	-	46 43%	4 41%	18 46%	6 31%	19 63%	4 39%	2 22%	3 30%	39 52%	13 29%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Gender		Age						PCT - East of England												Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Weighted Base	56*	21**	30**	3**	5**	26**	12**	7**	1**	4**	3**	4**	5**	5**	5**	6**	1**	1**	8**	***	6**	1**	6**	17**	1**	33**	64*	
Unw. Sample	64	17	44	1	2	25	21	11	2	3	6	6	3	4	6	11	3	1	7	1	5	2	6	22	1	38	64	
Did not receive any support from NHS or Social Services	19 34%	4 17%	11 38%	3 100%	3 63%	6 25%	4 29%	2 27%	-	2 34%	1 24%	1 35%	-	1 29%	1 21%	1 18%	1 65%	-	5 65%	-	3 46%	-	3 46%	4 25%	-	11 32%	19 30%	
More information would have been good/ information should have been forthcoming	5 9%	3 13%	2 7%	-	-	2 8%	2 16%	1 10%	-	1 17%	1 25%	1 15%	2 47%	-	-	-	-	-	-	-	1 13%	-	-	-	-	5 15%	6 9%	
Follow up support lacking/slow to materialise	4 7%	1 4%	3 10%	-	-	1 3%	3 22%	-	*	-	-	-	-	-	*	*	-	-	-	-	2 29%	-	1 22%	*	-	3 10%	7 11%	
Lack of staff/doctors and nurses too busy/not always available	3 6%	1 2%	3 9%	-	-	2 8%	1 11%	-	-	1 17%	-	1 15%	-	-	1 20%	-	35%	-	-	-	-	1 57%	-	1 3%	1 100%	2 5%	5 8%	
Good support/caring attitude from staff	3 6%	-	2 7%	-	-	2 7%	* 2%	-	-	2 34%	-	-	-	-	1 21%	-	-	-	-	-	-	-	*	5%	*	-	2 5%	4 6%
NHS support was good but not social services	3 5%	1 7%	1 4%	-	-	3 10%	-	-	-	-	-	1 32%	-	-	-	-	1 100%	-	-	-	-	-	-	1 9%	-	1 4%	2 3%	
Case with Ombudsman/ complaint made/have taken legal action/ representation	3 5%	2 10%	* 1%	-	-	2 8%	* 3%	-	-	2 49%	-	-	-	-	* 9%	-	-	-	-	-	-	-	-	-	-	3 8%	2 3%	
No nursing/respite care offered or provided	3 5%	1 4%	2 6%	-	2 37%	-	1 7%	-	-	-	-	-	-	1 19%	-	-	-	-	-	-	-	-	2 26%	3 15%	-	-	2 3%	
Lack of care/empathy/ understanding from staff	1 3%	1 4%	1 2%	-	-	1 2%	-	1 11%	-	-	1 26%	-	-	-	1 10%	-	-	-	-	-	-	-	-	1 5%	-	1 2%	2 3%	
No care support for family members/carers/no recognition of carers	1 2%	1 7%	-	-	-	1 11%	-	-	-	-	-	-	1 28%	-	-	-	-	-	-	-	-	-	-	1 8%	-	-	1 2%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Had to arrange/pay for/ sell property to get the help required	1 2%	1 3%	1 2%	-	-	-	-	1 10%	1 56%	-	-	-	-	-	-	1 12%	-	-	1 7%	-	-	-	-	-	-	1 4%	2 3%
Little contact/no dealings with them/ wasn't relevant	1 2%	1 4%	* 1%	-	-	-	* 3%	1 11%	-	-	1 26%	-	-	-	-	-	-	-	-	-	-	* 43%	-	1 5%	-	* 1%	2 3%
No support from social services	1 2%	-	1 3%	-	-	-	-	* 5%	1 56%	-	* 12%	-	-	-	-	-	-	-	1 7%	-	-	-	-	-	-	1 3%	2 3%
More support prior to death/not enough support after death	1 1%	-	1 3%	-	-	* 2%	* 3%	-	-	-	-	-	-	-	* 7%	-	-	-	-	-	-	-	* 6%	1 5%	-	-	2 3%
Was not there/wasn't involved	1 1%	-	1 3%	-	-	1 3%	-	-	-	-	-	-	-	-	-	-	-	-	1 9%	-	-	-	-	1 5%	-	-	1 2%
No counselling/ bereavement counselling was offered	1 1%	-	1 2%	-	-	-	1 6%	-	-	-	-	-	-	-	-	-	-	-	-	-	1 13%	-	-	-	-	1 2%	
No support/no extra support required	1 1%	-	1 2%	-	-	-	1 5%	-	-	-	-	-	1 13%	-	-	-	-	-	-	-	-	-	-	-	-	1 2%	
Caught an infection/ MRSA/C Difficile/Food poisoning etc	* 1%	-	* 2%	-	-	* 2%	-	-	-	-	-	-	-	-	-	* 35%	-	-	-	-	-	-	-	-	-	* 1%	1 2%
Kept well informed at all times/communication was good	* 1%	-	* 1%	-	-	-	-	* 44%	-	-	-	-	-	-	* 7%	-	-	-	-	-	-	-	-	-	-	* 1%	1 2%
Hospice was good/ helpful/supportive	* 1%	-	* 1%	-	-	-	* 5%	-	-	-	* 12%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	* 1%	1 2%
Personal experience/what I've witnessed/seen for myself	* 1%	-	* 1%	-	-	-	* 3%	-	-	-	-	-	-	-	* 5%	-	-	-	-	-	-	-	-	-	-	* 1%	1 2%
Other	3 5%	1 3%	2 7%	-	-	1 5%	1 5%	1 10%	-	-	* 7%	-	-	1 30%	1 12%	-	-	-	-	* 100%	-	-	-	1 4%	-	2 6%	4 6%
No answer/blank response	11 19%	7 32%	4 13%	-	-	7 25%	1 10%	3 37%	-	-	1 38%	2 44%	1 22%	2 30%	1 15%	-	-	2 19%	-	2 42%	-	* 6%	4 21%	-	7 21%	12 19%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	56*	9**	29**	24**	29**	34**	3**	5**	1**	8**	40**	9**	33**	10**	56*	-**	56*	-**	-**	56*	14**	22**	16**
Unw. Sample	64	7	30	30	30	45	1	5	1	7	44	13	38	14	64	-	64	-	-	64	17	24	17	25	21
Did not receive any support from NHS or Social Services	19	4	13	4	13	14	3	-	1	*	17	2	14	2	19	-	19	-	-	19	3	7	4	10	9
	34%	48%	46%	15%	46%	41%	100%	-	100%	6%	42%	18%	43%	16%	34%	-	34%	-	-	34%	25%	34%	25%	37%	41%
More information would have been good/information should have been forthcoming	5	-	2	3	2	5	-	-	-	-	3	1	4	1	5	-	5	-	-	5	1	2	3	4	3
	9%	-	6%	13%	6%	15%	-	-	-	-	8%	14%	13%	5%	9%	-	9%	-	-	9%	11%	7%	21%	15%	14%
Follow up support lacking/slow to materialise	4	-	1	2	1	2	-	1	-	-	2	2	3	*	4	-	4	-	-	4	1	1	1	1	2
	7%	-	3%	9%	3%	7%	-	14%	-	-	5%	18%	10%	4%	7%	-	7%	-	-	7%	8%	4%	5%	4%	7%
Lack of staff/doctors and nurses too busy/not always available	3	-	2	1	2	3	-	-	-	-	2	1	1	1	3	-	3	-	-	3	1	2	*	1	-
	6%	-	8%	4%	8%	10%	-	-	-	-	4%	16%	4%	15%	6%	-	6%	-	-	6%	4%	8%	3%	5%	-
Good support/caring attitude from staff	3	2	-	2	-	2	-	-	-	-	3	-	2	-	3	-	3	-	-	3	-	-	-	-	-
	6%	16%	-	9%	-	7%	-	-	-	-	8%	-	6%	-	6%	-	6%	-	-	6%	-	-	-	-	-
NHS support was good but not social services	3	1	-	3	-	1	-	-	-	-	1	-	1	-	3	-	3	-	-	3	-	3	1	1	-
	5%	14%	-	11%	-	4%	-	-	-	-	4%	-	4%	-	5%	-	5%	-	-	5%	-	13%	9%	5%	-
Case with Ombudsman/complaint made/have taken legal action/representation	3	-	3	-	3	*	-	-	-	-	*	-	*	-	3	-	3	-	-	3	-	-	-	-	*
	5%	-	9%	-	9%	1%	-	-	-	-	1%	-	1%	-	5%	-	5%	-	-	5%	-	-	-	-	2%
No nursing/respite care offered or provided	3	2	-	3	-	-	-	-	3	-	2	-	-	-	3	-	3	-	-	3	1	-	-	-	1
	5%	18%	-	11%	-	-	-	-	34%	-	4%	-	-	-	5%	-	5%	-	-	5%	7%	-	-	-	4%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Total (z)	Children under 17 in household		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Lack of care/empathy/understanding from staff	1 3%	-	1 3%	1 2%	1 4%	-	-	-	-	1 4%	-	1 4%	-	1 3%	-	1 3%	-	-	1 3%	1 10%	1 6%	1 9%
No care support for family members/carers/no recognition of carers	1 2%	-	1 6%	-	1 4%	-	-	-	-	1 4%	-	1 14%	-	1 2%	-	1 2%	-	-	1 2%	1 10%	1 6%	1 9%	1 5%	-
Had to arrange/pay for/sell property to get the help required	1 2%	-	1 5%	-	1 4%	-	-	-	-	1 3%	-	1 4%	-	1 2%	-	1 2%	-	-	1 2%	1 4%	1 6%	1 5%	1 5%	1 6%
Little contact/no dealings with them/wasn't relevant	1 2%	-	1 3%	* 1%	1 4%	-	-	-	-	1 3%	-	1 4%	-	1 2%	-	1 2%	-	-	1 2%	1 6%	1 4%	1 8%	1 4%	1 3%
No support from social services	1 2%	-	1 4%	-	1 3%	-	-	-	-	1 2%	-	1 3%	-	1 2%	-	1 2%	-	-	1 2%	1 7%	1 4%	-	1 2%	1 2%
More support prior to death/not enough support after death	1 1%	-	1 3%	-	1 2%	-	-	-	-	* 1%	-	* 1%	* 4%	1 1%	-	1 1%	-	-	1 1%	-	* 2%	-	* 1%	-
Was not there/wasn't involved	1 1%	1 8%	-	1 3%	-	-	1 15%	-	-	1 2%	-	1 2%	-	1 1%	-	1 1%	-	-	1 1%	-	-	-	-	-
No counselling/bereavement counselling was offered	1 1%	-	1 3%	-	1 2%	-	-	-	-	-	1 8%	1 2%	-	1 1%	-	1 1%	-	-	1 1%	1 5%	-	1 5%	1 3%	1 3%
No support/no extra support required	1 1%	-	-	1 2%	1 2%	-	-	-	-	1 2%	-	1 2%	-	1 1%	-	1 1%	-	-	1 1%	1 5%	1 3%	1 4%	1 2%	1 3%
Caught an infection/MRSA/C Difficile/Food poisoning etc	* 1%	-	* 2%	-	* 1%	-	-	-	-	* 1%	-	* 1%	-	* 1%	-	* 1%	-	-	* 1%	-	* 2%	* 3%	* 2%	-

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Total (z)	Childr en under 17 in househ old		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
		Kept well informed at all times/communication was good	1%	-	2%	-	-	1%	-	-	-	-	1%	-	-	1%	-	1%	-	-	1%	-	3%	2%	-
Hospice was good/helpful/supportive	1%	-	1%	-	-	1%	-	-	-	-	-	-	1%	-	1%	-	1%	-	1%	-	3%	2%	2%	1%	2%
Personal experience/what I've witnessed/seen for myself	1%	-	1%	-	-	1%	-	-	-	-	1%	-	-	1%	-	1%	-	-	1%	-	-	-	-	-	-
Other	3%	-	2%	8%	1%	-	1%	-	-	1%	2%	1%	2%	3%	-	3%	-	-	3%	-	-	-	-	-	1%
No answer/blank response	11%	1%	5%	5%	4%	-	2%	-	5%	5%	12%	4%	6%	3%	11%	-	11%	-	11%	-	3%	4%	2%	6%	4%
	19%	12%	18%	22%	11%	-	42%	-	60%	12%	40%	18%	27%	19%	-	19%	-	-	19%	-	24%	18%	15%	22%	19%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
	Total (z)																												
Weighted Base	56*	7**	19**	8**	10**	26**	18**	15**	37**	6**	39**	4**	21**	10**	25**	35**	***	8**	-**	48*	6**	20**	7**	11**	6**	5**	5**	21**	34**
Unw. Sample	64	7	23	10	10	35	18	13	43	5	41	6	23	10	28	38	1	10	-	52	9	15	10	18	7	6	4	23	40
Did not receive any support from NHS or Social Services	19	3	3	1	3	8	8	7	11	5	9	2	12	6	12	12	-	3	-	17	*	6	1	4	4	*	2	7	11
	34%	42%	14%	15%	29%	32%	43%	48%	29%	77%	24%	46%	55%	57%	49%	33%	-	44%	-	36%	7%	30%	18%	32%	72%	9%	41%	35%	33%
More information would have been good/information should have been forthcoming	5	-	4	1	1	2	1	-	4	1	3	1	1	1	1	4	*	-	-	4	1	2	1	1	-	1	-	*	5
	9%	-	19%	11%	8%	6%	4%	-	12%	8%	7%	21%	2%	8%	5%	11%	100%	-	-	9%	9%	11%	13%	10%	-	16%	-	2%	13%
Follow up support lacking/slow to materialise	4	*	*	*	1	3	2	-	1	-	2	*	1	-	1	2	-	*	-	3	1	*	-	1	*	1	-	2	2
	7%	6%	2%	6%	12%	11%	11%	-	4%	-	5%	11%	3%	-	3%	5%	-	5%	-	7%	13%	2%	-	13%	7%	16%	-	11%	5%
Lack of staff/doctors and nurses too busy/not always available	3	-	1	1	-	1	-	1	1	1	1	1	2	1	2	2	-	1	-	3	1	*	1	2	-	-	-	1	3
	6%	-	7%	7%	-	5%	-	10%	3%	8%	4%	13%	7%	14%	9%	6%	-	7%	-	6%	9%	2%	16%	15%	-	-	-	3%	8%
Good support/caring attitude from staff	3	-	2	-	-	2	2	-	*	2	1	2	2	-	2	2	-	-	-	2	*	-	-	*	-	-	2	2	*
	6%	-	8%	-	-	6%	8%	-	1%	24%	2%	36%	9%	-	7%	6%	-	-	-	4%	5%	-	-	3%	7%	-	28%	9%	1%
NHS support was good but not social services	3	-	-	-	-	1	1	1	3	-	3	-	1	1	3	3	-	-	-	3	-	1	-	-	-	1	-	-	3
	5%	-	-	-	-	6%	8%	9%	7%	-	7%	-	7%	13%	11%	8%	-	-	-	6%	-	7%	-	-	-	28%	-	-	8%
Case with Ombudsman/complaint made/have taken legal action/representation	3	-	-	-	-	*	-	-	-	-	3	-	-	-	-	2	-	-	-	3	-	-	2	*	-	-	-	3	-
	5%	-	-	-	4%	-	2%	-	-	-	7%	-	-	-	-	6%	-	-	-	5%	-	-	33%	4%	-	-	-	12%	-
No nursing/respite care offered or provided	3	-	-	-	-	1	-	2	2	1	2	1	-	-	-	2	-	-	-	3	-	1	-	-	-	-	2	2	1
	5%	-	-	-	-	4%	-	12%	5%	15%	4%	22%	-	-	-	5%	-	-	-	5%	-	5%	-	-	-	-	31%	8%	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live				
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)			
Lack of care/empathy/understanding from staff	1 3%	-	1 7%	1 10%	1 8%	1 3%	-	-	1 4%	-	1 2%	-	1 3%	1 6%	1 3%	1 2%	-	1 4%	1 8%	-	1 2%	1 11%	-	-	1 13%	-	-	-	-	-	-	1 4%
No care support for family members/carers/no recognition of carers	1 2%	1 19%	1 7%	-	-	-	-	-	1 4%	-	1 4%	-	-	-	-	-	-	-	-	-	1 24%	1 7%	-	-	-	-	-	-	-	-	1 4%	
Had to arrange/pay for/sell property to get the help required	1 2%	-	1 7%	1 9%	-	1 5%	-	-	1 4%	-	1 1%	-	1 3%	-	1 2%	1 4%	-	-	-	-	1 3%	-	1 3%	-	-	-	1 16%	-	-	-	1 4%	
Little contact/no dealings with them/wasn't relevant	1 2%	-	1 4%	1 15%	1 8%	1 5%	-	-	1 3%	-	* 1%	-	* 2%	-	* 2%	1 2%	-	-	-	-	1 3%	-	-	6%	1 7%	-	-	-	-	-	1 4%	
No support from social services	1 2%	-	1 5%	-	-	1 4%	-	-	1 2%	-	1 1%	* 9%	1 3%	-	1 2%	1 2%	* 100%	-	-	-	1 2%	-	1 3%	-	* 3%	-	-	-	-	-	* 2%	1 2%
More support prior to death/not enough support after death	1 1%	-	* 2%	-	-	1 3%	-	-	* 1%	-	1 2%	-	* 2%	-	* 2%	* 1%	-	* 5%	-	-	1 2%	-	-	-	-	1 15%	-	-	-	-	1 2%	
Was not there/wasn't involved	1 1%	-	-	-	1 8%	1 3%	1 4%	-	1 2%	-	1 2%	-	-	-	-	1 2%	-	-	-	-	1 2%	-	1 4%	-	-	-	-	-	-	-	1 4%	
No counselling/bereavement counselling was offered	1 1%	-	-	-	1 8%	-	1 4%	-	1 2%	-	1 2%	-	-	-	-	1 2%	-	-	-	-	1 2%	-	-	-	-	-	1 16%	-	-	-	1 2%	
No support/no extra support required	1 1%	-	-	-	-	1 2%	-	-	1 2%	-	1 2%	-	1 3%	-	1 3%	-	-	-	-	-	1 1%	-	-	-	1 6%	-	-	-	-	-	1 3%	
Caught an infection/MRSA/C Difficile/Food poisoning etc	* 1%	-	-	-	-	-	-	*	* 1%	-	* 1%	-	* 2%	-	* 2%	-	-	-	-	-	* 1%	-	* 2%	-	-	-	-	-	-	-	* 1%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and disagree received enough support

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Kept well informed at all times/communication was good	1%	6%	6%	2%	-	-	-	-	-	11%	-	-	-	-	-	-	-	-	8%	2%	-	-	-	-	-	-	-	1%
Hospice was good/helpful/supportive	*	2%	5%	-	1%	-	1%	-	-	-	-	-	-	1%	-	-	-	-	1%	-	5%	-	-	-	-	-	-	1%
Personal experience/what I've witnessed/seen for myself	1%	-	-	3%	1%	2%	1%	-	1%	-	-	-	-	1%	-	-	-	-	1%	-	-	3%	-	-	-	-	-	1%
Other	3	1	1	1	1	1	3	-	3	-	*	-	*	2	-	1	-	-	2	2	*	-	1	-	-	1	2	
	5%	7%	18%	15%	5%	8%	7%	-	7%	-	2%	-	2%	5%	-	10%	-	-	2%	29%	9%	4%	-	13%	-	-	5%	
No answer/blank response	11	6	2	2	5	5	3	8	10	-	3	1	4	6	-	2	-	-	10	*	4	2	2	-	1	2	5	
	19%	33%	29%	30%	24%	18%	29%	23%	21%	-	25%	-	15%	17%	10%	17%	-	-	20%	6%	19%	23%	16%	-	31%	28%	23%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Gender		Age						PCT - East of England												Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Weighted Base	90*	43**	46*	9**	22**	33**	12**	7**	5**	6**	5**	11**	1**	-**	33**	5**	16**	7**	1**	4**	7**	9**	7**	10**	28**	4**	55*	83*
Unw. Sample	83	29	53	4	7	31	17	15	7	5	7	10	2	-	4	9	7	2	6	9	9	5	8	25	5	51	83	
No support/no extra support required	9 10%	6 14%	3 7%	6 61%	- -	3 8%	- -	1 10%	- -	- -	1 13%	1 9%	- -	- -	- 35%	6 -	- 74%	1 -	- -	* 6%	* -	- 4%	- -	1 4%	- -	6 11%	7 8%	
Was not there/wasn't involved	5 5%	1 3%	3 7%	- -	2 11%	1 4%	- -	* 5%	1 16%	- -	1 27%	3 24%	* 24%	- -	- -	- -	- -	- -	- -	- -	- -	- -	* 4%	1 3%	- -	4 7%	5 6%	
More support prior to death/not enough support after death	5 5%	1 3%	3 8%	- -	3 14%	2 5%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 38%	- 13%	1 13%	* 2%	- -	4 8%	3 4%	
Good support/caring attitude from staff	4 4%	- -	4 9%	- -	3 13%	- -	- -	* 5%	1 15%	- -	- -	- -	- -	- -	- -	- 6%	- -	- -	- -	- -	- -	- -	4 36%	1 3%	- -	3 6%	3 4%	
Little contact/no dealings with them/ wasn't relevant	2 2%	2 5%	- -	- -	2 7%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 22%	- -	- -	2 4%	1 1%	
Did not receive any support from NHS or Social Services	2 2%	- -	2 4%	- -	1 4%	- -	* 5%	- -	- -	- -	- -	- -	- -	1 30%	- -	* 6%	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 3%	2 2%	
Care from NHS/Social Services was adequate/ did what was necessary/ nothing special	2 2%	2 4%	- -	- -	2 5%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 23%	- -	- -	- -	- -	- -	- -	2 3%	1 1%	
No support from social services	1 1%	- -	1 3%	- -	1 2%	- -	- -	1 15%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 8%	1 7%	1 3%	- -	1 1%	2 2%	
More information would have been good/ information should have been forthcoming	1 1%	- -	1 1%	- -	1 2%	- -	- -	- -	- -	1 10%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1%	1 1%	
Lack of care/empathy/ understanding from staff	1 1%	- -	1 1%	- -	1 2%	- -	- -	- -	- -	1 10%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1%	1 1%	
It was a friend who died so not offered these services	1 1%	- -	1 1%	- -	1 2%	- -	- -	- -	- -	- -	1 5%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 2%	- -	- -	1 1%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Gender		Age							PCT - East of England													Carer			Unwtd sample	
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)
Case with Ombudsman/ complaint made/have taken legal action/ representation	1 1%	-	1 1%	-	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 8%	-	-	1 1%	1 1%
Care/bereavement counselling took too long/had to go on waiting list	1 1%	-	1 1%	-	-	-	1 4%	-	-	-	-	-	-	-	-	-	-	-	1 13%	-	-	-	-	-	-	1 1%	1 1%
Not aware of any support being offered	*	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	1 1%
Family/friends supported each other	*	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	1 1%
Support from GP/family doctor	*	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	1 1%
Follow up support lacking/slow to materialise	*	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	1 1%
Died suddenly	*	-	*	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	1 1%
Other	6 6%	1 2%	5 10%	-	3 13%	1 3%	1 6%	-	1 22%	-	-	-	-	-	1 4%	1 16%	-	-	-	-	1 12%	-	3 28%	1 4%	-	5 8%	4 5%
Don't know	1 1%	1 2%	-	-	-	-	1 6%	-	-	-	1 14%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	1 1%
No answer/blank response	55 61% ^C	28 67%	26 55%	3 39%	14 62%	19 58%	9 75%	6 80%	2 47%	6 90%	2 46%	7 63%	1 76%	-	3 70%	9 58%	5 79%	-	3 87%	5 72%	4 46%	6 92%	2 22%	23 84%	4 92%	27 49%	51 61%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	90*	26**	25**	64*	70*	1**	3**	1**	14**	63*	10**	65*	15**	89*	-**	90*	-**	-**	-**	29**	43**	33**	40**
Unw. Sample	83	22	28	55	66	1	3	2	9	57	8	59	13	82	-	83	-	-	-	23	35	26	35	22	
No support/no extra support required	9	2	1	8	4	-	-	-	5	9	-	9	-	9	-	9	-	-	-	2	2	1	1	2	
Was not there/wasn't involved	5	2	1	4	3	-	-	-	1	3	-	5	-	5	-	5	-	-	-	-	3	3	3	-	
More support prior to death/not enough support after death	5	2	-	5	5	-	-	-	-	1	*	4	*	5	-	5	-	-	-	-	-	-	1	1	
Good support/caring attitude from staff	4	-	-	4	4	-	-	-	-	1	3	1	3	4	-	4	-	-	-	-	-	-	-	-	
Little contact/no dealings with them/wasn't relevant	2	2	-	2	2	-	-	-	-	2	-	2	-	2	-	2	-	-	-	2	2	2	2	2	
Did not receive any support from NHS or Social Services	2	-	1	*	2	-	-	-	-	1	-	-	*	2	-	2	-	-	-	-	1	-	-	-	
Care from NHS/Social Services was adequate/did what was necessary/nothing special	2	-	2	-	2	-	-	-	-	2	-	2	-	2	-	2	-	-	-	-	-	-	-	-	
No support from social services	1	1	-	1	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	1	1	1	1	1	
	1%	2%	-	2%	2%	-	-	-	-	2%	-	2%	-	1%	-	1%	-	-	-	2%	1%	2%	1%	2%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		More information would have been good/information should have been forthcoming	1 1%	1 2%	-	1 1%	1 1%	-	-	-	-	-	-	1 4%	1 1%	-	1 1%	-	-	-	-	-	-	-	-
Lack of care/empathy/understanding from staff	1 1%	1 2%	-	1 1%	1 1%	-	-	-	-	-	-	1 4%	1 1%	-	1 1%	-	-	-	-	-	-	-	-	-	
It was a friend who died so not offered these services	1 1%	1 2%	-	1 1%	1 1%	-	-	-	-	6%	-	4%	1 1%	-	1 1%	-	-	-	-	-	1 1%	-	-	-	
Case with Ombudsman/complaint made/have taken legal action/representation	1 1%	1 2%	-	1 1%	1 1%	-	-	-	-	1 1%	-	1 1%	1 1%	-	1 1%	-	-	-	-	-	1 2%	1 1%	1 2%	1 1%	1 2%
Care/bereavement counselling took too long/had to go on waiting list	1 1%	-	-	1 1%	-	-	-	-	1 4%	-	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	1 2%	1 1%	1 2%	1 1%	1 2%
Not aware of any support being offered	* *	- -	- -	* 1%	* 1%	- -	- -	- -	- -	* 1%	- -	* 1%	- -	* *	- -	* *	- -	- -	- -	- -	* 1%	- -	* 1%	* 1%	- -
Family/friends supported each other	* *	- -	- -	* 1%	* 1%	- -	- -	- -	- -	* 1%	- -	* 1%	- -	* *	- -	* *	- -	- -	- -	- -	* 1%	- -	* 1%	* 1%	- -
Support from GP/family doctor	* *	- -	* 1%	- -	* 1%	- -	- -	- -	- -	* 1%	- -	* 1%	- -	* *	- -	* *	- -	- -	- -	- -	- -	- -	- -	- -	- -
Follow up support lacking/slow to materialise	* *	- -	* 1%	- -	* *	- -	- -	- -	- -	* *	- -	* *	- -	* *	- -	* *	- -	- -	- -	- -	* 1%	* 1%	* 1%	* 1%	* 1%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Total (z)	Childr en under 17 in househ old		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
Died suddenly	*	-	-	*	-	*	-	-	-	*	-	*	-	*	-	*	-	-	-	*	*	*	*	*	*
	*	-	-	1%	-	*	-	-	-	*	-	*	-	*	-	*	-	-	-	1%	1%	1%	1%	1%	1%
Other	6	-	2	4	6	-	-	-	-	3	3	3	3	6	-	6	-	-	-	2	1	1	2	1	
	6%	-	8%	6%	8%	-	-	-	-	4%	30%	4%	19%	6%	-	6%	-	-	-	7%	2%	3%	5%	4%	
Don't know	1	-	-	1	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	
	1%	-	-	1%	-	-	-	68%	-	1%	-	1%	-	1%	-	1%	-	-	-	-	-	-	-	-	
No answer/blank response	55	17	18	37	43	1	3	*	7	39	6	37	10	54	-	55	-	-	-	21	31	23	28	21	
	61%	63%	71%	58%	61%	100%	100%	32%	52%	62%	60%	57%	68%	61%	-	61%	-	-	-	72%	72%	71%	69%	73%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	90*	14**	26**	10**	21**	36**	43**	20**	74*	***	69*	2**	40**	18**	49**	46*	***	8**	-**	78*	9**	16**	10**	38**	7**	5**	13**	57**	31**
Unw. Sample	83	8	22	5	14	39	30	17	61	1	53	3	31	15	38	46	1	9	-	71	9	17	11	29	8	7	8	46	35
No support/no extra support required	9	*	2	1	1	2	5	1	8	-	7	-	5	-	5	3	*	1	-	6	3	1	1	5	-	*	2	7	2
Was not there/wasn't involved	10%	3%	10%	11%	5%	5%	12%	3%	10%	-	10%	-	13%	-	11%	8%	100%	13%	-	8%	32%	6%	11%	13%	-	7%	14%	12%	5%
More support prior to death/not enough support after death	5	-	*	-	*	1	3	2	5	-	4	*	4	3	4	5	-	-	-	5	-	3	-	1	1	-	-	2	3
Good support/caring attitude from staff	5%	-	2%	-	2%	2%	6%	9%	6%	-	6%	26%	10%	15%	8%	10%	-	-	-	6%	-	16%	-	4%	11%	-	-	4%	8%
Little contact/no dealings with them/ wasn't relevant	5	-	-	-	1	2	4	-	5	-	5	-	2	3	5	1	-	-	-	5	-	-	-	3	*	-	1	3	2
Did not receive any support from NHS or Social Services	5%	-	-	-	6%	5%	10%	-	6%	-	7%	-	4%	20%	10%	3%	-	-	-	6%	-	-	-	8%	6%	-	10%	5%	5%
Care from NHS/Social Services was adequate/ did what was necessary/ nothing special	4	-	-	-	-	*	4	-	4	-	4	-	*	1	1	1	-	-	-	4	-	*	-	-	3	1	-	4	*
No support from social services	4%	-	-	-	-	1%	8%	-	5%	-	6%	-	1%	4%	2%	2%	-	-	-	5%	-	2%	-	2%	41%	15%	-	6%	1%
More support prior to death/not enough support after death	2	2	2	-	2	-	-	-	2	-	2	-	2	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-
Good support/caring attitude from staff	2%	16%	9%	-	-	6%	-	-	3%	-	3%	-	6%	-	5%	-	-	-	-	3%	-	-	-	-	-	-	18%	4%	-
Little contact/no dealings with them/ wasn't relevant	2	-	-	-	-	*	1	-	2	-	*	-	*	-	*	2	-	-	-	2	-	*	-	1	-	-	-	1	*
Did not receive any support from NHS or Social Services	2%	-	-	-	-	1%	3%	-	2%	-	1%	-	1%	-	1%	4%	-	-	-	2%	-	2%	-	4%	-	-	2%	2%	1%
Care from NHS/Social Services was adequate/ did what was necessary/ nothing special	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2
No support from social services	2%	-	-	-	-	-	-	-	2%	-	2%	-	-	-	-	-	-	-	-	2%	-	-	-	4%	-	-	-	-	5%
More support prior to death/not enough support after death	1	1	-	-	-	1	1	-	1	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1	1	1	-
Good support/caring attitude from staff	1%	4%	-	-	-	2%	3%	-	2%	-	2%	-	-	4%	2%	3%	-	-	-	2%	-	-	-	-	-	15%	4%	2%	-

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
More information would have been good/information should have been forthcoming	1 1%	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-
Lack of care/empathy/understanding from staff	1 1%	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-
It was a friend who died so not offered these services	1 1%	-	-	-	1	-	1	-	1	-	1	-	-	1	1	-	1	1	-	-	1	1	-	-	-	-	-	-	1
Case with Ombudsman/complaint made/have taken legal action/representation	1 1%	1	-	-	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-
Care/bereavement counselling took too long/had to go on waiting list	1 1%	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1
Not aware of any support being offered	*	-	-	-	-	*	-	-	-	-	*	-	*	-	*	-	-	*	-	*	-	-	*	-	-	-	-	-	*
Family/friends supported each other	*	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	5	-	1	-	-	4	-	-	-	-	-	1
Support from GP/family doctor	*	-	-	-	-	*	-	-	*	-	*	-	*	-	*	*	-	*	-	*	-	*	-	-	-	-	-	*	-
Follow up support lacking/slow to materialise	*	-	1	3	1	-	-	-	-	100	-	19	-	-	-	1	-	-	-	*	-	-	-	1	-	-	-	1	-

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Died suddenly	*	*	*	*	-	-	-	-	*	*	-	-	-	*	-	-	-	-	*	-	-	*	-	-	-	-	*	-
Other	6	-	-	-	1	5	-	6	4	-	1	-	1	-	-	-	-	-	6	-	1	-	2	3	-	-	4	2
	6%	-	-	-	3%	12%	-	8%	6%	-	3%	-	2%	-	-	-	-	-	7%	-	4%	-	6%	41%	-	-	7%	6%
Don't know	1	-	1	-	1	-	-	1	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	1	-	-	1	-
	1%	-	3%	-	2%	-	-	1%	-	-	2%	-	2%	2%	-	-	-	-	1%	-	-	-	-	10%	-	-	1%	-
No answer/blank response	55	11	20	9	18	25	22	17	42	-	42	1	23	10	28	32	6	-	47	5	10	8	23	2	4	7	34	20
	61%	77%	76%	86%	83%	71%	51%	88%	57%	-	60%	55%	58%	58%	57%	70%	69%	-	60%	54%	62%	85%	61%	25%	77%	54%	60%	64%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years but receiving support not applicable

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	116*	57**	58*	4**	25**	42**	17**	12**	13**	6**	15**	9**	1**	12**	12**	17**	9**	6**	-**	6**	9**	11**	7**	14**	28**	1**	85*	118
Unw. Sample	118	38	79	2	8	38	26	21	19	7	14	12	1	3	14	11	6	-	5	8	14	6	17	27	2	87	118	
It was a friend who died so not offered these services	10 9%	6 11%	4 7%	1 37%	2 7%	6 14%	-	-	1 10%	-	2 16%	1 15%	-	-	2 18%	2 20%	-	-	-	-	2 22%	-	-	2 8%	-	8 9%	6 5%	
Died overseas	10 8%	6 10%	4 7%	-	3 12%	5 12%	-	1 11%	* 3%	-	-	* 4%	-	3 27%	-	-	2 29%	-	-	-	-	1 14%	4 27%	6 21%	-	4 4%	7 6%	
No support/no extra support required	6 6%	3 6%	2 4%	-	-	2 4%	2 11%	-	-	-	1 6%	* 4%	-	-	1 7%	-	-	-	-	3 33%	1 13%	-	-	2 8%	-	3 4%	6 5%	
Family/friends supported each other	6 5%	1 2%	4 7%	-	2 8%	1 3%	-	1 5%	1 7%	-	1 6%	* 3%	-	-	1 11%	-	-	-	-	3 35%	-	-	* 2%	-	-	5 6%	6 5%	
Little contact/no dealings with them/ wasn't relevant	5 5%	3 5%	2 4%	2 63%	-	2 4%	1 7%	-	-	-	-	-	-	1 10%	-	-	-	-	-	-	-	2 32%	-	-	-	5 6%	3 3%	
Was not there/wasn't involved	5 4%b	4 7%	1 2%	-	-	-	2 11%	1 10%	2 12%	-	-	-	-	-	* 4%	-	-	3 55%	-	-	-	1 8%	1 4%	* 52%	3 4%	5 4%		
It was offered/we were offered support/offered to close family	2 2%	2 4%	-	-	2 6%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 22%	-	-	-	2 3%	1 1%		
Support from GP/family doctor	2 1%	-	1 1%	-	-	1 2%	-	-	-	-	2 11%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	2 2%	
Died suddenly	1 1%	-	1 2%	-	-	1 3%	-	-	-	1 10%	-	-	-	1 7%	-	-	-	-	-	-	-	-	-	-	-	1 2%	2 2%	
Did not receive any support from NHS or Social Services	1 1%	-	1 2%	-	-	-	1 7%	-	-	-	1 5%	-	-	-	-	-	-	-	* 7%	-	-	-	-	-	-	1 1%	2 2%	
Not aware of any support being offered	1 1%	-	1 2%	-	-	1 2%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 8%	1 4%	-	-	1 1%		
Died at home/nursing home	1 1%	-	1 2%	-	-	1 1%	* 2%	-	-	-	-	-	-	-	-	-	* 6%	-	-	-	-	1 4%	-	-	1 1%	2 2%		

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years but receiving support not applicable

	Gender		Age						PCT - East of England											Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Word of mouth/hearsay/ what I understand from other people	1 1%	1 1%	-	-	-	-	1 6%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 5%	-	-	1 1%	1 1%
Good support/caring attitude from staff	* *	- *	* 1%	-	-	-	-	* 3%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	* 2%	-	-	* *	1 1%
Care/bereavement counselling took too long/had to go on waiting list	* *	- -	1% -	-	-	-	-	* 3%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	* 2%	-	-	* *	1 1%
Other	3 2%	1 2%	1 2%	-	-	1 2%	* 3%	-	-	-	-	-	-	* 3%	-	-	-	-	-	-	1 13%	1 13%	-	-	-	3 3%	3 3%	
Don't know	7 6%	5 9%	2 3%	-	6 24%	-	1 5%	-	-	-	4 27%	-	-	-	-	2 33%	-	-	-	-	-	-	-	1 6%	1 3%	-	6 7%	3 3%
No/nothing/nothing more to say/add	1 1%	1 2%	-	-	-	-	-	1 10%	-	-	-	-	-	1 10%	-	-	-	-	-	-	-	-	-	1 5%	-	-	-	1 1%
No answer/blank response	61 53%	28 49%	33 57%	-	12 49%	23 54%	9 54%	8 71%	8 59%	5 90%	6 41%	5 54%	1 100%	9 73%	6 48%	6 63%	2 31%	-	2 38%	4 45%	7 65%	3 41%	6 42%	13 48%	* 48%	46 54%	72 61%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years but receiving support not applicable

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	116*	36**	32**	82*	73*	8**	9**	7**	17**	85*	16**	86*	17**	116*	-**	116*	-**	-**	-**	37**	48*	33**	45*
Unw. Sample	118	23	35	82	87	1	6	4	16	90	17	84	18	118	-	118	-	-	-	41	51	36	50	42	
It was a friend who died so not offered these services	10	3	-	10	1	-	3	5	1	6	4	6	4	10	-	10	-	-	-	4	8	4	7	3	
Died overseas	10	5	4	6	6	-	3	-	-	5	2	7	2	10	-	10	-	-	-	1	1	4	4	4	
No support/no extra support required	6	1	1	4	3	-	1	-	*	6	*	6	-	6	-	6	-	-	-	2	3	2	4	2	
Family/friends supported each other	6	2	4	2	4	-	1	-	*	6	*	6	*	6	-	6	-	-	-	2	3	2	2	2	
Little contact/no dealings with them/wasn't relevant	5	2	-	5	2	-	-	1	2	1	2	1	2	5	-	5	-	-	-	1	1	1	1	1	
Was not there/wasn't involved	5	-	2	3	2	-	-	-	3	3	1	3	2	5	-	5	-	-	-	*	*	*	*	*	
It was offered/we were offered support/offered to close family	2	-	-	2	-	-	-	2	-	-	2	-	2	2	-	2	-	-	-	-	2	-	2	-	
Support from GP/family doctor	2	-	1	1	2	-	-	-	-	2	-	2	-	2	-	2	-	-	-	1	1	1	1	1	
Died suddenly	1	1	1	1	-	-	-	1	1	-	1	1	1	1	-	1	-	-	-	1	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q10 Why do you say that?

Base: All who had someone close die in last 5 years but receiving support not applicable

	Total (z)	Children under 17 in household			Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Did not receive any support from NHS or Social Services	1 1%	-	-	1 1%	1 2%	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	*	-	*	-	-
Not aware of any support being offered	1 1%	1 3%	1 3%	-	1 1%	-	-	-	-	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	-	-	-	-
Died at home/nursing home	1 1%	1 2%	-	1 1%	1 1%	-	-	-	-	1 1%	*	1 2%	-	1 1%	-	1 1%	-	-	-	*	1 1%	-	*	1 1%
Word of mouth/hearsay/what I understand from other people	1 1%	-	-	1 1%	-	-	-	-	1 4%	1 1%	-	1 1%	-	1 1%	-	1 1%	-	-	-	-	-	-	-	-
Good support/caring attitude from staff	*	-	-	*	*	-	-	-	-	*	-	*	-	*	-	*	-	-	-	-	*	-	*	*
Care/bereavement counselling took too long/had to go on waiting list	*	-	-	*	*	-	-	-	-	*	-	*	-	*	-	*	-	-	-	*	*	*	-	-
Other	3 2%	-	-	1 2%	1 2%	-	-	-	-	2 2%	-	1 2%	*	3 2%	-	3 2%	-	-	-	1 4%	1 3%	1 4%	1 3%	3 8%
Don't know	7 6%	2 5%	4 13%	3 3%	5 7%	-	-	-	2 11%	7 8%	-	7 8%	-	7 6%	-	7 6%	-	-	-	4 11%	5 10%	-	-	-
No/nothing/nothing more to say/add	1 1%	-	1 4%	-	1 2%	-	-	-	-	1 2%	-	-	-	1 1%	-	1 1%	-	-	-	-	-	-	-	-
No answer/blank response	61 53%	18 50%	16 49%	45 55%	43 59%	8 100%	2 19%	-	7 44%	48 57%	6 34%	48 56%	5 31%	61 53%	-	61 53%	-	-	-	21 58%	27 55%	19 58%	27 59%	21 60%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years but receiving support not applicable

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	116*	7**	30**	8**	16**	53*	32**	32**	71*	5**	66*	7**	36**	12**	42*	61**	5**	16**	-**	99*	14**	31**	13**	26**	14**	16**	13**	78*	35**
Unw. Sample	118	11	40	9	21	71	35	24	74	6	69	8	46	13	51	59	5	25	-	97	16	34	14	30	13	17	8	76	38
It was a friend who died so not offered these services	10	2	5	-	2	5	4	-	8	2	10	-	2	5	5	7	-	1	-	9	1	4	2	-	-	5	-	6	4
	9%	24%	18%	-	15%	9%	12%	-	12%	32%	15%z	-	6%	43%	12%	11%	-	6%	-	9%	10%	12%	13%	-	-	30%	-	7%	13%
Died overseas	10	-	1	1	1	5	4	2	4	2	6	3	3	-	3	6	-	*	-	10	-	7	*	-	2	-	-	8	2
	8%	-	4%	12%	5%	10%	11%	5%	5%	39%	10%	41%	10%	-	8%	10%	-	2%	-	10%	-	24%	2%	-	15%	-	-	10%	6%
No support/no extra support required	6	-	1	1	1	6	3	-	4	-	2	1	2	*	2	2	-	4	-	5	-	*	2	1	-	-	2	4	2
	6%	-	3%	12%	8%	11%z	9%	-	5%	-	2%	19%	6%	3%	6%	4%	-	21%	-	5%	-	1%	13%	5%	-	-	15%	5%	5%
Family/friends supported each other	6	1	2	2	1	4	1	*	5	-	5	-	*	-	*	4	-	-	-	5	-	*	2	1	*	1	-	2	3
	5%	13%	6%	23%	8%	7%	4%	1%	7%	-	7%	-	1%	-	1%	6%	-	-	-	5%	-	1%	15%	5%	2%	6%	-	2%	9%
Little contact/no dealings with them/ wasn't relevant	5	-	1	2	1	1	1	2	3	-	3	-	3	-	3	3	2	-	-	3	2	1	2	-	2	-	-	3	2
	5%	-	4%	21%	7%	2%	4%	7%	4%	-	4%	-	8%	-	7%	5%	44%	-	-	3%	16%	4%	13%	-	17%	-	-	4%	7%
Was not there/wasn't involved	5	*	3	-	*	2	-	-	2	*	3	-	*	-	*	2	-	2	-	5	-	1	-	*	2	*	-	3	1
	4%	6%	12%	-	3%	4%	-	-	3%	8%	4%	-	1%	-	1%	3%	-	12%	-	5%	-	4%	-	2%	3%	-	-	4%	3%
It was offered/we were offered support/offered to close family	2	-	-	-	-	2	-	-	2	-	2	-	2	2	2	2	-	-	-	2	-	2	-	-	-	-	-	2	-
	2%	-	-	-	-	7%	-	-	3%	-	4%	-	6%	20%	6%	4%	-	-	-	2%	-	7%	-	-	-	-	-	3%	-
Support from GP/family doctor	2	-	1	1	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1
	1%	-	3%	12%	-	2%	-	2%	-	14%	-	10%	-	-	-	2%	-	-	-	1%	-	-	-	3%	-	-	-	-	2%
Died suddenly	1	-	1	-	1	1	1	1	1	-	1	-	1	1	1	1	-	1	-	1	-	-	-	1	-	1	-	1	1
	1%	-	3%	-	5%	2%	3%	2%	2%	-	1%	-	2%	5%	1%	1%	-	4%	-	1%	-	-	-	3%	-	4%	-	1%	2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q10 Why do you say that?

Base: All who had someone close die in last 5 years but receiving support not applicable

	Total (z)	Made plans						Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
		Did not receive any support from NHS or Social Services	1 1%	-	-	-	-	*	*	1	1	2%	-	1	-	-	-	*	-	-	-	-	1	-	-	-	*	-	-	1
Not aware of any support being offered	1 1%	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
Died at home/nursing home	1 1%	-	*	-	*	*	*	1	1	-	1	-	1	1	1	1	-	-	-	-	1	-	*	-	1	-	-	-	1	*
Word of mouth/hearsay/what I understand from other people	1 1%	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Good support/caring attitude from staff	* *	-	-	-	-	*	-	-	-	-	-	-	*	*	*	1%	-	-	-	-	*	-	-	-	*	-	-	-	*	-
Care/bereavement counselling took too long/had to go on waiting list	* *	-	*	-	-	*	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	-	*	-	-	-	-	-	*	*
Other	3 2%	-	*	-	-	3	1	-	2	-	1	1	2	1	2	-	-	3	-	-	2	*	1	*	-	-	-	1	-	3
Don't know	7 6%e	-	1	-	-	1	-	6	7	-	3	-	1	-	1	-	-	-	-	-	7	-	-	-	2	-	4	1	7	-
No/nothing/nothing more to say/add	1 1%	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1
No answer/blank response	61 53%	4	14	4	9	27	19	18	36	*	31	2	22	5	24	35	3	8	-	-	50	10	14	5	19	7	5	10	46	14
		57%	47%	43%	55%	51%	59%	57%	50%	7%	47%	30%	59%	41%	58%	58%	56%	47%	-	-	50%	71%	46%	39%	73%	53%	32%	73%	58%	40%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q11 Would you agree or disagree that it is appropriate for children aged under 12 (primary school age) to attend funerals?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Strongly agree	123	72	51	5	33	43	21	12	7	6	27	5	11	4	8	7	4	4	8	4	10	5	20	24	2	94	101
		18%bh	22%	15%	18%	20%	18%	21%	17%	10%	12%	37%ziko	8%	40%	19%	19%	8%	10%	18%	19%	14%	15%	31%zko	17%	9%	19%	15%
Tend to agree	207	103	101	7	56	73	24	18	28	16	16	29	5	6	12	40	12	3	9	10	23	10	15	33	7	159	202
	30%	32%	29%	23%	34%	31%	23%	26%	41%zfg	33%	22%	45%zj	20%	26%	27%	43%j	31%	14%	22%	21%	32%	29%	23%	24%	38%	32%	29%
Neither agree nor disagree	191	76	109	14	32	64	39	24	15	15	16	15	7	5	10	19	15	4	13	24	26	7	15	46	4	133	216
	28%	23%	32%z	45%	20%	27%	38%zdh	34%	22%	29%	22%	24%	25%	21%	23%	38%	18%	33%	50%	36%	20%	23%	33%	20%	27%	31%	
Tend to disagree	120	55	64	2	31	41	16	13	15	10	9	13	-	-	9	24	6	7	9	6	7	10	10	27	4	86	122
	17%	17%	19%	7%	19%	17%	15%	18%	22%	21%	12%	21%	-	-	19%	26%	14%	34%	23%	13%	10%	28%	16%	20%	21%	17%	18%
Strongly disagree	36	18	17	2	11	13	2	3	2	1	-	1	2	8	4	2	3	2	1	2	4	2	4	8	2	25	33
	5%	5%	5%	8%	7%	5%	2%	5%	3%	2%	-	2%	8%	34%	10%j	2%	7%	10%	2%	5%	5%	7%	6%	5%	12%	5%	5%
Not stated	15	1	2	-	-	1	1	1	1	1	5	1	2	-	1	1	-	1	1	1	2	-	1	-	-	4	19
	2%abeC*	1%	1%	-	-	1%	1%	1%	1%	3%	6%z	1%	7%	-	1%	1%	-	5%	1%	2%	3%	-	1%	-	-	1%	3%
Agree	330	175	152	12	89	116	45	30	35	22	44	34	16	10	21	48	16	6	17	14	33	15	35	57	9	254	303
	48%b	54%	44%	41%	55%	49%	44%	42%	51%	45%	60%	53%	60%	45%	46%	51%	41%	32%	41%	30%	46%	45%	54%	41%	47%	51%	44%
Disagree	156	73	81	4	42	53	18	16	17	11	9	14	2	8	13	26	8	9	10	8	11	12	14	35	6	111	155
	23%j	22%	24%	14%	26%	23%	17%	23%	25%	23%	12%	22%	8%	34%	29%	28%	21%	44%	25%	18%	15%	35%	22%	25%	33%	22%	22%
NET	174	102	71	8	47	63	27	14	18	11	35	20	14	2	8	21	8	-2	7	6	23	3	21	22	3	142	148
	25%bA	31%zb	21%	26%	29%	27%	26%	19%	26%	22%	47%zin	31%	52%	10%	17%	22%	19%	-12%	16%	12%	31%	10%	32%	16%	14%	28%zA	21%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q11 Would you agree or disagree that it is appropriate for children aged under 12 (primary school age) to attend funerals?

Base: All respondents

	Total (z)	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
			Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
			Yes (a)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spiri tual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Strongly agree	123	36	35	87	74	-	6	17	23	103	11	95	14	121	2	79	43	24	11	41	65	31	50	43
	18%	16%	19%	18%	17%	-	11%	62%	20%	20%z	14%	20%	13%	18%	22%	20%	15%	20%	19%	23%	25%zu	17%	20%	22%
Tend to agree	207	62	50	153	135	-	15	3	47	167	11	160	24	205	2	111	94	39	12	42	84	53	66	56
	30%j	28%	28%	31%	30%	-	28%	11%	40%	33%zj	15%	34%z	23%	30%	19%	28%	33%	33%	21%	24%	32%ks	30%	26%	28%
Neither agree nor disagree	191	54	50	138	122	6	24	6	26	134	22	126	26	191	-	119	70	37	26	53	62	55	81	57
	28%	25%	27%	28%	27%	42%	46%	23%	22%	26%	28%	27%	25%	28%	-	31%	25%	31%	47%z	30%	24%	31%	32%t	29%
Tend to disagree	120	47	36	84	90	-	8	1	15	76	21	74	28	115	5	55	64	16	5	34	45	34	51	36
	17%io	22%	20%	17%	20%z	-	16%	3%	13%	15%	27%ai	15%	27%zk	17%	54%	14%	23%o	14%	10%	19%	17%	19%	20%	18%
Strongly disagree	36	18	10	25	21	8	-	1	5	22	12	18	11	36	*	25	11	2	1	5	6	4	6	5
	5%tv	8%	5%	5%	5%	58%	-	2%	5%	4%	16%zi	4%	10%kk	5%	5%	6%	4%	2%	2%	3%	2%	2%	2%	3%
Not stated	15	1	1	3	3	-	-	-	1	5	1	2	1	5	-	2	2	1	1	1	-	1	1	1
	2%cdik	*	1%	1%	1%	-	-	-	1%	1%	1%	1%	1%	1%	-	1%	1%	1%	1%	*	-	*	*	1%
Agree	330	98	85	240	210	-	20	20	70	270	23	255	38	326	4	190	137	62	22	84	149	84	115	99
	48%ej	45%	47%	49%	47%	-	39%	73%	60%	53%zj	29%	54%zl	37%	49%	41%	49%	48%	52%	40%	47%	57%zsu	47%	45%	50%
Disagree	156	65	46	109	111	8	8	1	21	98	33	92	39	150	6	79	75	19	7	39	51	39	57	42
	23%ik	30%	25%	22%	25%	58%	16%	5%	18%	19%	42%zi	19%	38%zk	22%	59%	20%	26%	16%	12%	22%	19%	22%	22%	21%
NET	174	32	39	131	99	-8	12	18	49	172	-10	164	-1	176	-2	111	62	44	16	45	98	46	58	57
	25%adj	15%	21%	27%	22%	-58%	23%	68%	42%zd	34%zj	-13%	34%zl	-1%	26%z	-17%	28%	22%	37%z	28%	25%	37%zsu	26%	23%	29%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q11 Would you agree or disagree that it is appropriate for children aged under 12 (primary school age) to attend funerals?

Base: All respondents

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Strongly agree	123	12	31	8	28	47	53	32	112	-	97	7	57	12	62	62	2	13	1	116	4	29	11	39	13	15	15	80	44
	18%t	21%	17%	12%	23%	16%	23%	17%	21%z	-	21%	20%	18%	10%	17%	16%	7%	17%	9%	19%t	7%	15%	16%	18%	20%	23%	23%	19%	18%
Tend to agree	207	15	50	17	30	81	78	54	169	3	137	9	111	37	122	130	5	25	2	189	15	51	28	71	12	16	28	128	78
	30%	27%	27%	26%	24%	27%	34% ^d	29%	32%	16%	29%	29%	34%	31%	33%	34%	19%	33%	23%	31%	27%	27%	40% ^D	33%	19%	24%	42%	30%	31%
Neither agree nor disagree	191	15	49	23	30	91	57	49	136	9	137	9	84	51	103	99	7	18	5	169	16	69	17	60	17	16	6	122	65
	28%	26%	27%	33%	24%	31%	24%	26%	26%	48%	29%	27%	26%	42% ^z	28%	26%	29%	24%	48%	28%	28%	36% ^z	24%	28%	26%	25%	10%	29%	26%
Tend to disagree	120	13	45	17	30	63	37	33	92	5	80	5	60	16	71	62	4	18	1	102	13	34	13	36	17	13	6	73	47
	17%	23%	24% ^z	25%	24% ^f	21% ^z	16%	17%	17%	25%	17%	14%	19%	13%	19%	16%	18%	24%	12%	17%	22%	18%	18%	17%	26%	19%	9%	17%	19%
Strongly disagree	36	2	9	1	6	11	7	19	12	2	14	3	9	4	11	24	6	1	1	27	7	7	1	7	5	5	10	21	13
	5% ^h	3%	5%	1%	5%	4%	3%	10% ^z	2%	9%	3%	9%	3%	3%	3%	6%	27%	2%	8%	4%	13% ^z	4%	1%	3%	8%	8%	15%	5%	5%
Not stated	15	-	1	1	1	3	1	1	3	1	2	1	1	-	1	2	-	*	*	3	1	*	1	1	*	1	-	2	1
	2% ^e	h	j	l	1	3	1	*	1%	3%	*	2%	*	-	*	1%	-	*	-	1%	3%	*	1%	1%	1%	1%	-	*	1%
Agree	330	27	81	26	58	128	131	87	281	3	234	16	168	50	184	191	6	38	3	305	20	81	39	110	25	31	43	208	121
	48% ^e	48%	44%	38%	47%	43%	56% ^z	46%	54% ^z	16%	50%	48%	52%	41%	50%	51%	26%	50%	32%	50% ^z	35%	42%	56%	51%	39%	47%	66%	49%	49%
Disagree	156	15	54	18	36	74	44	52	104	7	94	8	70	20	81	86	11	19	2	129	20	41	13	43	22	18	16	94	60
	23% ^h	27%	29% ^f	27%	29% ^f	25%	19%	28%	20%	34%	20%	23%	22%	16%	22%	23%	45%	25%	20%	21%	35% ^z	22%	19%	20%	34%	27%	25%	22%	24%
NET	174	12	27	8	22	55	87	35	177	-4	140	8	98	30	103	106	-4	19	1	176	*	40	26	67	3	13	27	114	61
	25% ^b	21%	15%	11%	18%	18%	37% ^z	19%	34% ^z	-18%	30% ^z	25%	30%	25%	28%	28%	-19%	25%	12%	29% ^z	-1%	21% ^D	37% ^{AD}	31% ^D	5%	20% ^D	41%	27%	25%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q12 Which of the following best describes how you feel talking about your own death?
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
I feel very comfortable talking about my own death	216 31%	112 34%	101 29%	6 18%	49 30%	74 31%	37 36%	22 32%	25 38%	17 35%	26 35%	13 20%	15 57%	8 34%	16 37%	18 20%	13 33%	5 26%	15 36%	19 41%	18 24%	11 33%	21 33%	42 31%	7 37%	161 32%	216 31%
I feel fairly comfortable talking about my own death	260 38%	125 38%	130 38%	10 32%	72 44%	85 36%	43 41%	26 37%	21 31%	12 25%	30 41%	29 45%	4 17%	12 53%	10 22%	52 55%zin	13 31%	1 8%	11 28%	18 39%	25 34%	14 40%	29 45%	57 41%	4 21%	190 38%	256 37%
I have no strong feelings either way	101 15%	54 17%	46 13%	5 17%	12 7%	42 18%	12 12%	13 18%	16 23%zdf	9 18%	8 11%	10 16%	5 18%	2 7%	9 20%	11 12%	8 20%	7 37%	9 22%	4 8%	11 16%	4 13%	4 7%	23 17%	2 11%	70 14%	104 15%
I feel fairly uncomfortable talking about my own death	73 11%h	25 8%	47 14%z	4 14%	19 12%	30 13%h	8 8%	7 9%	3 4%	4 8%	5 7%	8 12%	* 2	- -	7 17%	10 11%	4 10%	5 23%	4 9%	2 5%	13 18%	5 14%	7 10%	10 7%	3 18%	58 12%	78 11%
I feel very uncomfortable talking about my own death	29 4%e	9 3%	21 6%z	6 18%	10 6%	4 2%	3 3%	3 4%	3 4%	6 11%zjo	1 1%	4 7%	- -	1 6%	2 5%	1 1%	2 6%	- -	2 6%	3 6%	4 5%	- -	3 5%	5 4%	3 14%	21 4%	25 4%
Not stated	13 2%bC	-	* -	-	-	-	-	-	* 1%	1 3%	4 5%	* 1%	2 7%	-	-	2 2%	-	1 5%	-	1 2%	2 3%	-	-	-	-	* -	14 2%
Comfortable	476 69%	238 73%	230 67%	15 50%	122 75%	159 68%	79 77%z	48 68%	46 68%	30 60%	56 76%	41 64%	19 74%	19 87%	26 59%	70 75%	26 64%	7 34%	26 63%	37 79%	43 58%	25 73%	50 78%	99 72%	11 57%	351 70%	472 68%
Not comfortable	103 15%h	34 10%	68 20%za	10 33%	29 18%	34 14%	12 11%	10 13%	5 8%	10 19%	6 8%	12 19%	* 2	1 6%	9 21%	11 12%	6 16%	5 23%	6 14%	5 10%	17 23%j	5 14%	10 15%	16 11%	6 31%	80 16%	103 15%
NET	373 54%bt	204 63%zb	162 47%	5 18%	93 57%	125 53%	67 66%ze	39 55%	41 60%	20 41%	50 69%zik	29 45%	19 72%	18 81%	17 38%	59 63%nt	19 48%	2 10%	20 49%	32 69%	26 35%	20 59%	40 62%t	83 60%	5 26%	271 54%	369 53%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q12 Which of the following best describes how you feel talking about your own death?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
I feel very comfortable talking about my own death	216	70	78	134	127	9	25	14	35	210	1	216	-	214	1	133	78	40	12	90	119	93	108	94	
		31%cj	32%	43%zc	27%	28%	71%	47%	51%	41%zj	2%	45%zl	-	32%	15%	34%	27%	34%	21%	51%zv	46%z	52%zv	43%z	47%z	
I feel fairly comfortable talking about my own death	260	79	61	196	180	4	19	9	41	220	6	260	-	260	*	146	113	47	22	66	104	63	106	82	
		38%jl	36%	34%	40%	40%	29%	35%	32%	43%zj	8%	55%zl	-	39%z	4%	37%	40%	39%	39%	37%	40%	35%	42%	41%	
I have no strong feelings either way	101	34	26	73	73	-	7	2	12	55	5	-	-	99	2	54	47	19	12	12	17	9	22	17	
		15%ikl	16%	15%	16%	-	14%	6%	10%	11%	6%	-	-	15%	22%	14%	17%	16%	21%	7%	6%	5%	9%u	8%	
I feel fairly uncomfortable talking about my own death	73	23	6	66	48	-	2	3	19	12	44	-	73	70	3	37	35	12	6	3	17	8	10	6	
		11%bik	11%	4%	13%zb	11%	-	3%	11%	2%	56%zi	-	71%zk	10%	32%	9%	12%	10%	11%	2%	7%sw	5%S	4%	3%	
I feel very uncomfortable talking about my own death	29	12	8	21	18	-	-	-	11	6	22	-	29	27	3	20	10	1	4	6	4	6	7	1	
		4%iktw	6%	5%	4%	4%	-	-	9%	1%	28%zi	-	29%zk	4%	27%	5%	3%	1%	7%	3%	2%	3%	3%	*	
Not stated	13	-	*	-	*	-	-	-	-	3	-	-	-	2	-	1	1	-	1	-	-	-	-	-	
		2%bcdi	-	*	-	*	-	-	-	1%	-	-	-	*	-	*	*	-	2%	-	-	-	-	-	
Comfortable	476	149	139	330	307	13	44	22	75	430	8	476	-	473	2	279	190	87	33	156	223	156	214	176	
		69%il	68%	77%zc	67%	69%	100%	83%	83%	85%zj	10%	100%zl	-	70%z	19%	71%	67%	73%	60%	88%z	85%z	87%z	84%z	88%z	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q12 Which of the following best describes how you feel talking about your own death?
 Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Not comfortable	103 15% ^{bik} stuvw	35 16%	15 8%	87 18% ^b	66 15%	-	2 3%	3 11%	29 25% ^z	19 4%	66 84% ^{zi}	-	103 100% ^{zk}	97 14%	6 59%	57 14%	45 16%	13 11%	10 18%	9 5%	22 8% ^w	14 8% ^w	17 7% ^w	6 3%
NET	373 54% ^{chj} l	113 52%	125 69% ^{zc}	243 50%	241 54% ^h	13 100%	42 79%	19 72%	46 39%	412 81% ^{zj}	-58 -75%	476 100% ^z	-103 -100%	376 56% ^z	-4 -39%	223 57%	145 51%	74 62% ^r	23 42%	147 83% ^z	202 77% ^z	142 79% ^z	197 78% ^z	169 85% ^{zv}

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/uv/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q12 Which of the following best describes how you feel talking about your own death?
Base: All respondents

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
I feel very comfortable talking about my own death	216	21	73	27	49	105	83	50	174	1	150	5	98	32	110	117	9	25	2	205	9	50	27	66	15	25	28	151	63
I feel fairly comfortable talking about my own death	260	28	71	29	59	113	102	61	214	8	188	10	131	42	147	137	6	32	4	239	15	76	26	88	21	23	25	164	96
I have no strong feelings either way	101	5	14	7	8	47	19	33	56	7	53	12	47	22	55	66	2	13	2	89	8	36	10	30	5	12	7	69	30
I feel fairly uncomfortable talking about my own death	73	3	19	5	8	21	25	27	61	1	55	2	34	17	44	39	6	6	3	53	16	21	4	19	21	4	2	32	39
I feel very uncomfortable talking about my own death	29	1	7	-	*	8	3	16	18	3	21	3	12	7	15	20	1	-	-	19	8	8	3	10	3	1	3	9	19
Not stated	13	-	1	-	-	1	-	-	*	-	-	-	-	-	-	-	-	*	-	*	1	-	-	*	-	-	*	-	-
Comfortable	476	49	145	56	109	218	185	112	388	9	338	16	229	74	257	254	15	57	6	444	24	126	54	154	35	48	53	315	158
Not comfortable	103	3	26	5	8	29	29	43	80	4	76	5	46	24	58	59	6	6	3	72	24	29	7	29	24	6	5	41	59

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q12 Which of the following best describes how you feel talking about your own death?
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
NET	373	46	119	51	101	190	156	68	309	5	262	10	183	50	199	194	9	51	3	372	*	97	46	125	11	43	49	274	100
DH	54%g	82%zbe	64%zg	75%	81%zbe	64%zg	67%zg	36%	59%z	24%	56%	31%	57% ^m	42%	54% ^m	51%	37%	67% ^{zo}	29%	61% ^{zt}	*	51% ^D	66% ^D	58% ^D	17%	64% ^D	75%	64% ^{zH}	40%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_1 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Medical and nursing care
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb's (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Yes, I have discussed this with someone	177 26% ^C	79 24%	95 28%	5 17%	40 25%	55 23%	36 35%	13 zeg	24 19%	10 20%	20 27%	15 23%	9 33%	4 19%	10 22%	23 24%	12 29%	8 42%	8 19%	16 34%	19 27%	8 24%	15 24%	51 37%	8 zC	111 42%	190 27%
No, I have not discussed this with anyone	477 69% ^{hA}	235 72%	236 69%	25 83%	122 75% ^h	175 74% ^{zfh}	65 63% ^h	52 73% ^h	31 46%	38 78%	47 64%	48 75%	13 51%	18 81%	32 72%	64 68%	26 64%	9 46%	32 79%	27 58%	48 66%	25 75%	48 75%	82 59%	10 53%	375 75% ^{zA}	451 65%
Not stated	39 6% ^{befC}	12 4%	13 4%	-	-	5 2%	2 1%	6 8% ^{def}	13 19% ^{zdef}	1 3%	7 9%	1 2%	4 16%	-	2 5%	8 8%	3 7%	2 11%	1 1%	4 8%	5 7%	* 1%	1 1%	5 4%	1 5%	16 3%	52 8%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_1 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Medical and nursing care
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Yes, I have discussed this with someone	177 26% jlp	47 21%	58 32% z	117 24%	112 25%	-	24 45%	8 31%	28 24%	154 30% zj	8 10%	156 33% zl	9 9%	172 26%	5 57%	127 32% zp	46 16%	46 38% z	14 25%	177 100% z vw	133 51% z	130 73% z tv	150 59% z t	126 63% z t	
No, I have not discussed this with anyone	477 69% bik oqstuv w	170 78% z	106 59%	364 74% zb	313 70%	13 100%	28 53%	19 69%	85 73%	328 65%	67 86% zi	300 63%	90 88% zk	473 70% z	4 38%	248 63%	226 80% zo	66 55%	40 72%	-	122 47% suv w	43 24% s	95 37% su	66 33% su	
Not stated	39 6% acms t	2 1%	16 9% zc	9 2%	20 4%	-	1 1%	-	3 3%	26 5%	3 4%	20 4%	4 4%	27 4%	* 5%	17 4%	11 4%	8 7%	2 3%	-	6 2%	5 3%	9 3%	7 4%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q13_1 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Medical and nursing care
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes, I have discussed this with someone	177	41	85	43	55	102	73	25	150	4	136	7	85	29	95	99	6	16	1	162	12	49	18	60	12	18	18	116	59
	26%g	73%zbd	46%zef	63%	44%zfg	35%zg	32%g	13%	29%z	20%	29%z	20%	26%	24%	26%	26%	27%	21%	12%	27%	20%	26%	26%	28%	19%	27%	28%	27%	24%
No, I have not discussed this with anyone	477	13	87	24	68	180	153	160	363	15	322	25	231	90	268	261	15	59	8	423	40	133	49	146	52	47	45	291	181
	69%abd	23%	47%a	35%	54%a	61%ab	66%abd	85%zab	69%	78%	69%	77%	72%	75%	72%	69%	65%	78%	78%	70%	71%	70%	70%	68%	81%	70%	69%	68%	73%
Not stated	39	2	12	1	2	14	6	3	11	1	8	1	6	1	7	18	2	1	1	21	5	8	3	8	*	2	2	19	7
	6%hjn	4%	7%	2%	2%	5%	3%	2%	2%	3%	2%	3%	2%	1%	2%	5%	8%	1%	10%	3%	8%	4%	5%	4%	1%	2%	3%	4%	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_2 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Any spiritual and religious preferences
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Yes, I have discussed this with someone	262	133	125	9	65	91	43	24	27	12	33	27	8	6	17	30	10	9	18	16	33	13	29	61	7	191	254
	38%	41%	36%	28%	40%	39%	42%	35%	40%	25%	45%	42%	31%	26%	38%	32%	26%	45%	43%	35%	46%	37%	45%	44%	37%	38%	37%
No, I have not discussed this with anyone	384	180	200	22	95	136	56	39	30	34	34	35	12	16	25	55	26	6	23	26	35	20	35	71	10	289	374
	55%h	55%	58%	72%	58%	58%h	54%	55%	44%	69%j	46%	54%	47%	74%	57%	59%	66%	33%	56%	55%	48%	60%	54%	52%	56%	58%	54%
Not stated	48	13	20	-	2	8	4	8	11	3	6	3	6	-	2	8	3	4	*	5	4	1	1	6	1	21	65
	7%eC	4%	6%	-	1%	3%	4%	11%de	16%zdef	7%	9%	4%	21%	-	5%	9%	9%	22%	1%	10%	6%	2%	1%	4%	7%	4%	9%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_2 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Any spiritual and religious preferences
 Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
																								Total (z)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Yes, I have discussed this with someone	262	80	74	185	152	1	31	22	47	231	10	223	22	261	1	162	95	47	22	133	262	139	172	141
	38% ^{djl}	37%	41%	38%	34%	7%	58%	83%	40%	46% ^{zj}	13%	47% ^{zl}	21%	39% ^z	9%	41%	33%	39%	39%	75% ^{zv}	100% ^{zsu}	78% ^{zv}	68% ^z	71% ^z
No, I have not discussed this with anyone	384	132	90	288	267	12	20	5	66	247	62	231	73	377	6	208	173	66	31	34	-	32	70	49
	55% ^{iks}	61%	50%	59%	60% ^z	93%	37%	17%	57%	49%	79% ^{zi}	49%	71% ^{zk}	56%	60%	53%	61%	55%	55%	19% ^t	-	18% ^t	27% ^{stu}	25% ^{tu}
Not stated	48	5	17	17	27	-	2	-	3	30	6	22	8	34	3	21	16	7	4	9	-	7	12	9
	7% ^{ackm}	2%	9% ^c	4%	6%	-	5%	-	3%	6%	8%	5%	8%	5%	31%	5%	6%	6%	6%	5% ^t	-	4% ^t	5% ^t	4% ^t

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q13_2 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Any spiritual and religious preferences
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes, I have discussed this with someone	262	40	117	40	76	135	126	36	234	5	198	13	131	44	148	158	6	31	-	242	16	68	24	95	17	26	31	151	111
No, I have not discussed this with anyone	384	14	54	26	45	146	103	144	274	14	251	20	180	75	211	199	13	43	10	338	35	111	43	110	42	38	34	255	123
Not stated	48	3	14	2	3	14	4	9	17	1	17	1	11	1	11	22	4	2	*	27	6	12	4	9	5	3	-	21	13
		7%efhj	5%	7%f	3%	2%	5%	2%	5%	3%	3%	4%	2%	3%	3%	6%	16%	3%	3%	4%	11% _s	6%	6%	4%	8%	4%	-	5%	5%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_3 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Privacy and peace

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)		
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Yes, I have discussed this with someone	179	87	90	3	43	62	32	17	19	13	18	21	12	7	6	29	9	5	7	17	17	8	11	48	7	120	180	
	26%	27%	26%	11%	26%	26%	31%	25%	28%	27%	24%	32%	45%	30%	14%	31%	22%	24%	17%	35%	23%	25%	17%	35%	zC	38%	24%	26%
No, I have not discussed this with anyone	467	228	233	27	115	171	67	47	35	34	47	43	10	16	36	58	28	11	33	26	52	24	50	86	10	362	450	
	67%h	70%	68%	89%	71%h	73%zh	65%	66%	51%	69%	63%	66%	38%	70%	82%	62%	70%	54%	80%	56%	71%	71%	77%	62%	54%	72%z	65%	
Not stated	47	11	21	-	5	2	4	7	14	2	9	1	5	-	2	6	3	4	1	4	4	1	4	5	1	20	63	
	7%aeC	3%	6%	-	3%	1%	4%	10%e	21%zdefg	4%	13%k	1%	17%	-	4%	7%	9%	22%	3%	8%	6%	4%	6%	3%	7%	4%	9%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_3 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Privacy and peace
 Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Yes, I have discussed this with someone	179	59	52	125	107	-	27	11	28	157	11	156	14	175	3	119	56	37	16	130	139	179	166	127
	26%jp	27%	29%	26%	24%	-	51%	42%	24%	31%zj	14%	33%zl	14%	26%	35%	30%zp	20%	31%	28%	74%ztv	53%z	100%zst	65%zt	64%zt
No, I have not discussed this with anyone	467	153	111	351	314	10	23	16	86	318	63	293	85	463	4	249	215	75	34	37	114	-	69	56
	67%bik	70%	61%	72%zb	70%z	78%	44%	58%	74%	63%	81%zi	62%	82%zk	69%z	38%	64%	76%zo	63%	60%	21%u	44%su	vw	27%su	28%su
Not stated	47	6	18	14	25	3	3	-	2	32	3	27	4	33	3	23	13	7	7	10	8	-	19	15
	7%acmt	3%	10%zc	3%	6%	22%	5%	-	2%	6%	4%	6%	4%	5%	27%	6%	5%	6%	12%	5%u	3%	-	8%tu	8%tu

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q13_3 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Privacy and peace

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes, I have discussed this with someone	179	34	88	44	54	102	72	23	153	3	142	6	95	30	105	113	5	13	1	164	12	52	23	62	8	16	16	116	61
	26%gD	61%zefg	48%zefg	65%	43%zfg	35%zg	31%g	12%	29%z	15%	31%z	18%	29%	25%	28%	30%q	21%	17%	12%	27%	21%	27%	33%D	29%D	12%	24%	25%	27%	25%
No, I have not discussed this with anyone	467	18	83	22	68	177	155	156	358	13	311	26	214	86	251	247	15	61	9	414	39	124	43	142	56	48	47	288	174
	67%abd	31%	45%	33%	55%a	60%ab	66%abd	83%zabdef	68%	65%	67%	78%	66%	71%	68%	65%	66%	80%zo	85%	68%	70%	65%	61%	67%	87%zABC	72%	72%	68%	70%
Not stated	47	5	13	2	3	17	6	9	14	4	13	1	14	5	14	18	3	2	*	29	5	15	4	9	1	2	2	22	12
	7%fhjns	8%	7%	2%	2%	6%	3%	5%	3%	20%	3%	5%	4%	4%	4%	5%	13%	2%	3%	5%	9%	8%	6%	4%	1%	3%	3%	5%	5%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_4 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Dying with dignity - e.g. respectful care and support
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Yes, I have discussed this with someone	254 37%	121 37%	127 37%	7 22%	62 38%	74 31%	47 46%	28 ze	31 40%	19 39%	27 37%	24 38%	14 53%	8 36%	12 27%	30 32%	13 33%	7 37%	16 39%	20 44%	27 37%	11 33%	24 38%	61 44%	9 51%	174 35%	258 37%
No, I have not discussed this with anyone	401 58%h	193 59%	205 60%	24 78%	98 60%h	154 66%zfh	55 53%	39 54%h	27 40%	27 55%	40 54%	40 61%	9 33%	14 64%	31 70%	55 59%	25 63%	8 44%	25 61%	23 49%	42 58%	23 67%	39 60%	71 52%	9 47%	313 62%z	389 56%
Not stated	38 6%bef	12 4%	13 4%	-	2 1%	7 3%	1 1%	4 6%f	10 15%zdef	3 6%	7 9%	1 1%	4 14%	-	1 3%	9 9%	2 4%	4 20%	-	3 7%	4 5%	-	2 2%	6 4%	* 2%	14 3%	46 7%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_4 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Dying with dignity - e.g. respectful care and support
 Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Yes, I have discussed this with someone	254 37% ^{j p}	74 34%	74 41%	178 36%	162 36%	3 22%	28 53%	15 55%	37 32%	218 43% ^{zj}	14 18%	214 45% ^{zl}	17 17%	250 37%	4 40%	170 44% ^{zp}	79 28%	56 47% ^z	27 48%	150 85% ^{zt}	172 66% ^z	166 93% ^{zst}	254 100% ^{zst}	164 82% ^{zt}
No, I have not discussed this with anyone	401 58% ^{k o} stuvv	137 63%	95 53%	299 61%	265 59%	10 78%	23 43%	12 45%	77 66%	266 52%	59 76% ^{zi}	246 52%	79 77% ^{zk}	397 59% ^z	4 38%	205 52%	194 68% ^{zo}	57 48%	27 48%	22 12% ^{uv}	85 32% ^{suvv}	5 3% ^v	-	29 15% ^{uv}
Not stated	38 6% ^{cdkm} tv	7 3%	11 6%	13 3%	18 4%	-	2 4%	-	3 3%	24 5%	4 6%	15 3%	6 6%	25 4%	2 22%	16 4%	11 4%	6 5%	2 4%	5 3%	5 2%	7 4% ^v	-	6 3% ^v

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/uv/vw
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q13_4 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Dying with dignity - e.g. respectful care and support
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes, I have discussed this with someone	254	44	108	52	66	151	100	35	209	10	194	11	133	43	146	150	8	26	2	231	17	90	30	68	12	22	31	152	101
		37%gD	77%zbd	59%zfg	77%	53%zfg	51%zg	43%g	40%z	52%	42%z	34%	41%	36%	39%	40%	36%	34%	19%	38%	30%	47%zCD	43%D	32%	18%	33%	47%	36%	41%
No, I have not discussed this with anyone	401	10	65	14	57	134	126	150	305	9	264	21	181	76	216	211	13	49	9	354	36	95	38	137	49	43	32	260	135
		58%abd	18%	35%a	21%	46%a	45%ab	54%ab	80%zab	58%	45%	63%	56%	63%	58%	56%	56%	64%	81%	58%	63%	50%	53%	64%A	77%zAB	65%	50%	61%	55%
Not stated	38	3	11	1	1	10	7	4	10	1	9	1	8	1	8	18	2	2	-	21	4	5	3	9	3	2	2	14	11
		6%dehj	5%	6%d	2%	1%	4%	3%	2%	3%	2%	3%	3%	1%	2%	5%	8%	2%	-	3%	7%	3%	4%	4%	5%	2%	3%	3%	4%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_5 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Where you would prefer to die

Base: All respondents

	Gender		Age						PCT - East of England												Carer			Unwtd sample				
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)		
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Yes, I have discussed this with someone	299	98	95	7	39	67	39	19	25	10	24	13	11	3	15	29	8	6	15	15	20	7	22	51	6	134	207	
No, I have not discussed this with anyone	451	218	231	24	121	161	62	46	31	37	41	50	11	19	29	58	31	9	25	27	47	26	41	82	10	352	428	
Not stated	43	11	19	-	2	7	2	7	11	3	9	1	3	-	1	7	1	4	1	4	6	1	1	5	2	16	58	
		6%efC	3%	5%	-	1%	3%	2%	10%def	16%zdef	6%	12%	2%	13%	-	1%	8%	3%	22%	3%	9%	8%	4%	2%	3%	12%	3%	8%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13_5 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Where you would prefer to die
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Yes, I have discussed this with someone	199	57	57	140	128	3	25	6	32	178	6	176	6	198	1	136	58	46	23	126	141	127	164	199	
No, I have not discussed this with anyone	451	155	112	333	295	10	25	21	82	304	66	282	88	445	6	238	211	67	30	45	116	44	82	-	
Not stated	43	6	12	17	23	-	2	-	3	25	5	18	8	29	3	18	15	6	3	6	5	7	8	-	
		6%	3%	7%	3%	5%	-	5%	-	5%	7%	4%	8%	4%	31%	4%	5%	5%	5%	4%w	2%	4%w	3%	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q13_5 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Where you would prefer to die

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes, I have discussed this with someone	199	39	86	49	52	121	74	26	163	11	142	14	96	36	106	135	6	19	1	179	15	67	20	62	7	16	25	123	74
	29%gD	69%zbd	46%zfg	72%	42%zfg	41%zfg	32%g	14%	31%	57%	31%	43%	30%	30%	29%	36%z	26%	25%	12%	30%	27%	35%D	28%	29%D	11%	24%	39%	29%	30%
No, I have not discussed this with anyone	451	15	86	17	68	163	152	155	346	8	311	18	218	83	256	223	14	55	9	403	37	112	48	142	54	49	39	284	162
	65%abd	26%	46%a	24%	54%a	55%ab	65%abd	83%zab	66%	40%	67%	54%	68%	70%	69%	59%	62%	72%	85%	66%	65%	59%	69%	67%	84%zAC	73%	61%	67%	66%
Not stated	43	3	13	2	5	12	7	7	15	1	13	1	8	1	8	20	3	2	*	24	5	11	2	10	3	2	*	20	10
	6%ehj	5%	7%	3%	4%	4%	3%	4%	3%	3%	3%	3%	3%	1%	2%	5%	13%	2%	3%	4%	8%	6%	3%	5%	5%	3%	1%	5%	4%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q13 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Summary table
Base: All respondents

	Yes, I have discussed this with someone	No, I have not discussed this with anyone	Not stated
Medical and nursing care	177 26%	477 69%	39 6%
Any spiritual and religious preferences	262 38%	384 55%	48 7%
Privacy and peace	179 26%	467 67%	47 7%
Dying with dignity - e.g. respectful care and support	254 37%	401 58%	38 6%
Where you would prefer to die	199 29%	451 65%	43 6%

Palliative Care - East of England

Q13 Whether discussed any end of life wish

Base: All respondents

	Gender		Age						PCT - East of England												Carer			Unwtd sample			
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Have discussed at least one end of life wish	180	188	12	92	124	60	38	41	23	44	35	17	9	27	42	20	14	21	23	43	17	40	80	10	273	372	
	55%	54%	39%	57%	53%	59%	54%	61%	46%	59%	55%	65%	40%	60%	45%	49%	74%	52%	48%	58%	49%	62%	58%	52%	54%	54%	
Have not discussed any end of life wish	141	145	19	70	105	40	30	20	24	22	26	7	13	17	50	20	3	18	20	25	17	24	53	7	221	280	
	42%h	43%	61%	43%	45%h	39%	42%	30%	49%	31%	41%	25%	60%	37%	53%j	50%	17%	45%	43%	34%	51%	37%	38%	39%	44%	40%	
Not stated	5	12	-	-	5	2	3	6	2	7	3	3	-	1	2	*	2	1	4	6	-	*	5	2	8	41	
	5%aeC	2%	3%	-	-	2%	2%	4%	9%zdef	4%	10%z	4%	10%	-	3%	2%	1%	9%	3%	8%	8%	-	1%	3%	9%	2%	6%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q13 Whether discussed any end of life wish

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes								
				Total (z)	Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199			
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207			
Have discussed at least one end of life wish	374	116	111	259	238	4	43	22	58	312	22	303	34	368	6	236	132	75	34	177	262	179	254	199			
Have not discussed any end of life wish	288	100	62	223	193	9	10	5	57	180	53	165	62	283	4	144	143	42	19	-	-	-	-	-			
Not stated	31	2	7	9	15	-	-	-	2	15	3	8	6	20	-	12	9	3	3	-	-	-	-	-			

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q13 Whether discussed any end of life wish
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247	
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244	
Have discussed at least one end of life wish	374	49	153	60	97	196	154	61	313	13	275	19	184	60	205	224	13	40	2	342	24	112	41	118	25	37	39	216	157	
		54%gD	86%zefg	83%zefg	88%g	78%zefg	66%zfg	66%zfg	60%z	65%	59%z	58%	57%	50%	55%	59%z	54%	52%	19%	56%z	42%	59%D	58%	55%	39%	56%	59%	51%	63%zG	
Have not discussed any end of life wish	288	8	29	8	26	91	76	123	204	6	185	13	134	58	160	145	10	34	8	249	31	72	28	90	36	29	26	201	82	
		42%abcd	14%	16%	12%	21%	31%ab	33%abcd	65%zab	39%	30%	40%	39%	42%	48%	43%	38%	43%	45%	74%	41%	54%	38%	40%	42%	57%zA	44%	40%	47%zH	33%
Not stated	31	*	3	-	2	9	4	4	8	1	7	1	4	2	5	10	1	2	1	15	2	6	2	5	3	-	*	9	8	
		5%ehjlnosC	1%	1%	-	2%	3%	2%	1%	5%	1%	3%	1%	2%	1%	3%	3%	3%	7%	2%	4%	3%	2%	3%	4%	-	*	2%	3%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?
Base: All who have not discussed any End of Life matters

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	288	141*	145	19**	70**	105*	40*	30*	20**	24**	22**	26**	7**	13**	17**	50**	20**	3**	18**	20**	25**	17**	24**	53*	7**	221	280
Unw. Sample	280	94	184	9	24	101	67	51	25	24	27	29	8	4	16	44	20	6	19	21	29	10	23	69	7	196	280
Death feels a long way off	134	70	64	11	44	61	7	6	4	3	11	18	2	5	6	32	6	2	10	8	10	11	10	17	2	112	104
	46%tgA	50%	44%	58%	62%	58%zfg	18%	19%	22%	11%	48%	69%	38%	62%	37%	58%	31%	61%	52%	39%	40%	63%	41%	32%	25%	51%A	37%
I'm concerned that may upset people close to me	62	36	26	-	11	19	12	8	11	6	3	3	*	8	4	7	6	2	4	3	10	3	3	20	1	40	68
	21%	25%	18%	-	15%	18%	29%	27%	56%	23%	13%	11%	6%	58%	23%	15%	30%	46%	23%	17%	41%	15%	12%	37%zC	13%	18%	24%
I am too young to discuss death	49	20	29	7	27	13	2	*	-	-	1	9	3	-	2	15	4	-	1	1	4	5	5	3	2	44	30
	17%tgA	14%	20%	37%	38%	12%	4%	1%	-	-	6%	33%	51%	-	10%	29%	19%	-	6%	4%	15%	29%	22%	6%	25%	20%A	11%
I don't feel comfortable talking about death	43	15	28	8	8	11	6	7	-	10	*	2	*	-	5	4	3	-	2	2	5	5	5	11	4	28	41
	15%	10%	19%z	43%	12%	11%	15%	25%e	-	41%	2%	8%	6%	-	28%	8%	14%	-	11%	7%	22%	28%	20%	21%	53%	13%	15%
Other people do not want to talk to me about my death	34	18	16	-	8	9	8	5	4	2	5	1	*	8	3	4	3	1	1	5	1	-	*	7	1	26	41
	12%	13%	11%	-	11%	9%	19%	16%	19%	9%	20%	3%	6%	58%	16%	9%	15%	24%	7%	24%	5%	-	1%	13%	12%	12%	15%
There is no one available for me to talk to about death	16	10	6	-	2	3	5	3	3	2	2	*	-	-	1	1	-	-	-	4	3	-	1	4	1	11	20
	5%	7%	4%	-	3%	3%	12%ze	9%	15%	9%	11%	2%	-	-	7%	2%	-	-	-	21%	12%	-	4%	7%	13%	5%	7%
Not really thought about it/given it much thought	6	2	3	-	2	2	1	1	-	-	1	-	-	-	-	*	-	-	-	-	-	1	4	1	-	5	6
	2%	2%	2%	-	2%	2%	3%	3%	-	-	3%	-	-	-	-	2%	-	-	-	-	-	6%	16%	2%	-	2%	2%
Will discuss when I think the time is right/it's necessary/know it has to happen	6	4	2	-	-	2	3	-	-	-	-	1	-	-	1	2	*	-	-	-	1	-	-	2	-	4	7
	2%	3%	1%	-	-	2%	8%z	-	-	-	-	4%	-	-	6%	4%	2%	-	-	-	6%	-	-	3%	-	2%	3%
Hasn't come up in conversation/don't feel the need to discuss it	6	1	5	-	1	1	2	*	-	-	-	1	1	-	-	1	*	-	1	1	-	-	-	*	1	5	8
	2%	1%	3%	-	2%	1%	6%z	1%	-	-	-	5%	8%	-	-	3%	2%	-	5%	6%	-	-	-	1%	8%	2%	3%
It's inevitable/everyone is going to die/when you're gone you're gone	4	4	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	3
	1%	3%	-	-	-	3%	-	-	-	9%	-	-	-	-	-	-	-	-	-	-	3%	-	3%	1%	-	1%	1%
Family/loved ones know what I want/know my wishes/no need for discussion	3	1	2	-	-	1	2	-	-	1	-	-	-	-	*	-	-	*	1	3	-	-	2	1	-	2	6
	1%	*	2%	-	-	1%	6%z	-	-	2%	-	-	-	-	1%	-	-	2%	3%	-	-	-	7%	3%	-	1%	2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?

Base: All who have not discussed any End of Life matters

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
It's depressing/more interesting/lots of other things to do	3 1%	2 1%	* *	- -	- -	2 2%	* 1%	- -	- -	- -	- -	2 7%	- -	- -	1 7%	- -	- -	* 11%	- -	- -	- -	- -	- -	* 1%	- -	2 1%	3 1%
No close family/anyone close to me to discuss it with	2 1%	1 *	2 1%	- -	2 2%	- -	1 1%	- -	- -	- -	- -	1 2%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 7%	2 3%	- -	1 *	2 1%
Only spoken about it in general terms/not associated to my own death	2 1%	1 1%	1 1%	- -	- -	1 1%	1 2%	- -	- -	1 2%	1 6%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1%	- -	1 1%	3 1%
Don't want to think about it/about it yet	2 1%	- -	2 1%	- -	- -	2 2%	- -	- -	- -	2 6%	- -	- -	- -	- -	- 1%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1%	2 1%
Am single parent/my children are too young for this discussion	1 *	- -	1 *	- -	- -	- -	1 1%	- -	- -	1 2%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 *	1 *
Other	3 1%	- -	3 2%	- -	2 3%	- -	1 1%	* 1%	- -	1 2%	* 2%	- -	- -	- -	- -	- -	- -	- -	- -	2 10%	- -	- -	- -	1 1%	- -	2 1%	3 1%
No answer/blank response	12 4%	6 4%	6 4%	- -	- -	2 2%	2 5%	4 12%	4 19%	1 6%	1 6%	1 3%	2 23%	1 5%	1 6%	* 1%	- -	* 15%	1 3%	1 7%	2 8%	- -	* 1%	2 4%	1 13%	6 3%	19 7%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?

Base: All who have not discussed any End of Life matters

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	288	100*	62*	223	193	9**	10**	5**	57**	180*	53*	165*	62*	283	4**	144*	143*	42**	19**	-**	-**	-**	-**
Unw. Sample	280	83	76	200	208	2	11	4	43	174	51	150	66	277	2	147	130	46	26	-	-	-	-	-	
Death feels a long way off	134	41	19	114	100	-	3	2	24	91	14	88	20	133	1	55	79	21	4	-	-	-	-	-	
	46%bjl	41%	31%	51%b	51%z	-	29%	36%	43%	51%j	27%	53%l	32%	47%	16%	38%	55%zo	50%	19%	-	-	-	-	-	
I'm concerned that may upset people close to me	62	23	21	39	40	8	3	-	8	36	12	33	12	61	-	41	21	7	5	-	-	-	-	-	
	21%p	23%	34%zc	18%	21%	81%	34%	-	14%	20%	22%	20%	19%	21%	-	28%p	14%	17%	25%	-	-	-	-	-	
I am too young to discuss death	49	23	1	48	31	-	4	2	13	32	9	30	11	46	3	13	36	2	1	-	-	-	-	-	
	17%bmo	23%	2%	21%zb	16%	-	37%	36%	22%	18%	16%	18%	18%	16%	84%	9%	26%zo	4%	6%	-	-	-	-	-	
I don't feel comfortable talking about death	43	18	6	36	25	-	-	1	14	6	30	4	34	40	3	22	20	4	3	-	-	-	-	-	
	15%ikm	18%	10%	16%	13%	-	-	13%	25%	3%	57%zi	2%	55%zk	14%	84%	16%	14%	10%	15%	-	-	-	-	-	
Other people do not want to talk to me about my death	34	13	7	27	19	9	1	-	5	27	2	22	4	34	-	21	12	6	1	-	-	-	-	-	
	12%	13%	11%	12%	19%	100%	6%	-	8%	15%	4%	13%	7%	12%	-	15%	8%	13%	8%	-	-	-	-	-	
There is no one available for me to talk to about death	16	3	9	6	9	2	1	-	3	14	2	12	2	16	-	8	8	*	1	-	-	-	-	-	
	5%c	3%	14%zc	3%	5%	19%	8%	-	5%	8%	3%	7%	3%	5%	-	6%	5%	1%	4%	-	-	-	-	-	
Not really thought about it/given it much thought	6	4	2	4	6	-	-	-	-	4	2	4	2	6	-	3	3	2	-	-	-	-	-	-	
	2%	4%	3%	2%	3%	-	-	-	-	2%	3%	3%	3%	2%	-	2%	2%	5%	-	-	-	-	-	-	
Will discuss when I think the time is right/it's necessary/know it has to happen	6	1	-	6	6	-	-	-	-	2	1	2	1	6	-	4	2	*	-	-	-	-	-	-	
	2%	1%	-	3%	3%	-	-	-	-	1%	2%	1%	1%	2%	-	3%	1%	1%	-	-	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?

Base: All who have not discussed any End of Life matters

	Total (z)	Children under 17 in household		Religion						Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Hasn't come up in conversation/don't feel the need to discuss it	6 2%	2 2%	3 5%	3 1%	4 2%	-	-	-	2 3%	4 2%	-	3 2%	1 1%	6 2%	-	3 2%	3 2%	2 5%	-	-	-	-	-	
It's inevitable/everyone is going to die/when you're gone you're gone	4 1%	-	-	4 2%	1 *	-	-	-	1 1%	1 1%	-	1 1%	-	4 1%	-	3 2%	1 *	-	2 12%	-	-	-	-	
Family/loved ones know what I want/know my wishes/no need for discussion	3 1%	2 2%	2 3%	2 1%	2 1%	-	*	-	1 1%	3 2%	-	3 2%	-	3 1%	1 16%	2 2%	1 1%	1 2%	-	-	-	-	-	
It's depressing/more interesting/lots of other things to do	3 1%	2 2%	-	2 1%	*	-	-	-	2 3%	2 1%	2 3%	2 1%	*	3 1%	-	-	3 2%	-	-	-	-	-	-	
No close family/anyone close to me to discuss it with	2 1%	2 2%	2 3%	1 *	1 *	-	-	-	2 3%	2 1%	1 1%	-	1 1%	2 1%	-	2 2%	-	-	2 12%	-	-	-	-	
Only spoken about it in general terms/not associated to my own death	2 1%	1 1%	1 1%	1 1%	1 1%	-	-	1 16%	-	2 1%	-	2 1%	-	2 1%	-	2 1%	-	1 3%	-	-	-	-	-	
Don't want to think about it/about it yet	2 1%	2 2%	2 2%	*	2 1%	-	-	-	-	2 1%	*	2 1%	*	2 1%	-	2 1%	*	-	2 8%	-	-	-	-	
Am single parent/my children are too young for this discussion	1 *	1 1%	1 1%	-	1 *	-	-	-	-	1 *	-	1 *	-	-	1 16%	-	1 *	-	-	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?

Base: All who have not discussed any End of Life matters

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Other	3 1% ^c	2 2%	3 4% ^{zc}	* *	2 1%	-	1 6%	-	-	3 2%	-	3 2%	-	3 1%	-	2 1%	*	-	-	-	-	-	-
No answer/blank response	12 4%	1 1%	3 5%	9 4%	11 6%	-	* 3%	-	-	6 3%	2 3%	7 4%	1 2%	12 4%	-	6 4%	6 4%	4 9%	1 7%	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?

Base: All who have not discussed any End of Life matters

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	288	8**	29**	8**	26**	91*	76*	123*	204	6**	185	13**	134*	58*	160*	145*	10**	34**	8**	249	31**	72*	28**	90*	36**	29**	26**	201*	82*
Unw. Sample	280	12	41	9	29	129	70	92	190	8	171	17	130	64	159	142	10	44	7	235	37	79	30	74	34	37	18	177	96
Death feels a long way off	134	5	7	3	14	38	56	44	114	*	98	2	78	31	94	60	4	16	3	126	6	34	14	53	17	7	6	98	35
	46%	66%	22%	31%	56%	42%	73%	36%	56%	7%	53%	15%	58%	54%	59%	41%	36%	48%	37%	50%	21%	47%	52%	59%	48%	23%	23%	49%	43%
I'm concerned that may upset people close to me	62	2	9	2	3	20	11	31	31	1	34	2	17	12	25	35	1	11	-	51	10	17	3	14	5	10	10	48	13
	21% ^{hi}	32%	30%	24%	11%	22%	14%	26%	15%	10%	18%	18%	13%	21%	16%	24%	15%	31%	-	21%	33%	24%	12%	16%	15%	35%	37%	24%	15%
I am too young to discuss death	49	1	-	-	4	5	12	30	36	-	34	*	26	8	29	17	1	3	1	43	5	11	1	24	5	2	4	34	14
	17% ^{ei}	9%	-	-	15%	6%	16%	25%	18%	-	19%	3%	19%	13%	18%	12%	7%	10%	12%	17%	17%	16%	2%	27%	15%	8%	16%	17%	18%
I don't feel comfortable talking about death	43	*	2	1	2	9	4	31	29	3	24	4	14	10	16	27	2	3	-	29	10	9	1	12	9	7	3	20	21
	15% ^{efns}	6%	7%	12%	8%	10%	5%	25%	14%	53%	13%	30%	10%	17%	10%	19%	23%	8%	-	12%	33%	12%	5%	13%	25%	23%	12%	10%	25% ^{zG}
Other people do not want to talk to me about my death	34	1	5	-	5	14	5	18	15	*	16	1	15	4	16	24	2	3	2	27	6	9	3	5	2	6	10	27	6
	12% ^{hj}	12%	18%	-	20%	15%	7%	15%	7%	6%	8%	11%	11%	7%	10%	16%	18%	9%	23%	11%	20%	12%	9%	6%	6%	19%	37%	14%	7%
There is no one available for me to talk to about death	16	-	4	2	3	5	3	6	13	*	11	1	7	2	8	5	3	3	2	15	*	6	4	*	2	2	1	8	7
	5%	-	13%	24%	12%	6%	3%	5%	6%	6%	6%	10%	5%	3%	5%	3%	26%	10%	25%	6%	1%	9%	13%	*	5%	7%	4%	4%	8%
Not really thought about it/given it much thought	6	-	1	-	2	5	2	1	6	-	5	-	3	3	5	-	-	1	*	6	-	*	1	3	-	-	1	2	4
	2%	-	2%	-	7%	6%	2%	1%	3%	-	3%	-	2%	6%	3%	-	-	4%	4%	2%	-	*	4%	4%	-	-	5%	1%	5%
Will discuss when I think the time is right/it's necessary/know it has to happen	6	1	*	-	4	1	2	4	4	-	3	1	1	-	1	5	-	-	*	5	*	1	-	4	*	1	-	5	*
	2%	15%	1%	-	4%	2%	2%	2%	2%	-	2%	7%	1%	-	1%	3%	-	-	4%	2%	1%	1%	-	4%	1%	3%	-	3%	*

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?

Base: All who have not discussed any End of Life matters

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Hasn't come up in conversation/don't feel the need to discuss it	6 2%	* 5%	-	-	* 2%	3 3%	1 2%	3 2%	5 2%	-	5 3%	-	3 2%	2 4%	5 3%	2 1%	-	2 5%	* 4%	6 2%	-	1 2%	1 3%	1 1%	1 2%	2 6%	-	4 2%	2 2%
It's inevitable/everyone is going to die/when you're gone you're gone	4 1%	-	1 5%	1 16%	1 3%	1 1%	1 1%	-	1 *	-	3 2%	-	1 1%	1 1%	1 *	2 2%	-	1 2%	-	4 1%	-	1 1%	2 8%	-	1 2%	-	4 2%	-	
Family/loved ones know what I want/know my wishes/no need for discussion	3 1%	-	1 4%	1 8%	1 3%	2 2%	1 2%	1 1%	2 1%	-	2 1%	-	1 1%	* 1%	1 1%	-	-	-	3 1%	* 1%	* 1%	-	2 2%	1 3%	-	1 2%	3 1%	1 1%	
It's depressing/more interesting/lots of other things to do	3 1%	-	-	-	* *	* *	3 2%	1 1%	* 6%	1 1%	* 3%	2 1%	* 1%	2 1%	-	-	* 1%	-	2 1%	-	-	-	-	-	2 6%	* 1%	2 1%	-	
No close family/anyone close to me to discuss it with	2 1%	-	-	1 6%	-	-	-	2 1%	1 9%	2 1%	1 4%	1 *	-	1 *	2 1%	-	-	-	2 1%	1 2%	-	1 2%	-	-	-	2 6%	2 1%	1 1%	
Only spoken about it in general terms/not associated to my own death	2 1%	-	2 7%	-	1 3%	1 2%	1 1%	-	2 1%	-	1 1%	-	2 1%	1 2%	2 1%	1 1%	-	1 2%	-	2 1%	-	-	1 1%	1 4%	-	-	1 *	1 2%	
Don't want to think about it/about it yet	2 1%	-	-	-	-	2 2%	* *	* 26%	2 *	2 12%	2 1%	-	2 1%	2 1%	-	-	-	-	2 1%	-	-	-	* *	-	-	2 6%	2 1%	-	
Am single parent/my children are too young for this discussion	1 *	-	-	-	-	1 1%	-	1 *	-	1 *	-	-	-	-	-	-	-	-	1 *	-	-	-	-	-	-	1 2%	-	1 1%	
Other	3 1%	-	-	-	* *	-	1 *	3 1%	-	3 2%	-	* *	-	* *	-	-	-	-	2 1%	-	-	3 11%	-	-	-	-	* *	3 3%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?

Base: All who have not discussed any End of Life matters

Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
12 4%	*	2	1	-	4	1	4	7	-	3	1	6	3	6	7	1	-	1	11	1	3	1	3	*	4	-	8	4
	4%	7%	10%	-	5%	1%	3%	3%	-	2%	11%	4%	4%	3%	5%	7%	-	11%	4%	5%	4%	4%	3%	1%	13%	-	4%	4%

No answer/blank response

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q15 Have you made arrangements for any of the following?

Base: All respondents

	Gender		Age						PCT - East of England												Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
A will	296	155	136	-	28	94	62	47	55	22	39	16	11	9	25	41	20	10	18	21	30	8	27	73	9	204	376	
		43% ^{bdk}	47%	39%	-	17%	40% ^d	61% ^{zde}	66% ^{zde}	81% ^{zde}	44%	52% ^k	25%	41%	38%	57% ^k	43%	50%	52%	44%	46%	41%	25%	41%	53% ^{zC}	50%	41%	54%
An organ donor card (registered as an organ donor)	233	110	122	7	74	97	26	16	10	14	18	30	6	5	17	34	10	5	15	6	37	10	27	48	5	177	206	
		34% ^{fgh}	34%	35%	23%	45% ^{fgh}	41% ^{zfg}	25%	23%	15%	29%	24%	47% ^h	23%	21%	38%	36%	26%	25%	36%	12%	50% ^{zj}	30%	42%	35%	28%	35%	30%
My funeral wishes/plan	185	101	80	2	37	47	33	31	32	10	20	10	7	3	15	33	7	6	10	10	23	7	24	40	6	133	213	
		27% ^{be}	31%	23%	6%	23%	20%	32% ^e	44% ^{zde}	48% ^{zde}	20%	28%	15%	25%	13%	34%	35%	18%	30%	25%	22%	31%	21%	37% ^k	29%	31%	27%	31%
Written wishes about organ donation	125	58	65	-	34	55	14	12	6	10	9	14	3	1	11	15	6	5	8	5	11	11	15	29	3	90	119	
		18% ^h	18%	19%	-	21%	24% ^{zfh}	14%	17%	10%	20%	12%	22%	12%	6%	24%	16%	14%	25%	21%	11%	15%	31%	24%	21%	16%	18%	17%
My plan for how I would support myself financially when I am dying	68	48	19	-	17	18	8	14	10	4	9	9	1	-	2	14	2	4	2	9	6	2	5	18	2	45	68	
		10% ^b	15% ^{zb}	5%	-	11%	8%	8%	19% ^{zef}	14%	8%	12%	14%	3%	-	5%	15%	5%	18%	5%	19%	9%	5%	7%	13%	10%	9%	10%
My wishes and preferences about my end of life care if I become unable to decide for myself (sometimes called a 'living will' or 'advance care plan')	57	30	25	-	8	15	10	8	14	4	4	6	1	3	3	17	3	1	*	*	5	1	8	20	1	33	71	
		8%	9%	7%	-	5%	6%	10%	11%	21% ^{zdef}	9%	5%	9%	3%	13%	6%	18% ^z	8%	6%	1%	1%	7%	4%	12%	15% ^{zC}	6%	7%	10%
None of these	188	72	111	20	63	69	18	10	6	15	22	20	9	11	9	22	16	6	8	10	11	15	14	30	7	143	151	
		27% ^{fgh}	22%	32% ^{za}	66%	39% ^{fgh}	30% ^{fgh}	18%	14%	9%	31%	29%	31%	35%	49%	21%	24%	41%	30%	20%	21%	15%	43%	22%	22%	38%	28%	22%
Not stated	38	13	12	2	2	10	3	5	3	5	5	2	2	2	-	5	1	1	3	5	6	-	1	4	*	18	40	
		5% ^{bC}	4%	3%	6%	1%	4%	3%	8%	4%	11%	7%	3%	7%	7%	-	6%	3%	5%	7%	11%	8%	-	1%	3%	2%	4%	6%
Made any arrangements	470	242	223	9	98	157	81	56	60	29	47	44	15	10	36	67	22	13	30	32	57	19	49	104	12	343	505	
		68% ^b	74% ^z	65%	28%	60%	67%	79% ^{zde}	79% ^{zde}	89% ^{zde}	58%	64%	68%	59%	45%	80%	71%	56%	65%	73%	68%	78%	57%	77%	75%	65%	68%	73%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q15 Have you made arrangements for any of the following?

Base: All respondents

	Total (z)	Children under 17 in household		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes						
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
A will	296	68	92	198	218	-	18	13	33	233	21	218	29	293	2	186	105	69	26	102	135	102	151	121	
		43%ahj	31%	51%zc	40%	49%zh	-	35%	47%	28%	46%zj	27%	46%l	28%	44%	22%	48%zp	37%	58%z	46%	58%z	52%z	57%z	59%zt	61%zt
An organ donor card (registered as an organ donor)	233	87	54	176	140	-	20	20	45	184	22	185	29	233	1	139	91	43	18	73	126	72	100	74	
	34%	40%	30%	36%	32%	-	38%	73%	39%	36%	28%	39%z	28%	35%z	6%	36%	32%	36%	32%	42%	48%zuv	40%	39%	37%	
My funeral wishes/plan	185	37	66	117	123	-	10	16	27	151	15	145	26	183	2	119	63	39	19	85	117	88	108	86	
	27%ga	17%	37%zc	24%	28%	-	19%	59%	23%	30%z	19%	30%z	25%	27%	22%	30%z	22%	33%	34%	48%z	45%z	49%zv	43%z	43%z	
Written wishes about organ donation	125	54	31	93	78	-	13	17	16	107	9	109	8	125	-	84	39	34	10	55	76	54	66	52	
	18%l	25%	17%	19%	18%	-	24%	63%	13%	21%z	12%	23%zl	8%	19%	-	21%z	14%	29%z	17%	31%z	29%z	30%z	26%z	26%z	
My plan for how I would support myself financially when I am dying	68	19	15	53	46	-	12	-	6	55	4	56	5	68	-	42	24	16	8	43	40	44	52	49	
	10%	9%	8%	11%	10%	-	22%	-	6%	11%	5%	12%	5%	10%	-	11%	8%	13%	14%	24%zt	15%z	25%zt	21%z	25%zt	
My wishes and preferences about my end of life care if I become unable to decide for myself (sometimes called a 'living will' or 'advance care plan')	57	10	17	39	46	-	4	-	5	49	*	49	3	57	-	45	11	15	7	41	40	34	44	39	
	8%jp	5%	9%	8%	10%z	-	7%	-	4%	10%j	*	10%z	3%	8%	-	11%zp	4%	13%	13%	23%ztv	15%z	19%z	17%z	20%z	
None of these	188	77	44	142	111	13	9	4	45	122	35	112	43	181	7	95	90	24	15	25	36	23	35	26	
	27%ais	36%z	24%	29%	25%	100%	16%	14%	38%zd	24%	45%zi	23%	42%zk	27%	72%	24%	32%	20%	26%	14%	14%	13%	14%	13%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q15 Have you made arrangements for any of the following?

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Not stated	38 5%ckmp stuvw	4 2%	7 4%	18 4%	21 5%	-	-	-	1 1%	21 4%	1 1%	15 3%	1 1%	27 4%	-	20 5%	7 2%	7 6%	3 5%	2 1%	4 1%	2 1%	2 1%	2 1%
Made any arrangements	470 68%j	136 63%	130 72%	332 68%	315 71%z	-	44 84%	23 86%	72 62%	367 72%zj	42 54%	350 74%zl	59 57%	466 69%z	3 28%	277 71%	188 66%	88 74%	39 69%	150 85%z	223 85%z	154 86%z	217 85%z	170 86%z

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q15 Have you made arrangements for any of the following?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes/plan (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
A will	296	49	122	49	78	296	111	1	222	9	190	22	145	40	162	154	10	44	9	269	19	89	27	84	27	34	30	192	100
	43%g	86%zbd	66%zfg	72%	62%zfg	100%zab	47%g	1%	42%	44%	41%	67%	45%	33%	44%g	41%	41%	57%zo	83%	44%	33%	47%	38%	39%	42%	51%	47%	45%	41%
An organ donor card (registered as an organ donor)	233	23	72	27	106	111	233	1	205	3	189	7	121	40	141	121	2	28	3	220	12	56	15	99	17	18	27	152	81
	34%gt	41%g	39%g	39%	85%zab	37%zg	100%zabd	*	39%z	18%	41%z	22%	38%	33%	38%	32%	10%	37%	28%	36%zt	20%	29%	21%	46%zAB	26%	27%	42%	36%	33%
My funeral wishes/plan	185	40	185	43	64	122	72	1	146	4	129	7	81	20	89	116	7	20	4	163	17	50	18	65	13	18	17	111	70
	27%gm	71%zde	100%zad	63%	52%zfg	41%zfg	31%g	1%	28%	21%	28%	22%	25%	16%	24%	31%	30%	27%	36%	27%	31%	26%	25%	31%	21%	27%	25%	26%	28%
Written wishes about organ donation	125	21	64	26	125	78	106	-	111	1	104	2	63	19	70	63	3	21	2	115	7	35	9	52	8	11	10	80	45
	18%g	37%zg	35%zeg	38%	100%zab	26%zg	46%zeg	-	21%z	6%	22%z	7%	19%	16%	19%	17%	12%	27%z	17%	19%	12%	18%	13%	24%	13%	17%	15%	19%	18%
My plan for how I would support myself financially when I am dying	68	23	43	68	26	49	27	1	57	1	49	3	37	12	38	47	1	5	*	61	6	29	7	17	1	5	9	50	17
	10%gD	41%zbd	23%ze	100%	21%zfg	17%zg	11%g	1%	11%	7%	10%	10%	11%	10%	10%	12%	6%	7%	3%	10%	10%	15%zD	9%	8%	2%	8%	13%	12%	7%
My wishes and preferences about my end of life care if I become unable to decide for myself (sometimes called a 'living will' or 'advance care plan')	57	57	40	23	21	49	23	1	45	3	44	2	26	6	29	36	1	5	*	50	6	15	7	19	2	4	9	40	16
	8%g	100%zbd	22%zfg	34%	17%zfg	17%zfg	10%g	*	9%	14%	9%	5%	8%	5%	8%	9%	6%	7%	4%	8%	10%	8%	10%	9%	4%	7%	9%	9%	6%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q15 Have you made arrangements for any of the following?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
None of these	188 27% abdefq	1 1%	1 1%	1 1%	-	1 *	1 *	188 100% zab	133 25%	7 35%	120 26%	7 20%	80 25%	40 33%	97 26%	113 30% q	8 35%	7 10%	2 17%	164 27%	16 29%	46 24%	21 30%	51 24%	24 37%	24 36%	18 28%	120 28%	66 27%
Not stated	38 5% befghjins	-	-	-	-	-	-	16 3%	-	12 3%	-	8 3%	4 3%	9 2%	13 3%	2 8%	3 4%	-	20 3%	5 9%	6 3%	7 10%	7 3%	2 3%	1 1%	2 3%	16 4%	8 3%	
Made any arrangements	470 68% g	57 100% zg	185 100% zg	68 100%	125 100% zg	296 100% zg	233 100% zg	2 1%	377 72% z	13 65%	337 72% z	26 80%	236 73%	76 64%	265 72%	254 67%	13 57%	65 86% zo	9 83%	424 70% z	36 63%	138 73%	43 61%	156 73%	39 60%	41 63%	46 71%	292 68%	173 70%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q16 If you knew you did not have long to live, which of these would be most likely to make you start planning for your death?

Base: All respondents

	Gender		Age							PCT - East of England													Carer			Unwtd sample	
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
To make my death/dying easier for my family	545 79%A	253 77%	285 83%B	24 77%	130 80%	199 85%Z	80 78%	54 76%	50 75%	44 89%t	57 78%	52 80%	19 73%	8 35%	39 88%	80 85%	31 77%	13 67%	32 78%	39 82%	50 68%	25 75%	57 89%t	97 70%	18 95%	417 83%A	549 79%
To ensure I had the right care and support when I am dying	307 44%o	123 38%	177 51%za	15 48%	57 35%	102 43%	59 58%zde	36 51%	35 52%	19 39%	41 55%o	35 54%o	10 38%	13 56%	18 41%	26 27%	18 44%	7 38%	23 55%	18 39%	30 41%	18 53%	32 50%o	67 49%	10 52%	220 44%	347 50%
To have the funeral I wanted	167 24%	72 22%	91 26%	8 27%	26 16%	56 24%	33 32%zd	18 26%	25 37%zde	11 21%	19 26%	16 25%	7 26%	1 4%	11 25%	19 20%	8 20%	4 23%	11 28%	11 24%	20 28%	11 31%	18 28%	41 30%	6 31%	112 22%	187 27%
Other (please specify)	45 6%g	13 4%	30 9%z	2 7%	14 9%	14 6%	9 8%g	1 2%	4 6%	*	6 8%	3 5%	3 11%	4 16%	1 2%	5 5%	2 18%	3 2%	1 10%	5 1%	1 -	12 18%zit	13 10%	1 6%	26 5%	44 6%	
None of these	13 2%	6 2%	6 2%	-	4 2%	4 2%	1 1%	2 3%	3 4%	1 2%	-	1 1%	-	-	-	1 1%	3 7%	2 11%	1 3%	1 1%	2 2%	1 3%	1 2%	5 4%	-	6 1%	11 2%
Not stated	30 4%beC	10 3%	5 2%	-	8 5%	2 1%	3 2%	1 1%	2 2%	1 3%	4 5%	-	2 7%	8 38%	-	3 3%	-	4 19%	1 2%	2 3%	5 7%	1 3%	-	3 2%	-	12 2%	24 3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q16 If you knew you did not have long to live, which of these would be most likely to make you start planning for your death?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
To make my death/dying easier for my family	545 79%	179 82%	142 79%	397 81%	364 82%z	6 42%	40 76%	24 88%	91 78%	408 80%	61 78%	388 82%	81 79%	535 80%z	9 100%	306 78%	232 82%	100 84%	43 76%	148 84%	220 84%	155 87%zv	207 81%	163 82%	
To ensure I had the right care and support when I am dying	307 44%j	87 40%	93 51%z	210 43%	204 46%	3 22%	30 57%	7 27%	47 41%	238 47%j	24 30%	223 47%	42 40%	304 45%	3 32%	180 46%	124 44%	57 48%	28 50%	83 47%	123 47%	85 48%	138 54%zst	109 55%z	
To have the funeral I wanted	167 24%	52 24%	52 29%	114 23%	117 26%	3 22%	13 25%	3 11%	23 20%	133 26%	13 17%	128 27%	19 18%	166 25%	1 10%	107 27%	57 20%	38 32%	15 28%	53 30%	81 31%z	59 33%z	79 31%z	68 34%z	
Other (please specify)	45 6%	18 8%	18 10%z	27 5%	33 7%	3 22%	1 2%	2 8%	3 2%	30 6%	7 9%	34 7%	9 8%	42 6%	2 26%	28 7%	16 6%	7 13%	7 13%	22 12%z	21 8%	14 8%	23 9%	16 8%	
None of these	13 2%	7 3%	4 2%	8 2%	11 2%	- 2%	2 4%	- -	- -	9 2%	2 2%	5 1%	2 2%	11 2%	2 22%	5 1%	7 3%	- -	1 2%	4 2%gtv	1 *	2 1%	1 *	1 *	
Not stated	30 4%bdkm ptw	8 4%	1 *	15 3%	6 1%	8 58%	2 3%	- -	1 1%	18 3%	2 3%	12 2%	2 2%	19 3%	- -	15 4%	4 1%	3 3%	1 2%	3 2%	2 1%	3 2%	3 1%	3 1%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q16 If you knew you did not have long to live, which of these would be most likely to make you start planning for your death?
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
To make my death/dying easier for my family	545	45	155	55	110	241	202	144	444	11	393	22	271	105	317	298	17	64	8	498	34	141	60	191	50	57	41	352	189
To ensure I had the right care and support when I am dying	307	29	91	33	57	167	103	72	250	10	228	13	165	59	189	169	11	48	7	273	27	111	27	76	33	23	34	199	108
To have the funeral I wanted	167	22	61	23	42	89	61	33	136	5	120	6	89	29	101	95	6	21	4	155	8	64	21	41	13	11	15	110	56
Other (please specify)	45	9	16	6	7	20	11	14	33	5	34	3	21	5	22	19	2	3	-	40	3	13	2	9	7	3	10	20	24
None of these	13	-	2	2	1	4	1	7	2	1	4	2	1	-	1	7	1	1	-	10	3	3	1	3	1	3	2	6	7
Not stated	30	-	3	2	1	1	1	10	4	-	2	-	2	2	2	13	1	-	-	12	2	3	1	3	-	1	8	14	1
	6%	16%zef	9%	9%	5%	7%	5%	8%	6%	24%	7%	8%	7%	4%	6%	5%	7%	4%	-	7%	6%	7%	3%	4%	11%	5%	15%	5%	10%
	4%	1%	3%	1%	*	*	5%	ef	1%	-	1%	-	1%	1%	1%	3%	3%	-	-	2%	4%	2%	1%	1%	-	1%	12%	3%	*

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q17_1 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live?

A. Easy access to information about how to plan for my death

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Strongly agree	271	123	142	10	61	111	49	17	17	26	31	29	15	8	26	17	11	10	19	13	27	12	27	47	8	214	256	
		39%gho	38%	41%	34%	37%	47%zgh	48%zgh	25%	26%	53%o	43%o	45%o	59%	35%	59%zo	18%	29%	50%	46%	28%	36%	34%	43%o	34%	41%	43%z	37%
Tend to agree	253	125	128	16	73	79	32	27	26	13	31	22	4	1	8	56	12	5	17	19	26	15	25	54	7	188	242	
		37%ln	38%	37%	53%	45%	33%	31%	37%	26%	42%n	34%	17%	7%	18%	59%zik	29%	24%	43%	40%	35%	44%	39%	39%	38%	37%	35%	
Neither agree nor disagree	97	54	43	4	9	35	15	15	17	6	4	9	4	3	6	13	12	1	4	10	11	7	7	30	1	62	114	
	14%	16%	12%	13%	6%	15%	14%	22%zd	25%zd	13%	6%	15%	15%	14%	13%	14%	30%	6%	9%	20%	14%	21%	11%	22%zC	7%	12%	16%	
Tend to disagree	10	5	5	-	6	1	2	2	1	-	-	1	-	-	1	2	-	*	-	1	5	*	-	1	1	8	11	
	1%	2%	1%	-	3%	*	2%	2%	1%	-	-	1%	-	-	1%	2%	-	2%	-	1%	7%z	1%	-	1%	4%	2%	2%	
Strongly disagree	10	3	7	-	3	4	1	-	1	2	1	-	-	1	-	2	-	-	1	-	-	-	4	1	*	5	9	
	1%	1%	2%	-	2%	2%	1%	-	1%	3%	1%	-	-	-	3%	-	4%	-	-	1%	-	-	6%z	1%	2%	1%	1%	
Not stated	52	16	20	-	11	6	4	10	6	3	6	4	3	10	3	6	3	4	1	5	5	-	1	5	1	24	61	
	8%efC	5%	6%	-	7%	3%	3%	14%zef	9%e	5%	9%	6%	10%	44%	6%	7%	8%	18%	2%	10%	7%	-	1%	3%	8%	5%	9%	
Agree	524	249	270	26	134	189	82	44	43	39	62	51	20	9	34	72	23	14	36	32	52	27	53	102	15	402	498	
	76%gh	76%	78%	87%	82%gh	81%zgh	79%gh	62%	64%	79%	84%	79%	76%	42%	77%	77%	58%	74%	89%	68%	72%	78%	82%	74%	79%	80%z	72%	
Disagree	19	8	12	-	9	5	3	2	1	2	1	1	-	-	2	2	2	*	-	1	5	*	4	2	1	14	20	
	3%	2%	3%	-	5%	2%	3%	2%	2%	3%	1%	1%	-	-	4%	2%	4%	2%	-	2%	7%	1%	6%	1%	6%	3%	3%	
NET	505	241	258	26	125	184	79	42	42	37	61	50	20	9	32	70	21	14	36	31	47	26	49	100	13	389	478	
	73%gh	74%	75%	87%	77%g	78%zgh	77%gh	60%	62%	76%	83%t	78%	76%	42%	72%	75%	53%	72%	89%	65%	64%	77%	76%	72%	72%	77%z	69%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q17_1 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live?

A. Easy access to information about how to plan for my death

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Strongly agree	271 39%	88 40%	79 44%	188 38%	167 37%	-	30 57%	15 56%	45 39%	230 45%z	28 36%	216 45%zl	29 28%	269 40%	2 19%	153 39%	115 41%	56 47%	25 44%	93 53%z	140 53%z	95 53%z	134 53%z	102 51%z	
Tend to agree	253 37%brv	77 35%	54 30%	198 40%zb	174 39%	2 14%	13 24%	9 33%	53 45%	171 34%	29 37%	172 36%	50 49%z	250 37%	3 32%	129 33%	122 43%	37 31%	12 22%	57 32%	94 36%	58 32%	75 30%	61 31%	
Neither agree nor disagree	97 14%ikt	31 14%	30 16%	66 14%	71 16%	1 7%	5 9%	3 11%	13 11%	58 11%	14 18%	50 10%	16 16%	95 14%	3 27%	62 16%	33 12%	14 11%	6 12%	16 9%	16 6%	18 10%	25 10%	16 8%	
Tend to disagree	10 1%k	2 1%	2 1%	8 2%	8 2%	-	2 3%	-	-	9 2%	1 1%	3 1%	1 1%	9 1%	-	7 2%	3 1%	4 3%	1 1%	2 1%	4 1%	2 1%	7 3%	7 3%	
Strongly disagree	10 1%	6 3%	3 2%	6 1%	5 1%	3 22%	-	-	1 1%	6 1%	3 3%	6 1%	3 2%	10 1%	-	9 2%	1 *	-	6 10%zq	1 1%	1 *	* *	3 1%	4 2%tu	
Not stated	52 8%cdmp tuv	14 6%	13 7%	24 5%	21 5%	8 58%	4 7%	-	5 4%	34 7%	3 4%	29 6%	3 3%	39 6%	2 22%	30 8%	10 4%	8 7%	6 11%	7 4%	7 2%	5 3%	10 4%	9 4%	
Agree	524 76%o	164 75%	133 74%	386 79%	340 76%	2 14%	42 81%	24 89%	98 84%	402 79%z	57 73%	388 82%z	80 77%	520 77%z	5 51%	282 72%	237 84%zo	93 78%	37 66%	150 85%z	234 89%zvw	153 85%z	209 82%z	163 82%z	
Disagree	19 3%	9 4%	5 3%	14 3%	13 3%	3 22%	2 3%	-	1 1%	14 3%	3 4%	9 2%	4 4%	19 3%	-	16 4%	3 1%	4 3%	6 11%z	4 2%	5 2%	3 2%	10 4%u	11 6%stu	
NET	505 73%or	155 71%	128 71%	373 76%	327 73%	-1 -8%	41 77%	24 89%	97 83%	387 76%z	54 69%	380 80%z	76 73%	501 75%z	5 51%	266 68%	234 83%zo	90 75%r	31 55%	147 83%z	229 88%zvw	150 84%zvw	199 78%	152 77%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q17_1 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live?

A. Easy access to information about how to plan for my death

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Strongly agree	271	26	78	28	73	120	119	59	271	-	238	7	136	48	153	149	6	39	1	251	12	87	24	80	18	29	31	169	100
	39%	46%	42%	42%	59%	40%	51%	31%	52%	-	51%	2%	42%	40%	41%	39%	24%	51%	11%	41%	2%	46%	34%	37%	28%	44%	48%	40%	40%
Tend to agree	253	19	68	29	37	103	86	74	253	-	186	8	134	48	155	137	12	24	6	225	23	51	28	100	35	23	14	161	92
	37%	33%	37%	42%	30%	35%	37%	40%	48%	-	40%	23%	42%	40%	42%	36%	51%	32%	55%	37%	41%	27%	40%	47%	54%	35%	22%	38%	37%
Neither agree nor disagree	97	6	25	8	10	51	19	33	-	-	27	5	36	12	43	52	5	9	4	81	14	35	13	20	6	12	6	70	24
	14%	11%	14%	11%	8%	17%	8%	18%	-	-	6%	14%	11%	10%	12%	14%	20%	12%	35%	13%	24%	18%	19%	9%	10%	18%	10%	16%	10%
Tend to disagree	10	2	4	1	1	6	2	1	-	10	3	7	6	7	8	8	-	*	-	9	1	4	3	1	1	-	1	2	7
	1%	4%	2%	2%	1%	2%	1%	1%	-	51%	1%	22%	2%	5%	2%	2%	-	*	-	1%	2%	2%	4%	*	2%	-	1%	1%	3%
Strongly disagree	10	*	*	-	*	2	2	6	-	10	*	6	5	3	5	4	-	-	-	9	*	5	-	2	2	-	2	2	7
	1%	1%	*	-	*	1%	1%	3%	-	49%	*	19%	1%	2%	1%	1%	-	-	-	2%	1%	2%	-	1%	3%	-	2%	1%	3%
Not stated	52	3	9	2	3	14	6	15	-	-	12	*	6	2	6	29	1	4	-	31	6	8	2	11	2	2	11	22	16
	8%	5%	5%	3%	2%	5%	2%	8%	-	-	2%	1%	2%	2%	2%	8%	5%	5%	-	5%	11%	4%	3%	5%	3%	3%	17%	5%	7%
Agree	524	45	146	57	111	222	205	133	524	-	424	14	271	96	308	286	18	63	7	476	35	139	52	180	53	52	46	330	192
	76%	79%	79%	84%	89%	75%	88%	71%	100%	-	91%	44%	84%	80%	83%	76%	75%	82%	65%	79%	62%	73%	74%	84%	83%	78%	70%	77%	78%
Disagree	19	3	4	1	1	9	3	7	-	19	3	13	10	9	13	13	-	*	-	18	1	9	3	2	3	-	2	5	15
	3%	5%	2%	2%	1%	3%	1%	4%	-	100%	1%	40%	3%	8%	3%	3%	-	*	-	3%	2%	5%	4%	1%	4%	-	4%	1%	6%
NET	505	42	142	56	110	214	202	126	524	-19	421	1	260	86	296	273	18	62	7	458	34	129	49	178	50	52	43	325	178
	73%	75%	77%	82%	88%	72%	87%	67%	100%	-100%	90%	3%	81%	72%	80%	72%	75%	82%	65%	76%	30%	68%	70%	83%	78%	78%	66%	76%	72%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q17_2 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live?

B. Support from someone to help me write an end of life care plan (sometimes called a 'living will' or 'advance care plan')

Base: All respondents

	Gender		Age						PCT - East of England												Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Strongly agree	236	93	138	12	69	91	36	13	13	19	23	25	13	6	23	18	10	10	13	16	19	6	36	45	9	178	222
		34%gho	29%	40%za	39%	43%gh	39%gh	35%gh	18%	38%	32%	39%	48%	28%	52%zot	20%	24%	52%	32%	34%	26%	17%	55%zjo	33%	46%	35%	32%
Tend to agree	230	117	113	14	55	94	31	20	13	17	21	21	9	8	11	38	16	2	11	16	26	18	17	49	7	173	206
		33%hh	36%	33%	47%	34%	40%zh	30%	29%	35%	28%	32%	34%	35%	25%	40%	40%	10%	28%	34%	35%	53%	26%	35%	37%	34%	30%
Neither agree nor disagree	126	72	53	2	22	36	25	19	17	3	19	14	2	-	6	25	7	4	13	7	13	7	7	28	1	93	141
		18%bb	22%	15%	8%	14%	15%	25%z	27%ze	7%	26%ii	21%	6%	-	13%	27%ii	18%	22%	31%	16%	17%	20%	11%	20%	7%	19%	20%
Tend to disagree	19	12	7	-	4	3	5	1	4	3	1	1	-	-	1	*	1	*	2	2	7	1	1	5	*	14	23
		3%	4%	2%	-	2%	1%	5%e	2%	7%ze	7%	1%	2%	-	2%	*	2%	2%	5%	3%	9%gz	2%	1%	3%	2%	3%	3%
Strongly disagree	14	7	6	-	-	4	2	3	4	2	2	-	-	-	1	1	3	1	-	1	1	2	1	3	1	10	18
		2%	2%	-	-	2%	2%	4%dd	7%zde	3%	3%	-	-	-	3%	1%	7%	3%	-	1%	1%	6%	1%	2%	3%	2%	3%
Not stated	67	25	27	2	12	6	4	14	15	5	7	4	3	8	2	11	4	2	2	5	8	1	4	9	1	34	83
		10%efC	8%	8%	6%	7%	3%	4%	20%zde	11%	10%	7%	11%	38%	5%	12%	10%	10%	4%	12%	11%	3%	6%	6%	5%	7%	12%
Agree	466	210	251	26	125	185	66	33	26	36	44	45	22	14	34	56	26	12	25	32	45	24	52	94	15	351	428
		67%gh	64%	73%z	87%	77%gh	79%zfg	65%gh	46%	73%	60%	71%	82%	62%	77%	60%	64%	63%	60%	68%	62%	70%	81%j	68%	83%	70%	62%
Disagree	33	19	14	-	4	7	7	4	9	5	3	1	-	-	2	1	3	1	2	2	8	3	2	8	1	24	41
		5%	6%	4%	-	2%	3%	7%	6%	10%	4%	2%	-	-	5%	2%	9%	5%	5%	4%	11%	8%	2%	6%	5%	5%	6%
NET	433	191	237	26	121	178	59	29	18	31	41	44	22	14	32	55	22	11	23	30	37	21	51	86	15	327	387
		63%gh	58%	69%za	87%	74%gh	76%zfg	57%gh	40%hh	63%	56%	69%	82%	62%	72%	58%	56%	57%	55%	64%	51%	62%	79%zjt	62%	78%	65%	56%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q17_2 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live?

B. Support from someone to help me write an end of life care plan (sometimes called a 'living will' or 'advance care plan')

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Strongly agree	236	95	66	167	134	-	30	19	45	190	30	180	33	233	4	139	95	41	24	74	117	75	108	75	
	34% ^d	44% ^z	37%	34%	30%	-	57%	69%	39%	38% ^z	39%	38% ^z	32%	35%	41%	36%	33%	35%	44%	42%	45% ^z	42%	43% ^z	38%	
Tend to agree	230	75	49	180	155	2	14	4	48	156	25	158	43	228	2	114	114	31	14	63	81	68	85	67	
	33% ^o	35%	27%	37%	35%	14%	26%	14%	41%	31%	32%	33%	42%	34%	22%	29%	40% ^z	26%	26%	35%	31%	38%	34%	34%	
Neither agree nor disagree	126	25	39	85	95	1	8	4	16	90	12	79	18	123	3	77	47	27	7	30	41	23	36	29	
	18% ^a	12%	22%	17%	21% ^z	7%	16%	15%	13%	18%	16%	17%	17%	18%	32%	20%	17%	23%	12%	17%	16%	13%	14%	14%	
Tend to disagree	19	3	3	15	15	-	-	-	3	14	4	8	2	19	-	13	6	7	1	3	8	5	9	11	
	3%	1%	2%	3%	3%	-	-	-	3%	3%	5%	2%	2%	3%	-	3%	2%	6%	1%	2%	3%	3%	3%	6% ^s	
Strongly disagree	14	4	4	9	10	-	-	-	2	8	3	7	3	14	-	10	3	2	4	4	5	1	3	3	
	2%	2%	2%	2%	2%	-	-	-	2%	2%	4%	2%	3%	2%	-	2%	1%	1%	7% ^z	2%	2%	1%	1%	2%	
Not stated	67	16	19	34	37	11	*	*	3	49	3	44	4	56	*	38	18	11	6	4	9	8	13	14	
	10% ^{chms}	7%	10%	7%	8%	79%	1%	1%	3%	10%	4%	9%	4%	8%	5%	10%	6%	9%	11%	2%	3%	4%	5% ^s	7% st	
Agree	466	170	116	347	289	2	44	23	93	346	56	338	76	460	6	253	209	72	39	136	198	142	194	142	
	67%	78% ^z	64%	71%	65%	14%	83%	84%	80% ^{zd}	68%	71%	71% ^z	74%	69% ^z	63%	65%	74% ^z	61%	69%	77% ^z	76% ^z	80% ^{zw}	76% ^z	72%	
Disagree	33	6	7	24	25	-	-	-	5	22	7	16	5	33	-	23	9	9	4	7	13	6	11	14	
	5%	3%	4%	5%	6%	-	-	-	4%	4%	9%	3%	5%	5%	-	6%	3%	7%	7%	4%	5%	3%	4%	7% ^u	
NET	433	164	109	323	264	2	44	23	88	324	49	322	71	428	6	230	200	64	35	129	185	137	182	128	
	63% ^d	75% ^z	60%	66%	59%	14%	83%	84%	75% ^{zd}	64%	63%	68% ^z	69%	64% ^z	63%	59%	70% ^{zo}	53%	62%	73% ^{zw}	71% ^z	76% ^{zw}	72% ^{zw}	64%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/uv/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q17_2 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live?
B. Support from someone to help me write an end of life care plan (sometimes called a 'living will' or 'advance care plan')
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor/GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Strongly agree	236	21	66	24	58	92	109	52	224	1	236	-	116	42	134	134	6	30	2	215	13	69	19	80	16	25	25	130	104
Tend to agree	230	23	64	25	46	98	80	67	200	2	230	-	128	48	153	111	7	33	5	209	18	62	22	84	32	14	14	161	69
Neither agree nor disagree	126	8	32	12	15	60	29	43	67	-	-	-	47	17	51	73	8	6	2	106	16	32	22	30	12	17	9	80	42
Tend to disagree	19	-	5	1	1	14	4	2	12	7	-	19	14	6	14	13	-	4	-	18	2	8	1	5	2	2	2	10	9
Strongly disagree	14	2	2	3	1	8	3	4	3	7	-	14	4	-	4	10	*	-	1	13	1	6	-	3	2	1	3	8	6
Not stated	67	3	16	4	4	23	7	19	18	3	-	-	15	7	16	38	2	4	1	46	7	13	5	12	1	7	13	36	17
Agree	466	44	129	49	104	190	189	120	424	3	466	-	244	89	286	245	13	63	7	424	31	132	41	164	48	39	39	291	173
Disagree	33	2	7	3	2	22	7	7	14	13	-	33	18	6	18	23	*	4	1	30	3	14	1	7	3	3	4	18	15
NET	433	43	122	46	102	168	182	113	410	-10	466	-33	226	83	269	222	12	59	6	393	28	118	40	157	45	36	35	273	159

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/row percents

Q17 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? Summary table

Base: All respondents

A. Easy access to information about how to plan for my death

B. Support from someone to help me write an end of life care plan (sometimes called a 'living will' or 'advance care plan')

Total	Strongly agree	Tend to agree	Neither agree nor disagree	Tend to disagree	Strongly disagree	Not stated	Agree	Disagree	NET
693	271 39%	253 37%	97 14%	10 1%	10 1%	52 8%	524 76%	19 3%	505 73%
693	236 34%	230 33%	126 18%	19 3%	14 2%	67 10%	466 67%	33 5%	433 63%

Palliative Care - East of England

Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?

Base: All respondents

	Gender		Age						PCT - East of England												Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Advice	44	15	29	3	12	23	4	1	-	2	5	7	4	3	4	-	-	3	5	3	1	4	11	2	31	40	
	6%gh	5%	8%z	11%	7%	10%zgh	4%	1%	-	5%	7%	11%	17%	14%	7%	4%	-	7%	10%	3%	2%	6%	8%	10%	6%	6%	
Advice on financial matters	17	4	13	2	8	4	3	-	-	1	3	2	-	2	4	-	-	-	-	3	-	2	4	2	10	12	
	2%	1%	4%z	6%	5%	2%	3%	-	-	1%	4%	4%	-	5%	4%	-	-	-	-	3%	-	3%	3%	10%	2%	2%	
Advice/help/support for family members/ bereavement counselling	13	6	7	-	1	10	2	1	-	2	2	3	2	-	1	-	-	1	2	-	-	1	6	-	7	16	
	2%	2%	2%	-	1%	4%z	2%	1%	-	4%	2%	4%	9%	-	1%	-	-	2%	5%	-	-	1%	4%	-	1%	2%	
Help/advice on what would happen to my children/guardians for my children	8	-	8	2	4	2	-	-	-	-	2	1	2	-	1	-	-	-	-	2	-	-	2	-	6	6	
	1%	-	2%za	5%	2%	1%	-	-	-	-	3%	2%	6%	-	2%	-	-	-	-	4%	-	-	1%	-	1%	1%	
My will/advice on making a will	5	3	2	-	-	4	1	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	5	3	
	1%	1%	*	-	-	2%	1%	-	-	-	1%	1%	-	14%	-	-	-	-	-	-	-	-	-	-	-	1%	
A qualified advisor/ personal contact/named individual to help	4	2	3	-	-	4	-	*	-	-	-	-	*	-	-	-	-	2	-	-	1	1	*	-	4	5	
	1%	1%	1%	-	-	2%z	-	*	-	-	-	-	1%	-	-	-	-	5%	-	-	2%	2%	*	-	1%	1%	
Friends/family	16	7	8	-	8	5	2	*	-	2	2	-	-	3	2	-	2	1	*	4	-	-	1	3	9	11	
	2%	2%	2%	-	5%	2%	2%	1%	-	4%	3%	-	-	7%	3%	-	11%	2%	1%	5%	-	-	1%	14%	2%	2%	
Information	11	3	8	-	6	2	1	2	-	-	5	-	6	-	*	-	*	-	1	-	-	4	*	-	9	9	
	2%	1%	2%	-	4%	1%	1%	2%	-	-	7%z	-	-	-	*	-	2%	-	2%	-	-	6%	*	-	2%	1%	
Internet access/ information/guidance	5	2	3	-	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	3	-	-	5	2	
	1%	1%	1%	-	2%	1%	-	-	-	-	2%	-	-	-	-	-	-	-	-	-	-	4%z	-	-	1%	*	
Knowing what needed to be sorted/what is available/some sort of check list	4	-	4	-	3	-	*	-	-	-	3	-	-	-	-	-	*	-	-	-	-	-	*	-	3	2	
	1%	-	1%	-	2%	-	*	-	-	-	4%z	-	-	-	-	-	2%	-	-	-	-	-	*	-	1%	*	
Information on options/what is available	2	1	2	-	-	1	*	2	-	-	*	-	-	-	*	-	-	-	1	-	-	1	-	-	2	5	
	*	*	*	-	-	*	*	2%z	-	-	*	-	-	-	*	-	-	-	2%	-	-	1%	-	-	*	1%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?

Base: All respondents

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)		West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Enjoy what time was left/wouldn't want to waste time planning/what will be will be	6 1% ^C	2 1%	4 1%	1 4%	-	1 *	2 2%	-	1 2%	-	1 1%	1 2%	1 4%	1 6%	-	1 1%	1 3%	-	-	-	-	-	-	5 3% ^z	-	2 *	7 1%
Euthanasia/assisted suicide to be legal	5 1% ^b	4 1%	* *	-	-	2 1%	2 2%	-	-	-	3 5% ^z	-	1 6%	-	-	-	-	-	* 1%	-	-	-	-	1 1%	-	3 1%	4 1%
Religious/spiritual needs	5 1%	3 1%	2 1%	-	-	3 1%	1 1%	-	-	-	2 2%	-	-	1 1%	-	2 4%	-	-	-	-	1 2%	-	-	1 1%	-	4 1%	6 1%
Concerns for my family/ how to help my family/ loved ones cope	5 1%	2 1%	3 1%	-	2 1%	1 *	-	-	2 3% ^{ze}	-	-	1 1%	-	1 4%	-	1 1%	-	-	-	-	-	-	2 3%	2 1%	-	3 1%	5 1%
Definitive time/knowing how long I have left	2 *	1 *	1 *	-	-	-	* 2% ^{ze}	1 *	-	-	-	-	-	-	-	-	-	-	* 1%	-	1 1%	-	-	-	-	2 *	3 *
Already planned/have plans in place	1 *	-	1 *	-	-	-	-	* 1%	1 1%	-	1 1%	-	-	-	1 1%	-	-	-	-	-	-	-	-	-	-	1 *	2 *
Funeral/burial issues	1 *	-	1 *	-	-	-	1 1%	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	-	-	-	-	1 *	1 *
Other	18 3%	8 2%	10 3%	-	10 6%	6 3%	-	1 2%	1 1%	2 5%	2 3%	10 15% ^z	-	1 1%	-	-	-	-	3 7%	-	* *	-	3 2%	-	15 3%	13 2%	
Don't know/not thought about it	5 1%	2 1%	3 1%	-	2 1%	1 *	-	1 1%	2 2%	1 2%	-	* 1%	-	-	-	* 4%	2 2%	-	-	-	-	-	2 3%	* 5%	-	5 1%	6 1%
No/nothing	46 7% ^b	31 10% ^b	15 4%	-	15 9%	12 5%	6 6%	4 6%	7 11%	3 6%	2 2%	3 4%	1 4%	4 9%	12 13%	3 7%	* 2%	2 4%	1 2%	9 13%	1 4%	5 7%	7 5%	1 6%	37 7%	42 6%	
No answer/blank response	532 77%	249 76%	263 76%	26 84%	111 68%	177 75%	84 81%	60 84% ^z	54 80%	39 78%	52 71%	45 70%	18 70%	17 76%	32 73%	73 78%	33 82%	17 85%	32 78%	40 85%	55 75%	32 93%	48 74%	107 78%	13 70%	383 76%	547 79%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	693	218*	490	181	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	448	219	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Advice	44	23	31	13	26	-	5	2	6	35	2	34	5	44	-	30	14	10	5	8	15	8	9	7	
	6%	11%	6%	7%	6%	-	10%	8%	5%	7%	3%	7%	4%	7%	-	8%	5%	9%	9%	5%	6%	5%	4%	3%	
Advice on financial matters	17	11	9	7	12	-	2	-	3	13	1	15	2	17	-	10	6	6	1	4	6	4	5	4	
	2%	5%	2%	4%	3%	-	3%	-	3%	3%	1%	3%	2%	2%	-	3%	2%	5%	1%	2%	2%	2%	2%	2%	
Advice/help/support for family members/bereavement counselling	13	6	10	4	7	-	2	1	2	9	1	10	2	13	-	12	1	2	2	3	6	4	4	3	
	2%	3%	2%	2%	2%	-	4%	2%	1%	2%	1%	2%	2%	2%	-	3%	1%	2%	4%	1%	2%	2%	2%	1%	
Help/advice on what would happen to my children/guardians for my children	8	8	4	4	5	-	1	2	-	7	1	5	1	8	-	4	4	-	-	1	1	-	-	-	
	1%	3%z	1%	2%	1%	-	2%	6%	-	1%	1%	1%	1%	1%	-	1%	1%	-	-	1%	*	-	-	-	
My will/advice on making a will	5	-	5	-	1	-	-	-	1	5	-	4	-	5	-	1	4	1	-	1	2	1	1	-	
	1% ^d	-	1%	-	*	-	-	-	1%	1%	-	1%	-	1%	-	1%	1%	1%	-	1%	1%	*	*	-	
A qualified advisor/personal contact/named individual to help	4	1	4	1	4	-	1	-	-	4	-	3	-	4	-	4	1	2	2	1	1	-	*	1	
	1%	*	1%	*	1%	-	1%	-	-	1%	-	1%	-	1%	-	1%	*	1%	3%z	*	1%	-	*	*	
Friends/family	16	2	14	1	11	-	4	-	-	15	-	7	-	13	2	8	7	7	1	5	3	2	7	7	
	2% ^m	1%	3%	1%	2%	-	7%	-	-	3%	-	2%	-	2%	22%	2%	3%	6%z	2%	3%	1%	1%	3%	4% ^t	
Information	11	4	8	3	9	-	-	2	-	6	3	7	3	11	-	5	5	2	*	1	*	*	4	4	
	2%	2%	2%	2%	2%	-	-	6%	-	1%	4%	1%	3%	2%	-	1%	2%	2%	1%	1%	1%	*	1%	2%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?

Base: All respondents

	Total (z)	Children under 17 in household		Religion						Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Internet access/information/guidance	5 1%	-	2 1%	3 1%	3 1%	-	-	2 6%	-	2 *	3 4%zi	2 *	3 3%	5 1%	-	3 1%	2 1%	-	-	-	-	-
Knowing what needed to be sorted/what is available/some sort of check list	4 1%	3 1%	-	4 1%	4 1%	-	-	-	3 1%	*	3 1%	*	4 1%	-	-	4 1%	-	-	-	-	-	-	3 1%	3 2%
Information on options/what is available	2 *	1 *	1 1%	1 *	2 *	-	-	-	1 *	-	2 *	-	2 *	-	2 1%	-	2 2%	*	1 1%	*	*	*	*	*
Enjoy what time was left/wouldn't want to waste time planning/what will be will be	6 1%	*	1 1%	5 1%	5 1%	-	-	-	1 1%	5 1%	1 2%	3 1%	3 3%	6 1%	-	4 1%	2 1%	-	2 3%	3 2%	3 1%	1 1%	1 1%	* *
Euthanasia/assisted suicide to be legal	5 1%cd	-	1 1%	4 1%	1 *	-	-	4 14%	-	5 1%	-	5 1%	-	5 1%	-	4 1%	1 1%	*	-	3 2%	4 1%	5 3%z	5 2%	3 1%
Religious/spiritual needs	5 1%	2 1%	* *	3 1%	3 1%	-	*	-	3 1%	2 3%	3 1%	2 2%	5 1%	-	5 1%	*	*	-	1 1%	3 1%	1 1%	1 1%	1 1%	2 1%
Concerns for my family/how to help my family/loved ones cope	5 1%c	2 1%	4 2%zc	* *	3 1%	-	-	-	2 1%	5 1%	-	3 1%	-	5 1%	-	5 1%	-	1 1%	2 3%	2 1%	3 1%	1 1%	1 1%	2 1%
Definitive time/knowing how long I have left	2 *	-	* *	1 *	2 *	-	-	-	2 *	-	1 *	-	2 *	-	2 *	-	2 *	-	-	1 *	1 *	1 *	1 *	1 *
Already planned/have plans in place	1 *	-	* *	* *	1 *	-	-	-	1 *	-	1 *	-	1 *	-	1 *	-	1 *	-	*	1 1%	1 1%	1 1%	1 *	1 *
Funeral/burial issues	1 *	-	1 *	-	1 *	-	-	-	-	1 1%	-	1 *	-	1 *	-	1 *	-	-	1 1%	1 *	-	1 *	1 *	1 *

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/a/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?

Base: All respondents

	Total (z)	Children under 17 in household		Religion						Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		3% ^d	7% ^z	1%	-	5%	1%	9% ^{zd}	3%	-	3%	-	3%	4%	2%	4%	4%	4%	4%	4%	4%	7%	10%	7%
Other	18	16	15	5	-	3	*	10	15	-	17	-	18	*	8	10	5	2	7	10	7	13	4	
Don't know/not thought about it	5	3	5	4	-	-	-	2	3	2	3	2	5	-	4	*	4	-	*	2	*	2	1	
No/nothing	46	10	39	33	-	1	-	9	28	6	27	14	45	*	24	21	10	2	11	18	11	12	11	
No answer/blank response	532	159	367	344	13	39	19	89	385	61	369	74	515	7	292	224	79	42	134	200	139	197	157	
	77% ^q	73%	75%	77%	100%	74%	70%	76%	76%	79%	77%	72%	77%	69%	75%	79%	66%	76%	76%	77%	78%	78%	79%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?

Base: All respondents

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
		Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Write n wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247	
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244	
Advice	44	4	5	1	8	19	17	14	38	2	41	1	23	15	31	21	1	6	1	43	1	12	5	13	6	6	3	27	17	
	6%	7%	3%	1%	6%	6%b	7%	7%	7%	9%	9%z	4%	7%	13%z	8%	5%	3%	8%	8%	7%	2%	6%	6%	13%	6%	9%	9%	5%	6%	7%
Advice on financial matters	17	3	3	-	3	7	6	3	14	2	17	-	12	5	14	6	-	1	-	17	-	3	3	6	-	2	2	7	9	
	2%	6%	2%	-	2%	2%	3%	2%	3%	9%	4%	-	4%	4%	4%	2%	-	2%	-	3%	-	2%	4%	3%	-	3%	4%	2%	4%	
Advice/help/support for family members/ bereavement counselling	13	-	1	1	4	6	7	4	11	-	11	-	7	5	10	9	1	*	1	13	1	3	-	5	3	2	-	8	5	
	2%	-	1%	1%	4%	2%	3%	2%	2%	-	2%	-	2%	4%	3%	2%	3%	*	8%	2%	1%	2%	-	2%	4%	4%	-	2%	2%	
Help/advice on what would happen to my children/guardians for my children	8	-	-	-	1	3	1	2	6	-	7	*	-	3	3	*	-	2	-	7	1	4	2	*	-	1	-	5	3	
	1%o	-	-	-	*	1%	*	1%	1%	-	2%	1%	-	3%l	1%	*	-	2%o	-	1%	1%	2%	3%	*	-	1%	-	1%	1%	
My will/advice on making a will	5	-	-	-	-	1	1	4	5	-	5	-	1	-	1	5	-	-	-	5	-	4	-	1	-	-	-	5	-	
	1%	-	-	-	-	*	*	2%	1%	-	1%	-	*	-	*	1%	-	-	-	1%	-	2%	-	*	-	-	-	1%	-	
A qualified advisor/ personal contact/named individual to help	4	1	1	-	-	4	3	1	4	-	4	1	4	3	4	1	-	3	-	4	-	-	-	1	3	-	1	3	1	
	1%	1%	*	-	-	1%	1%	*	1%	-	1%	2%	1%	2%	1%	*	-	3%zo	-	1%	-	-	-	*	5%zAC	-	1%	1%	*	
Friends/family	16	1	3	-	1	6	7	2	9	4	10	4	10	4	10	10	-	1	-	13	1	6	-	8	1	-	*	8	7	
	2%	2%	2%	-	1%	2%	3%	1%	2%	20%	2%	12%	3%	4%	3%	3%	-	1%	-	2%	3%	3%	-	4%	1%	-	1%	2%	3%	
Information	11	-	2	4	*	8	6	-	9	*	7	1	1	1	2	6	*	1	-	11	-	2	-	1	3	1	4	7	3	
	2%	-	1%	7%	*	3%z	2%	-	2%	2%	2%	2%	*	1%	*	2%	2%	1%	-	2%	-	1%	-	*	5%C	1%	6%	2%	1%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?

Base: All respondents

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Internet access/ information/guidance	5 1%	-	-	-	-	2 1%	5 2%	-	5 1%	-	3 1%	-	-	-	2 1%	-	-	-	5 1%	-	2 1%	-	-	3 5% zC	-	-	5 1%
Knowing what needed to be sorted/what is available/some sort of check list	4 1%	-	-	3 5%	-	4 1% z	* -	-	3 1%	* 2%	3 1%	* 1%	* *	* *	3 1%	-	* -	-	4 1%	-	-	-	-	-	-	4 6%	* *	3 1%	
Information on options/what is available	2 *	-	2 1%	1 2%	* *	2 1%	1 *	-	2 *	-	1 *	* 1%	* 1%	1 *	1 2%	* *	-	-	2 *	-	* *	-	1 *	-	1 1%	1 1%	2 1%	-	
Enjoy what time was left/wouldn't want to waste time planning/what will be will be	6 1% s	2 3%	1 1%	* 1%	1 1%	2 1%	3 1%	1 *	5 1%	-	5 1%	1 5%	1 *	* *	1 1%	-	* *	-	3 1%	3 6% z _s	3 2%	-	-	-	2 3% C	1 2%	2 1%	4 2%	
Euthanasia/assisted suicide to be legal	5 1%	* 1%	4 2%	1 1%	3 2%	4 1%	-	1 1%	4 1%	-	4 1%	-	* *	-	2 1%	-	-	-	4 1%	-	-	-	-	-	4 6% zAC	* 1%	2 1%	2 1%	
Religious/spiritual needs	5 1%	-	-	-	-	2 1%	2 1%	2 1%	3 1%	2 13%	1 *	4 12%	3 1%	-	3 1%	-	2 2%	-	5 1%	-	* *	1 1%	1 1%	2 3%	-	1 2%	4 *	2% 2%	
Concerns for my family/ how to help my family/ loved ones cope	5 1%	1 2%	2 1%	1 1%	1 1%	2 1%	-	2 1%	5 1%	-	5 1%	-	1 *	-	4 1%	-	* 1%	-	4 1%	1 1%	-	-	1 *	1 1%	1 2%	2 3%	4 1%	1 *	
Definitive time/knowing how long I have left	2 *	-	* *	-	-	1 *	1 1%	-	1 *	-	1 *	-	1 *	-	1 *	-	1 *	-	2 *	-	1 *	-	-	-	-	-	1 *	* *	
Already planned/have plans in place	1 *	1 2%	1 1%	-	* *	1 *	-	-	1 *	-	1 *	-	1 *	-	1 *	-	1 1%	-	1 *	-	-	-	1 *	-	-	-	1 *	-	
Funeral/burial issues	1 *	-	-	-	1 1%	-	1 *	-	1 *	-	1 *	-	-	-	1 *	-	-	-	1 *	-	-	-	-	-	1 1%	-	-	1 *	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q19 Who would you like to give you information about planning for your end of life care?
Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Friend/family	371	191	175	16	89	124	65	34	40	15	38	35	9	18	25	53	27	5	24	28	41	21	32	79	10	276	367
Doctor/GP	322	164	154	22	86	103	48	33	25	28	24	27	11	5	20	54	13	8	21	23	41	21	27	61	10	245	307
Solicitor	138	71	67	3	45	51	21	10	8	12	11	20	12	-	8	23	7	3	5	7	10	4	18	38	4	96	119
Nurse	120	39	81	8	43	40	17	7	6	11	8	17	4	2	3	16	4	3	6	10	20	7	9	21	4	92	122
The internet	74	46	27	5	27	26	11	*	2	4	14	4	1	-	5	8	9	2	4	1	8	-	15	8	-	65	49
Religious or spiritual adviser, such as vicar, priest, imam or rabbi	70	34	33	7	12	29	8	4	7	*	6	7	3	2	6	5	4	5	3	9	7	8	6	16	1	51	70
Funeral Director	62	25	34	3	17	21	8	6	7	13	1	3	4	2	4	6	4	3	9	6	5	2	*	14	3	44	55
Independent financial advisor/ Bank manager	20	9	10	-	4	8	2	4	2	1	3	1	1	-	4	1	1	*	2	-	3	-	1	2	1	15	21
Other (Please specify)	26	8	17	-	2	11	7	2	2	1	3	1	2	3	2	2	2	1	1	3	3	-	2	5	1	19	33
Not stated	40	11	15	2	-	6	2	7	8	2	6	1	2	1	4	6	1	1	5	5	4	1	1	7	1	13	51
Healthcare professional	370	171	195	23	100	124	54	33	28	32	27	37	14	7	21	57	16	10	23	25	49	21	31	69	11	284	361

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q19 Who would you like to give you information about planning for your end of life care?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	693	218*	490	181	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	448	219	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Friend/family	371	108	279	89	233	8	35	8	75	273	39	262	59	364	7	206	162	61	22	99	142	98	145	119	
Doctor/GP	322	95	245	75	209	6	27	9	62	235	38	229	46	320	3	169	152	69	21	85	131	95	133	96	
Solicitor	138	48	99	38	92	2	6	8	26	108	10	108	14	138	-	79	58	23	13	38	55	45	62	49	
Nurse	120	53	100	18	74	4	17	6	17	89	17	74	24	120	-	70	48	31	10	29	44	30	43	36	
The internet	74	25	54	20	41	-	3	20	8	61	8	55	7	74	-	42	31	20	4	24	42	18	26	17	
Religious or spiritual adviser, such as vicar, priest, imam or rabbi	70	33	54	15	54	-	12	-	2	55	6	50	9	68	2	41	28	10	6	26	45	23	27	29	
Funeral Director	62	20	41	21	44	-	3	6	5	50	6	43	8	62	1	42	20	20	7	18	25	22	32	19	
Independent financial advisor/Bank manager	20	8	13	6	13	-	-	*	4	16	1	12	2	20	-	12	7	5	3	4	7	3	4	3	
Other (Please specify)	26	6	13	11	15	-	1	*	3	20	4	23	2	26	-	19	7	3	5	7	6	4	7	7	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q19 Who would you like to give you information about planning for your end of life care?

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Not stated	40 6%ackm ptw	3 2%	12 7% ^c	13 3%	21 5%	-	1 2%	-	4 3%	23 5%	6 8%	18 4%	7 7%	30 4%	-	23 6%	6 2%	3 3%	7 12% ^d	6 3%	7 3%	6 3%	8 3%	5 2%
Healthcare professional	370 53% ^b	119 55%	79 44%	287 58% ^{zb}	241 54%	6 42%	32 62%	11 40%	69 59%	267 53%	44 56%	257 54%	58 57%	368 55% ^z	3 27%	199 51%	169 60%	80 67% ^{zt}	25 44%	95 54%	148 57%	105 59%	146 57%	106 54%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/a/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q19 Who would you like to give you information about planning for your end of life care?
Base: All respondents

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247	
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244	
Friend/family	371	34	105	44	55	159	118	105	286	8	247	16	140	49	159	233	11	34	5	328	36	105	40	122	35	27	38	242	127	
	E	54% _{mn}	59%	57%	65%	44%	54%	51%	56%	55%	41%	53%	43%	40%	43%	62% _{zq}	47%	44%	46%	54%	63%	55%	56%	57%	55%	41%	58%	57%	51%	
Doctor/GP	322	26	81	37	63	145	121	80	271	10	244	18	322	72	322	152	12	45	7	300	16	106	39	97	30	21	28	203	117	
	47%	otE	46%	44%	54%	49%	52%	42%	52% _z	53%	52% _z	53%	100% _{zmn}	60% _z	87% _{zm}	40%	53%	59% _{zo}	69%	50% _{zt}	28%	56% _{zE}	56% _E	45%	47%	32%	43%	48%	47%	
Solicitor	138	17	45	24	28	59	65	33	121	3	116	2	54	13	64	76	5	14	2	129	8	24	14	45	15	18	23	98	40	
	20%	mA	30%	24%	35%	22%	20%	28% _{ze}	17%	23% _z	15%	25% _z	7%	17%	11%	17%	20%	22%	18%	17%	21%	15%	12%	20%	21%	24%	27% _A	35%	23%	16%
Nurse	120	6	20	12	19	40	40	40	96	9	89	6	72	120	120	57	2	25	2	115	4	45	16	28	11	16	4	60	60	
	17%	bet	10%	11%	17%	15%	13%	17%	21% _b	9%	49%	19%	19%	22% _z	100% _{zln}	32% _{zl}	15%	9%	33% _{zo}	18%	19% _t	7%	23% _z	23%	13%	17%	23%	2%	24% _{zG}	
The internet	74	2	25	-	22	33	32	21	72	-	52	3	35	20	41	35	1	6	3	72	1	16	11	18	9	11	7	44	30	
	11%	t	4%	13%	-	18%	11%	14%	11%	14% _z	-	11%	10%	11%	17%	11%	9%	3%	7%	31%	12% _t	2%	8%	16%	9%	15%	17%	11%	10%	12%
Religious or spiritual adviser, such as vicar, priest, imam or rabbi	70	5	12	13	14	32	18	23	55	1	50	5	38	11	38	43	2	8	3	62	7	23	2	26	8	5	6	42	28	
	10%		8%	6%	20%	11%	11%	8%	12%	11%	4%	11%	17%	12%	9%	10%	11%	11%	29%	10%	12%	12%	3%	12%	12%	8%	9%	10%	11%	
Funeral Director	62	6	22	6	13	27	23	17	55	1	45	2	32	6	34	42	4	2	2	57	6	17	10	18	5	5	6	35	26	
	9%		11%	12%	9%	10%	9%	9%	10%	3%	10%	5%	10%	5%	9%	11%	18%	3%	17%	9%	10%	9%	14%	9%	8%	8%	9%	8%	11%	
Independent financial advisor/ Bank manager	20	2	5	4	4	16	11	3	15	-	16	-	12	4	12	8	-	3	1	18	2	7	*	7	2	2	1	13	7	
	3%		3%	3%	6%	3%	5% _Z	5%	2%	3%	-	4%	-	4%	3%	2%	-	4%	8%	3%	3%	4%	*	3%	3%	3%	2%	3%	3%	
Other (Please specify)	26	2	7	2	5	14	8	7	19	1	19	3	6	4	8	10	1	5	-	25	1	9	4	5	2	2	3	12	14	
	4%		4%	4%	3%	4%	5%	3%	4%	4%	4%	10%	2%	3%	2%	3%	3%	7%	-	4%	2%	5%	5%	2%	3%	3%	4%	3%	6%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q19 Who would you like to give you information about planning for your end of life care?
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Not stated	40 6% fhj nsG	2 4%	9 5%	2 3%	3 3%	15 5% ^f	4 2%	5 3%	12 2%	1 3%	8 2%	2 6%	- -	- -	- -	16 4%	* 2%	- -	- -	19 3%	4 7%	9 5%	2 3%	7 3%	1 1%	3 4%	3 5%	14 3%	11 5%
Healthcare professional	370 53% ^{ot}	29 50%	89 48%	38 56%	70 56%	162 55%	141 61% ^b	97 51%	308 59% ^z	13 65%	286 61% ^z	18 53%	322 100% ^z	120 100% ^z	370 100% ^z	172 45%	13 55%	54 71% ^{zo}	8 79%	345 57% ^{zt}	18 32%	116 61%	45 64%	112 53%	35 54%	30 46%	30 46%	231 54%	136 55%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q20 Thinking about yourself, where do you think would be the best place to die?
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
At home	379	190	182	15	93	134	49	38	46	31	43	36	14	13	28	55	19	12	17	25	42	8	35	70	12	281	371
	55%	58%	53%	50%	57%	57%	48%	53%	69%	62%	58%	56%	55%	59%	62%	59%	49%	61%	42%	54%	58%	24%	54%	51%	63%	56%	54%
In a hospice	76	38	38	-	4	34	18	12	7	5	4	9	-	3	6	7	7	2	7	4	7	8	7	20	*	56	98
	11%	12%	11%	-	2%	15%zd	18%zd	17%zd	10%	11%	6%	13%	-	15%	14%	7%	17%	12%	17%	8%	10%	23%	10%	14%	2%	11%	14%
In a hospital	23	13	10	2	-	3	8	8	2	3	3	1	2	-	-	2	*	3	2	4	2	2	-	5	-	18	30
	3%	4%	3%	8%	-	1%	7%zde	12%zdeh	2%	6%	4%	1%	7%	-	-	2%	1%	15%	4%	9%	3%	7%	-	4%	-	4%	4%
In a care home (either residential or nursing)	11	8	2	-	-	7	*	1	2	-	1	-	2	-	-	*	2	-	-	2	2	1	-	3	-	8	12
	2%	3%	1%	-	-	3%z	*	1%	3%	-	1%	-	8%	-	-	*	5%	-	-	4%	3%	3%	-	2%	-	2%	2%
Somewhere else (please specify)	26	14	10	2	2	13	4	2	2	1	1	2	3	1	4	1	-	*	6	4	*	1	1	4	-	21	24
	4%	4%	3%	5%	1%	5%	4%	3%	2%	1%	2%	4%	10%	6%	10%	1%	-	3%	14%	8%	*	4%	1%	3%	-	4%	3%
Don't mind	41	27	14	4	17	10	6	2	2	-	7	6	2	-	1	7	1	-	4	1	1	3	6	5	3	33	27
	6%	8%	4%	12%	10%	4%	6%	3%	3%	-	10%	10%	8%	-	2%	8%	3%	-	11%	2%	1%	10%	9%	3%	14%	7%	4%
It depends	116	34	81	8	44	34	18	7	5	8	11	10	2	4	6	19	9	1	4	6	15	10	13	29	4	83	109
	17%	10%	24%za	25%	27%gh	14%	17%h	10%	7%	16%	15%	15%	6%	17%	12%	21%	23%	4%	9%	12%	20%	29%	21%	21%	21%	17%	16%
Not stated	21	1	7	-	3	-	1	1	2	2	4	1	2	1	-	2	1	1	1	2	3	-	3	2	-	2	22
	3%	abeC*	2%	-	2%	-	1%	2%e	3%e	4%	5%	1%	7%	3%	-	2%	3%	5%	3%	3%	4%	-	4%	1%	-	*	3%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q20 Thinking about yourself, where do you think would be the best place to die?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (d)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	693	218*	490	181	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	448	219	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
At home	379	119	280	96	248	9	29	16	64	280	46	254	59	371	8	210	166	61	35	99	158	113	150	135	
In a hospice	76	30	50	24	47	-	8	2	14	66	3	57	6	76	-	48	28	16	8	16	31	13	26	19	
In a hospital	23	5	17	6	15	2	2	1	3	15	5	15	6	23	1	13	9	6	*	6	6	5	8	6	
In a care home (either residential or nursing)	11	4	8	2	8	-	-	-	2	7	4	6	3	11	-	4	5	4	-	1	-	1	2	1	
Somewhere else (please specify)	26	10	18	7	16	-	*	2	6	23	1	19	2	25	*	14	10	3	3	5	9	5	8	5	
Don't mind	41	7	31	9	24	-	5	2	9	24	7	28	8	40	-	23	17	3	2	10	12	5	8	4	
It depends	116	40	81	34	82	-	9	4	19	82	9	91	17	116	1	70	44	25	4	38	44	35	48	24	
Not stated	21	3	5	2	9	3	-	-	-	9	2	6	2	10	-	8	3	2	4	1	1	1	4	4	
		1%	1%	1%	1%	22%	-	-	-	2%	3%	1%	2%	2%	-	2%	1%	1%	7%	1%	*	1%	2%	2%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q20 Thinking about yourself, where do you think would be the best place to die?

Base: All respondents

	Total (z)	Made plans						Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
At home	379	36	116	47	63	154	121	113	286	13	245	23	152	57	172	379	-	-	-	337	33	109	43	127	22	32	43	239	137
	55%lnq	63%	63%ze	69%	51%	52%	52%	60%	55%	65%	53%	70%	47%	48%	46%	100%zq	-	-	-	56%	58%	57%D	60%D	59%D	34%	49%	67%	56%	55%
In a hospice	76	5	20	5	21	44	28	7	63	*	63	4	45	25	54	-	-	76	-	69	5	23	7	19	13	9	6	44	33
	11%go	9%	11%	8%	16%g	15%zg	12%g	4%	12%	2%	13%	11%	14%	21%z	15%z	-	-	100%zo	-	11%	10%	12%	10%	9%	20%	14%	9%	10%	13%
In a hospital	23	1	7	1	3	10	2	8	18	-	13	*	12	2	13	-	23	-	-	14	9	13	5	1	4	2	-	17	6
	3%osC	2%	4%	2%	3%	1%	4%	3%	3%	-	3%	1%	4%	2%	3%	-	100%	-	-	2%	16%zs	7%zC	7%C	*	6%C	3%	-	4%	3%
In a care home (either residential or nursing)	11	*	4	*	2	9	3	2	7	-	7	1	7	2	8	-	-	-	11	11	-	6	-	*	2	3	-	6	5
	2%	1%	2%	1%	3%z	1%	1%	1%	1%	-	2%	3%	2%	2%	2%	-	-	-	100%	2%	-	3%	-	*	3%	5%C	-	1%	2%
Somewhere else (please specify)	26	3	5	2	5	10	8	6	19	1	18	1	12	3	14	-	-	-	-	20	2	8	4	5	1	2	4	11	13
	4%o	5%	3%	3%	4%	4%	3%	4%	4%	2%	4%	4%	4%	3%	4%	-	-	-	-	3%	4%	4%	5%	3%	2%	3%	6%	3%	5%
Don't mind	41	-	6	1	3	8	13	16	28	2	20	2	18	3	20	-	-	-	-	38	2	11	3	9	6	10	1	29	11
	6%eo	-	3%	1%	3%	3%	5%	9%e	5%	12%	4%	7%	6%	2%	5%	-	-	-	-	6%	3%	6%	4%	4%	9%	15%zAC	2%	7%	5%
It depends	116	12	26	11	28	58	56	30	103	1	100	1	72	25	86	-	-	-	-	112	3	19	9	51	17	7	11	79	38
	17%oqt	20%	14%	17%	22%	20%	24%zb	16%	20%z	3%	21%z	4%	22%z	21%	23%z	-	-	-	-	18%t	5%	10%	13%	24%zA	26%A	11%	17%	18%	15%
Not stated	21	-	1	-	2	1	4	2	3	1	-	-	3	3	3	-	-	-	-	5	2	3	*	1	1	1	-	3	4
	3%bafh jinosG	-	*	-	-	1%	*	2%	*	15%	*	-	1%	2%	1%	-	-	-	-	1%	4%	2%	1%	*	1%	1%	-	1%	2%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q21 Would you still prefer to die in your own home even if medical or social care was not immediately available if you needed it?

Base: All who would prefer to die at home

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Wavene (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suf-folk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	379	190*	182	15**	93**	134	49*	38*	46*	31**	43*	36**	14**	13**	28**	55*	19**	12**	17**	25**	42**	8**	35**	70*	12**	281	371
Unw. Sample	371	132	234	8	29	133	72	63	62	25	50	37	13	4	29	60	24	11	14	20	38	9	37	82	14	257	371
Yes	259	141	116	10	71	88	31	25	32	20	26	30	10	10	16	41	11	8	9	13	32	4	29	50	8	189	240
		68% ^b	74%	64%	66%	76%	66%	62%	67%	64%	61%	83%	72%	76%	59%	74%	54%	69%	51%	51%	76%	51%	83%	71%	67%	67%	65%
No	111	47	60	5	20	43	18	12	12	10	15	5	4	3	11	14	9	4	7	12	7	3	6	20	3	87	121
	29%	25%	33%	34%	22%	32%	37%	32%	26%	34%	34%	15%	28%	24%	41%	25%	46%	31%	42%	49%	17%	37%	17%	28%	22%	31%	33%
Not stated	9	2	6	-	2	3	*	*	3	*	2	1	-	-	*	-	-	1	-	3	1	-	-	*	1	6	10
	2%	1%	3%	-	2%	2%	1%	1%	6%	1%	5%	2%	-	-	1%	-	-	7%	-	7%	12%	-	-	*	10%	2%	3%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q21 Would you still prefer to die in your own home even if medical or social care was not immediately available if you needed it?

Base: All who would prefer to die at home

	Childr en under 17 in househ old	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes	No	Christ ian	Muslim	Other belief	Atheis t	No religi on	Com	Not comf	Comf	Not comf	Yes	No	Yes	No	Agree	Disagr ee	Medica l/ nursin g Care	Any spiri tual/ religi ous prefer ences	Privac y and peace	Dying with dignit y	Where prefer to die	
		(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	
Weighted Base	379	119*	280	248	9**	29**	16**	64**	280	46**	254	59**	371	8**	210	166*	61*	35**	99*	158*	113*	150*	135*	
Unw. Sample	371	84	245	279	2	20	9	49	277	45	257	56	366	4	218	147	64	38	112	151	116	151	139	
Yes	259	72	190	162	9	15	14	52	189	36	171	44	251	8	154	102	49	22	72	105	78	99	93	
		68% _d	61%	70%	68%	65%	100%	53%	85%	82%	67%	78%	67%	74%	68%	100%	73% _z	61%	80%	66%	69%	66%	69%	
No	111	45	85	80	-	12	2	10	86	10	77	15	110	-	49	62	11	12	26	50	35	50	41	
		29% _o	38%	28%	30%	32% _z	-	41%	15%	16%	31%	22%	30%	25%	30%	-	23%	37% _o	18%	34%	26%	32%	31%	33%
Not stated	9	2	6	6	-	2	-	1	6	-	6	1	9	-	7	2	1	2	1	3	1	1	1	
		2%	2%	3%	-	6%	-	1%	2%	-	2%	1%	2%	-	3%	1%	2%	5%	1%	2%	1%	1%	1%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q21 Would you still prefer to die in your own home even if medical or social care was not immediately available if you needed it?

Base: All who would prefer to die at home

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	379	36*	116*	47**	63*	154	121*	113*	286	13**	245	23**	152*	57**	172*	379	-**	-**	-**	337	33**	109*	43**	127*	22**	32*	43**	239	137*	
Unw. Sample	371	47	132	46	68	197	113	90	265	12	220	26	142	49	164	371	-	-	-	320	41	103	39	126	26	40	33	247	119	
Yes	259	28	90	26	41	97	89	75	192	10	157	18	98	36	108	259	-	-	-	232	22	57	33	95	14	21	35	163	94	
		68%eA	79%e	78%ze	55%	64%	63%	73%e	66%	67%	80%	64%	77%	64%	63%	63%	68%	-	-	-	69%	67%	52%	78%	75%A	66%	66%	81%	68%	69%
No	111	7	24	21	19	54	30	36	88	2	83	4	51	21	61	111	-	-	-	99	11	49	9	27	7	11	8	73	38	
		29%b	19%	20%	45%	35%zab	25%	32%	31%	20%	34%	19%	34%	37%	35%	29%	-	-	-	29%	33%	45%zC	22%	21%	30%	34%	19%	30%	28%	
Not stated	9	*	2	-	4	4	3	2	6	-	5	1	3	-	3	9	-	-	-	6	-	3	-	5	1	-	-	4	5	
	2%	1%	2%	-	6%	2%	2%	2%	2%	-	2%	4%	2%	-	2%	2%	-	-	-	2%	-	3%	-	4%	4%	-	-	2%	4%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q22 Would you still prefer to die in your own home even if you did not have any support from family or friends?

Base: All who would prefer to die at home

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb's (j)	East/North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	379	190*	182	15**	93**	134	49*	38*	46*	31**	43*	36**	14**	13**	28**	55*	19**	12**	17**	25**	42**	8**	35**	70*	12**	281	371
Unw. Sample	371	132	234	8	29	133	72	63	62	25	50	37	13	4	29	60	24	11	14	20	38	9	37	82	14	257	371
Yes	120	70	50	-	22	43	17	18	19	7	15	6	7	9	10	19	5	8	4	11	14	3	4	33	6	74	125
		32%bC	37%	27%	-	24%	32%	34%	47%z	22%	35%	17%	51%	70%	35%	34%	24%	66%	21%	43%	32%	41%	11%	47%zC	49%	26%	34%
No	242	118	120	13	68	86	32	19	23	24	26	28	7	3	16	34	14	4	12	14	25	4	31	36	5	198	225
		64%ghA	62%	66%	88%	73%	64%	65%	49%	78%	61%	77%	49%	24%	58%	61%	74%	34%	72%	57%	59%	47%	88%	51%	41%	70%zA	61%
Not stated	16	2	13	2	3	4	1	1	4	-	2	2	-	1	2	3	*	-	1	-	4	1	*	1	1	9	21
	4%	1%	7%za	12%	3%	3%	1%	4%	9%	-	4%	6%	-	6%	7%	5%	2%	-	7%	-	9%	12%	1%	1%	10%	3%	6%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q22 Would you still prefer to die in your own home even if you did not have any support from family or friends?

Base: All who would prefer to die at home

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
				Christian	Muslim	Other belief	Atheist	No religion	Comf	Not comf	Comf	Not comf	Yes	No	Yes	No	Agree	Disagree	Medical/nursing care	Any spiritual/religious preferences	Privacy and peace	Dying with dignity	Where prefer to die	
				(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	
Total (z)	Yes (a)	Yes (b)	No (c)																					
Weighted Base	379	119*	96*	280	248	9**	29**	16**	64**	280	46**	254	59**	371	8**	210	166*	61*	35**	99*	158*	113*	150*	135*
Unw. Sample	371	84	121	245	279	2	20	9	49	277	45	257	56	366	4	218	147	64	38	112	151	116	151	139
Yes	120	24	48	72	82	9	7	4	17	88	21	80	20	113	8	78	41	25	13	41	38	42	49	52
		32%cm	21%	49%zc	26%	33%	100%	24%	27%	31%	44%	31%	34%	30%	100%	37%z	25%	41%	36%	41%tv	24%	37%t	33%t	39%t
No	242	89	44	198	153	-	20	12	44	179	25	162	37	242	-	121	120	33	22	53	114	67	95	78
		64%bos	75%	46%	71%zb	62%	-	70%	76%	64%	55%	64%	63%	65%z	-	58%	72%o	55%	61%	53%	72%suw	59%	64%sv	58%
Not stated	16	6	4	11	12	-	2	-	2	13	*	12	2	16	-	11	5	2	1	5	7	4	5	5
	4%	5%	5%	4%	5%	-	6%	-	4%	5%	1%	5%	3%	4%	-	5%	3%	4%	4%	5%	4%	4%	4%	4%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q22 Would you still prefer to die in your own home even if you did not have any support from family or friends?

Base: All who would prefer to die at home

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	379	36*	116*	47**	63*	154	121*	113*	286	13**	245	23**	152*	57**	172*	379	-**	-**	-**	337	33**	109*	43**	127*	22**	32*	43**	239	137*
Unw. Sample	371	47	132	46	68	197	113	90	265	12	220	26	142	49	164	371	-	-	-	320	41	103	39	126	26	40	33	247	119
Yes	120	18	41	15	18	51	26	44	73	6	56	10	37	8	38	120	-	-	-	105	13	27	10	40	12	13	18	74	44
	32%fhj	50%zde	35%	33%	28%	33%f	22%	39%	26%	51%	23%	44%	24%	15%	22%	32%	-	-	-	31%	39%	24%	23%	31%	57%	40%	41%	31%	32%
No	242	17	70	30	40	98	90	67	200	6	178	11	111	47	128	242	-	-	-	219	18	79	30	81	9	19	22	153	88
	64%a	48%	61%	65%	63%	63%a	74%zae	59%	70%z	44%	73%z	50%	73%	82%	74%z	64%	-	-	-	65%	55%	73%	72%	63%	43%	58%	51%	64%	64%
Not stated	16	1	5	1	6	6	5	2	13	1	10	2	4	2	6	16	-	-	-	12	2	3	2	7	-	*	3	11	5
	4%	2%	4%	2%	10%	4%	4%	2%	5%	4%	4%	7%	3%	3%	4%	4%	-	-	-	4%	5%	3%	5%	6%	-	1%	7%	5%	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q23 Thinking about yourself, when the time comes, which of these two options would be more important to you?

Base: All respondents

	Gender		Age						PCT - East of England												Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
To get the care and support I want	408	182	222	20	105	131	68	44	36	29	41	52	15	17	30	36	29	9	22	33	39	23	32	89	8	305	420
		59% ^o	56%	64% ^z	65%	64%	56%	66%	62%	59%	55%	80% ^z	58%	78%	67% ^o	39%	74%	49%	54%	70%	53%	68%	49%	64%	45%	61%	61%
To die in the place of my choice	259	142	113	14	55	102	34	23	29	18	27	12	9	5	13	54	9	10	19	15	27	11	29	45	10	193	239
		37% ^{bk}	43% ^b	33%	45%	34%	43% ^z	34%	33%	37%	37%	19%	35%	22%	30%	58% ^z	24%	50%	47%	31%	36%	32%	45% ^k	32%	55%	38%	34%
Not stated	34	3	13	-	5	4	1	4	2	2	6	1	2	-	2	3	1	1	3	2	9	-	4	7	-	9	39
		5% ^{aef}	1%	4%	-	3%	2%	1%	5% ^f	4%	8%	2%	7%	-	4%	3%	2%	5%	6%	3%	12% ^z	-	6%	5%	-	2%	6%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q23 Thinking about yourself, when the time comes, which of these two options would be more important to you?

Base: All respondents

	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
	Total (z)	Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
To get the care and support I want	408 59%	140 64%	107 59%	296 60%	272 61%	10 78%	33 62%	8 30%	69 59%	296 58%	44 57%	281 59%	70 68%	404 60%z	3 36%	223 57%	182 64%	69 58%	32 58%	104 59%	163 62%w	106 59%	152 60%w	102 51%
To die in the place of my choice	259 37%	74 34%	71 39%	186 38%	167 37%	3 22%	17 32%	19 70%	46 39%	200 40%	32 41%	187 39%	31 30%	253 38%	6 60%	158 40%	99 35%	49 41%	32 44%	69 39%	95 36%	71 40%	98 39%	96 48%zstuv
Not stated	34 5%cdik mpu	4 2%	6 3%	12 3%	15 3%	-	3 6%	-	1 1%	17 3%	2 3%	15 3%	2 2%	23 3%	* 4%	16 4%	5 2%	1 1%	2 4%	6 3%	8 3%	2 1%	8 3%u	4 2%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q23 Thinking about yourself, when the time comes, which of these two options would be more important to you?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
To get the care and support I want	408	29	104	41	79	190	138	113	332	4	302	13	216	81	251	183	20	61	11	361	41	127	38	124	46	42	29	261	145
59%o	52%	56%	60%	63%	64%zb	59%	60%	63%z	22%	65%z	39%	67%z	68%	68%z	48%	84%	80%zo	100%	60%	73%z	67%z	54%	58%	71%	63%	44%	61%	59%	
To die in the place of my choice	259	26	78	25	42	98	89	76	190	14	164	18	103	39	117	193	4	15	-	238	15	63	33	86	15	24	36	161	98
37%enq	47%	42%e	37%	33%	33%	38%	40%	36%	74%	35%	55%	32%	33%	31%	51%zq	16%	20%	-	39%	26%	33%	47%D	40%	24%	37%	55%	38%	40%	
Not stated	34	1	4	2	5	9	7	4	10	1	9	2	9	-	9	9	1	-	-	14	1	4	1	6	3	-	1	8	8
5%ehjn	2%	2%	3%	4%	3%	3%	2%	2%	4%	2%	6%	3%	-	2%	2%	3%	-	-	2%	2%	2%	2%	3%	5%	-	1%	2%	3%	
osG																													

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q24 If you were terminally ill, would you like to be told, or would you prefer not to know?

Base: All respondents

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Would want to be told	606 87%	305 93%zb	295 86%	25 82%	155 96%th	214 91%zh	89 87%	61 86%	56 83%	41 84%	66 90%	55 86%	23 86%	20 91%	37 82%	78 84%	35 88%	16 84%	37 89%	43 91%	66 90%	30 88%	60 92%	119 86%	16 86%	457 91%z	585 84%
Would prefer not to know	57 8%	20 6%	35 10%z	5 18%	5 3%	14 6%	11 11%	8 11% ^d	10 15% ^{zde}	4 8%	*	8 12% ^j	1 4%	2 9%	6 13% ^j	14 15% ^j	4 11%	2 5%	2 6%	3 5%	3 10%	3 6%	4 6%	18 13%	3 14%	33 6%	71 10%
Not stated	30 4% ^{aC}	1 *	15 4% ^a	-	2 2%	6 3%	2 2%	2 2%	1 2%	4 9%	7 10% ^z	2 3%	3 10%	-	2 5%	2 2%	*	1 5%	2 5%	2 3%	4 5%	1 3%	1 2%	2 1%	-	12 2%	37 5%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q24 If you were terminally ill, would you like to be told, or would you prefer not to know?

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Would want to be told	606	199 87% ^j	433 91%	395 89%	13 100%	47 90%	27 100%	102 87%	467 92% ^{zj}	54 69%	444 93% ^{zl}	72 70%	600 89% ^z	5 50%	339 87%	261 92% ^z	107 90%	48 86%	162 92%	242 92% ^z	164 92%	231 91%	179 90%
Would prefer not to know	57	13 8% ^{ik}	45 6%	41 9%	-	4 8%	-	8 7%	26 5%	19 25% ^{zi}	24 5%	24 23% ^{zk}	51 8%	4 46%	38 10%	17 6%	9 7%	6 10%	12 7%	16 6%	12 7%	17 7%	15 8%
Not stated	30	7 4% ^{bcdi}	3 2%	13 3%	9 2%	1 2%	-	6 5%	15 3%	5 6%	8 2%	7 7% ^k	20 3%	* 4%	14 4%	6 2%	3 3%	2 4%	3 2%	4 2%	3 1%	5 2%	4 2%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q24 If you were terminally ill, would you like to be told, or would you prefer not to know?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Would want to be told	606	50	163	61	115	269	220	164	476	18	424	30	300	115	345	337	14	69	11	606	-	163	64	202	49	63	60	392	212
		87%tD	89%	88%	90%	93%	91%z	94%z	91%z	93%	91%z	92%	93%z	96%z	93%z	89%	62%	90%	100%	100%zt	-	86%	90%	95%zAD	76%	95%D	92%	92%z	86%
Would prefer not to know	57	6	17	6	7	19	12	16	35	1	31	3	16	4	18	33	9	5	-	-	57	23	5	9	14	3	2	26	29
		8%lms	10%	9%	8%	6%	5%	9%	7%	7%	7%	8%	5%	3%	5%	9%	38%	7%	-	-	100%zs	12%C	8%	4%	21%zCE	5%	3%	6%	12%
Not stated	30	*	5	1	2	8	2	8	13	-	12	-	6	1	7	9	-	2	-	-	-	4	1	3	2	*	4	9	6
		4%efhj	1%	3%	2%	3%	1%	4%	2%	-	3%	-	2%	1%	2%	2%	-	2%	-	-	-	2%	2%	1%	3%	1%	5%	2%	2%
		InosG																											

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q25 When the time comes for your death, which of the following, if any, do you think would be important for your end of life care?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample					
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)			
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693			
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693			
To be with family or friends	544	249	289	79% ^{qhk}	76%	84% ^z	89%	90% ^{zgh}	81% ^{gh}	78%	70%	68%	86%	77%	65%	80%	79%	82%	84%	70%	82%	72%	70%	80%	82%	89% ^{pk}	81%	65%	81%	76%
To be pain free/without pain	536	237	292	77%	73%	85% ^{za}	100%	77%	76%	82%	77%	83%	42	50	50	20	10	29	71	34	14	32	34	66	32	51	119	14	389	544
To keep my dignity	494	233	254	71% ^h	71%	74%	70%	67%	77% ^{zh}	82% ^{zh}	73%	62%	38	48	47	22	16	25	72	22	10	34	26	60	29	43	89	13	381	506
To be peaceful/calm	489	223	260	71% ^{gh}	69%	76% ^z	94%	79% ^{gh}	71%	72%	62%	60%	36	47	44	19	18	29	71	34	10	26	30	47	29	48	94	13	375	470
To be sure that I am not a burden on other people	429	215	208	62% ^{kk}	66%	60%	56%	56%	63%	70% ^z	63%	80% ^{zde}	59%	61%	41%	66%	79%	76% ^{kk}	76% ^{kt}	61%	53%	58%	75%	54%	59%	55%	69%	54%	63%	64%
For people to listen and respect my wishes	419	190	224	61% ^{ghj}	58%	65% ^z	58%	76% ^{zeg}	58%	68% ^{gh}	49%	49%	39	35	39	11	16	24	57	21	7	24	27	46	26	48	80	12	318	398
Not stated	17	-	1	2% ^{bc}	-	*	-	-	-	1	5	-	2	-	1	2	-	1	1	1	3	-	-	*	-	1	-	1	18	
										3%	7% ^z	-	7%	-	3%	2%	-	5%	2%	2%	4%	-	-	*	-	*	-	3%		

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q25 When the time comes for your death, which of the following, if any, do you think would be important for your end of life care?

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
To be with family or friends	544 79%	185 85%	133 74%	406 83%zb	366 82%z	13 100%	38 71%	20 76%	91 78%	409 81%	59 75%	383 81%	82 80%	535 80%z	8 86%	322 82%z	217 77%	93 78%	42 75%	143 81%	216 83%	151 84%	204 80%	172 86%zv	
To be pain free/without pain	536 77%	160 74%	136 75%	394 80%	359 81%z	6 42%	38 73%	18 66%	95 81%	395 78%	62 79%	372 78%	85 83%	528 79%z	7 78%	300 77%	230 81%	91 77%	43 77%	149 84%	205 79%	149 83%	215 85%zt	171 86%zt	
To keep my dignity	494 71%	145 67%	121 67%	367 75%z	328 73%	10 78%	32 62%	18 67%	85 73%	375 74%	50 64%	352 74%	68 66%	491 73%z	3 32%	293 75%z	196 69%	88 74%	41 73%	123 69%	189 72%	135 76%	195 77% ^s	149 75%	
To be peaceful/calm	489 71%	162 75%	118 65%	368 75%zb	321 72%	10 78%	41 77%	23 83%	79 68%	378 75%z	51 66%	357 75%z	66 64%	485 72%z	4 42%	283 72%	201 71%	86 72%	39 69%	128 73%	191 73%	132 74%	186 73%	155 78%z	
To be sure that I am not a burden on other people	429 62%h	121 56%	120 67%	306 62%	308 69%zh	10 78%	29 55%	13 49%	55 47%	329 65%	43 55%	311 65%l	53 51%	426 63%z	3 32%	258 66%z	167 59%	82 69%	33 59%	120 68%t	152 58%	118 66%t	164 65%	137 69%t	
For people to listen and respect my wishes	419 61%l	144 66%	106 59%	310 63%	271 61%	13 100%	29 55%	21 78%	68 58%	321 63%	42 54%	312 65%zl	49 48%	416 62%z	4 38%	241 62%	176 62%	71 59%	33 58%	123 70%z	178 68%z	119 67%	168 66%	139 70%z	
Not stated	17 2%bcdi kmov	-	1 1%	1 *	2 *	-	-	-	-	5 1%	2 3%	1 *	2 2%	6 1%	-	4 1%	2 1%	1 1%	1 2%	1 1%	-	1 1%	1 *	1 *	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q25 When the time comes for your death, which of the following, if any, do you think would be important for your end of life care?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
To be with family or friends	544	46	147	58	102	229	192	149	432	15	386	24	261	100	301	330	14	58	2	493	39	141	55	208	48	42	48	352	191
	79% ^E	82%	80%	85%	82%	78%	82%	79%	82% ^z	78%	83% ^z	74%	81%	84%	81%	87% ^{zq}	62%	76%	19%	81% ^{zt}	69%	74%	78%	97% ^{zAB}	75%	64%	74%	83% ^z	77%
To be pain free/without pain	536	48	145	60	103	246	185	139	425	16	384	26	280	106	325	284	20	67	11	474	49	183	49	160	51	46	42	341	192
	77%	85%	78%	88%	83%	83% ^z	79%	74%	81% ^z	83%	82% ^z	78%	87% ^z	89% ^z	88% ^z	75%	86%	87% ^{zo}	100%	78%	86%	96% ^{zBC}	69%	75%	78%	70%	64%	80%	78%
To keep my dignity	494	44	140	49	101	224	185	124	390	10	347	22	242	94	282	280	19	60	9	449	32	135	70	142	39	47	57	307	185
	71% ^t	78%	76%	73%	81% ^g	76% ^z	79% ^{zg}	66%	74% ^z	53%	74%	66%	75%	78%	76% ^z	74%	80%	79%	84%	74% ^{zt}	57%	71%	99% ^{zAC}	67%	61%	71%	88%	72%	75%
To be peaceful/calm	489	41	123	49	96	212	179	133	400	12	361	22	234	101	275	281	13	62	6	441	36	132	51	152	63	37	52	308	180
	71% ^E	71%	66%	72%	77%	72%	77%	71%	76% ^z	64%	77% ^z	67%	73%	85% ^{zln}	74%	74%	54%	82% ^z	60%	73% ^z	63%	69%	73%	71%	98% ^{zAB}	56%	80%	72%	73%
To be sure that I am not a burden on other people	429	45	126	47	80	208	140	110	336	10	288	21	204	80	231	236	13	47	10	389	29	128	46	116	34	63	38	288	139
	62%	80% ^{zfg}	68%	69%	64%	70% ^{zfg}	60%	58%	64%	51%	62%	63%	63%	66%	62%	62%	56%	62%	97%	64% ^z	50%	67%	65%	54%	53%	95% ^{zAB}	59%	68% ^{zH}	56%
For people to listen and respect my wishes	419	39	115	50	88	179	149	122	336	14	300	20	213	86	243	246	9	41	4	386	25	115	44	119	38	36	64	269	149
	61% ^t	68%	63%	74%	70%	61%	64%	65%	64% ^z	71%	64% ^z	60%	66%	72%	66%	65%	37%	54%	41%	64% ^{zt}	44%	60%	63%	56%	60%	55%	98%	63%	60%
Not stated	17	-	2	1	-	2	-	2	1	-	1	-	1	-	1	1	-	-	-	*	1	-	-	-	-	-	-	-	-
	2% ^{ehjlnosG}	-	1%	1%	-	1%	-	1%	*	-	*	-	*	-	*	*	-	-	-	*	2% ^s	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q26 And which one would be most important?

Base: All respondents

	Gender		Age							PCT - East of England													Carer			Unwtd sample	
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
To be with family or friends	214	84	127	12	73	76	23	15	14	12	23	15	2	3	19	38	10	8	7	14	24	12	27	37	7	163	191
		31% ^{gh}	26%	37% ^{za}	39%	45% ^{zfg}	32%	22%	21%	25%	26%	23%	7%	13%	42%	40%	26%	41%	18%	30%	32%	35%	42%	27%	36%	33%	28%
To be pain free/without pain	190	107	79	11	34	61	31	26	25	14	16	23	12	8	11	17	11	3	16	18	21	8	13	45	5	135	193
		27% ^b	33% ^b	23%	37%	21%	26%	31%	37% ^z	27%	22%	35%	46%	34%	26%	18%	27%	14%	40%	37%	29%	23%	20%	32%	28%	27%	28%
To keep my dignity	70	37	33	-	17	21	18	8	7	8	5	10	3	-	3	14	1	2	4	6	8	3	2	12	1	56	78
		10%	11%	10%	-	10%	9%	18% ^{ze}	11%	16%	7%	15%	10%	-	7%	15%	3%	13%	10%	13%	11%	10%	3%	9%	5%	11%	11%
To be sure that I am not a burden on other people	66	37	29	-	4	31	9	10	12	3	12	3	7	3	7	8	3	2	*	6	7	3	3	18	-	47	80
		10%	11%	8%	-	2%	13% ^{zd}	8%	14% ^d	6%	16%	5%	25%	11%	15%	9%	8%	13%	1%	12%	9%	9%	5%	13%	-	9%	12%
For people to listen and respect my wishes	65	33	32	2	24	21	7	4	5	7	5	9	1	9	1	5	4	1	5	-	5	3	9	9	2	52	55
		9%	10%	9%	6%	15%	9%	7%	5%	14%	7%	14%	3%	41%	1%	6%	11%	7%	13%	-	7%	8%	15%	7%	9%	10%	8%
To be peaceful/calm	64	25	39	6	11	23	13	6	4	4	7	5	1	-	3	9	10	1	5	1	4	5	9	15	4	46	69
		9%	8%	11% ^z	18%	7%	10%	12%	9%	9%	10%	8%	3%	-	6%	9%	24%	7%	11%	3%	5%	15%	14%	11%	19%	9%	10%
Not stated	23	2	5	-	-	2	1	2	1	1	5	-	2	-	1	2	*	1	3	2	4	-	1	1	*	4	27
		3% ^{abeC*}	3%	-	-	1%	1%	3%	1%	3%	7%	-	7%	-	3%	2%	1%	5%	7%	5%	6%	-	1%	1%	2%	1%	4%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q26 And which one would be most important?

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	693	218*	490	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*
Unw. Sample	693	167	448	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
To be with family or friends	214 31%	82 38%	154 31%	57 31%	154 31%	144	-	15	10	45	169	21	154	29	208	4	110	102	30	11	60	95	62	68	62
To be pain free/without pain	190 27%	52 24%	141 29%	49 27%	141 29%	116	5	20	10	27	132	25	126	29	189	2	109	79	38	20	49	68	52	90	67
To keep my dignity	70 10% _j	15 7%	49 10%	21 12%	49 10%	52	-	7	-	8	59	2	54	7	70	-	49	21	19	7	18	24	23	30	20
To be sure that I am not a burden on other people	66 10%	14 7%	40 8%	25 14% _z	40 8%	47	1	5	6	7	47	7	48	6	66	-	38	27	11	5	18	26	16	22	16
For people to listen and respect my wishes	65 9% _d	40 18% _z	49 10%	15 8%	49 10%	33	8	2	1	20	57	3	53	5	65	1	42	22	11	5	18	31	16	31	25
To be peaceful/calm	64 9% _{iuvvw}	14 7%	52 11%	12 7%	52 11%	50	-	4	1	9	35	16	35	24	61	3	36	28	9	6	12	17	8	12	7
Not stated	23 3% _{acdi kmotv}	1 *	5 1%	2 1%	5 1%	4	-	-	-	2	9	3	6	3	12	-	7	4	1	3	1	1	1	1	2

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q26 And which one would be most important?

Base: All respondents

	Made plans								Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
																														296
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247	
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244	
To be with family or friends	214	19	65	17	52	84	99	51	180	2	164	7	97	28	112	127	1	19	*	202	9	-	-	214	-	-	-	140	74	
		31%AB	34%	35%	25%	42%ze	28%	42%zeg	27%	34%z	13%	35%z	22%	30%	23%	30%	34%	3%	25%	3%	33%zt	15%	-	-	100%zABD	-	-	-	33%	30%
To be pain free/without pain	190	15	50	29	35	89	56	46	139	9	132	14	106	45	116	109	13	23	6	163	23	190	-	-	-	-	-	127	63	
		27%BCD	26%	27%	42%	28%	30%	24%	26%	47%	28%	41%	33%	37%	31%	29%	54%	30%	52%	27%	41%zs	100%zBCD	-	-	-	-	-	30%	25%	
To keep my dignity	70	7	18	7	9	27	15	21	52	3	41	1	39	16	45	43	5	7	-	64	5	-	70	-	-	-	-	41	30	
		10%ACD	12%	10%	10%	7%	9%	6%	11%	10%	9%	4%	12%	14%	12%	11%	20%	9%	-	11%	10%	-	100%zACD	-	-	-	-	10%	12%	
To be sure that I am not a burden on other people	66	4	18	5	11	34	18	24	52	-	39	3	21	16	30	32	2	9	3	63	3	-	-	-	-	66	40	25		
		10%ABC	8%	10%	8%	9%	12%	8%	13%	10%	-	8%	9%	7%	13%	8%	9%	12%	29%	10%	6%	-	-	-	-	100%zABC	-	9%	10%	
For people to listen and respect my wishes	65	9	17	9	10	30	27	18	46	2	39	4	28	4	30	43	-	6	-	60	2	-	-	-	-	-	65	43	22	
		9%ABC	15%	9%	13%	8%	10%	12%	9%	13%	8%	13%	9%	3%	8%	11%	-	7%	-	10%	3%	-	-	-	-	-	100%	10%	9%	
To be peaceful/calm	64	2	13	1	8	27	17	24	53	3	48	3	30	11	35	22	4	13	2	49	14	-	-	-	64	-	-	33	31	
		9%oABC	4%	7%	1%	7%	9%	7%	13%	10%	10%	10%	9%	9%	9%	6%	15%	17%zo	16%	8%	24%zs	-	-	-	100%zABC	-	-	8%	13%	
Not stated	23	*	3	1	-	5	2	3	3	-	2	-	2	1	2	3	-	-	-	5	1	-	-	-	-	-	3	2		
		3%ehjlnosGH	1%	2%	2%	-	2%	1%	2%	1%	-	-	*	*	1%	1%	-	-	-	1%	2%	-	-	-	-	-	1%	1%		

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q27 Firstly, how confident do you feel that you could plan to get the right sort of care and support if you did not have long to live?
Base: All respondents

	Gender		Age						PCT - East of England												Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Very confident	89 13%b	51 16%	37 11%	4	28	22	10	12	14	10	7	12	4	8	5	12	5	5	1	2	4	5	8	19	4	62	82
Fairly confident	337 49%	173 53%	163 47%	12	60	135	55	33	37	29	38	28	10	10	22	47	22	7	15	31	35	13	30	75	5	250	343
Not very confident	210 30%h	89 27%	116 34%z	13	66	64	29	22	14	9	21	21	7	3	13	29	11	3	20	8	29	14	21	33	6	169	205
Not at all confident	37 5%C	12 4%	25 7%z	1	9	14	9	2	2	1	2	3	3	1	2	4	2	3	4	4	2	2	4	11	4	18	39
Not stated	20 3%abef	1 *	3 1%	-	-	-	*	2	*	1	5	-	2	-	2	2	-	1	1	1	4	-	1	*	-	4	24
Confident	426 62%b	224 69%zb	199 58%	16	88	157	65	45	51	39	45	40	15	18	27	59	26	12	17	33	39	18	38	94	9	312	425
Not confident	247 36%hi	101 31%	142 41%za	14	75	78	38	24	16	9	23	25	10	4	15	33	14	7	24	13	30	16	25	44	9	186	244
NET	179 26%bdt	123 38%zb	58 17%	2	13	80	27	21	34	29	22	15	5	14	13	27	13	5	-7	21	8	2	13	50	*	125	181
				6%	8%	34%zd	27%cd	30%dd	51%zde	60%zjk	30%t	24%	19%	61%	28%	28%	32%	25%	-17%	44%	12%	7%	20%	36%zC	-1%	25%	26%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q27 Firstly, how confident do you feel that you could plan to get the right sort of care and support if you did not have long to live?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Very confident	89	23	25	64	65	8	4	-	11	67	10	72	11	88	1	58	30	20	3	34	32	27	33	29	
	13%	11%	14%	13%	15%	58%	8%	-	9%	13%	13%	15%	11%	13%	9%	15%	10%	17%	5%	19%ztv	12%	15%	13%	14%	
Fairly confident	337	108	85	249	222	3	34	15	48	261	26	243	30	336	1	180	153	55	18	83	118	89	119	94	
	49%jlr	50%	47%	51%	50%	21%	64%	54%	41%	52%aj	34%	51%al	29%	50%az	9%	46%	54%	46%	32%	47%	45%	50%	47%	48%	
Not very confident	210	72	56	151	133	-	9	11	52	148	29	139	47	204	6	118	90	41	23	47	100	53	85	62	
	30%	33%	31%	31%	30%	-	17%	40%	45%zdz	29%	37%	29%	46%zck	30%	60%	30%	32%	34%	42%	27%	38%zsu	30%	33%ss	31%	
Not at all confident	37	15	14	23	23	3	6	1	4	24	10	20	11	35	2	28	9	2	11	12	11	8	16	12	
	5%	7%	8%	5%	5%	22%	11%	5%	4%	5%	13%zi	4%	11%kk	5%	22%	7%z	3%	2%	19%zq	7%	4%	4%	6%	6%	
Not stated	20	-	2	3	3	-	-	-	2	7	3	2	3	9	-	7	3	1	1	1	*	1	1	1	
	3%cdik	-	1%	1%	1%	-	-	-	1%	1%	4%	*	3%	1%	-	2%	1%	1%	2%	1%	*	1%	1%	1%	
Confident	426	131	109	313	287	10	38	15	59	329	36	315	41	423	2	238	183	75	21	116	151	116	152	123	
	62%ejlr	60%	60%	64%	64%zh	78%	72%	54%	50%	65%zj	46%	66%zl	40%	63%z	18%	61%	64%	63%r	38%	66%	58%	65%	60%	62%	
Not confident	247	87	69	174	155	3	15	12	57	172	38	158	59	239	8	147	98	43	34	59	111	61	101	74	
	36%	40%	38%	35%	35%	22%	28%	46%	49%z	34%	49%zi	33%	57%zk	36%	82%	37%	35%	36%	61%zq	34%	42%zsu	34%	40%	37%	
NET	179	44	40	140	132	8	23	2	2	157	-2	157	-17	184	-6	92	84	32	-13	57	40	55	51	48	
	26%hjl	20%	22%	28%	30%zh	56%	45%	9%	2%	31%zj	-3%	33%zl	-17%	27%z	-64%	23%	30%	27%r	-23%	32%tw	15%	31%tv	20%	24%t	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q27 Firstly, how confident do you feel that you could plan to get the right sort of care and support if you did not have long to live?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247	
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244	
Very confident	89	20	29	19	22	39	29	35	58	3	45	6	39	3	41	49	5	7	-	82	7	26	7	27	7	4	17	89	-	
		13% _{imH}	36% _{zbd}	16%	27%	18%	13%	12%	19%	11%	15%	10%	17%	12% _m	2%	11% _m	13%	22%	9%	-	14%	12%	14%	10%	13%	11%	6%	26%	21% _{zH}	-
Fairly confident	337	20	82	32	57	153	123	86	272	2	246	13	163	57	190	190	12	37	6	310	19	101	34	112	26	36	26	337	-	
		49% _{tH}	36%	44%	47%	46%	52% _a	53%	45%	52% _z	9%	53% _z	38%	51%	47%	51%	50%	49%	48%	52%	51% _{zt}	33%	53%	48%	53%	41%	54%	40%	79% _{zH}	-
Not very confident	210	10	62	15	42	89	74	52	172	8	148	13	108	51	123	115	6	31	4	178	26	51	24	63	28	20	22	-	210	
		30% _G	18%	34% _a	22%	34%	30%	32%	27%	33%	40%	32%	38%	33%	42% _z	33%	30%	26%	41% _z	40%	29%	46% _{zs}	27%	33%	30%	43% _{zA}	30%	34%	-	85% _{zG}
Not at all confident	37	6	8	1	3	11	7	14	20	7	25	2	9	10	14	22	*	1	1	34	3	12	6	10	3	5	*	-	37	
		5% _{hG}	10% _f	4%	2%	4%	3%	8%	4%	35%	5%	7%	3%	8% _l	4%	6%	2%	1%	8%	6%	5%	6%	9%	5%	5%	7%	1%	-	15% _{zG}	
Not stated	20	*	4	1	-	4	*	2	2	-	2	-	3	-	3	3	*	-	-	2	2	*	-	*	-	2	-	-	-	
		3% _{efhj}	1%	2%	1%	-	1%	*	1%	-	*	-	1%	-	1%	1%	1%	-	-	*	4% _s	*	-	*	-	2%	-	-	-	
Confident	426	40	111	50	80	192	152	120	330	5	291	18	203	60	231	239	17	44	6	392	26	127	41	140	33	40	43	426	-	
		62% _{mtH}	71%	60%	74%	64%	65%	65%	64%	63%	24%	62%	55%	63% _m	50%	62% _m	63%	71%	57%	52%	65% _{zt}	45%	67%	58%	65%	52%	60%	66%	100% _{zH}	-
Not confident	247	16	70	17	45	100	81	66	192	15	173	15	117	60	136	137	6	33	5	212	29	63	30	74	31	25	22	-	247	
		36% _G	28%	38%	24%	36%	34%	35%	35%	37%	76%	37%	45%	36%	50% _{zn}	37%	36%	28%	43%	48%	35%	51% _{zs}	33%	42%	34%	48%	38%	34%	-	100% _{zG}
NET	179	24	41	34	35	92	71	55	138	-10	118	4	86	-1	94	102	10	11	*	180	-3	64	11	66	3	15	20	426	-247	
		26% _{mt}	43% _{zb}	22%	28%	31% _{zb}	30%	29%	26%	-51%	25%	11%	27% _m	-1%	25% _m	27% _q	43%	15%	5%	30% _{zt}	-6%	34% _{zBD}	16%	31% _D	4%	22% _D	31%	100% _z	-100%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q28 How confident do you feel that you could plan for your financial support if you did not have long to live?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Very confident	109	66	42	2	10	35	23	17	20	13	6	18	6	3	8	14	7	4	4	3	11	3	9	16	6	79	123	
		16%b	20%b	12%	6%	6%	15%	22%zd	24%zde	29%zde	27%j	8%	27%j	24%	12%	18%	15%	18%	23%	9%	6%	15%	10%	13%	12%	34%	16%	18%
Fairly confident	349	175	174	7	88	118	59	39	38	20	45	28	10	7	26	42	18	9	23	36	28	16	41	75	6	262	350	
	50%	54%	50%	24%	54%	50%	57%	55%	57%	40%	61%t	43%	39%	33%	59%	44%	47%	57%	77%	39%	47%	63%t	54%	32%	52%	51%		
Not very confident	162	62	99	15	44	66	15	10	9	13	15	17	6	3	6	31	13	1	7	4	20	13	13	39	5	117	155	
	23%fgh	19%	29%za	50%	27%	28%zfg	14%	14%	14%	27%	21%	26%	23%	14%	13%	33%	33%	4%	17%	9%	28%	37%	20%	28%	24%	23%	22%	
Not at all confident	52	23	25	6	21	15	6	3	-	1	3	2	2	9	3	4	2	3	6	3	9	2	2	8	2	40	40	
	7%h	7%	7%	20%	13%h	6%h	6%h	5%h	-	2%	4%	3%	7%	41%	6%	5%	5%	17%	14%	6%	13%	6%	4%	6%	9%	8%	6%	
Not stated	21	-	5	-	-	1	*	1	-	2	5	-	2	-	2	2	-	2	1	1	4	-	-	1	-	4	25	
	3%abef	-	1%	-	-	*	*	2%	-	4%	7%	-	7%	-	5%	3%	-	9%	2%	2%	6%	-	-	1%	-	1%	4%	
Confident	458	241	215	9	97	152	82	56	58	33	50	46	17	10	34	56	25	14	27	39	39	19	49	91	12	342	473	
	66%b	74%zb	63%	30%	60%	65%	80%zde	79%zde	86%zde	67%	69%	71%	63%	45%	77%t	60%	62%	70%	66%	83%	53%	57%	76%t	66%	66%	68%	68%	
Not confident	214	85	125	21	65	82	21	13	9	14	18	19	8	12	8	36	15	4	13	7	30	15	15	47	6	157	195	
	31%fgh	26%	36%za	70%	40%fgh	35%fgh	20%	19%	14%	29%	24%	29%	30%	55%	19%	38%	38%	21%	32%	15%	41%	43%	24%	34%	34%	31%	28%	
NET	244	155	91	-12	32	71	61	43	49	19	32	27	9	-2	26	21	10	10	14	32	9	5	34	44	6	185	278	
	35%bdt	48%zb	26%	-41%	20%	30%	59%zde	60%zde	73%zde	38%t	44%ot	42%t	33%	-9%	58%zot	22%	24%	49%	35%	69%	12%	14%	53%zot	32%	32%	37%	40%	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q28 How confident do you feel that you could plan for your financial support if you did not have long to live?

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	490	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	448	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Very confident	109	26	81	27	81	75	3	8	5	15	84	5	87	4	108	1	60	46	22	9	33	45	33	45	48
	16% ^{jl}	12%	17%	15%	17%	17%	22%	15%	17%	13%	17%	6%	18% ^l	4%	16%	9%	15%	16%	19%	17%	19%	17%	18%	18%	24% ^{zv}
Fairly confident	349	93	250	96	250	231	3	26	19	56	272	32	252	42	345	3	192	154	69	24	94	142	85	126	94
	50%	43%	51%	53%	51%	52%	21%	49%	71%	48%	54%	41%	53%	41%	51%	37%	49%	54%	58%	43%	53%	54%	47%	50%	47%
Not very confident	162	73	119	41	119	107	-	12	3	35	105	27	104	40	159	3	90	70	20	11	39	58	52	62	43
	23% ⁱ	33% ^z	24%	23%	24%	24%	-	24%	11%	30%	21%	34% ⁱ	22%	39% ^{zk}	24%	32%	23%	25%	17%	19%	22%	22%	29% ^{sw}	24%	22%
Not at all confident	52	25	36	16	36	28	8	6	*	9	38	12	29	13	50	2	41	11	7	10	10	16	8	21	12
	7% ^p	12%	7%	9%	7%	6%	58%	12%	1%	8%	7%	15% ^z	6%	13%	7%	22%	10% ^{zp}	4%	6%	17% ^{zq}	6%	6%	5%	8% ^u	6%
Not stated	21	1	4	1	4	6	-	-	-	1	9	3	3	3	10	-	8	3	1	2	1	1	1	1	1
	3% ^{bcdi}	1%	1%	1%	1%	1%	-	-	-	1%	2%	4%	1%	3%	2%	-	2%	1%	1%	3%	1%	*	1%	*	*
Confident	458	119	332	123	332	305	6	34	24	71	355	37	339	46	452	4	253	201	91	34	127	187	118	170	142
	66% ^{ail}	55%	68%	68%	68%	68%	42%	65%	88%	61%	70% ^{zj}	47%	71% ^{zl}	45%	67% ^z	46%	65%	71%	77% ^z	60%	72%	71%	66%	67%	71%
Not confident	214	98	154	56	154	135	8	19	3	45	143	39	134	53	209	5	131	81	27	21	49	74	60	83	56
	31%	45% ^z	31%	31%	30%	58%	35%	12%	38%	28%	49% ^{zi}	28%	52% ^{zk}	31%	54%	33%	28%	23%	23%	37%	28%	28%	34%	33%	28%
NET	244	21	177	67	177	170	-2	15	20	27	212	-2	206	-7	243	-1	122	120	65	13	78	112	58	88	86
	35% ^{ahj}	10%	36%	37%	36%	38% ^{zh}	-15%	29%	75%	23%	42% ^{zj}	-2%	43% ^{zl}	-7%	36% ^z	-8%	31%	42% ^{zo}	54% ^{zr}	23%	44% ^{zuv}	43% ^{zuv}	32%	35%	43% ^{zuv}

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/uv/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q28 How confident do you feel that you could plan for your financial support if you did not have long to live?

Base: All respondents

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Very confident	109	18	28	22	26	64	39	22	71	7	56	13	55	12	59	67	5	12	1	99	10	39	13	27	6	11	12	87	20
	16% ^g	31% ^z	15% ^b	32% ^c	21% ^d	22% ^e	17% ^f	12% ^g	14% ^h	37% ⁱ	12% ^j	38% ^k	17% ^l	10% ^m	16% ⁿ	18% ^o	23% ^p	16% ^q	9% ^r	16% ^s	17% ^t	20% ^A	18% ^B	13% ^C	10% ^D	16% ^E	19% ^F	20% ^G	8% ^H
Fairly confident	349	25	95	31	60	153	123	93	293	4	251	10	154	61	181	205	13	34	5	318	23	85	41	115	32	36	37	251	98
	50% ^h	45% ⁱ	51% ^j	45% ^k	48% ^l	52% ^m	53% ⁿ	49% ^o	56% ^p	19% ^q	54% ^r	31% ^s	48% ^t	51% ^u	49% ^v	54% ^w	57% ^x	45% ^y	49% ^z	53% ^A	41% ^B	45% ^C	58% ^D	54% ^E	49% ^F	54% ^G	58% ^H	59% ^I	40% ^J
Not very confident	162	10	48	13	33	66	59	48	127	1	124	4	88	37	102	70	4	27	1	140	17	48	12	59	24	13	7	72	90
	23% ^o	17% ^p	26% ^q	19% ^r	26% ^s	22% ^t	25% ^u	26% ^v	24% ^w	7% ^x	27% ^y	11% ^z	27% ^A	31% ^B	28% ^C	18% ^D	17% ^E	36% ^F	13% ^G	23% ^H	30% ^I	25% ^J	17% ^K	27% ^L	37% ^M	19% ^N	10% ^O	17% ^P	36% ^Q
Not at all confident	52	4	10	1	5	8	12	22	30	7	33	6	22	10	25	34	-	2	3	46	5	18	5	11	2	7	8	12	39
	7% ^{eh}	7% ^g	5% ^h	2% ⁱ	4% ^j	3% ^k	5% ^l	12% ^m	6% ⁿ	37% ^o	7% ^p	20% ^q	7% ^r	8% ^s	7% ^t	9% ^u	-	3% ^v	28% ^w	8% ^x	8% ^y	9% ^z	7% ^A	5% ^B	4% ^C	10% ^D	12% ^E	3% ^F	16% ^G
Not stated	21	-	4	1	1	4	-	3	3	-	3	-	3	-	3	3	1	-	-	2	2	2	*	1	-	-	1	4	-
	3% ^{ehj}	-	2% ^g	1% ^h	1% ⁱ	1% ^j	-	2% ^k	1% ^l	-	1% ^m	-	1% ⁿ	-	1% ^o	1% ^p	3% ^q	-	-	* ^r	3% ^s	1% ^t	1% ^u	1% ^v	-	-	1% ^w	1% ^x	-
Confident	458	43	123	53	86	217	162	115	364	11	307	23	209	73	240	272	19	46	6	417	33	123	53	143	38	47	50	338	118
	66% ^h	76% ⁱ	67% ^j	77% ^k	69% ^l	73% ^m	69% ⁿ	61% ^o	69% ^p	56% ^q	66% ^r	69% ^s	65% ^t	61% ^u	65% ^v	72% ^w	80% ^x	61% ^y	58% ^z	69% ^A	58% ^B	65% ^C	76% ^D	67% ^E	59% ^F	70% ^G	77% ^H	79% ^I	48% ^J
Not confident	214	14	58	14	38	75	71	70	157	9	157	10	110	47	128	104	4	30	4	186	22	65	17	70	26	20	15	84	129
	31% ^e	24% ^f	31% ^g	21% ^h	30% ⁱ	25% ^j	31% ^k	37% ^l	30% ^m	44% ⁿ	34% ^o	31% ^p	34% ^q	39% ^r	34% ^s	27% ^t	17% ^u	39% ^v	42% ^w	31% ^x	39% ^y	34% ^z	23% ^A	33% ^B	41% ^C	30% ^D	22% ^E	20% ^F	52% ^G
NET	244	29	65	38	48	142	90	45	207	2	151	13	99	26	112	168	15	17	2	231	11	58	37	73	12	27	35	254	-12
	35% ^{gmn}	52% ^z	35% ^{bg}	56% ^c	39% ^g	48% ^z	39% ^g	24% ^d	39% ^z	11% ^e	32% ^f	39% ^g	31% ^h	21% ⁱ	30% ^j	44% ^z	63% ^k	22% ^l	17% ^m	38% ^z	20% ⁿ	30% ^o	52% ^z	34% ^{AC}	18% ^D	41% ^D	54% ^E	60% ^z	-5% ^F

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q29 How confident do you feel that you could plan your funeral arrangements?
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Very confident	220 32% ^b	122 38%	97 28%	2 6%	53 33%	72 31%	38 37%	27 38%	26 38%	21 42%	22 29%	16 25%	11 42%	10 47%	12 28%	29 31%	13 33%	5 24%	14 35%	8 17%	19 26%	11 33%	29 44%	47 34%	6 31%	158 32%	221
Fairly confident	340 49%	160 49%	176 51%	17 56%	75 46%	125 53%	54 52%	37 52%	32 47%	23 46%	36 49%	38 59%	8 31%	12 53%	20 46%	41 44%	19 47%	9 44%	18 45%	35 75%	39 54%	13 40%	28 43%	64 46%	10 54%	261 52%	350
Not very confident	88 13%	32 10%	55 16% ^z	12 38%	29 18%	28 12%	8 8%	6 8%	5 7%	4 8%	7 10%	9 15%	3 13%	- -	7 15%	19 21%	4 10%	2 9%	7 16%	2 5%	7 9%	7 28%	7 11%	24 17%	2 12%	61 12%	73
Not at all confident	23 3%	10 3%	13 4%	- -	6 3%	9 4%	2 2%	2 3%	3 5%	1 1%	4 5%	1 1%	1 3%	- -	3 7%	2 2%	4 10%	3 17%	1 3%	- -	3 5%	- -	* 1%	4 3%	* 2%	16 3%	24
Not stated	22 3% ^{abef}	2 1%	4 1%	- -	- -	1 1%	* *	- -	2 3%	1 3%	5 7%	* 1%	3 10%	- -	2 5%	2 3%	- -	1 5%	1 1%	1 2%	4 6%	- -	1 1%	- -	- -	6 1%	25
Confident	560 81%	282 87% ^z	272 79%	19 62%	128 79%	197 84%	92 89% ^z	63 89% ^z	57 85%	43 88%	57 78%	54 84%	19 73%	22 100%	33 74%	70 75%	32 80%	13 68%	33 80%	43 92%	59 80%	25 72%	56 88%	110 80%	16 85%	420 84%	571
Not confident	111 16% ^f	42 13%	68 20% ^z	12 38%	35 21%	37 16%	11 10%	8 11%	8 12%	5 10%	11 15%	10 16%	4 17%	- -	10 22%	21 23%	8 20%	5 26%	8 19%	2 5%	10 14%	9 28%	7 12%	28 20%	3 15%	77 15%	149
NET	449 65% ^b	241 74% ^z	204 59%	7 24%	93 57%	160 68%	81 79% ^z	56 79% ^z	50 74%	39 78% ^{no}	47 63%	44 68%	15 57%	22 100%	23 52%	49 52%	24 60%	8 42%	25 60%	41 87%	49 67%	15 45%	49 76% ^{no}	82 60%	13 71%	343 68%	474

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q29 How confident do you feel that you could plan your funeral arrangements?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Very confident	220	60	72	147	139	12	11	15	36	191	16	188	14	219	1	135	82	48	20	80	106	83	112	94	
Fairly confident	340	111	76	260	227	2	31	9	60	233	37	224	57	336	3	179	159	49	29	69	127	75	104	78	
Not very confident	88	33	19	69	59	-	8	2	18	58	19	48	24	85	3	54	34	17	4	15	17	15	28	17	
Not at all confident	23	11	11	12	17	-	4	-	2	16	5	11	6	21	2	16	6	4	3	8	9	3	6	6	
Not stated	22	2	3	2	5	-	-	-	1	10	1	5	2	11	-	7	3	2	1	4	3	4	4	4	
Confident	560	171	148	407	366	13	41	25	96	424	53	412	71	555	4	314	241	97	48	150	233	157	216	172	
Not confident	111	44	30	81	75	-	11	2	20	73	24	59	30	106	5	70	40	21	7	23	26	18	34	22	
NET	449	127	118	326	290	13	30	22	76	351	29	353	42	449	-1	244	201	75	41	127	207	140	183	150	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q29 How confident do you feel that you could plan your funeral arrangements?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247	
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244	
Very confident	220	36	90	31	57	118	78	55	163	12	140	16	93	26	103	131	7	16	1	204	14	58	19	70	14	24	33	160	58	
		32%qH	64%zefg	49%zefg	45%	46%zfg	40%z	33%	29%	31%	60%	30%	48%	29%	22%	28%	34%q	29%	21%	12%	34%	25%	31%	28%	33%	22%	36%	50%	37%zH	23%
Fairly confident	340	16	78	30	49	143	124	89	273	4	249	12	177	61	203	190	14	41	4	303	29	106	36	105	32	32	26	224	115	
		49%a	29%	42%	44%	39%	48%a	53%ad	47%	52%	20%	53%z	35%	55%	51%	55%z	50%	60%	54%	39%	50%	50%	56%	51%	49%	50%	47%	40%	53%	47%
Not very confident	88	1	6	5	14	23	24	33	72	-	58	1	43	27	51	41	3	14	3	74	12	22	10	30	16	6	4	33	55	
		13%abeG	3%	3%	7%	11%b	8%b	10%b	17%abe	14%	-	12%	3%	13%	23%zn	14%	11%	12%	18%	32%	12%	21%	12%	15%	14%	25%zAE	9%	5%	8%	22%zG
Not at all confident	23	2	7	1	4	5	6	9	11	4	16	3	5	5	8	15	-	4	1	20	1	3	4	8	2	4	*	5	17	
		3%ehG	4%	4%	1%	3%	2%	3%	5%	2%	20%	3%	10%	2%	4%	2%	4%	-	5%	8%	3%	2%	2%	6%	4%	3%	6%	1%	1%	7%zG
Not stated	22	1	4	1	-	7	1	2	6	-	4	1	4	1	5	2	-	2	1	5	1	1	*	*	-	1	3	4	2	
		3%fhjnosACGH	1%	2%	1%	-	2%	1%	1%	-	1%	-	1%	4%	1%	*	-	2%	9%	1%	2%	1%	*	*	-	1%	4%	1%	1%	
Confident	560	52	168	61	107	260	201	144	435	16	389	27	271	87	306	321	21	57	5	507	43	164	56	175	46	55	59	384	173	
		81%h	92%	91%zG	90%	85%	88%zG	86%	77%	83%	80%	83%	83%	84%am	73%	83%am	85%z	88%	75%	51%	84%z	75%	86%D	79%	82%	72%	84%	90%	90%zH	70%
Not confident	111	4	12	6	18	28	30	42	83	4	74	4	48	32	59	56	3	17	4	94	13	25	14	38	18	10	4	38	72	
		16%beG	6%	7%	9%	15%b	10%	13%	22%abe	16%	20%	16%	13%	15%	27%zn	16%	15%	12%	23%	40%	16%	23%	13%	21%	18%	28%zA	15%	6%	9%	29%zG
NET	449	49	155	55	88	232	171	103	352	12	315	23	223	55	247	265	18	40	1	413	29	139	41	137	28	45	55	346	101	
		65%gmq	86%zG	84%zdf	81%	71%g	78%zG	73%zG	55%	67%	60%	68%	70%	69%am	46%	67%am	70%zq	77%	52%	12%	68%zt	52%	73%zD	58%	64%D	43%	68%D	84%	81%zH	41%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q30 Is there anyone who you look after or give special help to, for example, someone who is sick, has a long-term physical or mental disability or is elderly?

Base: All respondents

	Gender		Age							PCT - East of England													Carer			Unwtd sample	
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)	No (C)		
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Yes	138	65	73	3	22	44	35	17	16	5	11	12	9	6	9	17	12	3	7	11	12	8	17	138	-	-	161
	20% ^C	20%	21%	10%	14%	19%	34% ^z	24%	24%	11%	14%	18%	33%	27%	21%	18%	29%	15%	17%	24%	17%	23%	26%	100% ^{zC}	-	-	23%
Yes, but only in a professional capacity as part of my job	19	4	15	2	2	7	5	-	3	1	1	1	-	-	2	3	-	2	3	1	4	1	1	-	19	-	22
	3% ^C	1%	4% ^z	6%	1%	3%	5% ^g	-	5% ^g	2%	1%	2%	-	-	4%	3%	-	10%	8%	1%	5%	3%	1%	-	100%	-	3%
No	502	253	244	24	133	182	62	51	43	41	56	51	14	16	32	70	27	11	30	32	53	24	43	-	-	502	474
	72% ^{tA}	78%	71%	78%	82% ^{fh}	77% ^{fh}	61%	72%	64%	82%	76%	79%	54%	73%	73%	75%	68%	57%	74%	69%	73%	72%	66%	-	-	100% ^{zA}	68%
Not stated	34	4	12	2	5	2	*	3	5	2	6	*	3	-	1	4	1	4	1	3	4	1	4	-	-	-	36
	5% ^{aefA}	1%	4%	6%	3%	1%	*	4%	7% ^{ef}	5%	8%	1%	13%	-	3%	4%	2%	18%	1%	7%	6%	3%	6%	-	-	-	5%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q30 Is there anyone who you look after or give special help to, for example, someone who is sick, has a long-term physical or mental disability or is elderly?

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Yes	138	34	49	87	99	1	11	2	22	100	12	99	16	137	1	95	39	21	17	51	61	48	61	51
Yes, but only in a professional capacity as part of my job	19	2	5	14	13	-	3	-	2	12	3	11	6	19	-	10	9	4	1	8	7	7	9	6
No	502	176	122	376	322	9	37	25	92	375	61	351	80	495	6	273	226	91	33	111	191	120	174	134
Not stated	34	5	11	14	11	3	2	-	1	19	2	15	1	21	2	13	10	3	5	7	2	3	9	7
	5%	2%	3%	3%	3%	22%	4%	-	1%	4%	2%	3%	1%	3%	22%	3%	4%	3%	8%	4%	1%	2%	4%	4%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q30 Is there anyone who you look after or give special help to, for example, someone who is sick, has a long-term physical or mental disability or is elderly?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Yes	138	20	40	18	29	73	48	30	102	2	94	8	61	21	69	70	5	20	3	119	18	45	12	37	15	18	9	94	44
	20%	36%	22%	26%	23%	25%	21%	16%	19%	9%	20%	23%	19%	17%	19%	19%	22%	26%	27%	20%	31%	24%	18%	17%	24%	28%	14%	22%	18%
Yes, but only in a professional capacity as part of my job	19	1	6	2	3	9	5	7	15	1	15	1	10	4	11	12	-	*	-	16	3	5	1	7	4	-	2	9	9
	3%	2%	3%	3%	2%	3%	2%	4%	3%	6%	3%	3%	3%	3%	3%	3%	-	*	-	3%	5%	3%	1%	3%	6%	-	2%	2%	4%
No	502	33	133	45	90	204	177	143	402	14	351	24	245	92	284	281	18	56	8	457	33	135	56	163	46	47	52	312	186
	72%	58%	72%	66%	72%	69%	76%	76%	77%	70%	75%	73%	76%	77%	77%	74%	78%	73%	73%	75%	57%	71%	80%	76%	71%	71%	80%	73%	76%
Not stated	34	2	6	3	2	9	3	8	6	3	6	*	6	3	6	16	-	*	-	14	4	6	1	7	-	1	2	11	7
	5%	4%	3%	5%	2%	3%	1%	4%	1%	15%	1%	1%	2%	3%	2%	4%	-	*	-	2%	7%	3%	1%	3%	-	2%	3%	3%	3%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q31 Are you male or female?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Male	326	326	-	4	66	114	55	45	40	18	32	32	14	19	22	51	14	5	22	24	40	14	19	65	4	253	224	
		47%bv	100%zb	-	12%	40%	49%	53%	63%zde	59%z	37%	43%	49%	53%	84%	51%	54%v	36%	28%	53%	51%	55%v	42%	29%	47%	22%	50%	32%
Female	345	-	345	24	97	121	48	26	27	30	37	32	11	4	21	42	25	13	15	21	29	20	46	73	15	244	447	
		50%ag	-	77%	60%gh	51%g	46%	36%	40%	61%	50%	50%	40%	16%	47%	44%	62%	67%	38%	45%	40%	58%	71%zot	53%	78%	49%	65%	
Not stated	22	-	-	3	-	-	1	1	*	1	5	*	2	-	1	2	1	1	4	2	4	-	-	-	-	4	22	
		3%abef	-	10%	-	-	1%	1%	1%	3%	7%	1%	7%	-	3%	2%	2%	5%	9%	3%	5%	-	-	-	-	1%	3%	
C																												

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q31 Are you male or female?
Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Male	326	77	83	241	203	9	26	19	53	247	25	238	34	326	-	181	142	60	21	79	133	87	121	98
		47%ajl	36%	46%	49%	46%	71%	49%	70%	45%	49%j	32%	50%l	33%	49%z	-	46%	50%	51%	51%	49%	48%	48%	49%
Female	345	140	95	245	236	4	26	8	64	250	52	230	68	334	9	202	138	58	30	95	125	90	127	95
	50%	64%z	53%	50%	53%z	29%	49%	30%	55%	49%	67%zi	48%	66%zk	50%	100%	52%	49%	49%	53%	54%	48%	51%	50%	48%
Not stated	22	-	3	4	7	-	1	-	-	10	1	8	1	12	-	8	3	1	5	2	4	1	6	6
	m	3%cdik	1%	1%	2%	-	1%	-	-	2%	2%	2%	1%	2%	-	2%	1%	1%	9%zq	1%	1%	1%	2%	3%u

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q31 Are you male or female?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Male	326	30	101	48	58	155	110	72	249	8	210	19	164	39	171	190	13	38	8	305	20	107	37	84	25	37	33	224	101
	47% ^m	54%	55% ^g	70%	46%	52% ^z	47%	38%	47%	40%	45%	58%	51% ^{mn}	33%	46% ^m	50%	57%	50%	79%	50% ^z	36%	56% ^z	53%	39%	39%	56% ^C	50%	53% ^z	41%
Female	345	25	80	19	65	136	122	111	270	12	251	14	154	81	195	182	10	38	2	295	35	79	33	127	39	29	32	199	142
	50% ^A	44%	44%	28%	52%	46%	52%	59% ^z	52%	60%	54% ^z	42%	48%	67% ^{zn}	53% ^l	48%	43%	50%	21%	49%	62%	41%	47%	60% ^z	61% ^A	44%	49%	47%	57% ^z
Not stated	22	1	3	1	2	5	1	4	5	-	6	-	5	-	5	6	-	-	-	7	1	4	-	2	-	-	*	3	4
	3% ^{efhj}	3%	2%	2%	2%	2%	*	2%	1%	-	1%	-	1%	-	1%	2%	-	-	-	1%	2%	2%	-	1%	-	-	1%	1%	2%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q32 What was your age on your last birthday?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
16-24	30	4	24	30	-	-	-	-	-	2	-	1	3	-	-	7	3	2	3	-	4	2	2	3	2	24	14
		4%aefg	1%	7%za	100%	-	-	-	-	5%	-	2%	13%	-	-	8%	8%	11%	8%	-	5%	7%	3%	2%	10%	5%	2%
25-34	163	66	97	-	163	-	-	-	-	7	15	25	-	8	2	33	7	2	-	14	15	6	29	22	2	133	54
		23%efg	20%	28%z	100%zefg	-	-	-	-	14%	20%	38%zin	-	34%	5%	35%in	18%	11%	-	30%	21%	19%	45%zj	16%	9%	27%A	8%
		hn		h																							
35-44	127	50	77	-	-	127	-	-	-	9	13	17	7	-	8	13	8	3	11	7	15	6	10	19	4	103	115
		18%dfg	15%	22%z	-	-	54%zdfg	-	-	18%	17%	26%	27%	-	19%	14%	20%	17%	27%	15%	20%	18%	16%	14%	22%	21%	17%
		h		h																							
45-54	108	64	44	-	-	108	-	-	-	9	8	8	5	9	9	7	6	3	7	6	11	12	6	26	3	78	116
		16%bdf	20%	13%	-	-	46%zdfg	-	-	18%	11%	12%	21%	40%	21%	7%	16%	15%	18%	13%	15%	36%	10%	19%	15%	16%	17%
		gh		h																							
55-64	103	55	48	-	-	-	103	-	-	6	15	5	4	3	14	12	2	5	9	9	8	2	8	35	5	62	153
		15%deg	17%	14%	-	-	100%zdeg	-	-	12%	21%	7%	16%	16%	31%zkt	13%	5%	25%	23%	19%	11%	6%	12%	25%zC	28%	12%	22%
		h		h																							
65+	138	84	53	-	-	-	-	71	67	13	17	9	4	2	8	20	12	2	9	10	15	5	10	33	3	95	217
		20%bde	26%zb	15%	-	-	-	100%zd	100%zde	27%	23%	13%	17%	10%	19%	21%	31%	13%	23%	21%	21%	15%	15%	24%	17%	19%	31%
		f						ef	f																		
Not stated	24	3	3	-	-	-	-	-	-	3	5	-	2	-	2	2	1	2	1	1	5	-	-	-	-	6	24
		3%abeC	1%	1%	-	-	-	-	-	7%	7%	-	7%	-	5%	3%	2%	9%	2%	2%	7%	-	-	-	-	1%	3%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q32 What was your age on your last birthday?

Base: All respondents

	Total (z)	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
			Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
			(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
16-24	30	8	-	30	15	-	-	2	13	17	10	15	10	30	-	16	15	-	3	5	9	3	7	7	
		4%b		6%zb	3%			6%	11%zd	3%	13%zi	3%	10%zk	5%		4%	5%		6%q	3%	3%	2%	3%	3%	
25-34	163	91	29	133	84	11	19	10	39	121	17	122	29	155	7	78	85	23	5	40	65	43	62	39	
		23%bdo	42%zr	16%	27%zb	19%	79%	36%	35%	34%cd	24%	22%	26%	28%	23%	76%	20%	30%zo	19%	8%	23%	25%	24%	25%	20%
35-44	127	70	23	103	85	-	10	7	23	95	14	85	19	126	1	79	46	21	14	34	51	40	47	43	
		18%b	32%z	12%	21%b	19%	-	19%	25%	20%	19%	18%	18%	19%	9%	20%	16%	18%	24%	19%	19%	22%	19%	21%	
45-54	108	46	33	74	70	1	11	3	15	79	13	74	15	108	-	66	41	20	12	21	41	22	27	24	
		16%v	21%	18%	15%	16%	7%	21%	11%	13%	16%	17%	16%	14%	16%	-	17%	15%	17%	22%	12%	16%v	12%	10%	12%
55-64	103	2	27	74	69	2	6	5	16	79	9	79	12	102	1	66	36	24	12	36	43	32	47	39	
		15%a	1%	15%	15%	15%	14%	12%	17%	13%	15%	12%	17%	11%	15%	6%	17%	13%	20%	22%	20%	16%	18%	18%	20%
65+	138	-	65	72	116	-	6	1	10	107	11	94	15	137	1	79	56	30	8	37	51	36	59	44	
		20%each	-	36%zc	15%	26%zh	-	12%	5%	8%	21%	14%	20%	15%	20%	20%	20%	25%	15%	21%	20%	20%	23%	22%	
Not stated	24	1	4	3	7	-	-	-	1	10	4	6	3	13	-	9	4	1	2	3	2	2	5	3	
		3%acdi	*	2%	1%	2%	-	-	1%	2%	5%	1%	3%	2%	-	2%	1%	1%	3%	2%	1%	1%	2%	2%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q32 What was your age on your last birthday?

Base: All respondents

	Made plans																	Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)									
																														23% 15%E	20% 15%E	26% 15%E	27% 15%E	10% 16% E	32% 14% E	33% 14% E	26% 10% E	44% 8% E
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247									
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244									
16-24	30	-	2	-	-	-	7	20	26	-	26	-	22	8	23	15	2	-	-	25	5	11	-	12	6	-	2	16	14									
	4% be	-	1%	-	-	-	3% e	11% z f	5% b d	-	6% -	-	7% -	6% -	6% -	4% -	10% -	-	-	4% -	10% -	6% -	-	6% -	9% E	-	3% -	4% -	6% -									
25-34	163	8	37	17	34	28	74	63	134	9	125	4	86	43	100	93	-	4	-	155	5	34	17	73	11	4	24	88	75									
	23% E	15% e	20% e	26% e	27% e	10% e	32% z a b e	33% z a b e	26% z a b e	44% z a b e	27% z a b e	12% z a b e	27% z a b e	36% z a b e	27% z a b e	25% q	-	5% -	-	26% z t	8% z t	18% E	24% E	34% z A D E	17% z A D E	6% z A D E	37% z A D E	21% z A D E	30% z A D E									
35-44	127	8	30	13	37	42	56	39	106	2	101	3	58	19	69	76	3	14	-	111	12	31	7	55	9	12	12	85	42									
	18% e	14% e	16% e	20% e	30% z b e	14% z b e	24% z b e	21% z b e	20% z b e	8% z b e	22% z b e	10% z b e	18% z b e	15% z b e	19% z b e	20% z b e	12% z b e	19% z b e	-	18% z b e	21% z b e	16% z b e	10% z b e	26% z B E	14% z B E	18% z B E	18% z B E	20% z B E	17% z B E									
45-54	108	8	17	5	18	53	41	30	84	3	84	4	45	22	55	58	-	20	7	103	3	30	14	21	14	19	9	72	35									
	16% b t	13% b t	9% b t	7% b t	14% b t	18% b t	17% b t	16% b t	16% b t	18% b t	18% b t	11% b t	14% b t	18% b t	15% b t	15% b t	-	26% z o	68% z o	17% t	5% t	16% t	19% t	10% t	22% C	28% z C	14% z C	17% z C	14% z C									
55-64	103	10	33	8	14	62	26	18	82	3	66	7	48	17	54	49	8	18	*	89	11	31	18	23	13	9	7	65	38									
	15% g	18% g	18% g	12% g	11% g	21% z d f g	11% z d f g	10% z d f g	16% z d f g	15% z d f g	14% z d f g	22% z d f g	15% z d f g	14% z d f g	15% z d f g	13% z d f g	33% z o	24% z o	3% z o	15% z o	20% z o	16% z C	26% z C	23% z C	20% z C	13% z C	11% z C	15% z C	15% z C									
65+	138	22	63	23	19	102	26	16	87	3	59	13	58	13	61	84	10	19	3	117	18	51	15	30	10	22	9	96	40									
	20% f g j	39% z d f g	34% z d f g	34% z d f g	15% z d f g	34% z d f g	11% z d f g	8% z d f g	17% z d f g	16% z d f g	13% z d f g	40% z d f g	18% z d f g	11% z d f g	17% z d f g	22% z d f g	42% z d f g	24% z d f g	29% z d f g	19% z d f g	33% z s	27% z C	21% z C	14% z C	16% z C	33% z C D	13% z C D	23% z C D	16% z C D									
Not stated	24	1	3	1	3	9	3	2	6	-	5	1	7	-	7	4	1	1	-	5	2	2	-	1	2	1	2	4	2									
	3% h o s C G H	2% h o s C G H	1% h o s C G H	1% h o s C G H	2% h o s C G H	3% h o s C G H	1% h o s C G H	1% h o s C G H	1% h o s C G H	- h o s C G H	1% h o s C G H	4% h o s C G H	2% h o s C G H	- h o s C G H	2% h o s C G H	1% h o s C G H	3% h o s C G H	2% h o s C G H	- h o s C G H	1% h o s C G H	4% h o s C G H	1% h o s C G H	- h o s C G H	- h o s C G H	3% h o s C G H	1% h o s C G H	3% h o s C G H	1% h o s C G H	1% h o s C G H									

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q33 In which of these ways does your household occupy your current accommodation?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
Owned outright	224	130	89	3	11	52	59	50	45	20	22	18	11	9	17	40	10	6	18	10	16	9	18	49	6	162	304	
		32%abde	40%zb	26%	10%	7%	22%d	57%zde	70%zde	67%zde	41%	30%	28%	42%	38%	38%	42%	25%	31%	44%	22%	22%	25%	28%	35%	30%	32%	44%
Buying on mortgage	257	121	136	2	94	130	27	3	1	15	29	34	7	4	15	27	18	7	17	22	27	7	26	46	7	204	198	
		37%fgh	37%	39%	5%	58%zfg	55%zfg	26%gh	4%	1%	31%	40%	52%zo	28%	18%	34%	29%	45%	33%	42%	47%	38%	22%	40%	33%	36%	41%z	29%
Rent from council	67	28	39	6	26	12	8	6	7	4	5	5	3	9	4	6	*	4	2	8	4	5	7	18	1	42	61	
		10%e	9%	11%	19%	16%e	5%	8%	9%	11%	8%	7%	8%	11%	41%	8%	6%	1%	19%	5%	17%	6%	16%	11%	13%	7%	8%	9%
Rent from Housing Association/Trust	39	22	18	2	11	10	3	7	6	5	8	-	*	-	2	3	1	-	2	3	8	2	4	7	4	29	38	
		6%	7%	5%	6%	7%	4%	3%	10%zf	9%	11%k	11%k	-	2%	-	5%	4%	2%	-	5%	6%	11%k	6%	6%	5%	19%	6%	5%
Rented from private landlord	67	20	47	16	19	25	3	2	2	1	3	7	2	-	3	13	7	2	1	1	9	9	8	14	1	51	46	
		10%fgh	6%	14%za	53%	12%	11%fg	2%	3%	3%	2%	5%	11%	9%	-	7%	14%	17%	11%	2%	3%	12%	28%	13%	10%	4%	10%	7%
Other (specify below)	14	4	10	2	2	2	3	1	3	1	*	-	1	-	-	3	3	-	-	1	4	-	*	3	1	8	18	
		2%	1%	3%	6%	1%	1%	3%	1%	4%e	2%	*	-	2%	-	3%	9%	-	-	3%	6%	-	1%	2%	2%	4%	2%	3%
Not stated	25	1	7	-	-	4	*	1	2	3	5	*	2	1	4	2	-	1	1	1	4	1	1	2	-	5	28	
		4%abfC	*	2%	-	-	2%	*	1%	3%	6%	7%	1%	7%	3%	9%	2%	-	5%	1%	2%	5%	3%	1%	1%	-	1%	4%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q33 In which of these ways does your household occupy your current accommodation?

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	693	218*	490	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*
Unw. Sample	693	167	448	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Owned outright	224	21	148	74	148	171	1	10	7	21	174	13	165	17	220	3	130	90	51	23	66	93	57	92	80
		32%ahj	10%	41%zc	30%	38%zh	7%	19%	28%	18%	34%j	17%	35%l	17%	33%	36%	33%	32%	43%z	41%	38%	36%	32%	36%	40%zu
Buying on mortgage	257	131	217	39	217	159	2	25	14	56	193	24	182	41	255	2	134	121	44	14	58	111	73	94	76
		37%b	60%z	22%	44%zb	36%	14%	48%	52%	48%	38%	31%	38%	40%	38%	22%	34%	43%	37%	31%	33%	42% ^s	41% ^s	37%	38%
Rent from council	67	32	38	27	38	30	11	9	1	14	46	14	42	14	64	3	49	18	6	8	15	21	19	26	17
		10% ^d	15%	15% ^{zc}	8%	7%	79%	17%	4%	12%	9%	17%	9%	13%	10%	27%	13% ^z	6%	5%	15%	9%	8%	10%	10%	9%
Rent from Housing Association/V Trust	39	7	24	15	24	28	-	3	1	7	30	7	27	9	38	1	25	15	4	4	12	14	9	11	8
		6%	3%	8%	5%	6%	-	6%	2%	6%	6%	9%	6%	9%	6%	6%	6%	5%	4%	7%	7%	5%	5%	4%	4%
Rented from private landlord	67	23	50	17	50	40	-	5	4	16	40	17	41	19	66	1	37	29	9	2	17	17	15	24	11
		10%	11%	10%	10%	9%	-	9%	15%	14%	8%	22% ^{zi}	9%	19% ^{zk}	10%	9%	9%	10%	8%	4%	10% ^w	7%	8%	9% ^w	5%
Other (specify below)	14	2	8	3	8	9	-	1	-	*	12	1	12	*	14	-	8	5	2	1	4	2	2	3	3
		2%	1%	2%	2%	2%	-	2%	-	*	2%	2%	2%	*	2%	-	2%	2%	2%	2%	2%	1%	1%	1%	2%
Not stated	25	3	4	5	4	8	-	-	-	2	12	2	7	2	14	-	8	6	2	2	4	3	4	4	3
		4% ^{cdik}	1%	3%	1%	2%	-	-	-	2%	2%	2%	1%	2%	2%	-	2%	2%	2%	4%	2%	1%	2%	2%	2%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q33 In which of these ways does your household occupy your current accommodation?

Base: All respondents

	Made plans																		Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)										
																														29%	24%	29%	37%	34%	21%	32%	34%	51%	47%
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247										
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244										
Owned outright	224	27	76	27	33	151	63	33	172	5	135	12	111	25	120	127	12	36	2	197	24	69	30	56	25	27	15	153	69										
		32%g	48%zdf	41%zdf	40%	26%	51%zbd	27%	18%	33%	24%	29%	37%	34%g	21%	32%g	34%	51%	47%z	23%	33%	42%	36%	42%	26%	38%	41%	22%	36%	28%									
Buying on mortgage	257	15	67	32	69	104	113	65	212	6	204	10	130	62	160	150	3	28	6	237	13	61	29	97	22	18	31	151	105										
		37%t	27%	36%	46%	55%zab	35%	48%zab	35%	40%z	32%	44%z	31%	40%	52%z	43%z	39%	15%	37%	53%	39%t	23%	32%	41%	46%zAE	33%	27%	47%	36%	43%									
Rent from council	67	4	18	1	7	9	13	33	38	6	37	4	27	17	29	44	2	5	2	61	5	26	4	23	1	4	8	31	35										
		10%ehD	7%	10%e	2%	5%	3%	5%	17%zdef	7%	31%	8%	12%	8%	14%n	8%	12%	6%	6%	17%	10%	9%	14%D	6%	11%	1%	6%	12%	7%	14%zG									
Rent from Housing Association/V Trust	39	6	14	5	4	10	7	20	33	1	25	1	15	6	17	19	2	3	1	37	2	10	5	11	3	8	3	25	14										
		6%e	10%ef	7%e	7%	3%	4%	3%	10%zef	6%	3%	5%	4%	5%	5%	4%	5%	7%	4%	7%	6%	3%	5%	7%	5%	5%	12%z	4%	6%	6%									
Rented from private landlord	67	1	4	2	7	29	32	55	2	55	2	34	7	36	24	5	2	-	-	57	10	20	2	22	14	5	3	50	17										
		10%beoq	2%	2%	3%	6%	2%	13%bde	17%zab	10%	9%	12%	5%	10%	6%	10%	6%	21%	2%	-	9%	17%	10%	3%	10%	22%zB	8%	4%	12%	7%									
Other (specify below)	14	1	1	1	1	7	5	2	8	*	5	3	5	2	7	7	-	2	-	11	2	1	1	2	-	4	6	9	5										
		2%j	2%	1%	1%	2%	2%	1%	2%	2%	1%	10%	2%	2%	2%	2%	-	2%	-	2%	4%	1%	1%	1%	-	6%zAC	8%	2%	2%										
Not stated	25	2	5	1	4	7	3	3	6	-	6	*	2	1	2	7	-	1	-	6	2	4	-	2	1	1	1	6	2										
		4%hln	3%	3%	1%	3%	2%	1%	2%	1%	-	1%	1%	*	1%	2%	-	1%	-	1%	3%	2%	-	1%	1%	1%	1%	2%	1%										

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q34 How many adults aged 18 or over are living here?
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
(1) One	208	101	105	3	55	64	26	24	34	10	24	14	7	16	13	23	14	2	12	17	26	10	20	30	7	163	215	
	30%A	31%	31%	11%	34%	27%	25%	34%	51%zefg	20%	33%	22%	27%	70%	29%	25%	35%	10%	29%	36%	36%	28%	32%	21%	39%	32%A	31%	
(2) Two	380	188	188	25	105	127	55	37	29	30	32	45	13	1	25	63	20	8	22	27	35	19	39	85	10	278	346	
	55%h	58%	55%	82%	65%h	54%	54%	52%	43%	61%	44%	69%j	48%	7%	57%	67%j	51%	41%	53%	58%	47%	57%	61%	61%	61%	54%	55%	50%
(3) Three	49	19	30	2	-	27	13	5	2	4	8	3	4	1	2	4	4	4	2	-	4	5	4	15	1	33	66	
	7%	6%	9%	7%	-	11%zdh	12%zdh	8%g	3%	7%	10%	5%	15%	6%	5%	4%	10%	22%	6%	-	6%	13%	6%	11%	4%	6%	10%	
(4) Four	21	13	9	-	2	12	6	*	-	1	3	1	1	3	2	2	-	3	4	1	-	-	*	4	-	15	21	
	3%	4%	3%	-	1%	5%zh	6%gh	1%	-	3%	4%	1%	4%	14%	5%	2%	-	16%	9%	2%	-	-	*	3%	-	3%	3%	
(5) Five	1	-	1	-	-	1	-	-	*	-	1	*	-	-	-	-	-	-	-	-	-	-	*	1	*	*	3	
	*	-	*	-	-	*	-	-	1%	-	1%	*	-	-	-	-	-	-	-	-	-	-	1%	*	2%	*	*	
(6) Five and more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Not stated	33	5	11	-	-	4	3	4	2	5	6	1	2	1	2	2	2	2	1	2	8	*	-	3	-	13	42	
	5%abeC	2%	3%	-	-	2%	3%	6%de	3%	10%	8%	2%	7%	3%	4%	3%	4%	11%	2%	4%	11%	1%	-	2%	-	3%	6%	
1 or 2	588	289	293	28	161	191	81	61	63	40	56	59	20	17	38	86	34	10	34	44	61	29	60	114	17	441	561	
	85%f	89%	85%	93%	99%zefg	81%	79%	86%	93%zefg	81%	77%	91%	75%	76%	86%	91%j	86%	50%	82%	94%	83%	85%	93%j	83%	94%	88%z	81%	
3 or 4	70	31	39	2	2	39	19	6	2	5	11	4	5	5	6	4	7	6	1	4	5	4	20	1	47	87		
	10%ch	10%	11%	7%	1%	17%zdh	18%zdh	8%g	3%	10%	15%	6%	18%	21%	10%	6%	10%	38%	15%	2%	6%	13%	6%	14%	4%	9%	13%	
Five or more	1	-	1	-	-	1	-	-	*	-	1	*	-	-	-	-	-	-	-	-	-	-	*	1	*	*	3	
	*	-	*	-	-	*	-	-	1%	-	1%	*	-	-	-	-	-	-	-	-	-	-	1%	*	2%	*	*	
Mean	1.83h	1.82	1.84	1.96	1.69	1.96zdh	1.99zdh	1.73h	1.53	1.92	1.88	1.86	1.94	1.64	1.86	1.83	1.74	2.50	1.95	1.66	1.66	1.85	1.77	1.98zC	1.71	1.80	1.85	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q34 How many adults aged 18 or over are living here?
Base: All respondents

	Total (z)	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199	
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
(1) One	208	46	79	128	131	12	15	12	30	174	10	158	17	206	1	131	75	42	20	45	60	41	68	54	
		30%acj	21%	44%zc	26%	29%	93%	28%	43%	26%	34%zj	13%	33%l	17%	31%	10%	33%	26%	36%	35%	25%	23%	23%	27%	27%
(2) Two	380	145	72	306	252	1	25	15	75	263	54	252	73	374	5	204	173	62	23	105	161	108	148	117	
		55%b	67%z	40%	62%zb	57%	7%	48%	57%	64%	52%	70%zi	53%	71%zk	56%	54%	52%	61%	52%	41%	59%	62%	61%	58%	59%
(3) Three	49	12	22	27	38	-	3	-	6	34	8	37	9	48	1	29	19	9	8	14	22	15	19	16	
		7%	6%	12%zc	6%	9%	-	5%	-	6%	7%	11%	8%	9%	7%	9%	7%	7%	15%z	8%	8%	8%	7%	8%	
(4) Four	21	12	3	19	8	-	8	-	5	15	*	13	*	19	2	13	8	4	1	6	11	7	8	5	
		3%cd	6%	2%	4%	2%	-	16%	-	4%	3%	1%	3%	*	3%	22%	3%	3%	4%	2%	3%	4%	4%	3%	2%
(5) Five	1	-	*	1	1	-	-	-	-	1	-	1	*	1	-	1	-	-	-	1	1	1	1	1	
		*	-	*	*	-	-	-	-	*	-	*	*	*	-	*	-	-	-	1%	*	1%	*	1%	
(6) Five and more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Not stated	33	1	5	11	15	-	1	-	-	19	4	15	2	22	*	13	9	2	4	5	6	6	11	6	
		5%acd	1%	3%	2%	3%	-	2%	-	4%	6%	3%	2%	3%	5%	3%	3%	2%	7%	3%	2%	3%	4%	3%	
1 or 2	588	192	151	433	383	13	40	27	105	437	65	410	90	580	6	335	248	104	43	150	221	149	216	171	
		85%	88%	83%	88%z	86%	100%	77%	100%	90%	86%	83%	86%	88%	86%z	64%	86%	87%	87%	76%	85%	85%	84%	85%	86%
3 or 4	70	25	25	46	46	-	11	-	12	49	9	51	10	67	3	42	27	13	9	20	33	22	27	21	
		10%	11%	14%	9%	10%	-	21%	-	10%	11%	11%	9%	10%	31%	11%	10%	11%	17%	11%	13%	12%	11%	11%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q34 How many adults aged 18 or over are living here?

Base: All respondents

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Five or more	1*	-	*	1*	1*	-	-	-	-	1*	-	1*	*	1*	-	1*	-	-	-	1*	1*	1*	1*	1*
Mean	1.83bi	1.96z	1.71	1.87b	1.83	1.07	2.09	1.57	1.88	1.78	1.98	1.80	1.94	1.82	2.45	1.81	1.86	1.79	1.82	1.91	1.95z	1.95	1.88	1.87

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q34 How many adults aged 18 or over are living here?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
(1) One	208	25	61	18	22	88	58	61	145	11	128	13	79	30	94	112	6	20	7	191	11	64	20	56	13	27	24	135	72
	30% ^d	44% ^{df}	33% ^d	27%	18%	30% ^d	25%	32% ^d	28%	58%	27%	38%	24%	25%	25%	30%	27%	27%	62%	32%	19%	34%	28%	26%	20%	41% ^D	36%	32%	29%
(2) Two	380	26	103	44	85	157	142	104	311	6	278	14	198	77	225	222	12	43	2	337	35	107	36	131	42	29	32	233	145
	55%	45%	56%	65%	68% ^z	53%	61%	55%	59% ^z	31%	60% ^z	41%	61% ^z	64%	53% ^z	59%	50%	56%	22%	56%	62%	56%	52%	61% ^E	65% ^E	44%	49%	55%	59%
(3) Three	49	4	10	2	11	27	21	12	41	1	36	1	20	8	24	26	3	7	2	42	6	8	7	17	7	5	5	32	17
	7%	8%	6%	3%	8%	9%	9%	6%	8%	6%	8%	4%	6%	7%	7%	7%	13%	9%	16%	7%	10%	4%	9%	8%	11%	8%	7%	8%	7%
(4) Four	21	1	4	1	3	10	5	6	16	-	15	3	17	3	17	10	1	3	-	20	1	8	6	5	-	1	1	13	8
	3%	1%	2%	2%	2%	4%	2%	3%	3%	-	3%	10%	5%	2%	4%	3%	3%	4%	-	3%	2%	4%	8%	2%	-	2%	1%	3%	3%
(5) Five	1	*	*	-	-	1	-	*	1	*	-	-	1	*	1	1	-	-	-	1	-	-	-	1	-	-	-	1	*
	*	1%	*	-	-	*	-	*	*	2%	*	-	*	*	*	*	-	-	-	*	-	-	-	1%	-	-	-	*	*
(6) Five and more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	33	1	6	2	4	13	7	5	11	*	8	2	8	1	8	8	2	3	-	15	4	2	2	3	2	3	4	12	5
	5% ^h	2%	3%	3%	3%	4%	3%	3%	2%	2%	2%	8%	2%	1%	2%	2%	7%	4%	-	2%	7%	1%	3%	1%	4%	4%	6%	3%	2%
1 or 2	588	50	164	63	107	245	200	165	456	17	406	26	277	108	320	334	18	63	9	528	46	171	56	188	55	57	56	367	217
	85%	89%	89% ^e	92%	86%	83%	86%	87%	87%	89%	87%	79%	86%	90%	86%	88%	78%	83%	84%	87% ^z	81%	90%	80%	88%	85%	85%	86%	86%	88%
3 or 4	70	5	14	3	13	37	26	18	57	1	51	4	36	11	41	36	4	10	2	62	7	17	12	22	7	7	5	45	25
	10%	9%	8%	5%	11%	12% ^b	11%	10%	11%	6%	11%	13%	11%	9%	11%	10%	15%	13%	16%	10%	12%	9%	18%	10%	11%	10%	8%	11%	10%
Five or more	1	*	*	-	-	1	-	*	1	*	1	-	1	*	1	1	-	-	-	1	-	-	-	1	-	-	-	1	*
	*	1%	*	-	-	*	-	*	*	2%	*	-	*	*	*	*	-	-	-	*	-	-	-	1%	-	-	-	*	*

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q34 How many adults aged 18 or over are living here?

Base: All respondents

Mean

Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
1.83	1.68	1.77	1.79	1.95ab	1.87	1.88	1.80	1.86	1.53	1.87	1.83	1.93z	1.87	1.91z	1.83	1.90	1.90	1.54	1.82	1.95	1.79	1.98	1.88	1.91	1.70	1.71	1.82	1.84

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q35 How many children and young people aged 17 or younger are living here?
Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample			
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Wavene y (l)	Luton (m)	Mid Essex (n)	Nor-folk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suf-folk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)	
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693	
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693	
(0) None	441	245	191	22	69	114	97	69	66	25	51	32	21	11	32	71	24	13	30	26	55	19	32	97	16	317	486	
(1) One	93	38	55	8	44	39	1	-	-	8	9	16	3	11	2	6	3	1	4	12	6	6	9	16	1	76	63	
(2) Two	91	26	64	-	39	51	1	-	-	10	6	14	*	-	8	11	7	1	3	7	6	1	17	10	1	77	76	
(3) Three	27	10	18	-	5	22	-	-	-	2	2	2	-	-	1	2	6	-	3	-	*	6	4	8	*	19	23	
(4) Four	7	3	3	-	2	5	-	-	-	1	-	*	-	-	-	2	-	3	-	-	-	-	-	-	-	5	5	
(5) Five or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	34	4	13	-	3	5	4	2	1	4	6	1	2	-	2	2	1	1	2	2	5	2	3	7	-	9	40	
1 or 2	184	64	119	8	83	89	2	-	-	17	15	30	3	11	10	17	9	2	7	19	12	7	26	26	2	153	139	
3 or 4	34	13	21	-	7	27	-	-	-	3	2	2	-	-	1	4	6	3	3	-	*	6	4	8	*	23	28	
5 or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mean	0.58afgh	0.41	0.76za	0.27	0.92zfh	0.98zfh	0.03	0.00	0.00	0.83	0.39	0.80jt	0.14	0.49	0.47	0.46	0.85	0.84	0.47	0.58	0.29	0.84	0.88jt	0.47	0.20	0.62	0.47	

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q35 How many children and young people aged 17 or younger are living here?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
		Weighted Base	693	218*	475	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*
Unw. Sample	693	167	526	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
(0) None	441	-	441	136	302	318	3	22	18	59	329	46	310	65	437	4	267	168	84	41	124	175	115	169	133
(1) One	93	93	0	14	79	36	8	21	2	27	67	15	62	15	91	1	43	49	7	3	22	33	27	36	25
(2) Two	91	91	0	17	74	53	3	7	7	20	68	10	65	15	89	2	45	46	18	5	16	36	24	29	23
(3) Three	27	27	0	4	22	19	-	-	-	8	21	1	19	3	27	-	18	9	7	2	7	10	6	7	9
(4) Four	7	7	0	-	7	5	-	2	-	-	4	2	2	2	5	2	2	5	-	-	2	1	2	1	1
(5) Five or more	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	34	-	34	10	7	16	-	1	-	2	19	4	17	3	23	-	16	7	3	5	6	6	5	11	9
1 or 2	184	184	0	31	152	89	11	28	9	47	134	25	127	30	180	4	88	95	25	8	38	69	51	66	47
3 or 4	34	34	0	4	28	24	-	2	-	8	25	3	21	6	31	2	20	14	7	2	9	11	8	8	10
5 or more	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q35 How many children and young people aged 17 or younger are living here?
 Base: All respondents

	Childr en under 17 in househ old	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family receivd enough support from social services/NHS during and after death of loved one		Discussed wishes					
	Yes (a)	Yes (b)	No (c)	Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No reli gion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spiri tual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with digni ty (v)	Where prefer to die (w)	
Mean	0.58bd m	1.76z	0.36	0.66zb	0.51	1.01	0.82	0.58	0.80d	0.58	0.62	0.56	0.63	0.57	1.47	0.52	0.67	0.55	0.34	0.48	0.55	0.59	0.50	0.53

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q35 How many children and young people aged 17 or younger are living here?
 Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/ Advanced care plan (a)	Funeral wishes (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
(0) None	441	44	142	48	64	217	136	107	347	10	284	26	222	66	245	248	18	45	7	392	42	131	53	129	48	50	25	283	154
	64% ^d	77% ^{dfg}	77% ^{zdf}	71%	51%	73% ^{zdf}	58%	57%	66%	52%	61%	78%	69% ^m	55%	66% ^m	65%	78%	58%	64%	65%	75%	69%	75%	60%	74%	76% ^z	39%	66%	63%
(1) One	93	5	9	12	10	20	25	37	72	2	72	*	35	29	46	55	3	10	1	83	5	24	7	20	6	7	29	65	28
	13% ^{be}	9%	5%	18%	8%	7%	11%	20% ^{bde}	14%	9%	15%	1%	11%	24% ^{zln}	13%	14%	14%	8%	14%	9%	12%	10%	9%	9%	11%	44%	15%	11%	
(2) Two	91	4	20	5	29	39	49	30	69	6	70	3	40	17	48	48	1	8	3	85	4	23	7	45	5	6	4	51	40
	13%	7%	11%	8%	24% ^{zab}	13%	21% ^{zbe}	16%	13%	29%	15%	8%	12%	14%	13%	13%	6%	10%	28%	14%	7%	12%	10%	21% ^z	8%	9%	7%	12%	16%
(3) Three	27	1	5	-	13	7	11	8	19	2	21	3	17	7	21	12	-	10	-	24	3	5	-	14	*	1	6	13	15
	4% ^{be}	2%	3%	-	10% ^{zbf}	2%	5%	4%	4%	8%	5%	9%	5%	6%	6%	3%	-	13% ^{zo}	-	4%	6%	3%	-	7%	1%	1%	10%	3%	6%
(4) Four	7	-	3	1	2	2	2	2	4	-	6	*	3	1	4	5	-	2	-	7	-	-	1	3	2	1	-	2	4
	1%	-	2%	2%	2%	1%	1%	1%	1%	-	1%	1%	1%	1%	1%	1%	-	3%	-	1%	-	-	2%	1%	4% ^A	1%	-	1%	2%
(5) Five or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	34	3	6	1	7	10	10	4	13	*	12	1	5	1	5	12	1	1	-	16	2	8	2	3	2	2	*	13	6
	5% ^{hjn}	4%	3%	1%	5%	4%	4%	2%	3%	2%	3%	3%	2%	1%	1%	3%	3%	2%	-	3%	3%	4%	3%	1%	4%	2%	1%	3%	2%
1 or 2	184	9	29	18	39	59	74	67	141	7	142	3	75	46	95	102	5	18	4	168	9	47	14	65	11	13	33	116	68
	27% ^{be}	17%	16%	26%	32% ^{be}	20%	32% ^{be}	36% ^{zab}	27%	38%	31% ^z	9%	32%	38% ^{zln}	26%	27%	20%	24%	36%	28%	17%	24%	20%	30%	18%	19%	51%	27%	28%
3 or 4	34	1	9	1	15	9	13	10	23	2	28	3	20	8	25	17	-	12	-	30	3	5	1	17	3	1	6	15	19
	5% ^e	2%	5%	2%	12% ^{zbf}	3%	6%	5%	4%	8%	6%	10%	6%	6%	7%	4%	-	16% ^{zo}	-	5%	6%	3%	2%	8%	4%	2%	10%	4%	8%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q35 How many children and young people aged 17 or younger are living here?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
5 or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mean	0.58e	0.30	0.43	0.40	0.97zabef	0.45	0.73abe	0.70ae	0.55	0.91	0.66z	0.51	0.56	0.72	0.61	0.56	0.27	0.86zo	0.65	0.59	0.42	0.47	0.38	0.77zABE	0.44	0.37	0.87	0.52	0.70

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q36 Which of these activities best describes what you are doing at present?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Camb (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Employee in full-time job (30 hours plus per week)	298	163	135	3	98	149	43	4	1	15	24	41	11	8	19	33	18	7	19	21	29	18	35	58	8	227	177
Employee in part-time job (under 30 hours per week)	70	13	54	9	17	30	10	3	1	9	11	5	3	-	2	13	2	4	5	5	4	2	6	12	3	55	91
Self employed (full or part-time)	61	39	22	-	19	21	15	6	-	2	9	2	1	8	4	11	4	3	2	2	7	2	5	9	2	48	64
On a government supported training programme (e.g. Modern Apprenticeship/ Training for Work)	*	-	*	-	-	*	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*	-	-	1
Full-time education at school, college or university	7	1	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	*	4	-	2	3	2	2	5	
Unemployed and available for work	18	8	10	7	4	6	2	-	-	1	4	2	2	-	1	6	-	-	1	-	-	-	1	6	-	12	15
Permanently disabled	24	13	10	-	-	11	7	1	4	2	2	1	3	2	4	1	2	-	2	2	2	*	*	10	-	12	33
Wholly retired from work	129	78	50	-	-	2	21	51	54	12	13	8	3	5	6	18	12	4	8	9	15	5	11	27	4	94	210
Looking after the home	45	4	41	5	18	10	2	4	5	5	3	3	1	-	5	7	2	1	1	3	4	6	4	9	*	34	52
Doing something else (Please specify)	18	4	13	2	8	3	2	2	*	2	4	1	1	-	2	3	*	-	2	2	-	*	2	*	13	19	
Not stated	24	4	4	-	-	1	2	*	2	3	5	*	2	-	2	2	-	1	1	2	5	-	-	1	1	5	26

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q36 Which of these activities best describes what you are doing at present?

Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Working	428 62% ^{gh}	214 66%	211 61%	12 39%	133 82% ^{zfh}	200 85% ^{zfh}	68 66% ^{gh}	13 18% ^h	2 3%	26 52%	43 59%	47 73%	15 58%	15 69%	24 54%	57 61%	24 59%	14 72%	26 65%	28 60%	40 55%	22 65%	46 71%	79 57%	12 65%	330 66% ^z	332 48%
Not working	216 31% ^{de}	103 32%	110 32%	12 38%	22 13%	29 12%	32 31% ^{de}	57 80% ^{zde}	63 93% ^{zde}	19 38%	22 29%	15 23%	8 32%	7 31%	16 36%	32 34%	16 40%	4 22%	13 32%	14 30%	21 29%	12 35%	16 26%	52 38%	4 21%	152 30%	310 45%
In training/education	7 1% ^C	1 *	6 2% ^z	5 17%	-	2 1%	-	-	-	-	-	*	-	-	-	-	-	-	-	*	4 6% ^z	-	2 3%	4 3% ^C	2 10%	2 *	6 1%

Proportions/Means: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q36 Which of these activities best describes what you are doing at present?

Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Weighted Base	693	218*	490	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	448	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Employee in full-time job (30 hours plus per week)	298	107	245	51	245	181	6	27	18	53	218	29	220	41	295	3	155	141	49	25	74	127	85	112	82
		43%b	49%	28%	50%zb	41%	42%	51%	67%	45%	43%	37%	46%	40%	44%	32%	40%	50%z	41%	45%	42%	48%	48%	44%	41%
Employee in part-time job (under 30 hours per week)	70	38	56	14	56	48	-	5	3	14	52	14	44	16	66	3	42	27	13	7	21	29	17	25	22
	10%	17%z	11%	8%	11%	11%	-	9%	11%	12%	10%	18%z	9%	16%	10%	31%	11%	9%	11%	13%	12%	11%	10%	10%	11%
Self employed (full or part-time)	61	26	53	8	53	37	8	5	3	8	47	4	39	7	59	2	37	24	12	3	10	17	10	17	18
	9%b	12%	11%b	4%	11%b	8%	58%	9%	9%	7%	9%	5%	8%	7%	9%	22%	9%	8%	10%	6%	6%	6%	6%	7%	9%
On a government supported training programme (e.g. Modern Apprenticeship/ Training for Work)	*	*	*	-	*	*	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*	*	*	*	*
	*	*	*	-	*	*	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*	*	*	*	*
Full-time education at school, college or university	7	*	7	-	7	6	-	-	-	-	6	-	5	2	7	-	5	2	1	-	2	3	3	3	3
	1%	*	1%	-	1%	1%	-	-	-	-	1%	-	1%	2%	1%	-	1%	1%	1%	-	1%	1%	2%	1%	2%
Unemployed and available for work	18	3	17	1	17	5	-	-	-	13	14	3	15	2	18	-	10	8	2	*	3	6	1	3	3
	3%d	2%	3%	1%	3%	1%	-	-	-	11%zd	3%	4%	3%	2%	3%	-	3%	3%	1%	1%	1%	2%	1%	1%	2%
Permanently disabled	24	4	-	24	-	22	-	-	-	2	18	2	16	4	23	1	20	4	3	5	9	6	4	9	7
	3%c	2%	13%zc	-	5%z	-	-	-	-	2%	4%	3%	3%	4%	3%	6%	5%z	1%	3%	8%	5%	2%	2%	3%	3%
Wholly retired from work	129	*	69	58	69	105	-	8	3	7	99	10	90	12	129	-	74	52	29	9	40	51	39	60	44
	19%ach	*	14%	32%zc	14%	23%zh	-	15%	12%	6%	20%	13%	19%	12%	19%	-	19%	18%	24%	16%	23%	19%	22%	24%	22%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q36 Which of these activities best describes what you are doing at present?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	No (c)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Comf (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)
Looking after the home	45 6%	29 14% ^z	34 7%	10 5%	23 5%	-	7 13%	-	15 13% ^o	28 6%	12 16% ^z	28 6%	15 14% ^{zk}	44 7%	1 9%	28 7%	16 6%	6 5%	2 3%	10 6%	16 6%	10 6%	14 6%	12 6%	
Doing something else (Please specify)	18 3% ^c	9 4%	7 1%	10 5% ^{zc}	12 3%	-	1 2%	-	3 3%	14 3%	* *	13 3%	2 2%	18 3%	-	12 3%	5 2%	4 3%	1 2%	5 3%	6 2%	6 3%	7 3%	6 3%	
Not stated	24 3% ^{acdi} knotw	1 *	2 1%	4 2%	6 1%	-	-	-	2 2%	11 2%	3 4%	7 2%	3 2%	13 2%	-	7 2%	5 2%	1 1%	3 5%	1 1%	-	1 1%	4 2%	1 1%	
Working	428 62% ^b	171 78% ^z	354 72% ^{zb}	73 41%	267 60%	13 100%	37 70%	24 88%	75 64%	316 62%	47 60%	302 64%	64 62%	420 62%	8 85%	234 60%	191 67%	74 62%	36 65%	106 60%	172 66%	113 63%	153 60%	121 61%	
Not working	216 31% ^{ac}	37 17%	120 24%	93 52% ^{zc}	154 35% ^z	-	15 28%	3 12%	37 32%	160 31%	28 36%	148 31%	32 32%	214 32%	1 15%	133 34%	80 28%	40 33%	16 29%	62 35%	79 30%	54 30%	86 34%	66 33%	
In training/education	7 1%	1 *	7 1%	- -	6 1%	-	-	-	-	7 1%	-	5 1%	2 2%	7 1%	-	5 1%	2 1%	1 1%	-	2 1%	4 2%	4 2%	4 2%	4 2%	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q36 Which of these activities best describes what you are doing at present?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Employee in full-time job (30 hours plus per week)	298	21	63	32	62	91	132	88	253	7	231	6	149	55	168	161	4	30	4	278	15	74	36	102	34	24	27	192	105
Employee in part-time job (under 30 hours per week)	70	4	20	4	11	32	20	30	57	*	54	*	34	20	46	41	2	10	*	62	5	19	6	24	3	10	8	46	24
Self employed (full or part-time)	61	4	9	4	11	32	13	20	37	4	34	6	26	9	28	46	2	5	-	54	5	18	6	13	7	3	13	42	19
On a government supported training programme (e.g. Modern Apprenticeship/ Training for Work)	*	-	-	-	*	*	*	-	*	-	*	-	-	-	-	*	-	-	-	*	-	-	-	*	-	-	-	*	-
Full-time education at school, college or university	7	-	2	-	-	*	3	2	7	-	7	-	3	3	5	4	-	-	-	7	-	2	-	4	*	1	-	3	4
Unemployed and available for work	18	-	5	-	2	1	6	5	16	*	15	*	10	1	10	11	-	2	1	15	3	5	1	10	-	1	1	7	11
Permanently disabled	24	3	6	-	2	10	3	7	15	1	17	1	6	3	6	13	1	2	1	21	1	9	4	5	2	2	1	11	12
Wholly retired from work	129	19	61	22	19	98	30	13	86	3	59	15	62	14	67	68	11	21	3	111	17	51	12	26	9	21	8	94	34

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q36 Which of these activities best describes what you are doing at present?

Base: All respondents

	Total (z)	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live	
		Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
		Looking after the home	45 6%	4 7%	11 6%	1 2%	11 9%	15 5%	16 7%	17 9%	33 6%	3 14%	34 7%	2 6%	20 6%	15 12%	27 7%	21 6%	3 12%	3 4%	1 11%	36 6%	8 14%	8 14%	3 5%	22 10%	5 7%	4 6%	1 1%
Doing something else (Please specify)	18 3%G	1 2%	4 2%	3 4%	4 3%	9 3%	6 3%	4 2%	14 3%	* 2%	12 5%	2 5%	9 3%	1 1%	9 2%	8 2%	- 4%	3 3%	- -	15 2%	2 4%	1 1%	3 4%	5 2%	3 4%	* 1%	5 8%	5 1%	12 5%G
Not stated	24 3%hln osAGH	* 1%	3 2%	1 2%	3 3%	7 2%	3 1%	3 2%	5 1%	- -	5 1%	- -	3 1%	- -	3 1%	4 1%	- -	- -	- -	6 1%	1 3%	1 1%	1 1%	2 1%	2 3%	- -	* 1%	6 1%	2 1%
Working	428 62%bet	29 52%	93 50%	40 59%	83 66%be	156 53%	165 71%zab	137 73%zab	347 66%z	12 59%	319 68%z	13 38%	209 65%	84 70%	242 65%	249 66%	9 37%	45 59%	5 43%	394 65%zt	24 43%	111 58%	48 68%	139 65%	43 67%	36 55%	48 74%	280 66%z	148 60%
Not working	216 31%fgj	26 46%zdf	83 45%zdf	24 35%	34 27%	124 42%zdf	55 24%	42 22%	151 29%	8 39%	124 27%	19 57%	98 30%	32 27%	111 30%	113 30%	15 63%	29 38%	6 57%	184 30%	29 51%zs	75 39%z	20 28%	64 30%	16 25%	29 43%z	11 17%	132 31%	81 33%
In training/education	7 1%e	-	2 1%	-	* *	* *	3 1%	2 1%	7 1%	-	7 2%	-	3 1%	3 3%	5 1%	5 1%	-	-	-	7 1%	-	2 1%	-	4 2%	* 1%	1 1%	-	3 1%	4 2%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q37 Do you have any long-standing illness, disability or infirmity?
Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Yes	181	83	95	-	29	55	27	29	36	10	23	6	12	4	13	20	13	4	12	19	20	12	15	49	5	122	219
	26%k	25%	28%	-	18%	24%	26%	41%zde	53%zde	20%	31%k	9%	44%	17%	30%k	21%	31%	19%	30%	39%	28%k	36%	23%	36%zC	26%	24%	32%
No	490	241	245	30	133	178	74	41	31	38	47	58	13	19	30	72	26	15	29	26	47	22	49	87	14	376	448
	71%gh	74%	71%	100%	82%gh	76%gh	72%gh	58%	45%	77%	64%	91%zjn	48%	83%	68%	77%	66%	76%	70%	56%	64%	64%	76%	63%	74%	75%zA	65%
Not stated	22	2	4	-	-	2	2	1	1	1	4	*	2	-	1	2	1	1	-	2	6	-	1	1	-	4	26
	3%abeC	1%	1%	-	-	1%	1%	1%	1%	3%	5%	*	8%	-	3%	2%	3%	5%	-	4%	8%	-	1%	1%	-	1%	4%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q37 Do you have any long-standing illness, disability or infirmity?

Base: All respondents

	Childr en under 17 in househ old	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/ family member died in last 5 years		Family recevied enough support from social services/NHS during and after death of loved one		Discussed wishes					
				Christ ian (d)	Muslim (e)	Other belief (f)	Atheis t (g)	No religi on (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagr ee (r)	Medica l/ nursin g Care (s)	Any spirit ual/ religi ous prefer ences (t)	Privac y and peace (u)	Dying with dignit y (v)	Where prefer to die (w)	
																								Yes (a)
Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254	199
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207
Yes	181	35	181	-	135	1	10	5	23	150	14	139	15	178	3	117	62	31	24	58	74	52	74	57
		26%acl	16%	100%zc	30%z	7%	19%	18%	19%	30%z	18%	29%l	14%	26%	28%	30%z	22%	26%	43%z	33%	28%	29%	29%	29%
No	490	181	-	490	306	12	43	22	94	349	61	330	87	483	7	268	217	86	29	117	185	125	178	140
		71%br	83%z	100%zb	69%	93%	81%	82%	81%	69%	78%	69%	84%zk	72%z	72%	68%	77%	73%r	51%	66%	71%	70%	70%	70%
Not stated	22	2	-	-	5	-	-	-	-	9	2	6	1	11	-	7	5	2	3	1	3	1	2	2
		3%bcdi	1%	-	1%	-	-	-	-	2%	3%	1%	1%	2%	-	2%	2%	1%	5%	1%	1%	1%	1%	1%

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q37 Do you have any long-standing illness, disability or infirmity?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live			
	Living will/ Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)		
	Total (z)																													
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247	
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244	
Yes	181	17	66	15	31	92	54	44	133	5	116	7	75	18	79	96	6	24	2	167	11	49	21	57	12	25	15	109	69	
		26%mm	30%	36%zf	22%	25%	31%zf	23%	24%	25%	27%	25%	21%	23%	15%	21%	25%	27%	31%	23%	28%	19%	26%	30%	27%	18%	38%zD	22%	26%	28%
No	490	39	117	53	93	198	176	142	386	14	347	24	245	100	287	280	17	50	8	433	45	141	49	154	52	40	49	313	174	
		71%ee	70%	64%	78%	75%	67%	75%be	75%	74%z	70%	74%z	72%	76%	83%z	77%gz	74%	73%	65%	77%	71%	79%	74%	70%	72%	81%E	61%	75%	74%	70%
Not stated	22	*	1	-	1	5	4	2	5	1	4	2	3	2	4	2	-	3	-	6	1	1	*	2	*	1	1	3	4	
		3%behj	1%	*	-	1%	2%	2%	1%	3%	1%	7%	1%	2%	1%	1%	-	4%o	-	1%	2%	1%	*	1%	1%	1%	1%	2%	1%	1%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q38 Does this illness or disability limit your activities in any way?

Base: All with long term illness or disability

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peter-boro' (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)	Yes, prof capacity (B)		No (C)	
Weighted Base	181	83*	95*	-**	29**	55*	27*	29*	36*	10**	23**	6**	12**	4**	13**	20**	13**	4**	12**	19**	20**	12**	15**	49*	5**	122*	219
Unw. Sample	219	74	142	-	12	56	42	51	55	13	27	10	13	3	15	31	15	5	16	20	23	9	19	60	7	145	219
Yes	127	56	68	-	26	33	18	20	27	8	19	4	8	4	6	11	11	2	7	14	13	12	8	41	3	79	154
	70%	68%	72%	-	87%	59%	67%	69%	75%	76%	84%	63%	69%	100%	47%	54%	89%	45%	58%	77%	63%	100%	57%	84%zC	65%	65%	70%
No	52	24	27	-	4	20	9	9	9	2	4	2	2	-	7	9	1	2	4	4	7	-	6	8	2	40	63
	29%A	29%	28%	-	13%	36%	33%	31%	25%	24%	16%	37%	18%	-	53%	46%	11%	55%	33%	23%	37%	-	43%	16%	35%	33%A	29%
Not stated	3	3	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	3	2
	1%	3%	-	-	-	5%	-	-	-	-	-	-	13%	-	-	-	-	9%	-	-	-	-	-	-	-	2%	1%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q38 Does this illness or disability limit your activities in any way?

Base: All with long term illness or disability

	Children under 17 in household	Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes	No	Christian	Muslim	Other belief	Atheist	No religion	Comf	Not comf	Comf	Not comf	Yes	No	Yes	No	Agree	Disagree	Medical/nursing Care	Any spiritual/religious preferences	Privacy and peace	Dying with dignity	Where prefer to die	
		(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	
Weighted Base	181	35**	181	-**	135	1**	10**	5**	23**	150	14**	139	15**	178	3**	117*	62*	31**	24**	58*	74*	52*	74*	57*
Unw. Sample	219	31	219	-	177	1	11	2	20	182	18	170	18	216	2	143	73	44	30	72	88	63	93	73
Yes	127	22	127	-	95	1	9	5	12	106	8	102	9	125	1	83	43	18	15	40	52	36	53	41
	70%	62%	70%	-	70%	100%	93%	100%	54%	71%	58%	73%	63%	71%	22%	71%	69%	59%	60%	69%	70%	70%	71%	73%
No	52	13	52	-	39	-	1	-	9	42	5	36	4	50	2	32	19	11	9	17	22	14	19	14
	29%	38%	29%	-	29%	-	7%	-	39%	28%	34%	26%	29%	28%	78%	27%	31%	36%	35%	28%	30%	28%	26%	24%
Not stated	3	-	3	-	1	-	-	-	1	1	1	1	1	3	-	3	-	1	1	1	-	1	3	1
	1%	-	1%	-	1%	-	-	-	7%	1%	8%	1%	8%	1%	-	2%	-	5%	5%	3%	-	3%	3%	3%

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q38 Does this illness or disability limit your activities in any way?

Base: All with long term illness or disability

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Unw. Sample	219	28	94	23	36	129	58	43	150	8	127	11	95	27	103	121	12	30	4	196	17	58	29	63	19	30	16	136	79
Yes	127	11	46	7	27	66	39	26	94	2	80	3	51	13	52	64	5	17	*	117	8	39	12	40	9	16	9	78	47
	70%	67%	69%	50%	86%	71%	73%	60%	70%	35%	69%	51%	68%	70%	66%	66%	74%	71%	14%	70%	73%	81%	58%	71%	74%	65%	60%	71%	68%
No	52	6	20	7	4	27	14	16	37	3	34	3	24	5	27	30	2	7	2	47	3	8	8	17	3	9	6	30	21
	29%A	33%	30%	50%	14%	29%	27%	37%	28%	65%	29%	49%	32%	30%	34%	31%	26%	29%	86%	28%	27%	17%	35%	29%	26%	35%	40%	27%	30%
Not stated	3	-	1	-	-	-	-	1	3	-	3	-	-	-	-	3	-	-	-	3	-	1	1	-	-	-	-	1	1
	1%	-	2%	-	-	-	-	3%	2%	-	2%	-	-	-	-	3%	-	-	-	2%	-	2%	7%	-	-	-	-	1%	2%

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q39 What is your religion or belief system, even if you are not currently practising?
 Base: All respondents

	Gender		Age						PCT - East of England													Carer			Unwtd sample		
	Total (z)	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)	Yes (not prof) (A)		Yes, prof capacity (B)	No (C)
Weighted Base	693	326	345	30**	163*	235	103	71*	67*	49*	74*	64*	26**	22**	44*	94*	40**	19**	41**	47**	73*	34**	65*	138*	19**	502	693
Unw. Sample	693	224	447	14	54	231	153	121	96	46	83	68	29	10	43	96	42	21	40	43	77	28	67	161	22	474	693
Christian (including Church of England, Catholic, Protestant and all other Christian denominations)	446 64%	203 62%	236 68%z	15 51%	84 52%	155 66%	69 67%	57 81%zde	58 87%zde	34 70%	51 70%	40 61%	13 49%	5 22%	30 67%	71 76%	32 79%	11 59%	26 63%	28 59%	44 60%	20 60%	41 63%	99 72%	13 72%	322 64%	500 72%
Atheist	27 4%b	19 6%	8 2%	2 5%	10 6%	10 4%	5 5%	1 2%	-	1 2%	5 7%	1 1%	4 17%	-	1 3%	-	3 8%	1 6%	-	-	3 5%	1 3%	6 10%o	2 2%	-	25 5%	18 3%
Agnostic	15 2%	10 3%	4 1%	-	-	7 3%	4 4%	2 3%	2 3%	1 2%	1 1%	1 1%	1 6%	3 14%	2 5%	1 1%	-	1 3%	-	1 3%	1 2%	1 1%	1 1%	3 3%	1 3%	11 2%	15 2%
Spiritualist/ spiritualism	14 2%	3 1%	10 3%	-	2 1%	7 3%	1 1%	3 4%	2 2%	-	1 1%	-	-	2 5%	1 1%	1 3%	-	3 7%	3 7%	3 4%	-	1 1%	3 4%	4 3%	-	10 2%	16 2%
Muslim	13 2%e	9 3%	4 1%	-	11 7%e	1 *	2 2%	-	-	-	-	-	8 34%	-	-	-	-	-	2 4%	-	1 3%	3 4%	1 1%	-	9 2%	4 1%	
Sikh	13 2%b	11 3%	2 1%	-	10 6%	3 1%	-	-	-	-	-	-	3 14%	-	-	-	2 11%	-	8 16%	-	-	-	3 2%	-	8 2%	3 *	
Humanist	5 1%b	5 1%	1 *	-	-	3 1%	1 1%	2 2%	-	-	-	-	3 15%	1 3%	-	-	-	-	-	-	-	-	1 1%	-	-	5 1%	4 1%
Buddhist	3 *	1 *	2 1%	-	2 1%	1 1%	* *	-	-	-	* *	-	-	-	-	1 1%	-	-	-	-	-	-	2 3%	-	-	3 1%	3 *
Hindu	1 *	-	1 *	-	-	1 *	-	1 1%	-	1 2%	* *	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	-	* *	2 *
Jewish	1 *	-	1 *	-	-	1 *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1%	-	-	1 *	1 *
Other belief system	11 2%	3 1%	8 2%	-	6 4%	4 2%	1 1%	-	-	-	1 1%	3 5%	-	-	3 4%	-	-	2 6%	1 2%	-	-	-	-	-	-	3 14%	8 2%
Any other religion or belief system, please describe	4 1%	3 1%	1 *	-	-	2 1%	2 2%z	-	-	1 1%	-	2 3%	-	-	2 -	-	2 9%	-	-	-	-	-	-	2 2%	-	2 *	4 1%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q39 What is your religion or belief system, even if you are not currently practising?
Base: All respondents

	Gender		Age						PCT - East of England											Carer			Unwtd sample				
	Male (a)	Female (b)	16-24 (c)	25-34 (d)	35-54 (e)	55-64 (f)	65-74 (g)	75+ (h)	Beds (i)	Cambs (j)	East/ North Herts (k)	Great Yarmouth & Waveney (l)	Luton (m)	Mid Essex (n)	Norfolk (o)	North East Essex (p)	Peterborough (q)	South East Essex (r)	South West Essex (s)	Suffolk (t)	West Essex (u)	West Herts (v)		Yes (not prof) (A)	Yes, prof capacity (B)	No (C)	
No religion	117 17% ^{gh}	53 16%	64 19%	13 44%	39 24% ^{gh}	38 16% ^h	16 15%	6 8%	4 6%	8 16%	10 14%	18 29%	6 22%	-	6 14%	14 15%	4 10%	1 7%	10 25%	2 5%	17 23%	11 33%	9 14%	22 16%	2 10%	92 18%	92 13%
Not stated	23 3% ^{bC}	5 2%	2 1%	-	-	3 1%	2 1%	-	2 2%	3 7%	4 5%	-	2 7%	-	2 4%	2 2%	-	1 5%	-	2 5%	5 7%	-	1 2%	-	-	6 1%	23 3%

Proportions/Mean: Columns Tested (5% risk level) - z/a/b - z/c/d/e/f/g/h - z/i/j/k/l/m/n/o/p/q/r/s/t/u/v - z/A/B/C
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q39 What is your religion or belief system, even if you are not currently practising?
 Base: All respondents

	Total (z)	Children under 17 in household		Have a long standing condition		Religion					Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes				
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Weighted Base	693	218*	181	490	446	13**	53**	27**	117*	507	78*	476	103*	672	9**	391	284	119*	56*	177*	262	179*	254
Unw. Sample	693	167	219	448	500	4	41	18	92	513	77	472	103	673	7	413	258	133	64	190	254	180	258	207	
Christian (including Church of England, Catholic, Protestant and all other Christian denominations)	446	113	135	306	446	-	-	-	-	330	47	307	66	438	6	262	178	81	34	112	152	107	162	128	
		64%ah	52%	75%zc	62%	100%zh	-	-	-	65%	60%	64%	64%	65%z	65%	67%	63%	68%	60%	64%	58%	60%	64%	64%	
Atheist	27	9	5	22	-	-	-	27	-	24	3	22	3	27	-	13	14	5	1	8	22	11	15	6	
		4%cd	4%	3%5	-	-	-	100%	-	5%	4%	5%	3%	4%	-	3%	5%	4%	1%	5%	9%zw	6%	6%	3%	
Agnostic	15	*	7	8	-	-	-	-	-	12	1	10	2	15	-	6	8	2	2	1	6	3	6	1	
		2%cd	*	4%2	-	-	-	-	-	2%	1%	2%	2%	2%	-	2%	3%	2%	3%	1%	2%	2%	2%	1%	
Spiritualist/spiritualism	14	6	6	8	-	-	14	-	-	13	1	13	1	14	-	10	4	2	3	3	8	4	4	6	
		2%cd	3%	4%2	-	-	27%	-	-	3%	2%	3%	1%	2%	-	3%	1%	1%	5%	2%	3%	2%	2%	3%	
Muslim	13	11	1	12	-	13	-	-	-	13	-	13	-	13	-	12	2	-	3	-	1	-	3	3	
		2%cd	5%z	1%3	-	100%	-	-	-	3%	-	3%	-	2%	-	3%	1%	-	5%q	-	*	-	1%	1%	
Sikh	13	13	-	13	-	-	13	-	-	10	-	11	-	11	2	3	10	-	-	10	8	11	11	8	
		2%cd	6%z	-3%	-	-	24%	-	-	2%	-	2%	-	2%	22%	1%	3%	-	-	6%z	3%	6%z	4%z	4%	
Humanist	5	-	2	3	-	-	5	-	-	3	-	4	-	5	-	3	2	1	2	1	3	1	3	1	
		1%	-	1%1	-	-	10%	-	-	*	-	1%	-	1%	-	1%	1%	1%	3%	*	1%	1%	1%	1%	
Buddhist	3	3	-	3	-	-	3	-	-	3	*	3	*	3	-	2	2	-	-	-	*	-	-	*	
		*1%	-	1%	-	-	6%	-	-	1%	*	1%	*	*	-	*	1%	-	-	-	*	-	-	*	
Hindu	1	1	-	1	-	-	1	-	-	1	-	1	-	-	1	-	*	-	-	1	1	1	1	1	
		*1%	-	*	-	-	2%	-	-	*	-	*	-	-	13%	-	*	-	-	1%	*	1%	*	*	

Proportions/Mean: Columns Tested (5% risk level) - z/a - z/b/c - z/d/a/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Q39 What is your religion or belief system, even if you are not currently practising?
 Base: All respondents

	Total (z)	Children under 17 in household		Religion						Comfort talking about death in general		Comfort talking about your own death		Attended family/friend funeral		Close friend/family member died in last 5 years		Family received enough support from social services/NHS during and after death of loved one		Discussed wishes					
		Yes (a)	Yes (b)	No (c)	Christian (d)	Muslim (e)	Other belief (f)	Atheist (g)	No religion (h)	Com (i)	Not comf (j)	Comf (k)	Not comf (l)	Yes (m)	No (n)	Yes (o)	No (p)	Agree (q)	Disagree (r)	Medical/nursing Care (s)	Any spiritual/religious preferences (t)	Privacy and peace (u)	Dying with dignity (v)	Where prefer to die (w)	
		Jewish	1*	-	1*	-	-	1	-	-	1*	-	1*	-	1*	-	1*	-	-	1*	-	1*	-	-	-
Other belief system	11	6	-	11	-	-	11	-	11	-	9	-	11	-	8	3	5	-	8	8	8	8	6	6	
	2% ^d	3%	-	2%	-	-	20%	-	2%	-	2%	-	2%	-	2%	1%	5% ^z	-	4% ^z	3%	4% ^z	3%	3%	3%	
Any other religion or belief system, please describe	4	1	1	4	-	-	4	-	4	-	3	-	4	-	3	1	2	-	2	2	2	2	3	3	
	1%	*	*	1%	-	-	8%	-	1%	-	1%	-	1%	-	1%	*	2%	-	1%	1%	1%	1%	2%	2%	
No religion	117	56	23	94	-	-	-	-	117	75	23	75	29	117	-	60	56	20	8	28	47	28	37	32	
	17% ^d	26% ^z	13%	19%	-	-	-	-	100% ^{zd}	15%	30% ^{zi}	16%	29% ^{zk}	17%	-	15%	20%	17%	14%	16%	18%	16%	15%	16%	
Not stated	23	*	1	5	-	-	-	-	8	2	4	1	12	-	8	4	2	4	3	2	2	3	3	3	
	3% ^{abcd}	*	*	1%	-	-	-	-	2%	3%	1%	1%	2%	-	2%	1%	2%	7%	2%	1%	1%	1%	2%	2%	

Proportions/Means: Columns Tested (5% risk level) - z/a - z/b/c - z/d/e/f/g/h - z/i/j - z/k/l - z/m/n - z/o/p - z/q/r - z/s/t/u/v/w
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q39 What is your religion or belief system, even if you are not currently practising?
Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Living will/Advanced care plan (a)	Funeral wishes (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)	
																													Total (z)
Weighted Base	693	57*	185	68**	125*	296	233	188*	524	19**	466	33**	322	120*	370	379	23**	76*	11**	606	57*	190	70*	214	64*	66*	65**	426	247
Unw. Sample	693	71	213	68	119	376	206	151	498	20	428	41	307	122	361	371	30	98	12	585	71	193	78	191	69	80	55	425	244
Christian (including Church of England, Catholic, Protestant and all other Christian denominations)	446	46	123	46	78	218	140	111	340	13	289	25	209	74	241	248	15	47	8	395	41	116	52	144	50	47	33	287	155
	64%	82%zbd	67%	68%	63%	74%zbd	60%	59%	65%	69%	62%	76%	65%	61%	65%	65%	62%	62%	80%	65%	73%	61%	74%	67%	77%	71%	50%	67%	63%
Atheist	27	-	16	-	17	13	20	4	24	-	23	-	9	6	11	16	1	2	-	27	-	10	-	10	1	6	1	15	12
	4%	-	9%zeg	-	14%zaeg	4%	8%z	2%	5%	-	5%	-	3%	5%	3%	4%	5%	3%	-	4%	-	5%	-	5%	2%	8%B	1%	3%	5%
Agnostic	15	1	6	3	1	8	5	5	14	*	13	1	6	2	8	9	1	3	-	14	1	11	1	*	-	1	1	11	4
	2%	2%	3%	4%	1%	3%	2%	2%	3%	2%	3%	5%	2%	1%	2%	2%	5%	4%	-	2%	1%	6%zC	1%	*	-	2%	1%	3%	1%
Spiritualist/spiritualism	14	-	5	2	8	8	9	-	13	-	10	-	5	2	7	7	1	3	-	13	1	4	1	7	1	2	-	10	4
	2%	-	2%	3%	7%zg	3%	4%	-	2%	-	2%	-	2%	2%	2%	2%	3%	4%	-	2%	3%	2%	1%	3%	2%	3%	-	2%	2%
Muslim	13	-	-	-	-	-	-	13	2	3	2	-	6	4	6	9	2	-	-	13	-	5	-	-	-	1	8	10	3
	2%ehj	-	-	-	-	-	-	7%zbd	*	15%	*	-	2%	3%	2%	2%	8%	-	-	2%	-	2%	-	-	-	1%	12%	2%	1%
Sikh	13	-	-	8	-	3	-	2	8	-	13	-	11	8	11	10	-	-	-	13	-	11	-	2	-	-	-	11	2
	2%	-	-	11%	-	1%	-	1%	1%	-	3%	-	3%	6%z	3%	3%	-	-	-	2%	-	6%z	-	1%	-	-	-	3%	1%
Humanist	5	1	2	-	1	5	5	-	4	-	5	-	3	3	5	1	-	4	-	5	-	-	1	-	1	2	3	2	
	1%	1%	1%	-	1%	2%z	2%	-	1%	-	1%	-	1%	2%	1%	1%	-	5%zo	-	1%	-	-	2%	-	1%	3%AC	2%	1%	1%
Buddhist	3	-	-	-	-	*	-	3	3	-	3	-	*	-	*	2	-	-	-	2	1	-	-	3	-	-	3	*	
	*	-	-	-	-	*	-	2%	1%	-	1%	-	*	-	*	*	-	-	-	*	2%	-	-	2%	-	-	-	1%	*
Hindu	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	
	*	-	-	-	-	-	-	1%	*	-	*	-	-	-	-	-	4%	-	-	-	2% ^s	1%	-	-	-	-	-	*	-

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Palliative Care - East of England

Absolutes/col percents

Q39 What is your religion or belief system, even if you are not currently practising?

Base: All respondents

	Made plans							Easy access to information would help plan for death		Support with end of life care plan would help plan for death		Preferred source of information			Preferred place to die				Disclosure of terminal prognosis		Most important factor in their own end of life care						Confidence in ability to plan for right sort of care and support if didn't have long to live		
	Total (z)	Living will/Advanced care plan (a)	Funeral wishes /plan (b)	Support self financially whilst dying (c)	Written wishes about organ donation (d)	A will (e)	An organ donor card (f)	None of these (g)	Agree (h)	Disagree (i)	Agree (j)	Disagree (k)	Doctor /GP (l)	Nurse (m)	Health care prof. (n)	At home (o)	In hospital (p)	In hospice (q)	In care home (r)	Want to be told (s)	Prefer not to know (t)	Be pain free/ without pain (A)	Keep dignity (B)	Be with family or friends (C)	Be peaceful/ calm (D)	Be sure not burden (E)	People listen and respect wishes (F)	Confident (G)	Not confident (H)
Jewish	1*	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-
Other belief system	112%e	23%	32%	-	2*	13%	21%	92%	29%	82%	-	62%	44%	82%	51%	-	-	-	112%	-	42%	45% ^C	-	23%	11%	-	82%	31%	
Any other religion or belief system, please describe	41%	12% ^e	-	23%	11%	-	1*	1*	41%	-	31%	-	1*	-	31%	-	11%	-	3*	11%	-	23%	21%	11%	-	-	2*	31%	
No religion	11717% ^{eG}	58%	2715%	610%	1612%	3311%	4520% ^e	4524% ^e	9819%	15%	9320% ^z	515%	6219%	1714%	6919%	6417%	314%	1418%	220%	10217%	815%	2714%	811%	4521%	914%	710%	2030%	5914%	5723% ^{zG}
Not stated	233% ^e hjjl nosACG H	12%	21%	11%	1*	52%	31%	21%	41%	-	41%	14%	41%	11%	51%	-	23%	-	71%	23%	1*	23%	1*	-	11%	23%	62%	11%	

Proportions/Means: Columns Tested (5% risk level) - z/a/b/c/d/e/f/g - z/h/i - z/j/k - z/l/m/n - z/o/p/q/r - z/s/t - z/A/B/C/D/E/F - z/G/H
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

	Page	Table	Title	Base Description	Base
●	1		Q1 Which of the following best describes how you feel talking about death generally?	Base: All respondents	693
●	2		Q1 Which of the following best describes how you feel talking about death generally?	Base: All respondents	693
●	3		Q1 Which of the following best describes how you feel talking about death generally?	Base: All respondents	430

	Page	Table	Title	Base Description	Base
●	4		Q1 Which of the following best describes how you feel talking about death generally?	Base: All respondents	693
●	5		Q1 Which of the following best describes how you feel talking about death generally?	Base: All respondents	430
●	6		Q2 Have you ever attended the funeral of a family member, a friend or work colleague?	Base: All respondents	693
●	7		Q2 Have you ever attended the funeral of a family member, a friend or work colleague?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	8		Q2 Have you ever attended the funeral of a family member, a friend or work colleague?	Base: All respondents	693
●	9		Q3 Have you ever seen a dead person?	Base: All respondents	693
●	10		Q3 Have you ever seen a dead person?	Base: All respondents	693
●	11		Q3 Have you ever seen a dead person?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	12		Q4 Has anyone you care for very much (such as a close family member or friend) died within the last 5 years?	Base: All respondents	693
●	13		Q4 Has anyone you care for very much (such as a close family member or friend) died within the last 5 years?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	14		Q4 Has anyone you care for very much (such as a close family member or friend) died within the last 5 years?	Base: All respondents	693
●	15		Q5 How would you rate the medical and nursing care from the NHS they received in the last days before they died?	Base: All who had someone close die in last 5 years	391

	Page	Table	Title	Base	Base
●	16		Q5 How would you rate the medical and nursing care from the NHS they received in the last days before they died?	Base: All who had someone close die in last 5 years	391
●	17		Q5 How would you rate the medical and nursing care from the NHS they received in the last days before they died?	Base: All who had someone close die in last 5 years	391
●	18		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	391

	Page	Table	Title	Base	Base
●	19		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	9
●	20		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	4
●	21		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	391
●	22		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	11
●	23		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	6
●	24		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	3

	Page	Table	Title	Base	Base
●	25		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	391
●	26		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	11
●	27		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	5
●	28		Q6 Why do you say that?	Base: All who had someone close die in last 5 years	3
●	29		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	186

	Page	Table	Title	Base	Base
●	30		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	3
●	31		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	1
●	32		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	186

	Page	Table	Title	Base	Base
●	33		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	5
	34		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	1
●	35		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	45

	Page	Table	Title	Base	Base
●	36		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	186
●	37		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	5
●	38		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as good/very good	1

	Page	Table	Title	Base	Base
	39		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor	60
	40		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor	1
	41		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor	60

	Page	Table	Title	Base	Base
	42		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor	3
	43		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor	4
	44		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor	60

	Page	Table	Title	Base	Base
	45		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as poor/very poor	2
	46		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	51
	47		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	1

	Page	Table	Title	Base	Base
	48		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	51
	49		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	2
	50		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	1

	Page	Table	Title	Base	Base
	51		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	51
	52		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	2
	53		Q6 Why do you say that?	Base: All who had someone close die in last 5 years and rate NHS care as neither good nor good	2

	Page	Table	Title	Base	Base
●	54		Q6 Why do you say that?	Base: All who had someone close die in last 5 years but NHS care was not applicable	90
●	55		Q6 Why do you say that?	Base: All who had someone close die in last 5 years but NHS care was not applicable	1
●	56		Q6 Why do you say that?	Base: All who had someone close die in last 5 years but NHS care was not applicable	90
●	57		Q6 Why do you say that?	Base: All who had someone close die in last 5 years but NHS care was not applicable	2

	Page	Table	Title	Base	Base
●	58		Q6 Why do you say that?	Base: All who had someone close die in last 5 years but NHS care was not applicable	90
●	59		Q6 Why do you say that?	Base: All who had someone close die in last 5 years but NHS care was not applicable	2
●	60		Q7 And how would you rate the care and support they received from social services in the last days before they died?	Base: All who had someone close die in last 5 years	391

	Page	Table	Title	Base	Base
●	61		Q7 And how would you rate the care and support they received from social services in the last days before they died?	Base: All who had someone close die in last 5 years	391
●	62		Q7 And how would you rate the care and support they received from social services in the last days before they died?	Base: All who had someone close die in last 5 years	391
●	63		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	391

	Page	Table	Title	Base	Base
●	64		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	7
●	65		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	17
●	66		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	391
●	67		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	8
●	68		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	3
●	69		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	391

	Page	Table	Title	Base	Base
●	70		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	8
●	71		Q8 Why do you say that?	Base: All who had someone close die in last 5 years	3
●	72		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as good/very good	79
	73		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as good/very good	1

	Page	Table	Title	Base	Base
●	74		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as good/very good	79
	75		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as good/very good	1
●	76		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as good/very good	79

	Page	Table	Title	Base	Base
●	77		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as good/very good	1
	78		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as poor/very poor	44
	79		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as poor/very poor	1

	Page	Table	Title	Base	Base
	80		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as poor/very poor	44
	81		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as poor/very poor	1
	82		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as poor/very poor	44

	Page	Table	Title	Base	Base
	83		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as poor/very poor	1
	84		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as neither good nor poor	51
	85		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as neither good nor poor	1

	Page	Table	Title	Base	Base
	86		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as neither good nor poor	51
	87		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as neither good nor poor	1
	88		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as neither good nor poor	51

	Page	Table	Title	Base	Base
	89		Q8 Why do you say that?	Base: All who had someone close die in last 5 years and rate social services as neither good nor poor	1
●	90		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	207
●	91		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	1

	Page	Table	Title	Base	Base
●	92		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	207
●	93		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	3
●	94		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	2
●	95		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	207

	Page	Table	Title	Base	Base
●	96		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	1
	97		Q8 Why do you say that?	Base: All who had someone close die in last 5 years but social services was not applicable	111
●	98		Q9 Do you agree or disagree that you and your family received enough support from NHS and social services during and after this difficult time?	Base: All who had someone close die in last 5 years	391

	Page	Table	Title	Base	Base
●	99		Q9 Do you agree or disagree that you and your family received enough support from NHS and social services during and after this difficult time?	Base: All who had someone close die in last 5 years	391
●	100		Q9 Do you agree or disagree that you and your family received enough support from NHS and social services during and after this difficult time?	Base: All who had someone close die in last 5 years	391

	Page	Table	Title	Base	Base
●	101		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	391
●	102		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	6
●	103		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	2
●	104		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	9
●	105		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	391
●	106		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	6

	Page	Table	Title	Base	Base
●	107		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	4
●	108		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	2
●	109		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	190
●	110		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	391
●	111		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	6
●	112		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	4

	Page	Table	Title	Base	Base
●	113		Q10 Why do you say that?	Base: All who had someone close die in last 5 years	1
●	114		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	119
	115		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	1
	116		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	6

	Page	Table	Title	Base	Base
●	117		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	119
	118		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	2
	119		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	1

	Page	Table	Title	Base	Base
●	120		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	119
	121		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	2
●	122		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and agree received enough support	1

	Page	Table	Title	Base Description	Base
	123		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	56
	124		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	1
	125		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	56

	Page	Table	Title	Base Description	Base
	126		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	1
	127		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	1
	128		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	56

	Page	Table	Title	Base Description	Base
	129		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	1
	130		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and disagree received enough support	1
	131		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	90

	Page	Table	Title	Base	Base
●	132		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	1
●	133		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	90
	134		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	1

	Page	Table	Title	Base	Base
	135		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	1
	136		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	90
	137		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	1

	Page	Table	Title	Base Description	Base
	138		Q10 Why do you say that?	Base: All who had someone close die in last 5 years and neither agree nor disagree received enough support	1
●	139		Q10 Why do you say that?	Base: All who had someone close die in last 5 years but receiving support not applicable	116
	140		Q10 Why do you say that?	Base: All who had someone close die in last 5 years but receiving support not applicable	1

	Page	Table	Title	Base	Base
●	141		Q10 Why do you say that?	Base: All who had someone close die in last 5 years but receiving support not applicable	116
●	142		Q10 Why do you say that?	Base: All who had someone close die in last 5 years but receiving support not applicable	1
●	143		Q10 Why do you say that?	Base: All who had someone close die in last 5 years but receiving support not applicable	116
●	144		Q10 Why do you say that?	Base: All who had someone close die in last 5 years but receiving support not applicable	1

	Page	Table	Title	Base Description	Base
●	145		Q11 Would you agree or disagree that it is appropriate for children aged under 12 (primary school age) to attend funerals?	Base: All respondents	693
●	146		Q11 Would you agree or disagree that it is appropriate for children aged under 12 (primary school age) to attend funerals?	Base: All respondents	693
●	147		Q11 Would you agree or disagree that it is appropriate for children aged under 12 (primary school age) to attend funerals?	Base: All respondents	693

	Page	Table	Title	Base Description	Base
●	148		Q12 Which of the following best describes how you feel talking about your own death?	Base: All respondents	693
●	149		Q12 Which of the following best describes how you feel talking about your own death?	Base: All respondents	693
●	150		Q12 Which of the following best describes how you feel talking about your own death?	Base: All respondents	103

	Page	Table	Title	Base	Base
●	151		Q12 Which of the following best describes how you feel talking about your own death?	Base: All respondents	693
●	152		Q12 Which of the following best describes how you feel talking about your own death?	Base: All respondents	373

	Page	Table	Title	Base	Base
●	153		Q13_1 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Medical and nursing care	Base: All respondents	693
●	154		Q13_1 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Medical and nursing care	Base: All respondents	693

	Page	Table	Title	Base	Base
●	155		Q13_1 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Medical and nursing care	Base: All respondents	693
●	156		Q13_2 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Any spiritual and religious preferences	Base: All respondents	693

	Page	Table	Title	Base	Base
●	157		Q13_2 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Any spiritual and religious preferences	Base: All respondents	693
●	158		Q13_2 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Any spiritual and religious preferences	Base: All respondents	693

	Page	Table	Title	Base	Base
●	159		Q13_3 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Privacy and peace	Base: All respondents	693
●	160		Q13_3 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Privacy and peace	Base: All respondents	693

	Page	Table	Title	Base	Base
●	161		Q13_3 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Privacy and peace	Base: All respondents	693
●	162		Q13_4 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Dying with dignity - e.g. respectful care and support	Base: All respondents	693

	Page	Table	Title	Base Percentage	Base
●	163		Q13_4 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Dying with dignity - e.g. respectful care and support	Base: All respondents	693

	Page	Table	Title	Base	Base
●	164		Q13_4 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Dying with dignity - e.g. respectful care and support	Base: All respondents	693
●	165		Q13_5 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Where you would prefer to die	Base: All respondents	693

	Page	Table	Title	Base	Base
●	166		Q13_5 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Where you would prefer to die	Base: All respondents	693
●	167		Q13_5 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Where you would prefer to die	Base: All respondents	693

	Page	Table	Title	Base	Base
	168		Q13 Have you ever discussed what your wishes would be in relation to each of the following, if you did not have much time left to live? Summary table	Base: All respondents	693
●	169		Q13 Whether discussed any end of life wish	Base: All respondents	693
●	170		Q13 Whether discussed any end of life wish	Base: All respondents	693
●	171		Q13 Whether discussed any end of life wish	Base: All respondents	693

	Page	Table	Title	Base	Base
●	172		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	288
●	173		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	3
●	174		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	288

	Page	Table	Title	Base	Base
●	175		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	6
●	176		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	3
●	177		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	288

	Page	Table	Title	Base	Base
	178		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	6
●	179		Q14 Which of these statements best describes why you have not discussed any of these issues with anyone?	Base: All who have not discussed any End of Life matters	12
●	180		Q15 Have you made arrangements for any of the following?	Base: All respondents	693
●	181		Q15 Have you made arrangements for any of the following?	Base: All respondents	693
●	182		Q15 Have you made arrangements for any of the following?	Base: All respondents	38

	Page	Table	Title	Base Description	Base
●	183		Q15 Have you made arrangements for any of the following?	Base: All respondents	693
●	184		Q15 Have you made arrangements for any of the following?	Base: All respondents	188
●	185		Q16 If you knew you did not have long to live, which of these would be most likely to make you start planning for your death?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	186		Q16 If you knew you did not have long to live, which of these would be most likely to make you start planning for your death?	Base: All respondents	693
●	187		Q16 If you knew you did not have long to live, which of these would be most likely to make you start planning for your death?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	188		Q17_1 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? A. Easy access to information about how to plan for my death	Base: All respondents	693
●	189		Q17_1 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? A. Easy access to information about how to plan for my death	Base: All respondents	693

	Page	Table	Title	Base	Base
●	190		Q17_1 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? A. Easy access to information about how to plan for my death	Base: All respondents	693

	Page	Table	Title	Base Description	Base
●	191		Q17_2 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? B. Support from someone to help me write an end of life care plan (sometimes called a 'living will' or 'advance care plan')	Base: All respondents	693

	Page	Table	Title	Base	Base
●	192		Q17_2 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? B. Support from someone to help me write an end of life care plan (sometimes called a 'living will' or 'advance care plan')	Base: All respondents	693

	Page	Table	Title	Base	Base
●	193		Q17_2 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? B. Support from someone to help me write an end of life care plan (sometimes called a 'living will' or 'advance care plan')	Base: All respondents	693
	194		Q17 To what extent do you agree or disagree that each of the following would help you start planning if you did not have much time left to live? Summary table	Base: All respondents	693

	Page	Table	Title	Base	Base
●	195		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	693
●	196		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	6

	Page	Table	Title	Base	Base
●	197		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	693
●	198		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	5

	Page	Table	Title	Base	Base
●	199		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	18
●	200		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	693

	Page	Table	Title	Base Description	Base
●	201		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	5
●	202		Q18 Do you think there is anything else that would help you start planning if you did not have much time left to live?	Base: All respondents	18
●	203		Q19 Who would you like to give you information about planning for your end of life care?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	204		Q19 Who would you like to give you information about planning for your end of life care?	Base: All respondents	693
●	205		Q19 Who would you like to give you information about planning for your end of life care?	Base: All respondents	40
●	206		Q19 Who would you like to give you information about planning for your end of life care?	Base: All respondents	693
●	207		Q19 Who would you like to give you information about planning for your end of life care?	Base: All respondents	40

	Page	Table	Title	Base	Base
●	208		Q20 Thinking about yourself, where do you think would be the best place to die?	Base: All respondents	693
●	209		Q20 Thinking about yourself, where do you think would be the best place to die?	Base: All respondents	693
●	210		Q20 Thinking about yourself, where do you think would be the best place to die?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	211		Q21 Would you still prefer to die in your own home even if medical or social care was not immediately available if you needed it?	Base: All who would prefer to die at home	379
●	212		Q21 Would you still prefer to die in your own home even if medical or social care was not immediately available if you needed it?	Base: All who would prefer to die at home	379
●	213		Q21 Would you still prefer to die in your own home even if medical or social care was not immediately available if you needed it?	Base: All who would prefer to die at home	379

	Page	Table	Title	Base	Base
●	214		Q22 Would you still prefer to die in your own home even if you did not have any support from family or friends?	Base: All who would prefer to die at home	379
●	215		Q22 Would you still prefer to die in your own home even if you did not have any support from family or friends?	Base: All who would prefer to die at home	379

	Page	Table	Title	Base	Base
●	216		Q22 Would you still prefer to die in your own home even if you did not have any support from family or friends?	Base: All who would prefer to die at home	379
●	217		Q23 Thinking about yourself, when the time comes, which of these two options would be more important to you?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	218		Q23 Thinking about yourself, when the time comes, which of these two options would be more important to you?	Base: All respondents	693
●	219		Q23 Thinking about yourself, when the time comes, which of these two options would be more important to you?	Base: All respondents	693
●	220		Q24 If you were terminally ill, would you like to be told, or would you prefer not to know?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	221		Q24 If you were terminally ill, would you like to be told, or would you prefer not to know?	Base: All respondents	693
●	222		Q24 If you were terminally ill, would you like to be told, or would you prefer not to know?	Base: All respondents	693
●	223		Q25 When the time comes for your death, which of the following, if any, do you think would be important for your end of life care?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	224		Q25 When the time comes for your death, which of the following, if any, do you think would be important for your end of life care?	Base: All respondents	693
●	225		Q25 When the time comes for your death, which of the following, if any, do you think would be important for your end of life care?	Base: All respondents	693
●	226		Q26 And which one would be most important?	Base: All respondents	693
●	227		Q26 And which one would be most important?	Base: All respondents	693

	Page	Table	Title	Base Description	Base
●	228		Q26 And which one would be most important?	Base: All respondents	693
●	229		Q27 Firstly, how confident do you feel that you could plan to get the right sort of care and support if you did not have long to live?	Base: All respondents	693
●	230		Q27 Firstly, how confident do you feel that you could plan to get the right sort of care and support if you did not have long to live?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	231		Q27 Firstly, how confident do you feel that you could plan to get the right sort of care and support if you did not have long to live?	Base: All respondents	693
●	232		Q28 How confident do you feel that you could plan for your financial support if you did not have long to live?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	233		Q28 How confident do you feel that you could plan for your financial support if you did not have long to live?	Base: All respondents	693
●	234		Q28 How confident do you feel that you could plan for your financial support if you did not have long to live?	Base: All respondents	693
●	235		Q29 How confident do you feel that you could plan your funeral arrangements?	Base: All respondents	693
●	236		Q29 How confident do you feel that you could plan your funeral arrangements?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	237		Q29 How confident do you feel that you could plan your funeral arrangements?	Base: All respondents	693
●	238		Q30 Is there anyone who you look after or give special help to, for example, someone who is sick, has a long-term physical or mental disability or is elderly?	Base: All respondents	693

	Page	Table	Title	Base Description	Base
●	239		Q30 Is there anyone who you look after or give special help to, for example, someone who is sick, has a long-term physical or mental disability or is elderly?	Base: All respondents	693
●	240		Q30 Is there anyone who you look after or give special help to, for example, someone who is sick, has a long-term physical or mental disability or is elderly?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	241		Q31 Are you male or female?	Base: All respondents	693
●	242		Q31 Are you male or female?	Base: All respondents	693
●	243		Q31 Are you male or female?	Base: All respondents	693
●	244		Q32 What was your age on your last birthday?	Base: All respondents	693
●	245		Q32 What was your age on your last birthday?	Base: All respondents	693
●	246		Q32 What was your age on your last birthday?	Base: All respondents	693
●	247		Q33 In which of these ways does your household occupy your current accommodation	Base: All respondents	693

	Page	Table	Title	Base	Base
●	248		Q33 In which of these ways does your household occupy your current accommodation	Base: All respondents	693
●	249		Q33 In which of these ways does your household occupy your current accommodation	Base: All respondents	693
●	250		Q34 How many adults aged 18 or over are living here?	Base: All respondents	693
●	251		Q34 How many adults aged 18 or over are living here?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	252		Q34 How many adults aged 18 or over are living here?	Base: All respondents	1
●	253		Q34 How many adults aged 18 or over are living here?	Base: All respondents	693
●	254		Q34 How many adults aged 18 or over are living here?	Base: All respondents	1,83

	Page	Table	Title	Base	Base
●	255		Q35 How many children and young people aged 17 or younger are living here?	Base: All respondents	693
●	256		Q35 How many children and young people aged 17 or younger are living here?	Base: All respondents	693
●	257		Q35 How many children and young people aged 17 or younger are living here?	Base: All respondents	0.58

	Page	Table	Title	Base	Base
●	258		Q35 How many children and young people aged 17 or younger are living here?	Base: All respondents	693
●	259		Q35 How many children and young people aged 17 or younger are living here?	Base: All respondents	0.58
●	260		Q36 Which of these activities best describes what you are doing at present?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	261		Q36 Which of these activities best describes what you are doing at present?	Base: All respondents	428
●	262		Q36 Which of these activities best describes what you are doing at present?	Base: All respondents	693
●	263		Q36 Which of these activities best describes what you are doing at present?	Base: All respondents	45
●	264		Q36 Which of these activities best describes what you are doing at present?	Base: All respondents	693

	Page	Table	Title	Base	Base
●	265		Q36 Which of these activities best describes what you are doing at present?	Base: All respondents	45
●	266		Q37 Do you have any long-standing illness, disability or infirmity?	Base: All respondents	693
●	267		Q37 Do you have any long-standing illness, disability or infirmity?	Base: All respondents	693
●	268		Q37 Do you have any long-standing illness, disability or infirmity?	Base: All respondents	693
●	269		Q39 Does this illness or disability limit your activities in any way?	Base: All with long term illness or disability	181

	Page	Table	Title	Base	Base
	270		Q38 Does this illness or disability limit your activities in any way?	Base: All with long term illness or disability	181
●	271		Q38 Does this illness or disability limit your activities in any way?	Base: All with long term illness or disability	181
●	272		Q39 What is your religion or belief system, even if you are not currently practising?	Base: All respondents	693
●	273		Q39 What is your religion or belief system, even if you are not currently practising?	Base: All respondents	117

	Page	Table	Title	Base	Base
●	274		Q39 What is your religion or belief system, even if you are not currently practising?	Base: All respondents	693
●	275		Q39 What is your religion or belief system, even if you are not currently practising?	Base: All respondents	1
●	276		Q39 What is your religion or belief system, even if you are not currently practising?	Base: All respondents	693
●	277		Q39 What is your religion or belief system, even if you are not currently practising?	Base: All respondents	1