



Parental Metrics

Table of Contents

1	Country
2	Q1. Are you the parent or guardian of a child or children living in your household ages 5 to 17 years old?
3	Q2. What kinds of things do you talk about with your children?
4	Q3. How much do you agree or disagree with the statement, 'It's important for parents to talk with their children about drinking alcohol'?
5	Q3x. How much do you agree or disagree with the statement, 'It's important for parents to talk with their children about drinking alcohol'?
6	Q4. Have you talked with your children about drinking alcohol?
7	Q5. From the reasons included below, can you choose all the reasons why you have not talked with your children about drinking?
8	Q6. In your opinion, at what age is it appropriate for parents to start talking with their children about drinking?
9	Age
10	Gender
11	Social Class
12	Education
13	Region

Country

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
Argentina	1002	499	503	285	283	233	134	58	401	543	459	543	343	620
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Q1. Are you the parent or guardian of a child or children living in your household ages 5 to 17 years old?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
Base: All Respondents	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
Yes	343	151	192	56	187	88	11	9	122	212	146	197	343	0
	34.2%	30.3%	38.2%	19.6%	66.1%	37.8%	8.2%	15.5%	30.4%	39.0%	31.8%	36.3%	100.0%	-
No		A	F	CE	CF			G	GH				M	
	620	331	289	229	96	145	123	48	273	299	298	322	0	620
	61.9%	66.3%	57.5%	80.4%	33.9%	62.2%	91.8%	82.8%	68.1%	55.1%	64.9%	59.3%	-	100.0%
		B	DE		D	CDE	HI	I	k				L	
(DK/NS)	39	17	22	0	0	0	0	1	6	32	15	24	0	0
	3.9%	3.4%	4.4%	-	-	-	-	1.7%	1.5%	5.9%	3.3%	4.4%	-	-
									H					

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Q2. What kinds of things do you talk about with your children?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Parent/Guardian Of 5-17 Year Old Child	343	151	192	56*	187	88*	11**	9**	122	212	146	197	343	-**
Friends	279	116	163	44	159	68	7	7	102	170	121	158	279	0
	81.3%	76.8%	84.9% a	78.6%	85.0%	77.3%	63.6%	77.8%	83.6%	80.2%	82.9%	80.2%	81.3%	-
Foods/diet	236	97	139	34	139	55	7	8	85	143	98	138	236	0
	68.8%	64.2%	72.4%	60.7%	74.3%	62.5%	63.6%	88.9%	69.7%	67.5%	67.1%	70.1%	68.8%	-
Music	216	92	124	25	130	54	6	8	76	132	93	123	216	0
	63.0%	60.9%	64.6%	44.6%	69.5%	61.4%	54.5%	88.9%	62.3%	62.3%	63.7%	62.4%	63.0%	-
Social Media	216	93	123	24	131	53	7	8	86	122	84	132	216	0
	63.0%	61.6%	64.1%	42.9%	70.1%	60.2%	63.6%	88.9%	70.5%	57.5%	57.5%	67.0%	63.0%	-
Clothes	211	78	133	31	128	46	5	7	78	126	86	125	211	0
	61.5%	51.7%	69.3%	55.4%	68.4%	52.3%	45.5%	77.8%	63.9%	59.4%	58.9%	63.5%	61.5%	-
Other	77	30	47	10	36	26	5	2	31	44	36	41	77	0
	22.4%	19.9%	24.5%	17.9%	19.3%	29.5%	45.5%	22.2%	25.4%	20.8%	24.7%	20.8%	22.4%	-
(DK/NS)	10	4	6	3	4	2	1	0	3	7	2	8	10	0
	2.9%	2.6%	3.1%	5.4%	2.1%	2.3%	9.1%	-	2.5%	3.3%	1.4%	4.1%	2.9%	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Q3. How much do you agree or disagree with the statement, 'It's important for parents to talk with their children about drinking alcohol'?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
Strongly Agree	835	398	437	225	253	202	109	51	327	457	381	454	314	497
	83.3%	79.8%	86.9%	78.9%	89.4%	86.7%	81.3%	87.9%	81.5%	84.2%	83.0%	83.6%	91.5%	80.2%
Somewhat Agree	121	75	46	42	29	25	18	6	55	60	55	66	25	94
	12.1%	15.0%	9.1%	14.7%	10.2%	10.7%	13.4%	10.3%	13.7%	11.0%	12.0%	12.2%	7.3%	15.2%
Neither Agree Nor Disagree	8	6	2	4	0	1	2	0	6	2	7	1	0	8
	0.8%	1.2%	0.4%	1.4%	-	0.4%	1.5%	-	1.5%	0.4%	1.5%	0.2%	-	1.3%
Somewhat Disagree	3	3	0	2	0	1	0	0	1	2	1	2	0	3
	0.3%	0.6%	-	0.7%	-	0.4%	-	-	0.2%	0.4%	0.2%	0.4%	-	0.5%
Strongly Disagree	8	4	4	4	1	2	0	0	5	3	2	6	3	4
	0.8%	0.8%	0.8%	1.4%	0.4%	0.9%	-	-	1.2%	0.6%	0.4%	1.1%	0.9%	0.6%
(DK/NS)	27	13	14	8	0	2	5	1	7	19	13	14	1	14
	2.7%	2.6%	2.8%	2.8%	-	0.9%	3.7%	1.7%	1.7%	3.5%	2.8%	2.6%	0.3%	2.3%
Summary				D			De							L
Top2Box(Strongly/ Somewhat Agree)	956	473	483	267	282	227	127	57	382	517	436	520	339	591
	95.4%	94.8%	96.0%	93.7%	99.6%	97.4%	94.8%	98.3%	95.3%	95.2%	95.0%	95.8%	98.8%	95.3%
Low2Box(Somewhat/ Strongly Disagree)	11	7	4	6	1	3	0	0	6	5	3	8	3	7
	1.1%	1.4%	0.8%	2.1%	0.4%	1.3%	-	-	1.5%	0.9%	0.7%	1.5%	0.9%	1.1%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Q3x. How much do you agree or disagree with the statement, 'It's important for parents to talk with their children about drinking alcohol'?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Parent/Guardian Of 5-17 Year Old Child	343	151	192	56*	187	88*	11**	9**	122	212	146	197	343	-**
Strongly Agree	314	139	175	50	173	83	8	9	113	192	136	178	314	0
	91.5%	92.1%	91.1%	89.3%	92.5%	94.3%	72.7%	100.0%	92.6%	90.6%	93.2%	90.4%	91.5%	-
Somewhat Agree	25	10	15	5	13	4	2	0	8	17	9	16	25	0
	7.3%	6.6%	7.8%	8.9%	7.0%	4.5%	18.2%	-	6.6%	8.0%	6.2%	8.1%	7.3%	-
Strongly Disagree	3	1	2	1	1	1	0	0	1	2	1	2	3	0
	0.9%	0.7%	1.0%	1.8%	0.5%	1.1%	-	-	0.8%	0.9%	0.7%	1.0%	0.9%	-
(DK/NS)	1	1	0	0	0	0	1	0	0	1	0	1	1	0
	0.3%	0.7%	-	-	-	-	9.1%	-	-	0.5%	-	0.5%	0.3%	-
Summary														
Top2Box(Strongly/ Somewhat Agree)	339	149	190	55	186	87	10	9	121	209	145	194	339	0
	98.8%	98.7%	99.0%	98.2%	99.5%	98.9%	90.9%	100.0%	99.2%	98.6%	99.3%	98.5%	98.8%	-
Low2Box(Somewhat/ Strongly Disagree)	3	1	2	1	1	1	0	0	1	2	1	2	3	0
	0.9%	0.7%	1.0%	1.8%	0.5%	1.1%	-	-	0.8%	0.9%	0.7%	1.0%	0.9%	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Q4. Have you talked with your children about drinking alcohol?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Parent/Guardian Of 5-17 Year Old Child	343	151	192	56*	187	88*	11**	9**	122	212	146	197	343	-**
Yes	279	125	154	32	153	83	10	8	105	166	111	168	279	0
	81.3%	82.8%	80.2%	57.1%	81.8%	94.3%	90.9%	88.9%	86.1%	78.3%	76.0%	85.3%	81.3%	-
					C	CD			i			J		
No	64	26	38	24	34	5	1	1	17	46	35	29	64	0
	18.7%	17.2%	19.8%	42.9%	18.2%	5.7%	9.1%	11.1%	13.9%	21.7%	24.0%	14.7%	18.7%	-
				DE	E					h	K			

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Q5. From the reasons included below, can you choose all the reasons why you have not talked with your children about drinking?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
	A	B	C	D	E	F	G	H	I	J	K	L	M	
Base: Didn't Not Talked With Your Children About Drinking	64*	26**	38*	24**	34*	5**	1**	1**	17**	46*	35*	29**	64*	-**
Feel child is still too young	59	23	36	24	31	4	0	1	16	42	33	26	59	0
	92.2%	88.5%	94.7%	100.0%	91.2%	80.0%	-	100.0%	94.1%	91.3%	94.3%	89.7%	92.2%	-
Not sure how to discuss/start conversation	2	0	2	0	2	0	0	0	0	2	0	2	2	0
	3.1%	-	5.3%	-	5.9%	-	-	-	-	4.3%	-	6.9%	3.1%	-
Trust my children to make the right decision	2	1	1	0	1	1	0	0	1	1	2	0	2	0
	3.1%	3.8%	2.6%	-	2.9%	20.0%	-	-	5.9%	2.2%	5.7%	-	3.1%	-
Too awkward/ too embarrassed to discuss	1	0	1	1	0	0	0	0	1	0	0	1	1	0
	1.6%	-	2.6%	4.2%	-	-	-	-	5.9%	-	-	3.4%	1.6%	-
Other	1	1	0	0	0	0	1	0	0	1	0	1	1	0
	1.6%	3.8%	-	-	-	-	100.0%	-	-	2.2%	-	3.4%	1.6%	-
(DK/NS)	1	1	0	0	1	0	0	0	0	1	0	1	1	0
	1.6%	3.8%	-	-	2.9%	-	-	-	-	2.2%	-	3.4%	1.6%	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Q6. In your opinion, at what age is it appropriate for parents to start talking with their children about drinking?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
5	91	33	58	15	33	28	12	3	34	54	27	64	42	48
	9.1%	6.6%	11.5%	5.3%	11.7%	12.0%	9.0%	5.2%	8.5%	9.9%	5.9%	11.8%	12.2%	7.7%
6	47	23	24	8	15	14	8	3	20	24	15	32	16	30
	4.7%	4.6%	4.8%	2.8%	5.3%	6.0%	6.0%	5.2%	5.0%	4.4%	3.3%	5.9%	4.7%	4.8%
7	32	13	19	6	12	9	3	1	10	21	15	17	13	18
	3.2%	2.6%	3.8%	2.1%	4.2%	3.9%	2.2%	1.7%	2.5%	3.9%	3.3%	3.1%	3.8%	2.9%
8	65	33	32	17	23	13	11	3	27	35	36	29	32	33
	6.5%	6.6%	6.4%	6.0%	8.1%	5.6%	8.2%	5.2%	6.7%	6.4%	7.8%	5.3%	9.3%	5.3%
9	44	20	24	11	15	11	6	2	24	18	26	18	23	21
	4.4%	4.0%	4.8%	3.9%	5.3%	4.7%	4.5%	3.4%	6.0%	3.3%	5.7%	3.3%	6.7%	3.4%
10	239	118	121	67	71	65	28	10	93	136	115	124	101	133
	23.9%	23.6%	24.1%	23.5%	25.1%	27.9%	20.9%	17.2%	23.2%	25.0%	25.1%	22.8%	29.4%	21.5%
11	72	37	35	30	18	14	5	4	20	48	38	34	27	43
	7.2%	7.4%	7.0%	10.5%	6.4%	6.0%	3.7%	6.9%	5.0%	8.8%	8.3%	6.3%	7.9%	6.9%
12	183	106	77	54	48	38	32	16	87	80	89	94	42	136
	18.3%	21.2%	15.3%	18.9%	17.0%	16.3%	23.9%	27.6%	21.7%	14.7%	19.4%	17.3%	12.2%	21.9%
13	84	37	47	30	18	16	12	5	38	41	32	52	18	61
	8.4%	7.4%	9.3%	10.5%	6.4%	6.9%	9.0%	8.6%	9.5%	7.6%	7.0%	9.6%	5.2%	9.8%
14	61	32	29	22	18	9	6	4	22	35	28	33	18	40
	6.1%	6.4%	5.8%	7.7%	6.4%	3.9%	4.5%	6.9%	5.5%	6.4%	6.1%	6.1%	5.2%	6.5%
15	40	21	19	14	8	7	8	5	10	25	11	29	8	29
	4.0%	4.2%	3.8%	4.9%	2.8%	3.0%	6.0%	8.6%	2.5%	4.6%	2.4%	5.3%	2.3%	4.7%
16	11	9	2	6	1	1	1	1	4	6	2	9	1	9
	1.1%	1.8%	0.4%	2.1%	0.4%	0.4%	0.7%	1.7%	1.0%	1.1%	0.4%	1.7%	0.3%	1.5%
17	7	3	4	2	1	3	0	0	5	2	4	3	0	7
	0.7%	0.6%	0.8%	0.7%	0.4%	1.3%	-	-	1.2%	0.4%	0.9%	0.6%	-	1.1%
18	3	2	1	1	0	1	0	0	1	2	3	0	0	3
	0.3%	0.4%	0.2%	0.4%	-	0.4%	-	-	0.2%	0.4%	0.7%	-	-	0.5%
20	1	1	0	0	0	0	0	0	1	0	0	1	0	0
	0.1%	0.2%	-	-	-	-	-	-	0.2%	-	-	0.2%	-	-
DK/ Refused	22	11	11	2	2	4	2	1	5	16	18	4	2	9
	2.2%	2.2%	2.2%	0.7%	0.7%	1.7%	1.5%	1.7%	1.2%	2.9%	3.9%	0.7%	0.6%	1.5%
Summary														
Mean (Excl. Dk/ Refused)	10.4	10.6	10.1	11	9.9	9.9	10.3	11.1	10.4	10.3	10.5	10.3	9.7	10.7

Q6. In your opinion, at what age is it appropriate for parents to start talking with their children about drinking?

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
mean (Excl. Don't know)		B		DEF				i						L

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Age

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
Under 18	39	17	22	0	0	0	0	1	6	32	15	24	0	0
	3.9%	3.4%	4.4%	-	-	-	-	1.7%	1.5%	5.9%	3.3%	4.4%	-	-
18 - 24	177	97	80	177	0	0	0	7	74	96	71	106	13	164
	17.7%	19.4%	15.9%	62.1%	-	-	-	12.1%	18.5%	17.7%	15.5%	19.5%	3.8%	26.5%
25 - 34	210	105	105	108	102	0	0	12	95	103	105	105	92	118
	21.0%	21.0%	20.9%	37.9%	36.0%	-	-	20.7%	23.7%	19.0%	22.9%	19.3%	26.8%	19.0%
35 - 44	181	81	100	0	181	0	0	10	72	99	83	98	138	43
	18.1%	16.2%	19.9%	-	64.0%	-	-	17.2%	18.0%	18.2%	18.1%	18.0%	40.2%	6.9%
45 - 54	161	76	85	0	0	161	0	7	65	89	72	89	74	87
	16.1%	15.2%	16.9%	-	-	69.1%	-	12.1%	16.2%	16.4%	15.7%	16.4%	21.6%	14.0%
55 - 64	142	70	72	0	0	72	70	15	53	74	69	73	20	122
	14.2%	14.0%	14.3%	-	-	30.9%	52.2%	25.9%	13.2%	13.6%	15.0%	13.4%	5.8%	19.7%
65+	92	53	39	0	0	0	64	6	36	50	44	48	6	86
	9.2%	10.6%	7.8%	-	-	-	47.8%	10.3%	9.0%	9.2%	9.6%	8.8%	1.7%	13.9%
Summary							CDE							L
18 - 34	387	202	185	285	102	0	0	19	169	199	176	211	105	282
	38.6%	40.5%	36.8%	100.0%	36.0%	-	-	32.8%	42.1%	36.6%	38.3%	38.9%	30.6%	45.5%
35 - 54	342	157	185	0	181	161	0	17	137	188	155	187	212	130
	34.1%	31.5%	36.8%	-	64.0%	69.1%	-	29.3%	34.2%	34.6%	33.8%	34.4%	61.8%	21.0%
55+	234	123	111	0	0	72	134	21	89	124	113	121	26	208
	23.4%	24.6%	22.1%	-	-	30.9%	100.0%	36.2%	22.2%	22.8%	24.6%	22.3%	7.6%	33.5%
Mean	40.2	40.4	40	23.1	36.7	51.3	64.6	44.4	40.2	39.7	40.8	39.7	39.6	42
Std. Dev.	16.2	16.7	15.8	3.6	4.3	4.6	3.2	16.1	15.7	16.6	16.1	16.3	9.8	18.3
Std. Err.	0.5	0.7	0.7	0.2	0.3	0.3	0.3	2.1	0.8	0.7	0.8	0.7	0.5	0.7
Median	39	39	39	23	37	51	64	44	38	38	39	38	39	40.5

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Gender

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
Male	499	499	0	146	137	111	69	31	200	268	229	270	151	331
	49.8%	100.0%	-	51.2%	48.4%	47.6%	51.5%	53.4%	49.9%	49.4%	49.9%	49.7%	44.0%	53.4%
		B											L	
Female	503	0	503	139	146	122	65	27	201	275	230	273	192	289
	50.2%	-	100.0%	48.8%	51.6%	52.4%	48.5%	46.6%	50.1%	50.6%	50.1%	50.3%	56.0%	46.6%
		A											M	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Social Class

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (Arg)	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
ABC1	58	31	27	10	19	17	8	58	0	0	35	23	9	48
	5.8%	6.2%	5.4%	3.5%	6.7%	7.3%	6.0%	100.0%	-	-	7.6%	4.2%	2.6%	7.7%
					c	c		HI			K			L
C2 / C3	401	200	201	124	117	92	52	0	401	0	193	208	122	273
	40.0%	40.1%	40.0%	43.5%	41.3%	39.5%	38.8%	-	100.0%	-	42.0%	38.3%	35.6%	44.0%
									GI					L
D / E	543	268	275	151	147	124	74	0	0	543	231	312	212	299
	54.2%	53.7%	54.7%	53.0%	51.9%	53.2%	55.2%	-	-	100.0%	50.3%	57.5%	61.8%	48.2%
										GH		J	M	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Education

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (Arg)	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
Ninguno	3	2	1	1	1	0	1	0	0	3	1	2	3	0
	0.3%	0.4%	0.2%	0.4%	0.4%	-	0.7%	-	-	0.6%	0.2%	0.4%	0.9%	-
Primario incompleto	27	11	16	3	5	5	11	0	1	26	8	19	10	15
	2.7%	2.2%	3.2%	1.1%	1.8%	2.1%	8.2%	-	0.2%	4.8%	1.7%	3.5%	2.9%	2.4%
Primario completo	287	149	138	69	68	66	55	0	47	240	111	176	103	169
	28.6%	29.9%	27.4%	24.2%	24.0%	28.3%	41.0%	-	11.7%	44.2%	24.2%	32.4%	30.0%	27.3%
Secundario incompleto	167	83	84	63	41	37	13	0	44	123	76	91	63	92
	16.7%	16.6%	16.7%	22.1%	14.5%	15.9%	9.7%	-	11.0%	22.7%	16.6%	16.8%	18.4%	14.8%
Secundario completo	330	168	162	101	106	83	27	5	192	133	160	170	102	222
	32.9%	33.7%	32.2%	35.4%	37.5%	35.6%	20.1%	8.6%	47.9%	24.5%	34.9%	31.3%	29.7%	35.8%
Terciario incompleto	22	12	10	4	7	8	3	0	17	5	11	11	9	13
	2.2%	2.4%	2.0%	1.4%	2.5%	3.4%	2.2%	-	4.2%	0.9%	2.4%	2.0%	2.6%	2.1%
Terciario completo	68	29	39	18	23	14	11	17	48	3	37	31	24	42
	6.8%	5.8%	7.8%	6.3%	8.1%	6.0%	8.2%	29.3%	12.0%	0.6%	8.1%	5.7%	7.0%	6.8%
Universitario incompleto	25	11	14	12	8	2	2	1	17	7	14	11	8	16
	2.5%	2.2%	2.8%	4.2%	2.8%	0.9%	1.5%	1.7%	4.2%	1.3%	3.1%	2.0%	2.3%	2.6%
Universitario completo	68	30	38	13	23	17	11	33	34	1	38	30	20	48
	6.8%	6.0%	7.6%	4.6%	8.1%	7.3%	8.2%	56.9%	8.5%	0.2%	8.3%	5.5%	5.8%	7.7%
Postgrado	3	2	1	0	1	1	0	2	1	0	3	0	1	2
	0.3%	0.4%	0.2%	-	0.4%	0.4%	-	3.4%	0.2%	-	0.7%	-	0.3%	0.3%
No sabe	2	2	0	1	0	0	0	0	0	2	0	2	0	1
	0.2%	0.4%	-	0.4%	-	-	-	-	-	0.4%	-	0.4%	-	0.2%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

Region

		GENDER		AGE				SOCIAL CLASS			CITY		PARENT OF A CHILD AGE 5-17	
	Total	Male	Female	18 to 29	30 to 44	45 to 59	60 to 70	ABC1/ High	C2C3/ Medium	DE/ Low	AMBA	Rest of the country	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents (Arg)	1002	499	503	285	283	233	134	58*	401	543	459	543	343	620
Capital Federal	231	114	117	60	67	56	31	28	119	84	231	0	62	163
	23.1%	22.8%	23.3%	21.1%	23.7%	24.0%	23.1%	48.3%	29.7%	15.5%	50.3%	-	18.1%	26.3%
GBA	228	115	113	66	66	53	30	7	74	147	228	0	84	135
	22.8%	23.0%	22.5%	23.2%	23.3%	22.7%	22.4%	12.1%	18.5%	27.1%	49.7%	-	24.5%	21.8%
Córdoba	106	56	50	34	30	22	10	7	44	55	0	106	42	59
	10.6%	11.2%	9.9%	11.9%	10.6%	9.4%	7.5%	12.1%	11.0%	10.1%	-	19.5%	12.2%	9.5%
Rosario	105	52	53	31	30	23	17	5	40	60	0	105	43	58
	10.5%	10.4%	10.5%	10.9%	10.6%	9.9%	12.7%	8.6%	10.0%	11.0%	-	19.3%	12.5%	9.4%
Mendoza	90	45	45	26	24	22	13	3	35	52	0	90	38	48
	9.0%	9.0%	8.9%	9.1%	8.5%	9.4%	9.7%	5.2%	8.7%	9.6%	-	16.6%	11.1%	7.7%
Tucuman	88	44	44	25	24	20	11	5	30	53	0	88	28	55
	8.8%	8.8%	8.7%	8.8%	8.5%	8.6%	8.2%	8.6%	7.5%	9.8%	-	16.2%	8.2%	8.9%
Neuquen	69	32	37	21	19	19	8	0	27	42	0	69	20	47
	6.9%	6.4%	7.4%	7.4%	6.7%	8.2%	6.0%	-	6.7%	7.7%	-	12.7%	5.8%	7.6%
Mar del Plata	85	41	44	22	23	18	14	3	32	50	0	85	26	55
	8.5%	8.2%	8.7%	7.7%	8.1%	7.7%	10.4%	5.2%	8.0%	9.2%	-	15.7%	7.6%	8.9%
Summary														
AMBA	459	229	230	126	133	109	61	35	193	231	459	0	146	298
	45.8%	45.9%	45.7%	44.2%	47.0%	46.8%	45.5%	60.3%	48.1%	42.5%	100.0%	-	42.6%	48.1%
Rest of the country	543	270	273	159	150	124	73	23	208	312	0	543	197	322
	54.2%	54.1%	54.3%	55.8%	53.0%	53.2%	54.5%	39.7%	51.9%	57.5%	-	100.0%	57.4%	51.9%
									g	Gh		J		

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B - C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base