

*On a scale of 0 to 10 where '0' is 'not at all important' and '10' is 'extremely important,' how important do you believe Making sure your child/children wash their hands is for keeping your child/children healthy.*

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC A	AB B	SK/MN C	ON D	QU E	ATL F	Male G	Female H	<=2 I	3-4 J	5-6 K	Yes L	No M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
10 extremely important	618 62%	54 60%	86 66%	34 56%	213 63%	153 57%	77 70%	68 46%	551 64% G	190 63%	271 61%	157 61%	242 62%	376 62%
9	112 11%	8 9%	8 6%	8 14%	48 14% B	30 11%	9 8%	24 16%	88 10%	25 8%	54 12%	33 13%	41 10%	72 12%
8	159 16%	15 16%	14 11%	8 14%	51 15%	55 20% B	16 14%	35 23% H	125 15%	53 18%	70 16%	37 15%	67 17%	92 15%
7	58 6%	8 9% D	13 10% D	5 8%	14 4%	13 5%	5 4%	12 8%	46 5%	12 4%	29 7%	17 7%	20 5%	38 6%
6	26 3%	3 3%	5 4%	3 5%	6 2%	6 2%	3 2%	5 3%	21 2%	10 3%	10 2%	5 2%	8 2%	17 3%
5	18 2%	1 1%	2 2%	2 3%	4 1%	9 3%	0 -	2 1%	16 2%	4 1%	8 2%	6 2%	11 3%	7 1%
4	3 0	0 -	0 -	0 -	0 -	1 0	2 1%	0 -	3 0	1 0	2 0	0 -	0 -	3 0
3	2 0	1 1%	0 -	0 -	0 -	1 0	0 -	0 -	2 0	2 1%	0 -	0 -	2 0	0 -
2	1 0	0 -	1 1%	0 -	0 -	0 -	0 -	0 -	1 0	0 -	1 0	0 -	1 0	0 -
1	2 0	0 -	0 -	0 -	1 0	1 0	0 -	1 1%	1 0	1 0	1 0	0 -	0 -	2 0
0 not at all important	2 0	0 -	0 -	0 -	2 1%	0 -	0 -	2 1% H	1 0	1 0	0 -	2 1%	1 0	2 0

*On a scale of 0 to 10 where '0' is 'not at all important' and '10' is 'extremely important,' how important do you believe Having your child/children immunized is for keeping your child/children healthy.*

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC A	AB B	SK/MN C	ON D	QU E	ATL F	Male G	Female H	<=2 I	3-4 J	5-6 K	Yes L	No M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
10 extremely important	719 72%	54 60%	95 73% A	36 59%	245 72% AC	197 73% AC	92 83% AC	98 67%	620 73%	222 74%	324 73%	172 67%	280 71%	439 72%
9	83 8%	7 7%	9 7%	8 13%	32 9%	17 6%	10 9%	12 8%	71 8%	22 7%	36 8%	25 10%	39 10%	44 7%
8	93 9%	10 11%	11 8%	8 13% F	31 9%	29 11%	4 4%	15 10%	78 9%	34 11%	33 7%	25 10%	39 10%	54 9%
7	39 4%	5 5% F	7 5% F	3 5% F	15 5%	9 3%	0 -	9 6%	30 3%	7 2%	21 5%	11 4%	14 4%	25 4%
6	14 1%	4 5% DF	1 1%	2 3% D	1 0	6 2% D	0 -	2 1%	12 1%	3 1%	5 1%	6 2%	4 1%	10 2%
5	29 3%	7 8% DEF	5 4%	1 1%	8 2%	7 2%	2 1%	5 3%	24 3%	5 2%	10 2%	14 5% IJ	9 2%	20 3%
4	5 1%	1 1%	0 -	1 1% E	2 1%	0 -	2 1%	1 1%	4 1%	1 0	4 1%	0 -	0 -	5 1%
3	4 0	0 -	1 1%	0 -	1 0	2 1%	0 -	0 -	4 0	0 -	4 1%	0 -	2 0	2 0
2	3 0	1 1%	1 1%	0 -	0 -	1 0	0 -	1 1%	3 0	1 0	2 0	0 -	3 1%	1 0
1	2 0	0 -	0 -	0 -	2 1%	0 -	0 -	0 -	2 0	0 -	1 0	1 0	0 -	2 0
0 not at all important	10 1%	2 2%	0 -	2 4% BDE	3 1%	1 0	2 1%	5 3% H	6 1%	3 1%	4 1%	3 1%	3 1%	7 1%
(DK/NS)	1	0	0	0	0	1	0	0	1	0	1	0	0	1
	0	-	-	-	-	0	-	-	0	-	0	-	-	0

*On a scale of 0 to 10 where '0' is 'not at all important' and '10' is 'extremely important,' how important do you believe Ensuring your child/children eat healthy foods is for keeping your child/children healthy.*

[illegible]

*On a scale of 0 to 10 where '0' is 'not at all important' and '10' is 'extremely important,' how important do you believe Making sure your child/children get plenty of physical activity is for keeping your child/children healthy.*

[illegible]

**Top Box Summary**

**On a scale of 0 to 10, where 0 is 'not at all concerned' and 10 is 'extremely concerned' please indicate how concerned you are about your child/children contracting**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
Weighted	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Measles	367 37%	33 36% E	50 38% E	14 24%	145 43% CE	67 25%	59 53% ACE	51 34%	316 37%	123 41% K	166 37%	78 30%	150 38%	217 36%
Chickenpox	287 29%	25 28% E	39 30% E	16 27%	115 34% E	48 18%	45 40% E	40 27%	247 29%	104 35% JK	122 27%	61 24%	124 32%	163 27%
Whooping cough	382 38%	28 31%	50 39%	21 36%	141 41% AE	80 30%	62 55% ABCDE	56 38%	326 38%	124 41% K	176 39%	82 32%	149 38%	232 38%
Hepatitis B	491 49%	36 40%	65 50%	24 40%	179 53% A	122 45%	64 58% AC	71 48%	419 49%	154 52%	224 50%	112 44%	193 49%	298 49%
Polio	407 41%	27 30%	55 42%	20 34%	146 43% A	94 35%	64 58% ACDE	56 38%	351 41%	131 44%	185 42%	91 35%	162 41%	245 40%
Meningitis	566 57%	47 52%	72 55%	25 42%	207 61% CE	142 52%	74 67% ACE	73 49%	494 58%	178 59%	255 57%	133 52%	234 60%	332 55%
Pneumonia (NEW-MOAN-YA)	504 50%	36 39%	67 51%	29 48%	185 54% AE	116 43%	72 65% AE	65 44%	439 51%	154 52%	229 51%	120 47%	202 51%	302 50%
Blood infections	500 50%	34 38%	65 50%	21 35%	178 52% AC	129 48%	73 66% ABCDE	69 47%	431 51%	160 53%	224 50%	117 46%	206 52%	295 48%
Ear infections	442 44%	33 36%	55 42%	23 38%	173 51% AE	99 36%	59 53% AE	55 38%	386 45%	145 49% K	196 44%	100 39%	187 48%	255 42%
Tetanus	414 41%	25 28%	50 38%	22 37%	156 46% AE	95 35%	66 59% ABCDE	59 40%	355 42%	134 45%	181 41%	98 38%	169 43%	245 40%

**Agree Summary (Strongly or Somewhat)**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
By vaccinating children, we are preventing illnesses and therefore easing the burden on hospitals and other healthcare services	931	82	124	59	317	249	99	135	796	282	407	241	368	562
	93%	91%	95%	99% AF	93%	92%	89%	91%	93%	94%	91%	94%	94%	92%
All children should receive all of the recommended vaccinations.	900	75	125	51	295	253	100	128	773	281	396	223	356	544
	90%	83%	96% ACD	86%	87%	94% ACD	90%	86%	90%	94% JK	89%	87%	91%	89%
Governments should fund all vaccines	928	83	125	59	306	250	107	127	801	284	409	236	367	562
	93%	92%	96%	98% D	90%	92%	96%	86%	94% G	95%	92%	92%	93%	92%
If the government does not pay for a vaccine, I would consider it less of a priority for my child/children .	257	27	37	19	94	59	21	35	222	66	109	82	101	156
	26%	30%	29%	32%	28%	22%	19%	24%	26%	22%	25%	32% U	26%	26%
If I had to pay out of my own pocket for a vaccination to protect my child/children , I would go ahead and do so.	930	84	123	53	314	249	108	136	794	282	417	231	372	558
	93%	93%	94%	87%	92%	92%	97% C	92%	93%	94%	94%	90%	95%	92%

**.Which of these statements are closer to your point of view?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
All vaccines covered by all provinces	919 92%	82 91%	123 95%	56 93%	311 91%	247 91%	100 90%	130 88%	789 92%	278 93%	404 91%	237 92%	363 92%	556 91%
Vaccines paid for by individuals	71 7%	7 8%	6 4%	4 7%	23 7%	23 8%	9 8%	14 9%	58 7%	18 6%	36 8%	17 7%	24 6%	48 8%
(DK/NS)	11 1%	1 1%	1 1%	0 -	7 2%	1 0	2 1%	4 3%	8 1%	3 1%	5 1%	3 1%	6 1%	6 1%

**To the best of your knowledge, are meningitis vaccines covered by your provincial health care system or plan?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Yes	451 45%	39 43%	110 85%	22 36%	91 27%	157 58%	32 28%	75 51%	376 44%	144 48%	191 43%	116 45%	171 44%	280 46%
No	437 44%	41 46%	19 15%	28 47%	204 60%	91 34%	53 48%	47 32%	389 46%	125 42%	202 45%	109 43%	193 49%	244 40%
(DK/NS)	114 11%	10 11%	1 1%	10 17%	45 13%	22 8%	26 24%	25 17%	89 10%	29 10%	52 12%	32 13%	29 7%	85 14%

# Agree Summary

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Immunizations are one of the safest forms of medicine ever developed	859	66	112	50	292	236	102	121	737	254	379	225	337	522
	86%	73%	86% A	83%	86% A	87% A	92% A	82% H	86%	85%	85%	87%	86%	86%
I actively seek the most recent information about childhood immunizations	823	78	108	49	298	189	101	116	707	261	349	213	328	494
	82%	87% E	83% E	81%	88% E	70%	91% E	79%	83%	87% J	78%	83%	84%	81%
It is not fair that certain provinces cover the costs of vaccines, while in other provinces parents have to pay out of pocket for vaccines.	814	78	108	50	281	200	97	107	707	251	357	207	319	495
	81%	87% E	83%	84%	83% E	74%	87% E	73%	83% G	84%	80%	80%	81%	81%
It's unlikely I would give my child/children a vaccine that was not specifically recommended by my doctor.	775	75	94	48	287	179	93	123	652	240	341	194	298	478
	77%	83% E	72%	79% E	84% BE	66%	84% E	84%	76%	80%	77%	75%	76%	78%
I would be willing to pay a bit more for private health insurance if it covered all of the vaccinations that I want to give my child/children .	623	45	65	38	212	176	87	83	540	206	271	145	264	359
	62%	50%	50%	63%	62% AB	65% AB	78% ABDE	56%	63%	69% JK	61%	56%	67% M	59%

**Has your child/children ever been vaccinated against Meningitis (MEN-IN-JYE-TISS)**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted -Unaided Recall  -Plan to get (q11)  -Aided Recall  No/(DK/NS)	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
	346	21	71	11	90	144	8	41	304	125	149	72	157	189
	35%	24%	54%	18%	27%	53%	7%	28%	36%	42%	33%	28%	40%	31%
		F	ACDF	F	F	ACDF				JK			M	
	116	16	6	3	49	31	11	17	99	42	45	28	54	62
	12%	17%	5%	5%	14%	12%	10%	11%	12%	14%	10%	11%	14%	10%
		BC		BC	B									
	264	25	43	14	92	59	30	28	236	76	113	75	110	154
	26%	28%	33%	23%	27%	22%	27%	19%	28%	25%	25%	29%	28%	25%
		E							G					
	339	34	16	33	139	53	63	65	274	83	164	92	104	235
	34%	38%	12%	55%	41%	20%	57%	44%	32%	28%	37%	36%	27%	39%
		BE		ABDE	BE	ABDE		H		I			L	

**As you may know, the vaccines for meningitis are covered by the provincial health system in BC/Alberta . Are you more likely, less likely or does it have no impact on your likelihood of having your child/children vaccinated against this disease given that the vaccine is covered by your provincial health system?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: BC/AB only Weighted	232	132	100	0	0	0	0	35	197	76	95	61	85	147
	220	90	130*	._**	._**	._**	._**	31*	189	69*	91*	60*	82*	138
More likely	116	50	66	0	0	0	0	17	99	38	45	34	45	72
	53%	56%	51%	-	-	-	-	55%	53%	55%	50%	56%	55%	52%
Less likely	3	0	3	0	0	0	0	1	1	0	3	0	0	3
	1%	-	2%	-	-	-	-	4%	1%	-	3%	-	-	2%
No impact	100	40	60	0	0	0	0	13	87	31	43	26	37	63
	45%	44%	46%	-	-	-	-	40%	46%	45%	47%	43%	45%	45%
(DK/NS)	1	0	1	0	0	0	0	0	1	0	0	1	0	1
	0	-	1%	-	-	-	-	-	1%	-	-	2%	-	1%

***As you may know, the vaccines for meningitis will be covered by the provincial health system. Are you more likely, less likely or does it have no impact on your likelihood of having your child/children vaccinated against this disease once that the vaccine is covered by your provincial health system?***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Man/ON only Weighted	418	0	0	37	381	0	0	63	355	114	181	123	173	245
	370	-**	-**	30*	340	-**	-**	55*	316	103	159	108	156	214
More likely	193 52%	0 -	0 -	19 63%	174 51%	0 -	0 -	25 46%	168 53%	51 49%	83 52%	59 55%	79 50%	114 53%
Less likely	12 3%	0 -	0 -	1 3%	11 3%	0 -	0 -	3 5%	10 3%	2 2%	8 5%	2 2%	4 2%	9 4%
No impact	165 45%	0 -	0 -	10 34%	155 45%	0 -	0 -	27 49%	138 44%	51 49%	68 43%	46 43%	74 47%	91 43%
(DK/NS)	1 0	0 -	0 -	0 -	1 0	0 -	0 -	0 -	1 0	0 -	1 0	0 -	0 -	1 0

***Currently, not all of the types of meningitis vaccines are covered by your provincial health care system. Knowing this, would you be more likely, less likely or does it have no impact on your likelihood of having your child/children vaccinated against this disease if the vaccine were covered by your provincial health system?***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Excluding BC/AB/MB/ON Weighted	351	0	0	33	0	242	76	53	298	108	167	76	133	218
	411	-**	-**	30*	-**	270	111*	62*	350	126	196	89*	154	257
More likely	174 42%	0 -	0 -	12 40%	0 -	111 41%	51 46%	21 34%	153 44%	54 43%	78 40%	43 48%	72 46%	102 40%
Less likely	8 2%	0 -	0 -	1 3%	0 -	4 2%	3 2%	2 4%	5 2%	1 1%	4 2%	2 3%	3 2%	4 2%
No impact	228 55%	0 -	0 -	17 57%	0 -	155 57%	56 50%	38 62%	190 54%	72 57%	114 58%	42 48%	79 51%	149 58%
(DK/NS)	2 0	0 -	0 -	0 -	0 -	0 -	2 1%	0 -	2 0	0 -	0 -	2 2%	0 -	2 1%

***If you want to find information about vaccines, where do you typically go for information?-Total Mentions***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Family Physicians	581 58%	58 65% BCE	60 46%	29 48%	253 74% ABCE	97 36%	84 75% BCE	88 60%	493 58%	174 58%	252 57%	155 60%	241 61%	340 56%
Internet	459 46%	51 57% BE	54 42% E	30 50% E	199 59% BE	69 25%	55 50% E	81 55% H	378 44%	142 48%	209 47%	108 42%	190 48%	269 44%
Health clinics/Public health clinic or centre	354	30	64	25	57	149	29	45	309	104	157	93	132	222
	35%	33% D	49% ADF	42% DF	17%	55% ADF	26%	31%	36%	35%	35%	36%	34%	36%
Pediatricians	169 17%	2 2%	13 10% A	7 11% A	46 14% A	91 34% ABCDF	10 9% A	16 11%	154 18% G	68 23% JK	68 15%	33 13%	81 21% M	89 15%
Books/Journals	90 9%	13 15% BD	6 5%	4 7%	25 7%	23 8%	18 16% BD	19 13%	71 8%	30 10%	42 9%	18 7%	38 10%	52 9%
Nurses	89 9%	15 17% DE	24 18% DE	12 20% DE	14 4%	6 2%	19 17% DE	10 7%	79 9%	22 7%	41 9%	25 10%	39 10%	50 8%
Local Hospitals	86 9%	2 3%	12 9% AD	6 11% AD	12 4%	43 16% AD	10 9%	22 15% H	64 8%	29 10%	34 8%	23 9%	27 7%	59 10%
CLSC	63 6%	0 -	0 -	0 -	0 -	63 23% ABCDF	0 -	4 3%	59 7%	18 6%	28 6%	18 7%	27 7%	36 6%
Family/friends	56 6%	6 7% E	8 6%	5 8% E	26 8% E	6 2%	5 5%	8 5%	48 6%	17 6%	23 5%	17 6%	18 4%	38 6%
Toll Free/1-800 Telephone Number	43 4%	2 2%	7 6%	1 1%	19 6%	13 5%	1 1%	6 4%	37 4%	17 6%	15 3%	11 4%	18 4%	25 4%

***If you want to find information about vaccines, where do you typically go for information?-Total Mentions***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Pharmacists	41 4%	2 2%	3 2%	2 4%	12 3%	16 6%	6 5%	9 6%	32 4%	10 3%	21 5%	10 4%	9 2%	31 5% L
Doctor (unspecified)	32 3%	1 1%	4 3%	5 8% AE	13 4% E	3 1%	7 6% E	3 2%	29 3%	13 4%	13 3%	6 2%	9 2%	24 4%
Magazine/newspaper articles	29 3%	2 3%	3 2%	1 1%	11 3%	8 3%	3 3%	8 5% H	21 2%	3 1%	17 4% I	9 4% I	5 1%	24 4% L
Health Unit (unspecified)	25 3%	8 9% CDEF	6 5% E	0 -	11 3% E	0 -	0 -	0 -	25 3% G	9 3%	10 2%	6 2%	11 3%	14 2%
Library	11 1%	3 3% E	3 3% E	1 1% E	4 1%	0 -	0 -	3 2%	8 1%	5 2%	5 1%	2 1%	4 1%	8 1%
Canadian Paediatric Society (CPS)	7 1%	1 1%	2 2%	0 -	3 1%	1 0	0 -	1 1%	6 1%	4 1%	2 0	1 1%	3 1%	4 1%
Television	3 0	0 -	0 -	0 -	3 1%	0 -	0 -	1 0	2 0	1 0	2 0	0 -	1 0	2 0
Local Daycares	2 0	0 -	0 -	0 -	1 0	1 0	0 -	0 -	2 0	2 1%	0 -	0 -	2 0	0 -
Pharmaceutical Companies	2 0	0 -	0 -	0 -	2 1%	0 -	0 -	1 1%	1 0	0 -	2 0	0 -	0 -	2 0
Radio programs	1 0	0 -	0 -	0 -	1 0	0 -	0 -	0 -	1 0	1 0	0 -	0 -	1 0	0 -
Other	82 8%	8 9%	19 15% DE	5 8%	26 8%	15 6%	9 8%	11 8%	71 8%	22 7%	38 9%	22 9%	34 9%	48 8%
(DK/NS)	1 0	0 -	1 1%	0 -	0 -	0 -	0 -	0 -	1 0	0 -	1 0	0 -	0 -	1 0

**Top 2 Box Summary -Considering various sources of information on vaccinations, on a scale of 0 to 10, where 0 is 'not trustworthy at all' and 10 is 'extremely trustworthy,' how trustworthy do you consider**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC A	AB B	SK/MN C	ON D	QU E	ATL F	Male G	Female H	<=2 I	3-4 J	5-6 K	Yes L	No M
Base: All respondents	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
Weighted	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Family Physicians	785 78%	64 71%	103 79%	41 69%	272 80%	205 76%	100 90%	111 75%	674 79%	241 80%	339 76%	205 80%	310 79%	475 78%
Pediatricians	839 84%	70 77%	116 89%	48 79%	274 81%	232 86%	98 89%	120 81%	719 84%	260 87%	369 83%	210 82%	325 83%	514 84%
Nurses	665 66%	55 62%	94 72%	41 69%	226 66%	168 62%	81 73%	81 55%	584 68%	209 70%	273 61%	184 71%	266 68%	399 65%
Internet	219 22%	15 16%	29 23%	11 18%	73 21%	63 23%	28 26%	21 14%	198 23%	66 22%	99 22%	53 21%	87 22%	131 22%
Magazine/newspaper articles	175 17%	9 10%	22 17%	7 12%	56 16%	52 19%	29 26%	16 11%	158 19%	52 18%	80 18%	42 16%	74 19%	101 17%
Books/Journals	435 43%	28 31%	46 36%	26 43%	138 40%	149 55%	48 43%	59 40%	375 44%	138 46%	189 42%	107 42%	178 45%	257 42%
Television	190 19%	9 10%	16 12%	11 18%	63 18%	66 24%	26 23%	22 15%	169 20%	52 18%	92 21%	46 18%	68 17%	122 20%
Radio programs	146 15%	9 10%	16 12%	9 15%	53 16%	41 15%	17 15%	16 11%	130 15%	36 12%	70 16%	40 15%	50 13%	95 16%
Pharmacists	673 67%	50 56%	91 70%	38 63%	235 69%	183 68%	76 69%	86 58%	587 69%	200 67%	293 66%	181 70%	269 68%	404 66%
Family/friends	163 16%	13 15%	28 22%	14 23%	53 16%	34 13%	20 18%	14 9%	149 17%	61 20%	56 13%	45 18%	64 16%	98 16%
Toll Free/1-800 Telephone Number	280 28%	17 19%	25 19%	14 23%	104 31%	93 34%	27 25%	30 20%	249 29%	87 29%	120 27%	73 28%	107 27%	172 28%
Local Hospitals	648 65%	52 57%	88 68%	32 53%	223 65%	185 68%	69 62%	87 59%	560 66%	198 66%	274 61%	176 68%	255 65%	393 64%
Health clinics/Public health clinic or centre	691	54	100	41	225	193	78	86	605	204	305	181	281	410

	69%	60%	77%	68%	66%	71%	70%	58%	71%	68%	69%	70%	72%	67%
Local Daycares	225 22%	13 14%	17 13%	15 26% B	77 23% B	79 29% AB	25 22%	24 16%	201 24%	65 22%	106 24%	54 21%	88 22%	137 23%

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
Pharmaceutical Companies		A	B	C	D	E	F	G	H	I	J	K	L	M
	225 22%	6 7%	18 14%	11 18% A	57 17% A	109 40% ABCDF	24 22% A	26 17%	200 23%	58 19%	108 24%	60 23%	79 20%	146 24%
Canadian Paediatric Society (CPS)	730 73%	53 59%	88 68%	45 75% A	241 71% A	223 83% ABDF	80 72%	92 63%	638 75% G	227 76%	318 71%	185 72%	296 75%	435 71%
Canadian Coalition for Immunization Awareness s and Promotion (CCIAP)	609	34	76	35	184	194	85	71	537	187	268	154	246	363
	61%	38%	59% A	58% A	54% A	72% ABCD	77% ABCD	48%	63% G	63%	60%	60%	63%	60%
Meningitis Research Foundation of Canada	608	46	89	37	199	160	77	73	535	187	264	157	246	362
	61%	51%	69% A	62%	58%	59%	69% A	50%	63% G	62%	59%	61%	63%	59%

**Who or what do you rely on to prompt you to vaccinate your child/children?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
Weighted	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Physician recommendation during visit	489 49%	35 39%	48 37%	26 44%	238 70% ABCE	85 31%	55 50% E	79 53%	410 48%	147 49%	214 48%	128 50%	196 50%	293 48%
Personal records	176 18%	8 9%	9 7%	3 5%	29 9%	112 42% ABCD	14 13%	24 16%	152 18%	59 20%	78 18%	39 15%	70 18%	106 17%
Reminder Cards sent by physician, nurse or public health	167 17%	11 13% D	19 14% D	20 34% ABD	22 7%	65 24% AD	30 27% ABD	27 18%	141 16%	56 19%	66 15%	45 17%	49 12%	118 19% L
Myself	129 13%	21 23% CDEF	26 20% DE	6 11%	35 10%	27 10%	14 12%	8 6%	120 14% G	32 11%	63 14%	34 13%	55 14%	74 12%
Public health clinics	56 6%	10 11% CD	18 14% CDEF	2 3%	5 2%	17 6% D	4 4%	2 1%	54 6% G	16 5%	25 6%	15 6%	15 4%	41 7%
Following schedule/ guidelines	42 4%	0 -	2 2%	2 3%	8 2%	27 10% ABDF	3 2%	6 4%	36 4%	18 6% K	18 4%	6 2%	27 7% M	15 2%
Family and friends	29 3%	2 2%	3 3%	2 4%	7 2%	4 1%	11 9% ADE	4 3%	25 3%	10 3%	13 3%	6 2%	13 3%	16 3%
Nurse	27 3%	4 4% D	10 8% DE	4 7% D	2 1%	6 2%	2 1%	3 2%	23 3%	11 4%	7 2%	9 3%	14 3%	13 2%
School/ required by school system	18 2%	3 3%	2 2%	2 3%	5 2%	5 2%	1 1%	3 2%	16 2%	0 -	13 3% I	5 2% I	1 0	18 3% L
No one/ not one thing in particular	4 0	0 -	0 -	0 -	4 1%	0 -	0 -	3 2% H	1 0	0 -	2 0	2 1%	0 -	4 1%
Other	71 7%	11 13% DE	12 9% E	9 15% DE	22 7%	8 3%	9 8%	13 9%	58 7%	17 6%	37 8%	17 7%	29 7%	42 7%
(DK/NS)	5 1%	1 1%	0 -	0 -	2 1%	1 0	2 1%	1 0	4 1%	2 1%	3 1%	1 0	1 0	4 1%

On a scale of 0 to 10, where 0 is 'not at all safe' and 10 is 'completely safe.' How safe do you feel childhood vaccinations are, in general, for your child/children ?

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
10 completely safe	316 32%	16 17%	43 33% A	18 30%	99 29% A	103 38% AD	38 34% A	30 20%	286 33% G	102 34%	138 31%	76 30%	138 35%	178 29%
9	227 23%	26 29% B	23 17%	12 20%	81 24%	62 23%	24 22%	42 28%	185 22%	64 21%	114 26%	49 19%	91 23%	136 22%
8	276 28%	23 25%	44 34%	17 28%	92 27%	67 25%	33 30%	40 27%	236 28%	86 29%	108 24%	82 32% J	107 27%	170 28%
7	93 9%	8 9%	13 10%	3 6%	36 10%	22 8%	12 11%	16 11%	77 9%	28 9%	42 9%	23 9%	27 7%	66 11%
6	37 4%	5 6% E	5 4%	3 5% E	17 5% E	3 1%	3 3%	8 5%	29 3%	8 3%	14 3%	15 6%	12 3%	25 4%
5	29 3%	7 8% BDF	1 1%	3 5% F	9 3%	8 3%	0 -	6 4%	23 3%	5 2%	18 4%	6 2%	10 3%	19 3%
4	5 0	1 1%	0 -	0 -	1 0	4 1%	0 -	0 -	5 1%	3 1%	2 0	0 -	3 1%	2 0
3	5 1%	2 2% DE	0 -	2 4% BDEF	1 0	0 -	0 -	2 1%	3 0	2 1%	3 1%	1 0	0 -	5 1%
2	3 0	2 2% DE	0 -	1 1% DE	0 -	0 -	0 -	0 -	3 0	0 -	2 0	1 0	1 0	1 0
1	1 0	0 -	1 1%	0 -	0 -	0 -	0 -	0 -	1 0	0 -	1 0	0 -	1 0	0 -
0 not at all safe	8 1%	2 2%	0 -	0 -	4 1%	1 0	2 1%	2 2%	6 1%	1 0	3 1%	3 1%	1 0	7 1%
(DK/NS)	1 0	0 -	0 -	0 -	1 0	0 -	0 -	1 1% H	0 -	0 -	0 -	1 0	0 -	1 0

***My child/children doctor or nurse has taken time to explain which vaccinations they are giving my child/children***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
	876 87%	78 86%	120 92%	51 85%	297 87%	233 86%	96 87%	135 91%	741 87%	271 90%	385 86%	221 86%	344 88%	532 87%
	122 12%	12 13%	10 8%	9 15%	42 12%	36 13%	15 13%	11 8%	111 13%	28 10%	59 13%	35 13%	48 12%	75 12%
(DK/NS)	4 0	1 1%	0 -	0 -	2 1%	1 0	0 -	2 1%	2 0	0 -	2 0	2 1%	1 0	3 0

***My child/children doctor or nurse has taken time to explain the risks/benefits associated with the vaccines they are giving my child/children***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
	788 79%	65 72%	114 88% ADE	47 78%	267 79%	208 77%	87 78%	121 82%	667 78%	249 83% K	346 78%	193 75%	313 80%	475 78%
	208 21%	24 27% B	16 12%	13 22%	70 21%	61 23% B	23 21%	23 16%	184 22%	49 16%	96 22%	63 24% I	78 20%	129 21%
(DK/NS)	6 1%	1 1%	0 -	0 -	3 1%	1 0	2 1%	3 2% H	3 0	2 1%	3 1%	2 1%	1 0	5 1%

**.My child/children doctor or nurse has provided me with written information about each vaccination my child/children have received.**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
	685 68%	64 71%	117 90% ACDEF	40 67%	216 64%	173 64%	74 67%	111 75%	575 67%	218 73%	296 66%	171 67%	277 71%	408 67%
	312 31%	25 28% B	13 10% B	20 33% B	122 36% B	95 35% B	37 33% B	35 24%	277 32% G	81 27%	147 33%	85 33%	115 29%	198 32%
(DK/NS)	4 0	1 1%	0 -	0 -	2 1%	2 1%	0 -	2 1%	3 0	0 -	4 1%	1 0	1 0	4 1%

**I have asked my child/children doctor or nurse about the vaccinations they are providing.**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
	850 85%	83 92% EF	115 89% E	51 84%	305 89% EF	208 77%	89 80%	125 85%	725 85%	262 88% J	363 81%	225 87%	334 85%	516 85%
	151 15%	7 8%	15 11%	9 16%	35 10%	62 23% ABD	23 20% AD	21 14%	130 15%	37 12%	83 19% IK	32 12%	59 15%	92 15%
(DK/NS)	1 0	0 -	0 -	0 -	1 0	0 -	0 -	1 1% H	0 -	0 -	0 -	1 0	0 -	1 0

***My child/children doctor or nurse has answered my questions to my satisfaction.***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Asked about the vaccinations Weighted	860	121	89	58	344	187	61	130	730	264	368	228	337	523
	850	83	115*	51*	305	208	89*	125	725	262	363	225	334	516
Yes	779 92%	71 85%	110 95%	46 90%	280 92%	193 93%	80 90%	114 91%	665 92%	240 91%	337 93%	203 90%	302 90%	478 93%
No	71 8%	12 15%	6 5%	5 10%	25 8%	15 7%	9 10%	11 9%	60 8%	23 9%	26 7%	22 10%	32 10%	38 7%

***You indicated that your child/children has been vaccinated against Meningitis. To the best of your knowledge, was your child/children vaccinated against..***

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Vaccinated against Meningitis Weighted	571	66	86	30	185	180	24	67	504	187	245	139	243	328
	589	44*	114*	25**	167	203	37**	68*	520	189	254	146	253	336
Pneumococcal 'NEW-MO-CAW-CULL' disease	225	13	47	11	63	86	5	28	197	89	86	50	124	101
	38%	29%	41%	46%	38%	43%	13%	40%	38%	47% JK	34%	34%	49% M	30%
Meningococcal 'MEN-NING-O-CAW-CULL' disease	302	21	59	11	72	131	9	31	271	103	126	73	147	155
	51%	48%	51%	45%	43%	64% ABD	25%	45%	52%	55%	50%	50%	58% M	46%
Hib (Haemophilus Influenza type B)	248 42%	21 49%	40 35%	12 48%	63 38%	100 49%	12 32%	17 24%	231 44% G	94 50% JK	100 39%	53 37%	124 49% M	123 37%

**Are there any other vaccinations that you plan on your child/children getting?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
Weighted	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Meningitis (MEN-IN-JYE-TISS)	116 12%	16 17% BC	6 5%	3 5%	49 14% BC	31 12% B	11 10%	17 11%	99 12%	42 14%	45 10%	28 11%	54 14%	62 10%
Chicken pox or Varicella (VARE-IH-SELL-AH)	108 11%	10 11% B	5 4%	7 11%	46 13% BE	22 8%	18 16% B	13 9%	95 11%	38 13%	48 11%	22 9%	62 16% M	46 7%
Hepatitis B	105 10%	5 5%	13 10%	6 10%	30 9%	41 15% AD	10 9%	15 10%	90 11%	27 9%	59 13% K	19 7%	43 11%	63 10%
Measles	59 6%	7 7%	6 5%	3 6%	18 5%	20 7%	5 5%	6 4%	53 6%	24 8% K	26 6%	9 4%	31 8% M	28 5%
Lockjaw or Tetanus (TET-AH-NUS)	57 6%	6 7%	4 3%	3 6%	14 4%	20 7%	9 8%	9 6%	48 6%	19 6%	30 7%	8 3%	20 5%	36 6%
Polio	50 5%	2 2%	6 5%	2 3%	17 5%	17 6%	5 5%	6 4%	44 5%	16 5%	28 6% K	5 2%	19 5%	30 5%
Mumps	48 5%	5 6%	7 6%	2 3%	14 4%	15 6%	4 4%	4 3%	44 5%	22 7% K	19 4%	7 3%	27 7% M	21 3%
German measles or Rubella	48 5%	4 4%	5 4%	2 3%	15 5%	16 6%	5 5%	1 1%	47 5% G	22 7% K	22 5% K	4 2%	30 8% M	18 3%
On the schedule/ age appropriate	47 5%	4 5%	9 7% E	5 8% E	10 3%	6 2%	13 12% DE	6 4%	41 5%	10 3%	22 5%	16 6%	13 3%	35 6%
Diphtheria (DIF-THEE-RE-A)	42 4%	3 4%	8 6%	2 4%	14 4%	10 4%	4 4%	4 3%	38 4%	14 5%	23 5% K	5 2%	16 4%	26 4%
The Flu or Influenza (IN-FLU-EN-ZA)	37 4%	2 2%	2 2%	0 -	17 5%	11 4%	6 5%	3 2%	34 4%	10 3%	12 3%	15 6%	16 4%	22 4%
Doctor recommended	33 3%	1 1%	9 7% D	2 3%	6 2%	12 5%	3 3%	5 3%	29 3%	12 4%	18 4%	4 2%	16 4%	18 3%
Pneumonia (NEW-MOAN-YA)	33 3%	2 3%	1 1%	1 1%	10 3%	11 4%	7 7%	8 5%	25 3%	15 5% J	8 2%	9 4%	17 4%	16 3%
Hepatitis A	29 3%	1 1%	4 3%	2 3%	11 3%	6 2%	6 5%	4 3%	25 3%	6 2%	19 4%	4 2%	10 2%	19 3%

**Are there any other vaccinations that you plan on your child/children getting?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Whooping cough or Pertussis (PER-TWO-SIS)	26	2	4	1	7	13	0	6	21	8	17	2	10	16
	3%	2%	3%	2%	2%	5%	-	4%	2%	3%	4% K	1%	3%	3%
Ear infections	16	1	0	1	6	6	3	1	15	7	5	4	7	9
	2%	1%	-	2%	2%	2%	2%	0	2%	2%	1%	2%	2%	1%
Prevnam	8	1	0	0	8	0	0	0	8	5	2	1	5	3
	1%	1%	-	-	2% E	-	-	-	1%	2%	1%	0	1%	1%
HiB	2	0	0	0	1	1	0	0	2	1	1	0	2	0
	0	-	-	-	0	0	-	-	0	0	0	-	1%	-
Blood infections	2	0	0	0	1	1	0	1	1	1	1	0	2	0
	0	-	-	-	0	0	-	0	0	0	0	-	0	-
Other	54	3	1	1	7	39	3	4	50	19	26	9	25	30
	5%	3%	1%	2%	2%	14% ABCDF	2%	3%	6%	6%	6%	4%	6%	5%
None (DK/NS)	383	41	66	25	137	81	33	58	325	101	164	118	134	249
	38%	45% EF	51% EF	42%	40% E	30%	29%	39%	38%	34%	37%	46% J	34%	41% L
	107	7	14	7	32	31	16	23	84	41	47	19	43	64
	11%	8%	11%	11%	10%	11%	14%	16% H	10%	14% K	10%	7%	11%	10%

**What is the MOST important factor that you considered when deciding whether or not to get a specific vaccination for your child/children ?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Recommendation from doctor/pediatrician	237 24%	16 18%	32 24%	14 23%	85 25%	67 25%	23 20%	49 33% H	188 22%	72 24%	102 23%	62 24%	94 24%	143 23%
Risk of contracting the disease/ how common it is	142	11	15	7	33	55	20	27	115	50	53	39	60	83
	14%	12%	12%	12%	10%	20% D	18% D	19%	13%	17%	12%	15%	15%	14%
Safety	117 12%	11 12% F	24 18% CEF	4 7%	57 17% CEF	18 6%	4 4%	11 7%	106 12%	31 10%	51 11%	36 14%	51 13%	66 11%
Side effects	82 8%	12 14% E	8 6% E	6 11% E	32 10% E	4 1% E	20 18% BDE	14 10%	67 8%	19 6%	47 11%	15 6%	28 7%	54 9%
Effectiveness	74 7%	7 8%	6 5%	2 4%	22 6%	23 8%	14 12%	7 5%	67 8%	25 8%	30 7%	20 8%	37 9%	37 6%
Health of the child	69 7%	6 7%	6 5%	8 14% BE	24 7%	15 6%	9 8%	7 4%	62 7%	22 7%	36 8%	11 4%	26 7%	42 7%
Severity of disease	67 7%	9 10%	7 5%	6 11% F	24 7%	18 7%	3 3%	6 4%	61 7%	16 5%	33 7%	18 7%	20 5%	47 8%
If it's necessary	26 3%	3 4% B	0 -	2 4% B	14 4% BE	3 1%	3 3%	4 3%	22 3%	7 2%	13 3%	6 2%	8 2%	18 3%
Recommended from other specifed health care professionals	18	1	2	2	4	5	4	2	17	5	5	8	6	12
	2%	1%	2%	3%	1%	2%	4%	1%	2%	2%	1%	3%	2%	2%
Required by school or daycare	18 2%	1 1%	1 1%	2 3%	11 3%	3 1%	1 1%	0 -	18 2%	8 3%	8 2%	2 1%	8 2%	10 2%
Cost	18 2%	3 3%	4 3%	1 1%	8 2%	2 1%	0 -	1 0	17 2%	6 2%	5 1%	6 2%	11 3%	7 1%
Personal responsibility	11 1%	1 1%	3 2%	0 -	1 0	6 2% D	2 1%	4 3%	7 1%	2 1%	8 2%	1 0	5 1%	6 1%
Government coverage	11 1%	1 1%	1 1%	0 -	3 1%	6 2%	0 -	2 1%	9 1%	4 1%	4 1%	3 1%	3 1%	8 1%
Age of the child	10 1%	2 2%	2 2%	0 -	3 1%	1 0	1 1%	0 -	10 1%	4 1%	2 1%	4 1%	3 1%	7 1%

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Convenience	6 1%	1 1%	1 1%	0 -	1 0	4 1%	0 -	0 -	6 1%	1 0	2 0	3 1%	2 0	4 1%
Recommended by family/ friends/ word of mouth	6 1%	0 -	2 2% D	1 1% D	0 -	2 1%	0 -	1 1%	5 1%	0 -	2 0	3 1%	0 -	6 1%
Availability of vaccine	5 0	1 1%	2 2%	1 1%	1 0	1 0	0 -	0 -	5 1%	2 1%	3 1%	0 -	2 1%	3 0
How long its been on the market	4 0	1 1%	0 -	2 3% D	1 0	1 0	0 -	0 -	4 0	2 1%	2 0	0 -	3 1%	1 0
If it is through a program at school	3 0	0 -	1 1%	0 -	2 1%	0 -	0 -	0 -	3 0	1 0	1 0	1 1%	2 1%	1 0
Other	34 3%	1 1%	4 3%	2 4%	4 1%	21 8% ADF	2 1%	9 6%	25 3%	6 2%	20 5%	8 3%	10 3%	24 4%
None	27 3%	3 4%	4 3%	0 -	6 2%	12 5%	2 1%	3 2%	25 3%	10 3%	14 3%	3 1%	10 3%	17 3%
(DK/NS)	17 2%	1 1%	4 3%	0 -	6 2%	3 1%	4 4%	2 1%	15 2%	6 2%	5 1%	6 3%	4 1%	13 2%

**Have you ever been offered or recommended a particular vaccination for your child/children that is not covered by the government?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
Yes	462	36	28	19	220	128	31	59	403	161	196	105	223	239
	46%	40%	22%	32%	65%	47%	28%	40%	47%	54%	44%	41%	57%	39%
No	536	52	102	41	119	142	80	89	447	137	246	153	168	368
	54%	58%	78%	68%	35%	53%	72%	60%	52%	46%	55%	59%	43%	60%
(DK/NS)	4	2	0	0	2	0	0	0	4	1	3	0	1	2
	0	2%	-	-	1%	-	-	-	0	0	1%	-	0	0

**Did you decide to get this vaccination?**

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H - I/J/K - L/M

\* small base; \*\* very small base (under 30) ineligible for sig testing

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: Offered or recommended a particular vaccination Weighted	486	55	23	23	249	115	21	64	422	168	207	111	231	255
	462	36*	28**	19**	220	128	31**	59*	403	161	196	105	223	239
Yes	310	22	19	8	149	87	25	48	262	117	133	60	153	157
	67%	61%	68%	43%	68%	68%	80%	82%	65%	73%	68%	57%	69%	66%
No	151	14	9	11	69	41	6	11	140	43	63	45	69	82
	33%	39%	32%	57%	32%	32%	20%	18%	35%	27%	32%	43%	31%	34%
(DK/NS)	1	0	0	0	1	0	0	0	1	0	1	0	1	0
	0	-	-	-	0	-	-	-	0	-	0	-	0	-

**Why didn't you get this vaccination?**

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents	160	20	7	13	79	37	4	12	148	44	70	46	71	89
Weighted	151	14**	9**	11**	69*	41*	6**	11**	140	43*	63*	45*	69*	82*
Cost/ couldn't afford it	50 33%	5 37%	3 31%	7 60%	20 29%	12 28%	3 50%	2 16%	48 34%	17 40%	14 23%	18 40%	21 31%	28 35%
Not necessary	35 23%	6 42%	0 -	2 14%	16 23%	12 30%	0 -	3 26%	33 23%	9 22%	16 26%	9 21%	18 26%	18 22%
Not a high risk of contracting disease	13 9%	1 5%	1 15%	1 6%	5 7%	5 13%	0 -	1 6%	12 9%	4 9%	4 7%	5 10%	6 9%	7 8%
Too new/ untested	10 7%	0 -	1 15%	1 12%	5 8%	2 6%	0 -	0 -	10 7%	2 4%	6 9%	3 6%	5 8%	5 6%
Child already contracted the disease	9 6%	1 4%	0 -	2 20%	1 2%	2 5%	3 50%	1 6%	9 6%	1 3%	6 10%	2 5%	2 2%	8 10%
Because of risk/ safety	8 5%	1 4%	1 15%	1 6%	2 2%	4 9%	0 -	2 20%	6 4%	2 4%	4 7%	2 4%	4 6%	4 4%
Not severe/ serious	6 4%	1 9%	0 -	1 6%	2 4%	2 5%	0 -	1 9%	5 4%	1 2%	4 6%	2 4%	3 5%	3 4%
Havn't gotten around to it yet	6 4%	1 5%	0 -	1 8%	2 4%	2 6%	0 -	1 7%	6 4%	1 2%	3 5%	2 5%	3 4%	4 5%
Unsure of efficacy	6 4%	0 -	1 11%	0 -	1 1%	4 10% D	0 -	2 19%	4 3%	1 3%	3 5%	2 5%	1 2%	5 6%
Not covered by government/ insurance	6 4%	0 -	0 -	0 -	5 7%	1 3%	0 -	0 -	6 4%	3 7%	3 4%	0 -	4 6%	2 2%
Didn't want to do it	4 3%	1 5%	0 -	0 -	2 4%	1 3%	0 -	1 14%	3 2%	1 3%	2 3%	1 3%	2 4%	2 2%
Other	21 14%	1 8%	1 11%	2 14%	12 18%	5 11%	0 -	0 -	21 15%	7 16%	7 12%	6 14%	9 13%	12 14%
(DK/NS)	2 1%	0 -	0 -	0 -	2 2%	0 -	0 -	0 -	2 1%	1 2%	0 -	1 2%	1 1%	1 1%

When you hear about a new vaccine, which of the following statements best describes what you are most likely to do?

		REGION						GENDER		AGE OF OLDEST CHILD			PARENTS OF CHILDREN UNDER 2	
	Total	BC	AB	SK/MN	ON	QU	ATL	Male	Female	<=2	3-4	5-6	Yes	No
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All respondents Weighted	1001	132	100	70	381	242	76	151	850	298	443	260	391	610
	1002	90	130*	60*	340	270	111*	148	854	299	446	257	393	609
I would likely discuss it with my pediatrician or family doctor during my next appointment.	517	38	62	27	176	150	64	71	445	164	229	124	218	298
	52%	42%	48%	45%	52%	55% A	57% A	48%	52%	55%	51%	48%	56%	49%
I would probably want to find out more about it and then decide whether or not to discuss it with my pediatrician or family doctor.	316	40	47	20	120	67	22	42	274	90	139	87	111	205
	32%	44% EF	36% EF	33%	35% EF	25%	20%	28%	32%	30%	31%	34%	28%	34%
I wait for my paediatrician or doctor to mention it to me	126	6	15	7	31	45	22	27	99	37	51	38	50	76
	13%	7%	12%	12%	9%	17% AD	20% AD	18% H	12%	12%	11%	15%	13%	12%
I am not at all interested in finding out anything about it, so I wouldn't do anything.	21	4	1	4	9	4	0	4	17	4	12	5	6	15
	2%	5% EF	1%	6% EF	3%	1%	-	3%	2%	1%	3%	2%	1%	3%
I would probably want to find out more about it and then decide whether	3	1	0	0	1	0	1	1	2	1	1	1	1	2
	0	1%	-	-	0	-	1%	1%	0	0	0	1%	0	0
I would likely discuss it with my paediatrician or family doctor during	2	0	0	0	1	1	0	0	2	0	1	1	0	2
	0	-	-	-	0	0	-	-	0	-	0	0	-	0
I wait for my paediatrician or doctor to mention it to me	1	0	0	0	0	1	0	0	1	0	1	0	1	0
	0	-	-	-	-	0	-	-	0	-	0	-	0	-
Other	16 2%	2 2%	4 3%	3 4% D	2 1%	3 1%	2 2%	2 1%	14 2%	3 1%	11 3% K	1 0	6 1%	10 2%