

Asthma Study

Have you been diagnosed by a health professional as having asthma?

Detailed tables

Proportions/Means: Columns Tested
(5% risk level) - A/B/C/D/E/F - G/H/I - J/K

Overlap formulae used.

		REGION						AGE			GENDER	
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	B	C	D	E	F	G	H	I	J	K
Base: All respondents												
Unweighted Base	2000	264	194	136	758	494	154	473	846	645	930	1070
Weighted Base	2000	264	193	136	758	494	155	587	793	587	967	1033
Yes	218 11%	20 8%	21 11%	15 11%	79 10%	67 13% A	16 11%	79 13%	77 10%	59 10%	92 10%	126 12%
No	1779 89%	244 92% E	173 89%	121 89%	678 89%	425 86%	138 89%	508 87%	714 90%	527 90%	874 90%	905 88%
(DK/NS)	3 0	0 -	0 -	0 -	1 0	2 0	0 -	0 -	1 0	1 0	1 0	2 0

Have you been diagnosed by a health professional as having asthma?

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D - E/F/G
Overlap formulae used.

		EDUCATION				INCOME		
	Total	<HS	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	B	C	D	E	F	G
Base: All respondents								
Unweighted Base	2000	200	409	753	632	351	611	805
Weighted Base	2000	194	402	756	642	359	616	805
Yes	218 11%	19 10%	44 11%	85 11%	70 11%	43 12%	72 12%	84 10%
No	1779 89%	174 90%	358 89%	671 89%	571 89%	316 88%	544 88%	720 89%
(DK/NS)	3 0	1 0	0 -	1 0	1 0	0 -	0 -	1 0

In the past year, has your asthma caused you to gasp for air, or required a hospital or physician visit?

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

	Total	REGION						AGE			GENDER	
		BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	B	C	D	E	F	G	H	I	J	K
Base: Have asthma												
Unweighted Base	215	22	20	13	79	66	15	65	82	65	84	131
Weighted Base	218	20**	21**	15**	79*	67*	16**	79*	77*	59*	92*	126
Yes	69 31%	10 48%	10 46%	4 25%	23 30%	17 26%	5 30%	20 25%	26 33%	21 36%	24 26%	45 35%
No	150 69%	11 52%	11 54%	11 75%	56 70%	49 74%	12 70%	59 75%	52 67%	38 64%	68 74%	81 65%

In the past year, has your asthma caused you to gasp for air, or required a hospital or physician visit?

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D - E/F/G
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

	Total	EDUCATION				INCOME		
		<HS	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	B	C	D	E	F	G
Base: Have asthma								
Unweighted Base	215	19	43	81	72	44	67	82
Weighted Base	218	19**	44*	85*	70*	43*	72*	84*
Yes	69 31%	5 24%	13 29%	31 37%	20 29%	20 47%	15 22%	23 27%
No	150 69%	15 76%	32 71%	54 63%	50 71%	22 53%	56 78%	61 73%

Asthma Study

What types of activity has your asthma stopped you from participating in?

Detailed tables

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

	REGION							AGE			GENDER	
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	B	C	D	E	F	G	H	I	J	K
Base: Have asthma												
Unweighted Base	215	22	20	13	79	66	15	65	82	65	84	131
Weighted Base	218	20**	21**	15**	79*	67*	16**	79*	77*	59*	92*	126
Running	65 30%	8 38%	4 21%	5 36%	25 32%	15 23%	7 44%	22 28%	24 31%	19 32%	19 20%	46 37% J
Snow shoveling	28 13%	2 8%	0 -	3 20%	8 10%	14 21%	2 12%	5 6%	14 18% G	9 15%	8 8%	21 16%
Gym/ working out	27 12%	2 10%	3 15%	3 23%	8 10%	4 7%	6 38%	11 14%	8 11%	7 11%	11 12%	16 13%
Hockey	20 9%	3 15%	1 7%	3 19%	4 5%	6 10%	2 14%	10 13% I	8 11% I	1 2%	11 12%	9 7%
Tennis	18 8%	2 10%	0 -	3 23%	8 10%	5 8%	0 -	7 9%	5 6%	7 12%	9 10%	9 7%
Soccer	18 8%	0 -	1 6%	3 24%	7 8%	7 11%	0 -	10 13%	6 8%	2 3%	6 7%	12 10%
Swimming	18 8%	5 27%	1 6%	1 9%	5 7%	5 7%	0 -	10 12% H	2 2%	7 11% H	7 8%	11 9%
Skiing	17 8%	1 6%	0 -	1 9%	6 8%	8 12%	1 5%	3 4%	7 9%	7 11%	7 8%	10 8%
Gardening	17 8%	3 16%	3 12%	1 9%	6 7%	3 5%	1 5%	4 5%	7 9%	5 9%	5 6%	12 9%
Walking	15 7%	2 8%	1 3%	1 9%	6 7%	4 7%	1 7%	0 -	9 12% G	6 9% G	4 4%	11 9%
Cycling	14 6%	1 3%	1 3%	1 9%	6 7%	4 5%	2 12%	1 2%	7 9% G	5 9%	5 5%	9 7%
Basketball	13 6%	0 -	0 -	1 10%	6 8%	4 7%	1 5%	7 9%	5 6%	2 3%	3 3%	10 8%
Skating	11 5%	0 -	1 5%	1 9%	2 2%	7 10%	0 -	0 -	7 9% G	4 7% G	4 4%	7 5%
Snowboarding	10 4%	4 18%	0 -	0 -	3 4%	3 4%	0 -	4 6%	4 5%	2 3%	4 4%	6 4%

Asthma Study

What types of activity has your asthma stopped you from participating in?

Detailed tables

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

	Total	REGION						AGE			GENDER	
		BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	B	C	D	E	F	G	H	I	J	K
Golf	4 2%	3 15%	0 -	0 -	1 1%	0 -	0 -	3 4%	1 1%	0 -	4 4% K	0 -
Outdoor activities (unspecified)	3 1%	0 -	1 6%	0 -	1 2%	0 -	0 -	3 3%	0 -	0 -	0 -	3 2%
Grocery shopping	3 1%	0 -	0 -	0 -	1 1%	1 1%	1 5%	0 -	0 -	2 3%	0 -	3 2%
Rugby	2 1%	0 -	0 -	0 -	2 3%	0 -	0 -	2 3%	0 -	0 -	1 1%	1 1%
Hiking	2 1%	0 -	2 10%	0 -	0 -	0 -	0 -	1 2%	1 1%	0 -	0 -	2 2%
Strenuous sports	2 1%	0 -	0 -	0 -	1 1%	1 2%	0 -	0 -	2 3%	0 -	0 -	2 2%
Shopping	2 1%	0 -	0 -	0 -	0 -	1 1%	1 5%	0 -	1 1%	1 1%	1 1%	1 1%
Climbing	2 1%	1 3%	0 -	0 -	0 -	1 1%	0 -	1 1%	0 -	1 1%	0 -	2 1%
Other	9 4%	0 -	1 4%	0 -	2 2%	4 6%	2 12%	2 2%	6 7%	1 2%	4 4%	5 4%
No activities	99 45%	7 34%	12 55%	5 31%	40 50%	32 49%	4 27%	36 46%	33 42%	28 48%	47 50%	53 42%

Asthma Study

What types of activity has your asthma stopped you from participating in?

Detailed tables

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D - E/F/G

Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

		EDUCATION				INCOME		
	Total	<HS	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	B	C	D	E	F	G
Base: Have asthma								
Unweighted Base	215	19	43	81	72	44	67	82
	218	19**	44*	85*	70*	43*	72*	84*
Running	65	7	13	30	15	14	26	18
	30%	35%	28%	36%	22%	33%	36%	21%
Snow shoveling	28	4	7	12	6	7	6	11
	13%	19%	15%	14%	9%	17%	8%	13%
Gym/ working out	27	3	6	12	7	7	11	8
	12%	14%	14%	14%	9%	17%	15%	10%
Hockey	20	3	6	9	2	2	13	5
	9%	15%	14% D	10%	3%	4%	18% EG	7%
Tennis	18	2	4	7	6	2	8	7
	8%	9%	9%	8%	9%	4%	11%	9%
Soccer	18	2	5	7	5	4	7	7
	8%	10%	11%	8%	7%	10%	10%	8%
Swimming	18	3	1	10	5	2	11	1
	8%	14%	1%	12%	7%	6%	16% G	2%
Skiing	17	2	1	8	7	2	7	7
	8%	10%	2%	9%	10%	4%	10%	8%
Gardening	17	2	1	4	10	4	2	7
	8%	9%	3%	5%	14%	10%	3%	8%
Walking	15	1	6	5	4	2	6	5
	7%	4%	12%	5%	5%	6%	8%	6%
Cycling	14	2	0	8	4	3	7	4
	6%	9%	-	9%	6%	6%	10%	4%
Basketball	13	2	3	4	5	3	7	3
	6%	10%	6%	4%	7%	6%	10%	4%
Skating	11	2	1	5	3	3	6	1
	5%	10%	2%	6%	4%	6%	8% G	1%
Snowboarding	10	1	1	4	4	2	5	3
	4%	4%	2%	5%	5%	4%	6%	4%

Asthma Study

What types of activity has your asthma stopped you from participating in?

Detailed tables

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D - E/F/G

Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

	Total	EDUCATION				INCOME		
		<HS	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	B	C	D	E	F	G
Golf	4 2%	0 -	1 2%	3 4%	0 -	0 -	3 4%	1 1%
Outdoor activities (unspecified)	3 1%	0 -	1 3%	1 2%	0 -	0 -	1 2%	0 -
Grocery shopping	3 1%	1 5%	0 -	1 1%	1 1%	1 2%	0 -	2 2%
Rugby	2 1%	0 -	1 2%	0 -	1 2%	0 -	0 -	2 3%
Hiking	2 1%	0 -	0 -	1 2%	1 1%	0 -	1 2%	1 1%
Strenuous sports	2 1%	0 -	0 -	0 -	2 3%	0 -	0 -	2 2%
Shopping	2 1%	0 -	0 -	1 1%	1 1%	0 -	1 1%	1 1%
Climbing	2 1%	0 -	0 -	1 1%	1 1%	1 2%	1 1%	0 -
Other	9 4%	0 -	2 4%	5 6%	2 3%	1 2%	2 2%	5 6%
No activities	99 45%	8 40%	16 37%	41 48%	35 50%	18 41%	29 41%	44 52%

Asthma Study

Detailed tables

Have you ever had to miss or delay an outing, day trip, weekend getaway or vacation because of your asthma?

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

		REGION						AGE			GENDER	
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	B	C	D	E	F	G	H	I	J	K
Base: Have asthma												
Unweighted Base	215	22	20	13	79	66	15	65	82	65	84	131
Weighted Base	218	20**	21**	15**	79*	67*	16**	79*	77*	59*	92*	126
Yes	44 20%	5 23%	5 25%	5 34%	12 15%	11 16%	6 36%	14 17%	18 23%	11 19%	16 18%	27 22%
No	175 80%	16 77%	16 75%	10 66%	67 85%	56 84%	10 64%	65 83%	59 77%	48 81%	76 82%	99 78%

4. Have you ever had to miss or delay an outing, day trip, weekend getaway or vacation because of your asthma?

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D - E/F/G
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

		EDUCATION				INCOME		
	Total	<HS	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	B	C	D	E	F	G
Base: Have asthma								
Unweighted Base	215	19	43	81	72	44	67	82
Weighted Base	218	19**	44*	85*	70*	43*	72*	84*
Yes	44 20%	4 19%	10 24%	18 21%	12 17%	8 20%	20 28% G	11 13%
No	175 80%	16 81%	34 76%	67 79%	58 83%	34 80%	51 72%	72 87% F

Asthma Study

Detailed tables

Generally speaking, are you very concerned, somewhat concerned, not very concerned or not at all concerned about your asthma when you are planning a trip or vacation?

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K

Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

	REGION							AGE			GENDER	
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	B	C	D	E	F	G	H	I	J	K
Base: Have asthma												
Unweighted Base	215	22	20	13	79	66	15	65	82	65	84	131
Weighted Base	218	20**	21**	15**	79*	67*	16**	79*	77*	59*	92*	126
Very concerned	20 9%	5 23%	2 9%	2 15%	2 2%	6 9%	4 23%	5 6%	7 9%	9 15%	8 9%	12 10%
Somewhat concerned	39 18%	5 26%	4 17%	5 33%	15 19%	7 10%	3 19%	10 13%	14 18%	14 23%	12 13%	27 21%
Not very concerned	54 25%	4 20%	7 34%	2 15%	20 25%	17 26%	4 22%	18 23%	21 27%	14 23%	18 19%	36 29%
Not at all concerned	104 48%	6 30%	8 40%	5 37%	43 54%	35 53%	6 37%	44 56% I	36 47%	22 38%	53 58% K	51 40%
(DK/NS)	1 1%	0 -	0 -	0 -	0 -	1 2%	0 -	1 2%	0 -	0 -	1 1%	0 -
Summary												
Top2box (Concerned)	59 27%	10 50%	6 26%	7 48%	17 22%	13 19%	7 41%	15 19%	20 26%	23 38% G	20 22%	39 31%
Low2box (Not Concerned)	158 72%	10 50%	15 74%	8 52%	62 78%	53 79%	10 59%	63 79% I	57 74%	36 62%	71 77%	87 69%

Asthma Study

Detailed tables

Generally speaking, are you very concerned, somewhat concerned, not very concerned or not at all concerned about your asthma when you are planning a trip or vacation?

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D - E/F/G

Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Overlap formulae used: small base, very small base (under 50) ineligible for sig testing		EDUCATION				INCOME		
	Total	<HS	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	B	C	D	E	F	G
Base: Have asthma								
Unweighted Base	215	19	43	81	72	44	67	82
Weighted Base	218	19**	44*	85*	70*	43*	72*	84*
Very concerned	20 9%	1 5%	7 16%	8 10%	4 5%	6 15% G	9 12%	4 5%
Somewhat concerned	39 18%	1 4%	9 20%	13 16%	16 22%	6 13%	14 19%	15 18%
Not very concerned	54 25%	10 54%	6 14%	21 25%	16 23%	9 21%	22 30%	16 20%
Not at all concerned	104 48%	7 37%	22 49%	42 49%	33 48%	21 50%	28 39%	47 56% F
(DK/NS)	1 1%	0 -	0 -	0 -	1 2%	0 -	0 -	1 1%
Summary								
Top2box (Concerned)	59 27%	2 9%	16 37%	22 26%	19 28%	12 29%	22 31%	19 23%
Low2box (Not Concerned)	158 72%	17 91%	28 63%	63 74%	49 70%	30 71%	49 69%	64 76%

Asthma Study

Detailed tables

Which of the following sights do you consider the most breathtaking in Canada, either that you would like to visit, or perhaps have visited?

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K

Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Overlap formulae used: small base, very small base (under 50) ineligible for sig testing												
	REGION							AGE			GENDER	
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	B	C	D	E	F	G	H	I	J	K
Base: Have asthma												
Unweighted Base	215	22	20	13	79	66	15	65	82	65	84	131
Weighted Base	218	20**	21**	15**	79*	67*	16**	79*	77*	59*	92*	126
Canadian Rocky Mountains, Alberta	69 32%	5 26%	8 39%	3 17%	21 26%	26 39%	6 39%	24 30%	29 38%	15 26%	31 34%	38 30%
Lake Louise, Banff, Alberta	43 20%	3 17%	1 4%	5 37%	22 28% E	9 14%	1 7%	16 21%	17 22%	8 14%	21 23%	21 17%
Niagara Falls, Ontario	39 18%	4 19%	5 23%	4 25%	10 12%	11 17%	6 35%	18 23%	9 12%	12 20%	11 12%	28 23%
Cape Breton's Cabot Trail, Nova Scotia	33 15%	2 12%	3 12%	1 9%	13 17%	11 17%	2 13%	10 13%	10 13%	11 19%	10 11%	22 18%
ChAteau Frontenac on the St. Lawrence River, Quebec City, Quebec	14 6%	0 -	2 8%	0 -	6 8%	5 7%	1 6%	5 7%	4 6%	4 7%	6 7%	8 6%
Butchart Gardens, Victoria, British Columbia	13 6%	4 21%	1 5%	2 11%	6 8% E	0 -	0 -	4 5%	3 3%	7 11%	6 6%	8 6%
(DK/NS)	7 3%	1 5%	2 8%	0 -	0 -	4 6% D	0 -	1 2%	4 6%	1 2%	6 7% K	1 1%

Asthma Study

Detailed tables

Which of the following sights do you consider the most breathtaking in Canada, either that you would like to visit, or perhaps have visited?

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D - E/F/G

Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Overlap formulae used: small base, very small base (under 50) ineligible for sig testing		EDUCATION				INCOME		
	Total	<HS	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	B	C	D	E	F	G
Base: Have asthma								
Unweighted Base	215	19	43	81	72	44	67	82
Weighted Base	218	19**	44*	85*	70*	43*	72*	84*
Canadian Rocky Mountains, Alberta	69 32%	5 26%	11 25%	28 33%	26 37%	13 31%	21 29%	29 35%
Lake Louise, Banff, Alberta	43 20%	1 5%	4 10%	19 23%	18 26% B	2 5%	17 23% E	20 24% E
Niagara Falls, Ontario	39 18%	8 41%	13 29% CD	11 13%	7 10%	14 34% G	13 18%	10 12%
Cape Breton's Cabot Trail, Nova Scotia	33 15%	2 10%	5 11%	14 17%	12 17%	3 7%	10 14%	14 17%
ChAteau Frontenac on the St. Lawrence River, Quebec City, Quebec	14 6%	0 -	6 13%	4 5%	4 5%	3 7%	5 7%	6 7%
Butchart Gardens, Victoria, British Columbia	13 6%	3 14%	4 10%	5 6%	2 2%	4 10%	5 7%	3 3%
(DK/NS)	7 3%	1 4%	1 2%	3 3%	2 3%	3 6%	2 3%	1 1%