Genital Herpes1. In your estimation, approximately what percentage of Canadians do you think have genital herpes? **Detailed Tables**

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K

Overlap formulae used. * small base

				REG					AGE			NDER
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		A	В	С	D	E	F	G	Н	1	J	K
ase: All respondents												
Unweighted Base	1003	132	97	68	382	247	77	249	415	307	448	555
Weighted Base	1003	133	97*	68*	380	248	78*	294	384	294	485	518
NONE	2	0	0	1	1	0	0	2	0	0	1	1
	0	-	-	1%	0	-	-	1%	-	-	0	0
1 to 10%	318	49	34	23	111	67	34	90	140	84	201	118
	32%	37%	35%	34%	29%	27%	44% DE	30%	37%	29%	41% K	23%
11 to 19%	90	16	8	6	26	27	8	42	28	20	51	39
11 10 1976	9%	12%	8%	9%	7%	11%	10%	14%	7%	7%	11%	8%
								HI				
20%	93	10	6	4	31	34	8	25	39	27	41	51
	9%	8%	6%	6%	8%	14% D	10%	9%	10%	9%	9%	10%
21 to 30%	105	21	12	8	27	28	8	34	41	29	41	64
21 10 30 /0	10%	16%	13%	12%	7%	11%	11%	12%	11%	10%	8%	12%
		D										J
31 to 40%	57	8	3	1	19	18	8	22	19	14	22	35
	6%	6%	3%	2%	5%	7%	10%	7%	5%	5%	4%	7%
41 to 50%	43	4	1	5	21	10	2	16	16	10	9	35
	4%	3%	1%	7%	5%	4%	3%	5%	4%	3%	2%	7% J
51 to 60%	17	2	3	3	4	6	0	7	5	4	4	13
	2%	1%	3%	4%	1%	2%	-	3%	1%	1%	1%	3% J
61 to 70%	13	3	1	0	5	4	0	6	5	3	4	9
0.10.70%	1%	2%	1%	-	1%	2%	-	2%	1%	1%	1%	2%
71 to 80%	12	0	1	0	4	6	1	4	6	1	4	7
	1%	-	1%	-	1%	2%	1%	2%	2%	0	1%	1%
81 to 90%	4	1	0	0	1	1	0	1	0	1	1	3
	0	1%	-	-	0	0	-	1%	-	0	0	0
100%	1	0	0	0	1	0	0	0	1	0	0	1
	0	-	-	-	0	-	-	-	0	-	-	0
(DK/NS)	248	18	28	17	129	47	9	45	82	101	106	142
	25%	13%	29% AF	25% F	34% AEF	19%	12%	15%	21% G	34% GH	22%	27% .I



Genital Herpes1. In your estimation, approximately what percentage of Canadians do you think have genital herpes? **Detailed Tables**

·			REGION AGE									GENDER		
	Total	BC	AB	SK/MN	ON	QC	18-34	35-54	55+	Male	Female			
		Α	В	С	D	E	F	G	Н	ı	J	K		
Summary														
Mean	20.6	19.9	18.7	19.9	21.1	22.9	16.1	22.4	19.4	19.8	16.0	25.3		
						F						J		
Standard Deviation	18.4	17.1	17.4	17.3	19.4	19.1	14.8	18.9	18.4	16.7	15.8	19.5		
Standard Error	0.7	1.6	2.1	2.5	1.2	1.4	1.8	1.3	1.0	1.2	0.8	1.0		
Median	14.0	13.5	10.5	12.4	13.7	16.0	10.0	14.5	12.6	14.3	9.6	19.2		



Proportions/Means: Columns Tested (5% risk level) - A/B/C/D - E/F/G

Overlap formulae used. * small base

			EDUC	CATION			INCOME	
	Total	<hs< th=""><th>HS</th><th>Post Sec</th><th>Univ Grad</th><th><\$30K</th><th>\$30K-\$59K</th><th>\$60K+</th></hs<>	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	В	С	D	E	F	G
ase: All respondents								
Unweighted Base	1003	84	254	317	328	175	307	343
Weighted Base	1003	86*	246	319	332	178	301	346
NONE	2	0	0	1	1	0	0	2
	0	-	-	0	0	-	-	1%
1 to 10%	318	14	78	109	114	35	96	150
	32%	17%	32% A	34% A	34% A	20%	32% E	43% EF
11 to 19%	90	5	12	40	34	13	31	33
11101370	9%	6%	5%	12%	10%	7%	10%	10%
	9%	0%	5%	12% B	10% B	170	10%	10%
000/	00	0	47	30	36	07	22	04
20%	93	8	17	30	36	27	33	21
	9%	9%	7%	9%	11%	15% G	11% G	6%
21 to 30%	105	14	27	36	28	15	34	34
	10%	16% D	11%	11%	9%	8%	11%	10%
24 to 400/	57	3	10	21	22	7	27	20
31 to 40%	6%	4%	4%	7%	6%	7 4%	9%	6%
							E	
41 to 50%	43	6	10	15	10	12	12	8
	4%	7%	4%	5%	3%	7% G	4%	2%
51 to 60%	17	2	6	6	3	8	3	5
	2%	2%	2%	2%	1%	5% FG	1%	1%
61 to 70%	13	1	8	2	2	3	3	5
01.07070	1%	1%	3%	1%	1%	2%	1%	2%
			CD		,			
71 to 80%	12	3	3	2	4	6	5	1
	1%	3% C	1%	1%	1%	3% G	2%	0
81 to 90%	4	3	0	0	1	1	1	1
	0	3% BCD	-	-	Ô	1%	0	0
100%	1	1	0	0	0	1	0	0
	0	1%	-	-	-	1%	-	-
(DK/NS)	248	26	75	59	77	51	55	64
	25%	30% C	31% CD	18%	23%	29% FG	18%	18%



Genital Herpes1. In your estimation, approximately what percentage of Canadians do you think have genital herpes? **Detailed Tables**

			EDU	CATION		INCOME			
	Total	<hs< th=""><th>HS</th><th>Post Sec</th><th><\$30K</th><th>\$30K-\$59K</th><th>\$60K+</th></hs<>	HS	Post Sec	<\$30K	\$30K-\$59K	\$60K+		
		Α	В	С	D	E	F	G	
Summary									
Mean	20.6	31.4	21.8	19.0	18.7	28.0	20.9	16.9	
		BCD				FG	G		
Standard Deviation	18.4	24.0	20.0	16.2	16.8	22.3	17.8	16.7	
Standard Error	0.7	3.1	1.5	1.0	1.1	2.0	1.1	1.0	
Median	14.0	22.7	13.9	13.5	12.9	18.0	14.9	9.6	



·				REC	SION				AGE		GEI	NDER
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		Α	В	С	D	E	F	G	Н	I	J	K
Base: All respondents		1						l			l	
Unweighted Base	1003	132	97	68	382	247	77	249	415	307	448	555
Weighted Base	1003	133	97*	68*	380	248	78*	294	384	294	485	518
NONE	11	2	0	1	7	1	0	1	5	4	4	7
	1%	2%	-	2%	2%	0	-	0	1%	1%	1%	1%
1 to 10%	276	31	19	16	93	86	31	83	112	77	135	142
	28%	23%	19%	24%	24%	35% ABD	40% ABCD	28%	29%	26%	28%	27%
11 to 20%	100	12	13	4	30	33	8	30	38	31	42	59
	10%	9%	13%	6%	8%	13% D	11%	10%	10%	10%	9%	11%
21 to 30%	78	6	6	4	32	25	4	19	29	26	40	38
	8%	5%	7%	6%	8%	10%	5%	7%	8%	9%	8%	7%
31 to 40%	43	4	5	6	10	17	1	17	16	9	21	22
	4%	3%	5%	9% DF	3%	7% D	1%	6%	4%	3%	4%	4%
41 to 50%	176	31	17	9	75	31	13	53	81	39	95	82
	18%	24% E	18%	14%	20% E	13%	16%	18%	21% I	13%	20%	16%
51 to 60%	34	4	4	4	13	5	4	16	11	4	16	17
	3%	3%	4%	5%	3%	2%	5%	5% I	3%	1%	3%	3%
61 to 70%	35	5	3	4	13	8	3	13	11	11	16	19
	4%	3%	3%	5%	3%	3%	4%	4%	3%	4%	3%	4%
71 to 79%	19	6	3	3	3	2	1	8	9	2	10	9
	2%	4% DE	3%	5% DE	1%	1%	2%	3%	2%	1%	2%	2%
80%	47	7	6	4	16	10	4	19	17	11	26	21
	5%	5%	6%	6%	4%	4%	5%	7%	4%	4%	5%	4%
81 to 90%	19	5	4	0	8	1	2	10	4	6	5	15
	2%	4%	4%	-	2%	0	2%	3%	1%	2%	1%	3%
91 to 99%	4	E 0	E 0	0	3	1	0	1	3	0	2	J 2
31 10 33 /0	0	-	-	-	1%	0	-	0	1%	-	0	0
100%	5	0	1	0	3	1	0	0	3	2	1	4
	0	-	1%	-	1%	0	-	-	1%	1%	0	1%



·				REG	SION				AGE		GENDER		
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female	
		Α	В	С	D	Е	F	G	Н	I	J	K	
(DK/NS)	156 16%	18 14%	16 16%	13 18%	75 20% EF	27 11%	7 9%	23 8%	45 12%	74 25% GH	73 15%	83 16%	
Summary													
Mean	33.4	38.2 EF	39.0 EF	35.9 E	34.8 E	27.6	29.5	36.6 I	32.9	30.5	33.5	33.3	
Standard Deviation	26.6	27.5	27.7	26.9	27.0	23.8	27.2	27.1	26.5	26.3	26.2	27.0	
Standard Error	0.9	2.6	3.1	3.7	1.6	1.6	3.2	1.8	1.4	1.7	1.3	1.3	
Median	29.1	45.0	36.9	36.1	29.1	19.1	14.8	32.1	29.1	19.9	29.4	24.7	



			EDUC	CATION			INCOME	
	Total	<hs< th=""><th>HS</th><th>Post Sec</th><th>Univ Grad</th><th><\$30K</th><th>\$30K-\$59K</th><th>\$60K+</th></hs<>	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	В	С	D	Е	F	G
Base: All respondents								
Unweighted Base	1003	84	254	317	328	175	307	343
Weighted Base	1003	86*	246	319	332	178	301	346
NONE	11	0	1	4	5	1	4	4
	1%	-	1%	1%	1%	1%	1%	1%
1 to 10%	276	21	70	95	90	39	84	114
	28%	25%	28%	30%	27%	22%	28%	33% E
11 to 20%	100	5	32	29	35	19	35	30
	10%	6%	13%	9%	10%	11%	12%	9%
21 to 30%	78	8	24	23	18	14	24	24
	8%	10%	10% D	7%	5%	8%	8%	7%
31 to 40%	43	7	11	15	11	12	12	17
	4%	8%	4%	5%	3%	7%	4%	5%
41 to 50%	176	10	38	56	70	20	54	75
	18%	12%	16%	17%	21%	11%	18%	22%
54.4.000/	0.4				40	40	E	E
51 to 60%	34 3%	2 3%	4 2%	8 3%	18	10	10 3%	4 1%
	3%	3%	270	3%	5% B	5% G	370	1 70
61 to 70%	35	3	10	9	13	10	10	11
	4%	3%	4%	3%	4%	6%	3%	3%
71 to 79%	19	4	2	8	5	2	6	7
	2%	5% B	1%	2%	2%	1%	2%	2%
80%	47	4	6	19	18	8	18	14
	5%	5%	3%	6%	5%	4%	6%	4%
81 to 90%	19	4	3	6	4	3	5	5
	2%	5%	1%	2%	1%	2%	2%	2%
91 to 99%	4	1	0	1	2	0	2	2
	0	1%	-	0	1%	-	1%	1%
100%	5	0	1	2	2	1	2	1
	0	-	0	1%	1%	1%	1%	0



			EDUC	ATION			INCOME	
	Total	<hs< td=""><td>HS</td><td>Post Sec</td><td>Univ Grad</td><td><\$30K</td><td>\$30K-\$59K</td><td>\$60K+</td></hs<>	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		А	В	С	О	E	F	G
(DK/NS)	156 16%	16 19%	44 18%	44 14%	42 13%	39 22% FG	35 12%	37 11%
Summary								
Mean	33.4	38.3 B	29.2	33.0	35.0 B	35.4	33.7	31.4
Standard Deviation	26.6	28.4	24.1	27.3	26.8	26.2	27.0	26.2
Standard Error	0.9	3.5	1.7	1.7	1.6	2.2	1.6	1.5
Median	29.1	31.8	19.8	24.9	29.8	27.7	26.0	23.5



Genital Herpes3. From which, if any, of the following sources do you think genital herpes can be transmitted? Is it ... -YES SUMMARY-**Detailed Tables**

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

Overlap formulae used. Small base				REG	ION				AGE		GEI	NDER
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female
		Α	В	С	D	E	F	G	Н	I	J	K
Base: All respondents												
Unweighted Base	1003	132	97	68	382	247	77	249	415	307	448	555
Weighted Base	1003	133	97*	68*	380	248	78*	294	384	294	485	518
From blood transfusions	362	41	32	18	153	97	21	127	122	103	213	150
	36%	31%	33%	26%	40% CF	39%	28%	43% H	32%	35%	44% K	29%
From swimming pools or bath water	153	11	10	12	65	48	6	47	56	48	71	82
31	15%	8%	11%	18%	17% Δ	19% AF	8%	16%	15%	16%	15%	16%
From sexual contact	974	132	94	66	366	242	74	290	376	280	472	502
Tom coxual contact	97%	99%	97%	97%	96%	98%	95%	99%	98%	95%	97%	97%
From toilet seats	268	23	22	14	105	81	24	97	89	76	126	142
1 Total tollet seats	27%	17%	23%	20%	28%	33%	30%	33%	23%	26%	26%	27%
	2170	1770	2370	2070	A	A	A	H	2370	2070	2070	21 /0
From shaking hands	74	13	11	5	21	21	4	26	29	16	47	27
	7%	10%	11%	7%	6%	8%	5%	9%	8%	5%	10% K	5%
Yes to Sexual contact, No to all others	379	64	41	31	119	92	31	93	174	103	161	218
,	38%	48%	42%	46%	31%	37%	40%	32%	45%	35%	33%	42%
		DE	D	D					GI			J

3. From which, if any, of the following sources do you think genital herpes can be transmitted? Is it ... -YES SUMMARY-

			EDU	CATION			INCOME	
	Total	<hs< th=""><th>HS</th><th>Post Sec</th><th>Univ Grad</th><th><\$30K</th><th>\$30K-\$59K</th><th>\$60K+</th></hs<>	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	В	С	D	E	F	G
Base: All respondents								
Unweighted Base	1003	84	254	317	328	175	307	343
Weighted Base	1003	86*	246	319	332	178	301	346
From blood transfusions	362	40	90	108	115	82	106	114
	36%	47% CD	36%	34%	35%	46% FG	35%	33%
From swimming pools or bath water	153	23	45	51	30	42	46	41
	15%	27%	18%	16%	9%	24%	15%	12%
		CD	D	D		FG		
From sexual contact	974	76	238	314	327	169	295	343
	97%	89%	97%	99%	99%	95%	98%	99%
			Α	Α	Α			E
From toilet seats	268	28	75	85	72	69	76	75
	27%	33%	30%	27%	22%	39%	25%	22%
		D	D			FG		
From shaking hands	74	7	31	27	9	18	23	26
-	7%	8%	12%	8%	3%	10%	8%	7%
		D	D	D				
Yes to Sexual contact, No to all others	379	18	77	123	156	39	120	165
·	38%	21%	31%	39%	47%	22%	40%	48%
				Α	ABC		E	E



Genital Herpes Detailed Tables

4. Next I'm going to read a few statements about genital herpes, and I'd like you to tell me if you think each statement is either true or false. -TRUE SUMMARY TABLE-

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K

Overlap formulae used. * small base

			REGION AGE										
	Total	BC	AB	SK/MN	ON	QC	ATL	18-34	35-54	55+	Male	Female	
		Α	В	С	D	E	F	G	Н	1	J	K	
Base: All respondents		I									I		
Unweighted Base	1003	132	97	68	382	247	77	249	415	307	448	555	
Weighted Base	1003	133	97*	68*	380	248	78*	294	384	294	485	518	
Genital herpes can only be transmitted during sexual contact, when a person has visible symptoms during outbreaks	466	68	36	33	174	125	29	105	193	152	217	248	
, , , , , , , , , , , , , , , , , , ,	46%	51% B	37%	49%	46%	50% B	38%	36%	50% G	52% G	45%	48%	
There is a simple test that doctors can do for people that allows them to accurately make the diagnosis of genital herpes.	820	111	79	56	294	210	69	248	323	229	395	425	
	82%	84%	81%	82%	77%	85% D	89% D	84% I	84% I	78%	81%	82%	
There are treatments available for genital herpes that can make it go away entirely.	194	24	9	8	67	72	13	47	68	75	104	90	
	19%	18%	10%	12%	18%	29% ABCDF	17%	16%	18%	26% GH	21%	17%	

4. Next I'm going to read a few statements about genital herpes, and I'd like you to tell me if you think each statement is either true or false. -TRUE SUMMARY TABLE-

			EDU	CATION			INCOME	
	Total	<hs< th=""><th>HS</th><th>Post Sec</th><th>Univ Grad</th><th><\$30K</th><th>\$30K-\$59K</th><th>\$60K+</th></hs<>	HS	Post Sec	Univ Grad	<\$30K	\$30K-\$59K	\$60K+
		A	В	С	D	E	F	G
Base: All respondents								
Unweighted Base	1003	84	254	317	328	175	307	343
Weighted Base	1003	86*	246	319	332	178	301	346
Genital herpes can only be transmitted during sexual contact, when a person has visible symptoms during outbreaks	466	55	121	155	123	90	141	155
,	46%	65% BCD	49% D	49% D	37%	50%	47%	45%
There is a simple test that doctors can do for people that allows them to accurately make the diagnosis of genital herpes.	820	68	204	269	265	144	246	290
3	82%	79%	83%	84%	80%	81%	82%	84%
There are treatments available for genital herpes that can make it go away entirely.	194	29	48	53	61	38	61	53
	19%	34% BCD	19%	16%	18%	22%	20%	15%