

Thinking broadly about Canada's healthcare system and the quality of medical services it provides, how would you describe it overall? Would you say it is excellent, very good, good, poor, or very poor?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
Weighted	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
Excellent	84 6%	29 7%	54 5%	4 3%	23 5%	32 7%	20 5%	66 6%	15 4%	15 7%	12 8%	4 4%	38 7%	12 3%	3 3%	75 6%	9 3%
Very good	356 24%	92 23%	264 24%	16 15%	91 21%	119 24%	112 30% CD	282 26% H	65 18%	45 21%	39 27%	17 17%	156 27% M	66 19%	34 30% M	304 24%	52 21%
Good	819 55%	201 50%	614 56% A	67 62%	228 54%	282 57%	196 52%	570 52%	212 60% G	109 52%	77 53%	59 59%	303 53%	211 59%	59 52%	675 54%	145 58%
Poor, or	167 11%	54 13%	112 10%	11 10%	56 13%	46 9%	37 10%	125 12%	37 10%	28 13%	10 7%	15 16%	56 10%	42 12%	15 13%	136 11%	31 12%
Very poor	54 4%	24 6% B	30 3%	7 6% F	19 4%	16 3%	8 2%	34 3%	16 5%	8 4%	3 2%	4 4%	22 4%	15 4%	2 2%	44 3%	10 4%
(VOLUNTEERED) (DO NOT READ)	14 1%	4 1%	10 1%	1 1%	6 2% E	1 0	4 1%	7 1%	5 1%	4 2% L	2 1%	0 -	1 0	7 2% L	1 1%	10 1%	4 1%
(DK/NS)	7 0	0 -	7 1%	3 3% DEF	0 -	2 0	1 0	3 0	3 1%	0 -	2 2%	0 -	1 0	3 1%	0 -	7 1%	0 -
Top2Box	440 29%	121 30%	318 29%	19 18%	113 27%	152 30% C	132 35% CD	348 32% H	80 23%	59 28%	51 35% KM	21 21%	193 34% KM	78 22%	37 33% M	378 30%	61 24%
low2Box	220 15%	77 19% B	143 13%	17 16%	74 18% EF	62 12%	45 12%	159 15%	53 15%	36 17% J	13 9%	19 19% J	78 14%	57 16%	17 15%	179 14%	41 16%

In general, would you say that your employer-sponsored HEALTH BENEFIT PLAN meets your needs extremely well, very well, somewhat well, not very well, not well at all?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: 50% respondents	751	210	541	45	204	262	193	551	174	99	75	52	286	182	57	616	135
Weighted	755	216	538	51*	211	262	186	551	178	107*	71*	51*	288	180	57*	617	137
Extremely well	105 14%	32 15%	74 14%	4 7%	27 13%	38 14%	30 16%	86 16%	19 11%	14 13%	9 12%	6 12%	46 16%	20 11%	10 18%	85 14%	21 15%
Very well	368 49%	94 44%	273 51%	18 36%	95 45%	128 49%	98 53%	278 50%	79 44%	61 56% M	34 48%	26 50%	140 49%	75 42%	32 57%	298 48%	69 51%
Somewhat well	247 33%	76 35%	171 32%	24 48% F	79 38% F	86 33%	50 27%	166 30%	71 40% G	31 29%	21 30%	17 32%	91 32%	73 40%	14 25%	205 33%	42 31%
Not very well	25 3%	7 3%	18 3%	3 6%	5 2%	8 3%	6 3%	13 2%	9 5%	1 1%	5 7% I	0 -	8 3%	12 6% I	0 -	22 4%	3 2%
Not well at all	4 1%	3 1% B	1 0	1 1%	2 1%	1 1%	0 -	2 0	1 0	0 -	0 -	1 1%	2 1%	1 1%	0 -	3 1%	1 0
(VOLUNTEERED) (DO NOT READ)	6 1%	4 2% B	2 0	1 2%	3 1%	1 0	2 1%	5 1%	0 -	1 1%	2 2%	2 4% LM	1 0	0 -	0 -	4 1%	1 1%
Top2Box	473 63%	126 58%	347 64%	22 43%	122 58%	166 63% C	129 69% CD	364 66% H	97 55%	75 70% M	43 61%	32 62%	186 65% M	94 52%	43 75% M	383 62%	90 66%
low2Box	29 4%	10 5%	19 3%	4 7%	7 3%	10 4%	6 3%	16 3%	10 5%	1 1%	5 7% I	1 1%	10 3%	13 7% I	0 -	25 4%	4 3%

Sum Please answer a few questions about your work ... YES SUMMARY TABLE

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
I am proud to work for my employer	1299	353	942	87	351	434	348	942	306	176	133	89	497	313	91	1087	212
	87%	88%	86%	81%	83%	87%	92% CDE	87%	86%	84%	92% IN	89%	86%	88% N	80%	87%	85%
I am treated fairly and with respect by my employer	1297	343	950	93	351	430	346	941	308	176	128	89	498	312	94	1081	216
	86%	85%	87%	87%	83%	86%	92% DE	87%	87%	84%	89%	89%	86%	88%	83%	86%	86%
I have enough control over how and when I do my work	1150	281	867	80	305	383	315	816	297	146	115	83	420	303	83	974	177
	77%	70%	79% A	75%	72%	77%	83% DE	75%	84% G	70%	80% I	83% I	73%	85% ILN	73%	78% P	71%
Say 'No' to at least 1 of 3	360	122	236	27	101	135	77	266	72	59	32	22	160	63	25	296	65
	24%	30% B	22%	25%	24%	27% F	20%	24%	20%	28% M	22%	22%	28% M	18%	22%	24%	26%
Say 'No' to at least 2 of 3	118	40	77	10	38	49	17	78	31	23	8	9	48	21	9	97	22
	8%	10%	7%	10%	9% F	10% F	4%	7%	9%	11% M	6%	9%	8%	6%	8%	8%	9%
Say 'No' to at least 3 of 3	35	11	23	4	8	17	5	24	8	4	1	1	18	6	5	24	11
	2%	3%	2%	4%	2%	3%	1%	2%	2%	2%	1%	1%	3%	2%	4% J	2%	4% O

Please rate the following in terms of how high a priority each should be for employers to offer their employees -Providing coverage for cutting edge drugs?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
7	329 22%	102 25%	226 21%	25 23%	102 24%	106 21%	69 18%	208 19%	107 30% G	42 20%	22 15%	12 12%	115 20%	116 32% IJKLN	24 21%	276 22%	53 21%
6	210 14%	57 14%	152 14%	17 16%	69 16%	66 13%	47 12%	145 13%	55 16%	24 11%	24 16%	12 12%	80 14%	57 16%	15 13%	174 14%	36 15%
5	409 27%	96 24%	313 29%	31 28%	95 23%	152 30% D	109 29%	295 27%	103 29%	49 23%	40 28%	30 30%	166 29%	96 27%	27 24%	336 27%	73 29%
4	213 14%	61 15%	151 14%	16 15%	57 14%	67 13%	63 17%	177 16% H	25 7%	33 16% M	24 16% M	19 19% M	90 16% M	26 7% M	22 19% M	182 15%	31 13%
3	146 10%	37 9%	109 10%	5 5%	43 10%	47 9%	42 11%	126 12% H	15 4%	28 13% M	17 12% M	15 15% M	58 10% M	14 4% M	14 13% M	121 10%	25 10%
2	62 4%	15 4%	47 4%	4 3%	11 3%	23 5%	23 6% D	48 4%	11 3%	12 6%	8 6%	3 3%	26 5%	10 3%	3 3%	55 4%	8 3%
1	78 5%	24 6%	53 5%	7 6%	25 6%	25 5%	14 4%	55 5%	21 6%	16 8%	7 5%	6 6%	23 4%	22 6%	4 4%	64 5%	14 6%
(DK/NS)	52 3%	11 3%	41 4%	3 3%	19 5%	12 2%	11 3%	33 3%	17 5%	7 3%	2 2%	3 3%	20 4%	15 4%	4 4%	43 3%	9 4%
Summary																	
TopBox (6,7)	540 36%	160 40%	378 35%	42 39%	171 40% F	172 35%	116 31%	353 32%	162 46% G	65 31%	45 31%	24 24%	195 34%	172 48% IJKLN	38 34%	450 36%	90 36%
LowBox (1,2)	140 9%	39 10%	101 9%	10 10%	36 9%	49 10%	37 10%	103 9%	32 9%	27 13%	15 11%	9 9%	49 8%	32 9%	8 7%	118 9%	22 9%
Mean	4.9	5.0	4.9	5.0	5.0	4.9	4.8	4.8	5.3 G	4.6	4.7	4.5	4.9	5.3 IJKLN	4.9	4.9	4.9
Standard Deviation	1.69	1.75	1.66	1.69	1.73	1.67	1.63	1.67	1.70	1.81	1.64	1.59	1.62	1.72	1.62	1.69	1.68
Standard Error	0.04	0.09	0.05	0.17	0.09	0.08	0.08	0.05	0.09	0.13	0.14	0.16	0.07	0.09	0.15	0.05	0.11

Please rate the following in terms of how high a priority each should be for employers to offer their employees -Disease specific education (like high blood pressure, heart disease, cancer, diabetes, asthma, obesity, etc)?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
7	576 38%	162 40%	411 38%	43 40%	173 41%	189 38%	130 34%	405 37%	146 41%	77 37% K	47 33%	24 24%	238 41% K	153 43% JK	38 33%	476 38%	100 40%
6	286 19%	63 16%	222 20%	28 26% F	88 21%	90 18%	62 16%	215 20%	58 16%	44 21%	30 21%	21 21%	107 19%	59 17%	24 21%	236 19%	50 20%
5	307 20%	85 21%	222 20%	18 16%	85 20%	111 22%	78 21%	222 20%	73 21%	32 15%	36 25% I	22 22%	116 20%	71 20%	30 26% I	259 21%	48 19%
4	120 8%	33 8%	86 8%	3 2%	27 7%	43 9% C	41 11% CD	96 9%	21 6%	19 9%	15 11%	18 18% ILMN	39 7%	20 6%	7 6%	100 8%	20 8%
3	106 7%	30 7%	75 7%	6 6%	29 7%	32 7%	33 9%	70 6%	32 9%	18 9%	7 5%	11 11%	33 6%	32 9%	6 5%	91 7%	15 6%
2	53 4%	16 4%	37 3%	5 5%	10 2%	16 3%	18 5%	42 4%	11 3%	8 4%	3 2%	1 1%	27 5%	9 3%	5 4%	44 3%	10 4%
1	46 3%	8 2%	38 4%	4 4%	9 2%	14 3%	13 3%	35 3%	10 3%	8 4%	4 3%	3 3%	16 3%	10 3%	4 3%	38 3%	8 3%
(DK/NS)	6 0	5 1% B	1 0	1 1%	0 -	2 0	3 1%	5 0	1 0	2 1%	2 1%	0 -	1 0	1 0	0 -	6 0	0 -
Summary																	
TopBox (6,7)	862 57%	225 56%	633 58%	71 66% F	261 62% F	280 56%	192 51%	619 57%	205 58%	121 58%	77 53%	45 45%	345 60% K	212 60% K	62 54%	713 57%	150 60%
LowBox (1,2)	99 7%	25 6%	75 7%	9 8%	19 5%	30 6%	31 8%	76 7%	22 6%	16 8%	7 5%	5 5%	43 8%	19 5%	9 8%	81 7%	18 7%
Mean	5.5	5.5	5.5	5.6	5.7 F	5.5	5.3	5.5	5.5	5.4	5.5	5.1	5.6 K	5.6 K	5.4	5.5	5.5
Standard Deviation	1.63	1.61	1.64	1.67	1.52	1.59	1.71	1.63	1.65	1.73	1.51	1.56	1.64	1.62	1.61	1.63	1.65
Standard Error	0.04	0.08	0.05	0.17	0.08	0.07	0.09	0.05	0.09	0.12	0.12	0.15	0.07	0.09	0.15	0.05	0.10

Please rate the following in terms of how high a priority each should be for employers to offer their employees -Employee assistance programs (EAPs) which include childcare referral, eldercare, substance abuse, stress management education?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted		397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
7	551 37%	163 40%	385 35%	44 41%	164 39%	178 36%	136 36%	393 36%	140 40%	65 31%	49 34%	32 32%	221 38%	144 41% I	40 35%	475 38% P	76 30%
6	278 19%	62 15%	216 20%	22 20%	64 15%	96 19%	76 20%	205 19%	62 17%	47 23%	28 20%	23 23%	95 17%	62 17%	22 20%	219 18%	59 24% O
5	346 23%	87 22%	259 24%	23 21%	107 25%	118 24%	78 21%	245 23%	82 23%	49 24%	34 23%	20 20%	134 23%	81 23%	28 25%	291 23%	55 22%
4	143 10%	36 9%	108 10%	5 5%	40 9%	53 11%	35 9%	116 11% H	23 6%	23 11%	15 11%	11 11%	60 10%	23 7%	12 10%	116 9%	27 11%
3	87 6%	26 7%	60 6%	7 7%	20 5%	25 5%	30 8%	70 6%	17 5%	13 6%	5 3%	9 9%	35 6%	17 5%	9 8%	76 6%	11 5%
2	44 3%	13 3%	31 3%	2 2%	9 2%	18 4%	11 3%	32 3%	12 3%	4 2%	10 7% ILM	1 1%	17 3%	10 3%	2 2%	38 3%	6 2%
1	45 3%	14 4%	30 3%	4 4%	16 4%	11 2%	9 2%	25 2%	17 5% G	7 4%	3 2%	4 4%	14 2%	15 4%	2 2%	31 3%	13 5% O
(DK/NS)	5 0	1 0	4 0	0 -	1 0	0 -	2 1%	1 0	1 0	0 -	0 -	0 -	2 0	3 1%	0 -	3 0	2 1%
Summary																	
TopBox (6,7)	829 55%	225 56%	600 55%	66 62%	228 54%	273 55%	212 56%	598 55%	202 57%	113 54%	78 54%	54 54%	317 55%	206 58%	62 54%	694 56%	135 54%
LowBox (1,2)	89 6%	28 7%	61 6%	6 6%	25 6%	29 6%	20 5%	57 5%	28 8%	12 6%	13 9%	5 5%	30 5%	25 7%	4 3%	69 6%	20 8%
Mean	5.5	5.5	5.5	5.6	5.5	5.5	5.5	5.5	5.5	5.4	5.4	5.4	5.5	5.6	5.5	5.5	5.4
Standard Deviation	1.58	1.66	1.55	1.61	1.59	1.53	1.57	1.55	1.68	1.55	1.60	1.60	1.56	1.64	1.47	1.56	1.65
Standard Error	0.04	0.08	0.05	0.16	0.08	0.07	0.08	0.05	0.09	0.11	0.13	0.16	0.07	0.09	0.14	0.04	0.10

Top2box Summary

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents																	
Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
Providing coverage for cutting edge drugs	540 36%	160 40%	378 35%	42 39%	171 40%	172 35%	116 31%	353 32%	162 46%	65 31%	45 31%	24 24%	195 34%	172 48%	38 34%	450 36%	90 36%
Rx Disease specific education	862 57%	225 56%	633 58%	71 66%	261 62%	280 56%	192 51%	619 57%	205 58%	121 58%	77 53%	45 45%	345 60%	212 60%	62 54%	713 57%	150 60%
Employee assistance programs	829 55%	225 56%	600 55%	66 62%	228 54%	273 55%	212 56%	598 55%	202 57%	113 54%	78 54%	54 54%	317 55%	206 58%	62 54%	694 56%	135 54%

low2box Summary T Test Suppressed Because No Base Row

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Providing coverage for cutting edge drugs	140	39	101	10	36	49	37	103	32	27	15	9	49	32	8	118	22
Rx Disease specific education	99	25	75	9	19	30	31	76	22	16	7	5	43	19	9	81	18
Employee assistance programs	89	28	61	6	25	29	20	57	28	12	13	5	30	25	4	69	20

q20-22. - mean Summary T Test Suppressed Because No Base Row

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Providing coverage for cutting edge drugs	4.9	5.0	4.9	5.0	5.0	4.9	4.8	4.8	5.3	4.6	4.7	4.5	4.9	5.3	4.9	4.9	4.9
Rx Disease specific education	5.5	5.5	5.5	5.6	5.7	5.5	5.3	5.5	5.5	5.3	5.4	5.1	5.6	5.6	5.4	5.5	5.5
Employee assistance programs	5.5	5.5	5.5	5.6	5.5	5.5	5.5	5.5	5.5	5.4	5.4	5.4	5.5	5.6	5.5	5.5	5.4

And, what could your employer do that would make it easier for you to adopt healthier behaviors?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
Fitness/sports(Net)	604 40%	174 43%	429 39%	29 27%	147 35%	218 44% CD	188 50% CD	437 40%	149 42%	95 45%	60 42%	36 37%	215 37%	154 43%	43 38%	520 42% P	84 34%
Fitness/ activity time during work hours (on site gym)	390	108	282	19	103	132	124	275	102	62	35	24	132	106	31	335	55
	26%	27%	26%	18%	24%	26%	33% CDE	25%	29%	30%	24%	24%	23%	30% L	27%	27%	22%
Pay for (part of) a gym membership	255 17%	76 19%	179 16%	11 10%	46 11%	105 21% CD	81 22% CD	200 18%	51 14%	44 21%	26 18%	13 13%	106 18%	52 15%	14 12%	222 18%	33 13%
After work sports (team)	23 2%	7 2%	17 2%	1 1%	8 2%	9 2%	5 1%	10 1%	13 4% G	1 1%	2 1%	0 -	6 1%	14 4% IL	1 1%	20 2%	3 1%
Health precautions(Net)	523 35%	142 35%	381 35%	37 35%	147 35%	180 36%	130 34%	357 33%	141 40% G	68 33%	47 32%	33 33%	198 34%	143 40%	35 31%	446 36%	77 31%
Provide more educational materials/ speeches	212	52	160	17	64	70	49	149	54	31	22	12	87	51	9	187	25
	14%	13%	15%	16%	15%	14%	13%	14%	15%	15%	15%	12%	15%	14%	8%	15%	10%
(Cash) incentives/ rewards for healthier behaviour	163	44	119	13	43	54	45	108	49	21	11	12	51	53	15	134	29
	11%	11%	11%	13%	10%	11%	12%	10%	14%	10%	8%	12%	9%	15% JL	13%	11%	11%
Have a health and wellness program (incl. social events, healthy lifestyle)	85	22	63	4	18	34	28	73	6	14	10	7	42	3	8	70	15
	6%	6%	6%	4%	4%	7%	7%	7% H	2%	7% M	7% M	7% M	7% M	1% M	7% M	6%	6%
Provide/ subsidize programs for smokers, alcoholics, obese, etc.	76	16	59	4	27	19	21	44	30	10	8	2	24	31	2	67	9
	5%	4%	5%	4%	6%	4%	6%	4%	9% G	5%	5%	2%	4%	9% KLN	2%	5%	4%
Make workplace a safe and healthy environment	54	17	38	5	16	16	13	37	12	6	6	5	18	14	6	46	9
	4%	4%	3%	5%	4%	3%	3%	3%	3%	3%	4%	5%	3%	4%	5%	4%	3%

And, what could your employer do that would make it easier for you to adopt healthier behaviors?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Ban smoking in workplace	46 3%	18 4%	28 3%	5 4%	16 4%	18 4%	5 1%	22 2%	22 6%	4 2%	5 3%	2 2%	13 2%	21 6%	1 1%	38 3%	8 3%
Provide healthier food in cafeteria	119 8%	35 9%	84 8%	5 4%	30 7%	42 8%	35 9%	80 7%	39 11%	19 9%	6 4%	9 9%	34 6%	38 11%	12 10%	98 8%	21 8%
Time flexible(Net)	106 7%	41 10%	66 6%	6 5%	30 7%	32 6%	36 10%	72 7%	30 9%	14 6%	8 5%	9 9%	40 7%	34 9%	2 2%	94 7%	13 5%
Flexible work hours/ improve work hours/ no overtime	54 4%	21 5%	33 3%	0 -	13 3%	19 4%	22 6%	34 3%	19 5%	4 2%	3 2%	3 3%	25 4%	19 5%	1 1%	48 4%	6 3%
More time off	46 3%	14 3%	32 3%	6 5%	15 4%	8 2%	14 4%	32 3%	11 3%	7 4%	5 3%	4 4%	12 2%	16 5%	2 2%	43 3%	3 1%
Mental health days	10 1%	7 2%	4 0	0 -	2 1%	5 1%	2 1%	7 1%	1 0	2 1%	0 -	2 2%	4 1%	1 0	0 -	7 1%	4 1%
Less stressful environment	93 6%	25 6%	67 6%	11 10%	29 7%	27 5%	22 6%	63 6%	25 7%	4 2%	14 9%	8 8%	36 6%	28 8%	4 4%	80 6%	13 5%
It is the employees responsibility	81 5%	25 6%	57 5%	6 6%	23 5%	24 5%	19 5%	57 5%	24 7%	12 6%	3 2%	4 4%	30 5%	24 7%	8 7%	65 5%	17 7%
Nothing	169 11%	40 10%	128 12%	8 8%	50 12%	47 9%	50 13%	132 12%	32 9%	29 14%	18 12%	11 11%	70 12%	30 8%	12 10%	132 11%	37 15%
Other	77 5%	29 7%	47 4%	6 6%	25 6%	27 5%	12 3%	66 6%	5 1%	10 5%	7 5%	9 9%	44 8%	5 1%	3 2%	70 6%	7 3%
Dk/ns	219 15%	58 14%	160 15%	25 23%	77 18%	67 13%	31 8%	164 15%	47 13%	25 12%	26 18%	20 20%	81 14%	44 12%	23 20%	170 14%	49 20%

I am going to read a statement and I would like you to tell me which option you would choose. Would you rather have an extra \$15,000 cash per year OR your employee health benefit plan?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
Extra \$15,000 cash per year	537 36%	123 31%	414 38%	30 27%	141 34%	196 39%	135 36%	366 34%	145 41%	66 32%	54 38%	55 55%	182 32%	141 40%	38 34%	431 35%	105 42%
			A			C			G			IJLMN		L		O	
Your employee health benefit plan	942 63%	273 68%	665 61%	73 68%	275 65%	298 60%	239 63%	710 65%	198 56%	141 67%	89 62%	43 43%	389 67%	204 57%	76 66%	800 64%	142 57%
		B						H		KM	K		KM	K	K	P	
(DK/NS)	22 1%	8 2%	13 1%	5 4%	5 1%	4 1%	3 1%	11 1%	11 3%	2 1%	1 1%	2 2%	6 1%	11 3%	0 -	18 1%	4 1%
				EF					G					L			

In dollar terms how much do you think your employee health benefit plan costs your employer each year?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents																	
Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
0 - 250	54 4%	12 3%	42 4%	5 4%	17 4%	17 3%	14 4%	35 3%	13 4%	6 3%	11 8%	4 4%	18 3%	13 4%	2 2%	43 3%	11 4%
251 - 500	111 7%	29 7%	82 8%	9 9%	48 11%	35 7%	14 4%	81 7%	28 8%	21 10%	12 8%	11 11%	35 6%	26 7%	6 5%	93 7%	17 7%
501 - 1200	201 13%	51 13%	150 14%	9 9%	58 14%	77 15%	49 13%	160 15%	35 10%	27 13%	13 9%	22 22%	80 14%	40 11%	19 16%	157 13%	44 17%
1201 - 1500	50 3%	10 3%	40 4%	2 1%	17 4%	15 3%	15 4%	37 3%	12 3%	8 4%	3 2%	3 3%	22 4%	10 3%	5 5%	42 3%	8 3%
1501 - 2000	114 8%	26 7%	87 8%	7 7%	29 7%	46 9%	26 7%	79 7%	29 8%	16 8%	7 5%	7 7%	45 8%	30 8%	9 7%	96 8%	18 7%
2000+	640 43%	186 46%	452 41%	38 36%	137 32%	223 45%	205 54%	482 44%	133 38%	93 45%	76 53%	31 31%	264 46%	131 37%	45 40%	538 43%	102 41%
(DK/NS)	329 22%	89 22%	238 22%	37 35%	115 27%	85 17%	56 15%	214 20%	104 29%	37 18%	23 16%	23 23%	113 20%	106 30%	27 24%	279 22%	50 20%
1200 - 1500	94 6%	23 6%	71 6%	3 3%	31 7%	34 7%	23 6%	73 7%	20 6%	14 7%	5 3%	9 9%	37 6%	17 5%	13 11%	73 6%	21 8%
1501 - 2000	114 8%	26 7%	87 8%	7 7%	29 7%	46 9%	26 7%	79 7%	29 8%	16 8%	7 5%	7 7%	45 8%	30 8%	9 7%	96 8%	18 7%
2000+	640 43%	186 46%	452 41%	38 36%	137 32%	223 45%	205 54%	482 44%	133 38%	93 45%	76 53%	31 31%	264 46%	131 37%	45 40%	538 43%	102 41%
Summary																	
Mean	5738.7	6769.5 B	5341.5	7225.1	4685.2	5670.0	6296.1 D	5697.3	6089.2	4893.3	6820.2 KN	3256.4	6199.9 K	6270.2 K	4150.5	6005.6 P	4441.2
Standard Deviation	9184.7	10107. 0	8799.3	10868. 3	9060.6	9518.4	8405.1	8664.6	11413. 3	5406.6	10970. 9	7093.9	9266.5	11627. 4	4442.3	9258.9	8722.1
Standard Error	271.6	577.8	304.5	1358.5	536.7	473.6	464.1	295.3	742.9	428.8	985.2	798.1	434.4	749.0	479.0	300.2	627.8
Median	2519.1	2851.7	2449.2	2566.1	1909.4	2463.7	3522.4	2556.0	1987.8	2558.8	3513.9	1204.2	2702.6	1973.9	2412.5	2606.9	1992.0

Which of the following statements is closest to your own point of view?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/ Man	Ontario	Quebe c	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
Doctor knows best	584 39%	152 38%	430 39%	50 47% F	191 45% F	194 39% F	108 29%	436 40%	124 35%	68 32%	48 33%	37 37%	236 41% I	139 39%	57 50% IJ	480 38%	103 41%
Look up own information	910 61%	250 62%	657 60%	57 53%	229 54%	302 61%	267 71% CDE	646 59%	229 65%	142 68% LN	96 67% N	61 61%	338 59%	216 61% N	56 49%	763 61%	147 59%
(DK/NS)	6 0	1 0	6 1%	0 -	2 0	2 0	3 1%	4 0	1 0	0 -	0 -	1 1%	3 1%	1 0	1 1%	6 1%	0 -

How often would you say that you get healthcare information from -Healthcare professionals?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100 K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
7	333 22%	98 24%	233 21%	22 20%	101 24%	112 22%	76 20%	230 21%	90 25%	47 23% K	25 17%	11 11%	141 24% K	84 23% K	25 22%	278 22%	54 22%
6	290 19%	83 21%	206 19%	15 14%	85 20%	86 17%	80 21%	217 20%	65 18%	42 20%	30 21%	17 17%	114 20%	63 18%	24 21%	243 19%	47 19%
5	328 22%	93 23%	233 21%	29 27%	86 20%	106 21%	90 24%	245 23%	71 20%	43 20%	38 26%	29 29% M	123 21%	67 19%	27 24%	266 21%	62 25%
4	182 12%	44 11%	138 13%	13 12%	57 14%	57 11%	44 12%	123 11%	49 14%	19 9%	21 14%	15 15%	59 10%	59 17% IL	10 9%	159 13%	23 9%
3	149 10%	36 9%	113 10%	12 11%	36 8%	51 10%	41 11%	108 10%	34 10%	22 11%	13 9%	9 9%	55 9%	35 10%	14 12%	124 10%	24 10%
2	113 8%	26 7%	87 8%	6 6%	21 5%	55 11% D	26 7%	87 8%	23 7%	20 9%	9 7%	12 12%	42 7%	23 7%	6 5%	95 8%	18 7%
1	102 7%	23 6%	78 7%	10 9%	31 7%	33 7%	20 5%	76 7%	18 5%	16 8%	8 6%	6 6%	41 7%	22 6%	8 7%	82 7%	20 8%
(DK/NS)	4 0	0 -	4 0	0 -	4 1%	0 -	0 -	1 0	3 1% G	0 -	0 -	0 -	2 0	2 1%	0 -	3 0	1 0
Summary																	
TopBox (6,7)	623 42%	181 45%	439 40%	37 35%	187 44%	198 40%	156 41%	447 41%	155 44%	89 43% K	55 38%	28 29%	255 44% K	147 41% K	49 43% K	521 42%	102 41%
LowBox (1,2)	215 14%	49 12%	165 15%	16 15%	52 12%	87 17% DF	47 12%	163 15%	41 12%	36 17%	18 12%	18 18%	83 14%	46 13%	14 13%	177 14%	38 15%
Mean	4.8	5.0 B	4.8	4.7	4.9	4.7	4.9	4.8	5.0	4.8	4.8	4.5	4.9 K	4.8	4.9	4.8	4.8
Standard Deviation	1.83	1.77	1.84	1.85	1.82	1.88	1.75	1.83	1.78	1.92	1.70	1.72	1.86	1.81	1.82	1.82	1.86
Standard Error	0.05	0.09	0.06	0.18	0.09	0.08	0.09	0.06	0.09	0.14	0.14	0.17	0.08	0.10	0.17	0.05	0.12

How often would you say that you get healthcare information from -The Internet?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted																	
	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
7	201 13%	73 18% B	126 12%	9 9%	53 13%	66 13%	59 15%	141 13%	53 15%	30 14%	19 13%	8 8%	74 13%	55 15%	15 13%	165 13%	36 14%
6	174 12%	51 13%	123 11%	9 8%	31 7%	66 13% D	64 17% CD	131 12%	35 10%	25 12%	18 13%	14 14%	68 12%	33 9%	15 13%	155 12% P	19 8%
5	272 18%	81 20%	190 17%	13 12%	73 17%	92 18%	77 20%	212 20% H	51 14%	43 21%	31 21%	16 16%	115 20%	54 15%	13 12%	230 18%	42 17%
4	144 10%	31 8%	113 10%	7 6%	32 8%	54 11%	40 11%	114 11%	27 8%	18 9%	15 11%	17 17% IMN	61 11%	25 7%	6 6%	123 10%	21 8%
3	163 11%	45 11%	118 11%	7 7%	51 12%	54 11%	39 10%	109 10%	44 12%	30 14%	14 10%	7 7%	58 10%	40 11%	14 12%	141 11%	22 9%
2	131 9%	25 6%	106 10% A	10 9%	37 9%	37 7%	39 10%	97 9%	28 8%	17 8%	9 6%	12 12%	56 10%	31 9%	7 6%	106 8%	25 10%
1	410 27%	96 24%	312 29%	52 48% DEF	143 34% EF	127 25% F	60 16%	281 26%	111 32%	44 21%	37 26%	27 27%	144 25%	115 32% IL	43 38% IL	325 26%	85 34% O
(DK/NS)	5 0	2 0	3 0	1 1%	2 1%	2 0	0 -	2 0	3 1%	2 1%	0 -	0 -	1 0	2 1%	0 -	4 0	1 0
Summary																	
TopBox (6,7)	374 25%	124 31% B	249 23%	18 17%	84 20%	132 27% D	123 32% CD	272 25%	89 25%	55 26%	37 26%	21 22%	143 25%	88 25%	30 26%	320 26%	55 22%
LowBox (1,2)	541 36%	121 30% A	418 38%	62 58% DEF	180 43% EF	164 33% F	99 26%	378 35%	140 40%	61 29%	46 32%	38 38%	199 35%	146 41% I	50 44% I	431 35% O	110 44% O
Mean	3.7	4.0 B	3.6	2.8	3.4 C	3.8 CD	4.2 CDE	3.8	3.6	3.9 N	3.9	3.6	3.8	3.5	3.4	3.8 P	3.4
Standard Deviation	2.17	2.20	2.14	2.17	2.18	2.15	2.05	2.14	2.25	2.10	2.15	2.04	2.13	2.26	2.30	2.15	2.24
Standard Error	0.06	0.11	0.06	0.22	0.11	0.10	0.10	0.06	0.12	0.15	0.18	0.20	0.09	0.12	0.22	0.06	0.14

How often would you say that you get healthcare information from -Your employer?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents Weighted																	
	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
7	61 4%	16 4%	45 4%	7 7%	17 4%	23 5%	11 3%	40 4%	21 6%	8 4%	6 4%	1 1%	21 4%	19 5%	6 5%	48 4%	13 5%
6	35 2%	10 2%	25 2%	8 8% DEF	11 3%	9 2%	6 2%	20 2%	12 3%	4 2%	2 2%	2 2%	12 2%	11 3%	3 3%	25 2%	10 4%
5	153 10%	40 10%	111 10%	11 11%	45 11%	46 9%	42 11%	103 9%	37 11%	12 6%	17 12%	8 8%	67 12% I	36 10%	14 12%	134 11%	19 8%
4	144 10%	37 9%	107 10%	7 7%	43 10%	49 10%	39 10%	96 9%	36 10%	17 8%	18 12%	11 11%	52 9%	37 10%	10 8%	112 9%	32 13%
3	157 10%	51 13%	106 10%	13 12%	49 12%	50 10%	33 9%	113 10%	37 11%	25 12%	15 10%	19 19% LMN	55 10%	36 10%	7 6%	130 10%	27 11%
2	232 15%	62 15%	169 15%	9 9%	56 13%	79 16%	71 19% CD	185 17% H	42 12%	36 17%	27 19%	15 15%	95 16%	42 12%	17 15%	197 16%	35 14%
1	696 46%	182 45%	511 47%	49 46%	189 45%	241 48%	174 46%	515 47%	160 45%	106 51%	58 40%	43 43%	267 46%	167 47%	54 48%	587 47%	109 44%
(DK/NS)	23 2%	5 1%	18 2%	2 2%	11 3% EF	2 0	2 0	15 1%	8 2%	1 0	1 1%	1 1%	9 2%	9 2%	2 2%	17 1%	6 2%
Summary																	
TopBox (6,7)	96 6%	26 6%	70 6%	15 14% DEF	28 7%	31 6%	17 5%	60 6%	33 9% G	11 5%	9 6%	3 3%	34 6%	30 8%	9 8%	73 6%	23 9%
LowBox (1,2)	927 62%	244 61%	680 62%	59 55%	245 58%	319 64%	245 65%	700 64% H	203 57%	142 68% M	85 59%	58 58%	362 63%	209 59%	71 63%	784 63%	144 57%
Mean	2.4	2.5	2.4	2.8	2.5	2.4	2.4	2.4	2.6 G	2.2	2.6	2.3	2.4	2.5	2.5	2.4	2.6
Standard Deviation	1.76	1.75	1.77	2.05	1.79	1.76	1.68	1.71	1.91	1.64	1.76	1.48	1.76	1.87	1.91	1.75	1.85
Standard Error	0.05	0.09	0.05	0.21	0.09	0.08	0.09	0.05	0.10	0.12	0.15	0.15	0.07	0.10	0.18	0.05	0.12

How often would you say that you get healthcare information from -The news media?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E/F - G/H - I/J/K/L/M/N - O/P

* small base

		Needed service of Hosp/Doc for serious injury		Household income				Language		Region						Urban/Rural	
	Total	yes	no	< \$30K	\$30K - <\$60K	\$60K- <\$100K	\$100K +	English	French	BC	Alberta	Sask/Man	Ontario	Quebec	Atlantic	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Base: All respondents	1500	397	1098	101	408	499	393	1087	354	198	149	104	572	363	114	1250	250
Weighted	1500	403	1092	107*	422	498	378	1087	354	209	144	100*	577	356	114	1250	250
7	88 6%	25 6%	63 6%	9 8%	23 5%	33 7%	21 6%	56 5%	29 8%	10 5%	8 6%	1 1%	32 6%	33 9% KL	4 3%	70 6%	18 7%
6	93 6%	32 8%	60 5%	7 7%	23 6%	28 6%	23 6%	64 6%	19 5%	12 6%	8 6%	3 3%	42 7%	20 6%	8 7%	81 7%	12 5%
5	250 17%	71 18%	179 16%	27 25% E	74 17%	68 14%	65 17%	173 16%	73 21%	31 15%	17 12%	14 14%	92 16%	77 22% JL	19 17%	207 17%	43 17%
4	226 15%	62 15%	164 15%	19 18%	50 12%	84 17% D	59 16%	168 15%	51 14%	28 13%	23 16%	13 13%	100 17%	49 14%	14 13%	194 16%	32 13%
3	268 18%	65 16%	201 18%	11 10%	99 24% CE	73 15%	67 18%	187 17%	65 18%	33 16%	39 27% ILMN	21 21%	95 17%	62 17%	18 16%	231 18%	37 15%
2	234 16%	57 14%	177 16%	13 12%	51 12%	96 19% D	65 17%	183 17% H	39 11%	32 15%	27 19%	23 23% M	89 15%	44 12%	19 16%	190 15%	44 17%
1	341 23%	92 23%	248 23%	21 19%	102 24%	117 23%	78 21%	257 24%	78 22%	63 30% JLM	22 15%	25 25%	127 22%	72 20%	32 28% J	277 22%	64 26%
Summary																	
TopBox (6,7)	181 12%	57 14%	123 11%	16 15%	47 11%	60 12%	44 12%	120 11%	48 14%	22 11%	17 12% K	4 4%	74 13% K	53 15% K	12 10%	151 12%	30 12%
LowBox (1,2)	574 38%	148 37%	425 39%	34 31%	152 36%	213 43% C	142 38%	440 40% H	117 33%	95 45% JM	49 34%	48 48% JM	216 37%	115 32%	51 45% M	466 37%	108 43%
Mean	3.3	3.4	3.3	3.7 DE	3.3	3.2	3.3	3.2	3.5 G	3.0	3.3 K	2.8	3.3 K	3.6 IKN	3.1	3.3	3.2
Standard Deviation	1.81	1.86	1.80	1.89	1.79	1.83	1.78	1.79	1.87	1.85	1.67	1.51	1.81	1.89	1.81	1.80	1.89
Standard Error	0.05	0.09	0.05	0.19	0.09	0.08	0.09	0.05	0.10	0.13	0.14	0.15	0.08	0.10	0.17	0.05	0.12