

SWINE FLU

1. As you may know, the H1N1 flu virus, sometimes referred to as 'Swine flu', has occurred in Canada and other countries. Based on what you've seen, read or heard, how concerned are you that you or someone else in your family may contract this flu over the next number of weeks or months?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
<b>Base: All respondents</b>									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very concerned	188	188	0	145	42	130	54	75	82
	19%	33%	-	28%	9%	28%	10%	22%	17%
		B		D		F			
	375	375	0	255	112	207	161	142	191
Somewhat concerned	37%	67%	-	49%	24%	45%	30%	41%	39%
		B		D		F			
Not very concerned	276	0	276	92	184	88	187	90	129
	28%	-	63%	18%	39%	19%	35%	26%	26%
		A		C		E			
	161	0	161	23	138	36	125	38	91
Not at all concerned	16%	-	37%	5%	29%	8%	24%	11%	18%
		A		C		E			G
Don't know/Refused	2	0	0	1	1	0	2	1	0
	0	-	-	0	0	-	0	0	-
<b>TOPBOX &amp; LOWBOX SUMMARY</b>									
Concerned (Top2Box)	564	564	0	400	154	338	214	216	273
	56%	100%	-	77%	32%	73%	41%	63%	55%
		B		D		F			
	437	0	437	115	322	124	312	128	220
Not concerned (Low2Box)	44%	-	100%	22%	67%	27%	59%	37%	45%
		A		C		E			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

2. LIKELY SUMMARY TABLE (Very/Somewhat likely)

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
How likely is it that you will get this vaccination this year?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
The H1N1 flu vaccine	516	400	115	516	0	400	112	191	248
	51%	71%	26%	100%	-	87%	21%	55%	50%
The seasonal flu vaccine	461	338	124	400	57	461	0	150	236
	46%	60%	28%	78%	12%	100%	-	43%	48%
		B		D		F			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

2. NOT LIKELY SUMMARY TABLE (Not very/Not at all likely)

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
How likely is it that you will get this vaccination this year?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
The seasonal flu vaccine	529	214	312	112	417	0	529	193	250
	53%	38%	71%	22%	87%	-	100%	56%	51%
The H1N1 flu vaccine			A		C		E		
	477	154	322	0	477	57	417	152	239
	48%	27%	74%	-	100%	12%	79%	44%	49%
			A		C		E		

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

2.1) The H1N1 flu vaccine -- How likely is it that you will get this vaccination this year, very likely, somewhat likely, not very likely, or not all likely?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELYHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELYHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very likely	364	293	69	364	0	300	61	130	176
	36%	52%	16%	70%	-	65%	12%	38%	36%
Somewhat likely		B		D		F			
	152	107	46	152	0	100	50	62	72
Not very likely	15%	19%	10%	30%	-	22%	10%	18%	15%
		B		D		F			
Not at all likely	181	77	103	0	181	34	146	68	83
	18%	14%	24%	-	38%	7%	28%	20%	17%
Don't know/Refused		A		C		E			G
	296	78	219	0	296	23	272	85	156
	30%	14%	50%	-	62%	5%	51%	24%	32%
		A		C		E			G
	10	10	0	0	0	4	0	2	6
	1%	2%	-	-	-	1%	-	1%	1%
		B							
TOPBOX & LOWBOX SUMMARY									
Likely (Top2Box)	516	400	115	516	0	400	112	191	248
	51%	71%	26%	100%	-	87%	21%	55%	50%
Not likely (Low2Box)		B		D		F			
	477	154	322	0	477	57	417	152	239
	48%	27%	74%	-	100%	12%	79%	44%	49%
		A		C		E			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

2.2) The seasonal flu vaccine -- How likely is it that you will get this vaccination this year, very likely, somewhat likely, not very likely, or not all likely?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very likely	342	251	92	300	39	342	0	99	180
	34%	44%	21%	58%	8%	74%	-	29%	36%
Somewhat likely		B		D		F			G
	119	87	32	100	18	119	0	51	56
Not very likely	12%	15%	7%	19%	4%	26%	-	15%	11%
		B		D		F			
Not at all likely	150	80	68	52	98	0	150	62	67
	15%	14%	16%	10%	21%	-	28%	18%	14%
Don't know/Refused				C		E			
	378	134	244	60	319	0	378	131	184
	38%	24%	56%	12%	67%	-	72%	38%	37%
		A		C		E			
	13	12	1	4	3	0	0	3	7
	1%	2%	0	1%	1%	-	-	1%	1%
		B							
TOPBOX & LOWBOX SUMMARY									
Likely (Top2Box)	461	338	124	400	57	461	0	150	236
	46%	60%	28%	78%	12%	100%	-	43%	48%
Not likely (Low2Box)		B		D		F			
	529	214	312	112	417	0	529	193	250
	53%	38%	71%	22%	87%	-	100%	56%	51%
			A		C		E		

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3. AGREE SUMMARY TABLE (Strongly/Somewhat agree)

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Do you agree or disagree with this statement?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
If I have flu symptoms, I will stay home from work	876	508	367	468	401	422	446	296	434
	87%	90%	84%	91%	84%	91%	84%	86%	88%
		B		D		F			
I am confident that our public health officials are taking the proper steps to stop the spread of the H1N1 flu virus	834	474	358	463	365	406	418	283	415
	83%	84%	82%	90%	77%	88%	79%	82%	84%
				D		F			
I feel adequately informed about the H1N1 flu pandemic	817	461	354	443	371	389	422	290	395
	81%	82%	81%	86%	78%	84%	80%	84%	80%
				D					
I feel adequately informed about how flu vaccinations are being administered this year in my local area, including who can get them and when	684	385	299	373	309	339	341	240	337
	68%	68%	68%	72%	65%	74%	64%	69%	68%
				D		F			
I am confident that the H1N1 flu vaccine will be safe for people of all ages	624	397	227	434	187	374	242	221	308
	62%	71%	52%	84%	39%	81%	46%	64%	63%
		B		D		F			
I am worried about acquiring the H1N1 flu from the vaccination itself	294	180	113	125	164	114	172	109	134
	29%	32%	26%	24%	34%	25%	33%	32%	27%
					C		E		

3. AGREE SUMMARY TABLE (Strongly/Somewhat agree)

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3. DISAGREE SUMMARY TABLE (Somewhat/Strongly disagree)

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Do you agree or disagree with this statement?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
I am worried about acquiring the H1N1 flu from the vaccination itself	688 69%	377 67%	311 71%	385 75% D	301 63%	340 74% F	343 65%	234 68%	344 70%
I am confident that the H1N1 flu vaccine will be safe for people of all ages	345 34%	144 26%	199 45% A	73 14%	267 56% C	80 17%	261 49% E	118 34%	162 33%
I feel adequately informed about how flu vaccinations are being administered this year in my local area, including who can get them and when	297 30%	169 30%	126 29%	136 26%	154 32%	116 25%	173 33% E	98 28%	146 30%
I feel adequately informed about the H1N1 flu pandemic	181 18%	100 18%	81 18%	70 14%	104 22% C	72 16%	102 19%	55 16%	97 20%
I am confident that our public health officials are taking the proper steps to stop the spread of the H1N1 flu virus	156 16%	81 14%	74 17%	49 10%	104 22% C	52 11%	102 19% E	58 17%	71 14%
If I have flu symptoms, I will stay home from work	105 10%	44 8%	60 14% A	38 7%	65 14% C	31 7%	72 14% E	46 13%	46 9%



3. DISAGREE SUMMARY TABLE (Somewhat/Strongly disagree)

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3.1) I am confident that the H1N1 flu vaccine will be safe for people of all ages -- Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Strongly agree	259	164	94	201	58	173	83	74	132
	26%	29%	22%	39%	12%	38%	16%	21%	27%
Somewhat agree		B		D		F			
	366	233	132	233	129	201	159	147	177
Somewhat disagree	36%	41%	30%	45%	27%	44%	30%	43%	36%
		B		D		F			
Strongly disagree	183	79	102	51	129	49	130	55	93
	18%	14%	23%	10%	27%	11%	25%	16%	19%
Don't know/Refused		A		C		E			
	162	65	97	22	138	30	131	63	69
	16%	12%	22%	4%	29%	7%	25%	18%	14%
		A		C		E			
	34	22	12	9	23	8	25	6	23
	3%	4%	3%	2%	5%	2%	5%	2%	5%
TOPBOX & LOWBOX SUMMARY									
Agree (Top2Box)	624	397	227	434	187	374	242	221	308
	62%	71%	52%	84%	39%	81%	46%	64%	63%
Disagree (Low2Box)		B		D		F			
	345	144	199	73	267	80	261	118	162
	34%	26%	45%	14%	56%	17%	49%	34%	33%
		A		C		E			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3.2) I am worried about acquiring the H1N1 flu from the vaccination itself -- Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Strongly agree	116	72	43	53	63	45	69	43	44
	12%	13%	10%	10%	13%	10%	13%	13%	9%
Somewhat agree	178	108	70	72	101	68	103	66	90
	18%	19%	16%	14%	21%	15%	20%	19%	18%
Somewhat disagree	265	159	105	146	118	134	128	83	138
	26%	28%	24%	28%	25%	29%	24%	24%	28%
Strongly disagree	424	218	206	239	183	206	215	151	207
	42%	39%	47%	46%	38%	45%	41%	44%	42%
Don't know/Refused	21	7	14	6	12	8	13	2	14
	2%	1%	3%	1%	3%	2%	2%	1%	3%
G									
TOPBOX & LOWBOX SUMMARY									
Agree (Top2Box)	294	180	113	125	164	114	172	109	134
	29%	32%	26%	24%	34%	25%	33%	32%	27%
Disagree (Low2Box)	688	377	311	385	301	340	343	234	344
	69%	67%	71%	75%	63%	74%	65%	68%	70%
D									
E									

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3.3) I feel adequately informed about the H1N1 flu pandemic -- Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
<b>Base: All respondents</b>									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Strongly agree	443 44%	252 45%	191 44%	256 50%	187 39%	228 49%	211 40%	144 42%	225 46%
Somewhat agree	373 37%	209 37%	164 37%	187 36%	183 38%	161 35%	211 40%	146 42%	170 34%
Somewhat disagree	117 12%	66 12%	50 11%	50 10%	63 13%	48 10%	63 12%	37 11%	61 12%
Strongly disagree	65 6%	34 6%	31 7%	20 4%	41 9%	24 5%	39 7%	18 5%	36 7%
Don't know/Refused	5 1%	3 1%	2 1%	3 1%	2 0	1 0	4 1%	1 0	1 0
<b>TOPBOX &amp; LOWBOX SUMMARY</b>									
Agree (Top2Box)	817 81%	461 82%	354 81%	443 86%	371 78%	389 84%	422 80%	290 84%	395 80%
Disagree (Low2Box)	181 18%	100 18%	81 18%	70 14%	104 22%	72 16%	102 19%	55 16%	97 20%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3.4) I feel adequately informed about how flu vaccinations are being administered this year in my local area, including who can get them and when -- Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Strongly agree	372	202	170	217	153	208	162	121	189
	37%	36%	39%	42%	32%	45%	31%	35%	38%
Somewhat agree	313	183	130	D	155	F	178	119	148
	31%	32%	30%	30%	33%	28%	34%	34%	30%
Somewhat disagree	174	102	72	77	96	62	110	60	88
	17%	18%	16%	15%	20%	13%	21%	17%	18%
Strongly disagree	123	67	54	59	57	E	63	38	58
	12%	12%	12%	11%	12%	12%	12%	11%	12%
Don't know/Refused	22	10	12	7	15	6	15	7	10
	2%	2%	3%	1%	3%	1%	3%	2%	2%
TOPBOX & LOWBOX SUMMARY									
Agree (Top2Box)	684	385	299	373	309	339	341	240	337
	68%	68%	68%	72%	65%	74%	64%	69%	68%
Disagree (Low2Box)	297	169	126	D	154	F	173	98	146
	30%	30%	29%	26%	32%	25%	33%	28%	30%
						E			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3.5) If I have flu symptoms, I will stay home from work -- Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Strongly agree	689	418	271	381	301	353	328	226	351
	69%	74%	62%	74%	63%	76%	62%	65%	71%
Somewhat agree		B		D		F			
	187	91	95	87	100	69	118	70	82
	19%	16%	22%	17%	21%	15%	22%	20%	17%
Somewhat disagree		A				E			
	53	24	28	19	34	14	38	24	25
	5%	4%	6%	4%	7%	3%	7%	7%	5%
Strongly disagree				C		E			
	52	20	32	20	31	16	34	22	22
	5%	4%	7%	4%	7%	3%	6%	6%	4%
Don't know/Refused		A							
	22	11	11	9	11	9	10	3	13
	2%	2%	3%	2%	2%	2%	2%	1%	3%
TOPBOX & LOWBOX SUMMARY									
Agree (Top2Box)	876	508	367	468	401	422	446	296	434
	87%	90%	84%	91%	84%	91%	84%	86%	88%
Disagree (Low2Box)		B		D		F			
	105	44	60	38	65	31	72	46	46
	10%	8%	14%	7%	14%	7%	14%	13%	9%
		A		C		E			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

3.6) I am confident that our public health officials are taking the proper steps to stop the spread of the H1N1 flu virus -- Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Strongly agree	398	236	161	255	141	220	173	127	207
	40%	42%	37%	49%	30%	48%	33%	37%	42%
Somewhat agree	436	237	197	208	225	187	244	156	209
	43%	42%	45%	40%	47%	41%	46%	45%	42%
Somewhat disagree	89	47	42	31	58	29	59	39	40
	9%	8%	10%	6%	12%	6%	11%	11%	8%
Strongly disagree	66	34	33	18	46	22	43	19	31
	7%	6%	7%	4%	10%	5%	8%	5%	6%
Don't know/Refused	14	9	5	4	8	3	9	5	6
	1%	2%	1%	1%	2%	1%	2%	1%	1%
TOPBOX & LOWBOX SUMMARY									
Agree (Top2Box)	834	474	358	463	365	406	418	283	415
	83%	84%	82%	90%	77%	88%	79%	82%	84%
Disagree (Low2Box)	156	81	74	49	104	52	102	58	71
	16%	14%	17%	10%	22%	11%	19%	17%	14%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4. MORE OFTEN SUMMARY TABLE

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Washing your hands with soap and water	536	363	172	326	204	287	241	194	257
	53%	64%	39%	63%	43%	62%	46%	56%	52%
		B		D		F			
Coughing into your sleeve	533	348	184	308	218	268	256	187	264
	53%	62%	42%	60%	46%	58%	48%	54%	54%
		B		D		F			
Cleansing your hands with an alcohol-based hand sanitizer	520	339	181	299	214	262	248	195	243
	52%	60%	41%	58%	45%	57%	47%	57%	49%
		B		D		F			
Staying home when you feel ill	391	263	128	223	163	210	175	127	197
	39%	47%	29%	43%	34%	46%	33%	37%	40%
		B		D		F			
Shaking hands with others	53	21	31	27	24	28	23	15	30
	5%	4%	7%	5%	5%	6%	4%	4%	6%
			A						
Using public transit	51	19	31	23	28	22	29	15	29
	5%	3%	7%	4%	6%	5%	5%	4%	6%
			A						

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H



4. LESS OFTEN SUMMARY TABLE

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Shaking hands with others	303 30%	212 38%	90 20%	184 36%	115 24%	173 37%	127 24%	90 26%	154 31%
		B		D		F			
Using public transit	242 24%	166 29%	76 17%	139 27%	101 21%	130 28%	108 20%	81 23%	114 23%
		B				F			
Cleansing your hands with an alcohol-based hand sanitizer	63 6%	26 5%	36 8%	36 7%	28 6%	34 7%	28 5%	25 7%	28 6%
			A						
Staying home when you feel ill	62 6%	31 5%	32 7%	29 6%	32 7%	28 6%	33 6%	28 8%	25 5%
Coughing into your sleeve	61 6%	34 6%	27 6%	33 6%	28 6%	35 8%	26 5%	23 7%	26 5%
Washing your hands with soap and water	4 0	3 0	2 0	3 1%	2 0	2 0	2 0	2 1%	2 0

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4. ABOUT AS OFTEN SUMMARY TABLE

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Shaking hands with others	634	320	314	294	337	252	375	238	301
	63%	57%	72%	57%	71%	55%	71%	69%	61%
			A		C		E	H	
Using public transit	574	305	268	290	280	251	319	220	266
	57%	54%	61%	56%	59%	54%	60%	64%	54%
			A					H	
Staying home when you feel ill	535	261	272	254	278	217	313	188	267
	53%	46%	62%	49%	58%	47%	59%	54%	54%
			A		C		E		
Washing your hands with soap and water	461	196	264	186	272	172	285	150	234
	46%	35%	60%	36%	57%	37%	54%	43%	48%
			A		C		E		
Cleansing your hands with an alcohol-based hand sanitizer	408	196	211	178	227	160	245	123	214
	41%	35%	48%	34%	48%	35%	46%	36%	43%
			A		C		E		
Coughing into your sleeve	390	170	219	167	221	149	239	133	192
	39%	30%	50%	32%	46%	32%	45%	39%	39%
			A		C		E		

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4.1) Washing your hands with soap and water -- Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
<b>Base: All respondents</b>									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
More often	536	363	172	326	204	287	241	194	257
	53%	64%	39%	63%	43%	62%	46%	56%	52%
Less often	4	3	2	3	2	2	2	2	2
	0	0	0	1%	0	0	0	1%	0
About as often	461	196	264	186	272	172	285	150	234
	46%	35%	60%	36%	57%	37%	54%	43%	48%
Don't know/Refused			A		C		E		
	2	2	0	1	0	1	0	0	0
	0	0	-	0	-	0	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4.2) Cleansing your hands with an alcohol-based hand sanitizer -- Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
More often	520	339	181	299	214	262	248	195	243
	52%	60%	41%	58%	45%	57%	47%	57%	49%
Less often	63	26	36	36	28	34	28	25	28
	6%	5%	8%	7%	6%	7%	5%	7%	6%
About as often	408	196	211	178	227	160	245	123	214
	41%	35%	48%	34%	48%	35%	46%	36%	43%
Don't know/Refused	12	3	9	4	8	4	8	2	7
	1%	1%	2%	1%	2%	1%	1%	1%	2%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4.3) Shaking hands with others -- Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
<b>Base: All respondents</b>									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
More often	53	21	31	27	24	28	23	15	30
	5%	4%	7%	5%	5%	6%	4%	4%	6%
Less often	303	212	90	184	115	173	127	90	154
	30%	38%	20%	36%	24%	37%	24%	26%	31%
About as often	634	320	314	294	337	252	375	238	301
	63%	57%	72%	57%	71%	55%	71%	69%	61%
Don't know/Refused	13	10	3	11	2	8	4	2	8
	1%	2%	1%	2%	0	2%	1%	1%	2%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4.4) Coughing into your sleeve -- Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
More often	533	348	184	308	218	268	256	187	264
	53%	62%	42%	60%	46%	58%	48%	54%	54%
Less often	61	34	27	33	28	35	26	23	26
	6%	6%	6%	6%	6%	8%	5%	7%	5%
About as often	390	170	219	167	221	149	239	133	192
	39%	30%	50%	32%	46%	32%	45%	39%	39%
Don't know/Refused	19	11	8	9	10	9	9	2	10
	2%	2%	2%	2%	2%	2%	2%	1%	2%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4.5) Staying home when you feel ill -- Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
More often	391	263	128	223	163	210	175	127	197
	39%	47%	29%	43%	34%	46%	33%	37%	40%
Less often	62	31	32	29	32	28	33	28	25
	6%	5%	7%	6%	7%	6%	6%	8%	5%
About as often	535	261	272	254	278	217	313	188	267
	53%	46%	62%	49%	58%	47%	59%	54%	54%
Don't know/Refused	15	9	6	9	4	6	7	2	3
	1%	2%	1%	2%	1%	1%	1%	1%	1%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

4.6) Using public transit -- Please tell me whether you're doing this more often, less often or about as often as before the spread of the H1N1 flu virus

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
More often	51	19	31	23	28	22	29	15	29
	5%	3%	7%	4%	6%	5%	5%	4%	6%
Less often	242	166	76	139	101	130	108	81	114
	24%	29%	17%	27%	21%	28%	20%	23%	23%
About as often	574	305	268	290	280	251	319	220	266
	57%	54%	61%	56%	59%	54%	60%	64%	54%
Don't know/Refused	137	74	61	64	68	57	73	29	84
	14%	13%	14%	12%	14%	12%	14%	8%	17%
									G

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H



5. CONFIDENT SUMMARY TABLE (Very/Somewhat confident)

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Local Medical and Health authorities	874	482	391	464	403	417	446	306	433
	87%	86%	89%	90%	84%	90%	84%	89%	88%
Your local hospital and health facilities	870	491	379	461	400	412	448	306	424
	87%	87%	87%	89%	84%	89%	85%	89%	86%
Your local schools	788	427	361	414	368	361	416	293	372
	79%	76%	82%	80%	77%	78%	79%	85%	75%
The Federal Minister of Health	772	446	326	440	327	384	379	274	373
	77%	79%	74%	85%	68%	83%	72%	79%	76%
Your Provincial Minister of Health	766	432	334	432	329	384	375	273	372
	76%	77%	76%	84%	69%	83%	71%	79%	76%
Border agencies at airports and other entry points	705	376	328	370	331	330	365	248	343
	70%	67%	75%	72%	69%	72%	69%	72%	70%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

5. NOT CONFIDENT SUMMARY TABLE (Not really /Not at all confident)

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation?									
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Your Provincial Minister of Health	213	117	95	75	134	70	137	65	112
	21%	21%	22%	15%	28%	15%	26%	19%	23%
Border agencies at airports and other entry points	209	131	77	105	99	94	114	70	105
	21%	23%	18%	20%	21%	20%	22%	20%	21%
The Federal Minister of Health	203	100	103	64	134	68	131	65	106
	20%	18%	23%	12%	28%	15%	25%	19%	21%
Your local schools	135	86	47	67	66	58	77	45	70
	13%	15%	11%	13%	14%	13%	14%	13%	14%
Local Medical and Health authorities	113	70	41	45	67	38	74	38	51
	11%	12%	9%	9%	14%	8%	14%	11%	10%
Your local hospital and health facilities	110	59	49	46	65	40	67	37	54
	11%	11%	11%	9%	14%	9%	13%	11%	11%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

5.1) The Federal Minister of Health -- Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation? Are you very confident, somewhat confident, not really confident, or not at all confident?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very confident	227	133	93	149	77	136	88	80	104
	23%	24%	21%	29%	16%	30%	17%	23%	21%
Somewhat confident	545	313	232	291	250	248	291	195	269
	54%	56%	53%	56%	52%	54%	55%	56%	55%
Not really confident	137	75	61	48	85	47	87	44	75
	14%	13%	14%	9%	18%	10%	16%	13%	15%
Not at all confident	67	25	42	16	49	21	44	20	30
	7%	4%	10%	3%	10%	5%	8%	6%	6%
Don't know/Refused	28	18	9	12	16	9	19	6	14
	3%	3%	2%	2%	3%	2%	4%	2%	3%
TOPBOX & LOWBOX SUMMARY									
Confident (Top2Box)	772	446	326	440	327	384	379	274	373
	77%	79%	74%	85%	68%	83%	72%	79%	76%
Not confident (Low2Box)	203	100	103	64	134	68	131	65	106
	20%	18%	23%	12%	28%	15%	25%	19%	21%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

5.2) Your Provincial Minister of Health -- Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation? Are you very confident, somewhat confident, not really confident, or not at all confident?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
<b>Base: All respondents</b>									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very confident	241	134	107	151	91	138	102	86	108
	24%	24%	25%	29%	19%	30%	19%	25%	22%
Somewhat confident	524	298	227	282	239	246	273	187	264
	52%	53%	52%	55%	50%	53%	52%	54%	54%
Not really confident	136	75	60	53	82	42	90	41	72
	14%	13%	14%	10%	17%	9%	17%	12%	15%
Not at all confident	76	42	35	22	51	28	47	23	40
	8%	7%	8%	4%	11%	6%	9%	7%	8%
Don't know/Refused	24	15	8	9	14	7	16	7	9
	2%	3%	2%	2%	3%	1%	3%	2%	2%
<b>TOPBOX &amp; LOWBOX SUMMARY</b>									
Confident (Top2Box)	766	432	334	432	329	384	375	273	372
	76%	77%	76%	84%	69%	83%	71%	79%	76%
Not confident (Low2Box)	213	117	95	75	134	70	137	65	112
	21%	21%	22%	15%	28%	15%	26%	19%	23%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

5.3) Local Medical and Health authorities -- Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation? Are you very confident, somewhat confident, not really confident, or not at all confident?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very confident	360	192	168	204	153	194	165	121	178
	36%	34%	38%	39%	32%	42%	31%	35%	36%
Somewhat confident	514	291	223	D	250	F	281	185	256
	51%	52%	51%	50%	52%	48%	53%	54%	52%
Not really confident	78	52	25	32	44	25	52	26	39
	8%	9%	6%	6%	9%	6%	10%	8%	8%
Not at all confident	35	18	17	12	23	13	E	12	12
	4%	3%	4%	2%	5%	3%	4%	3%	2%
Don't know/Refused	16	11	5	8	7	6	9	2	8
	2%	2%	1%	1%	1%	1%	2%	1%	2%
TOPBOX & LOWBOX SUMMARY									
Confident (Top2Box)	874	482	391	464	403	417	446	306	433
	87%	86%	89%	90%	84%	90%	84%	89%	88%
Not confident (Low2Box)	113	70	41	D	67	F	74	38	51
	11%	12%	9%	9%	14%	8%	14%	11%	10%
				C		E			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

5.4) Border agencies at airports and other entry points -- Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation? Are you very confident, somewhat confident, not really confident, or not at all confident?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
<b>Base: All respondents</b>									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very confident	152	65	87	78	74	73	79	45	77
	15%	11%	20%	15%	15%	16%	15%	13%	16%
Somewhat confident	553	311	241	291	257	257	286	203	267
	55%	55%	55%	56%	54%	56%	54%	59%	54%
Not really confident	148	89	59	77	68	69	79	47	79
	15%	16%	14%	15%	14%	15%	15%	14%	16%
Not at all confident	60	42	18	28	31	25	35	23	25
	6%	7%	4%	5%	6%	5%	7%	7%	5%
Don't know/Refused	89	56	32	41	47	37	50	27	45
	9%	10%	7%	8%	10%	8%	9%	8%	9%
<b>TOPBOX &amp; LOWBOX SUMMARY</b>									
Confident (Top2Box)	705	376	328	370	331	330	365	248	343
	70%	67%	75%	72%	69%	72%	69%	72%	70%
Not confident (Low2Box)	209	131	77	105	99	94	114	70	105
	21%	23%	18%	20%	21%	20%	22%	20%	21%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

5.5) Your local hospital and health facilities -- Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation?  
Are you very confident, somewhat confident, not really confident, or not at all confident?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELIHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELIHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
<b>Base: All respondents</b>									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very confident	396 40%	211 37%	186 42%	222 43%	172 36%	212 46%	183 35%	125 36%	192 39%
Somewhat confident	474 47%	280 50%	194 44%	239 46%	227 48%	200 43%	265 50%	181 52%	232 47%
Not really confident	70 7%	36 6%	33 8%	28 5%	42 9%	23 5%	43 8%	24 7%	35 7%
Not at all confident	40 4%	23 4%	16 4%	17 3%	23 5%	16 4%	24 5%	13 4%	19 4%
Don't know/Refused	22 2%	13 2%	9 2%	9 2%	13 3%	9 2%	13 2%	2 1%	15 3%
<b>TOPBOX &amp; LOWBOX SUMMARY</b>									
Confident (Top2Box)	870 87%	491 87%	379 87%	461 89%	400 84%	412 89%	448 85%	306 89%	424 86%
Not confident (Low2Box)	110 11%	59 11%	49 11%	46 9%	65 14%	40 9%	67 13%	37 11%	54 11%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H

5.6) Your local schools -- Based on what you've also observed, how much confidence do you have that this entity is taking the right steps to deal with this situation? Are you very confident, somewhat confident, not really confident, or not at all confident?

	TOTAL	QUESTION 1		QUESTION 2.1		QUESTION 2.2		KIDS IN HOUSEHOLD	
		HOW CONCERNED ARE YOU		LIKELYHOOD OF GETTING THE H1N1 FLU VACCINE		LIKELYHOOD OF GETTING THE SEASONAL FLU VACCINE			
		Concerned (Top2Box)	Not concerned (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Likely (Top2Box)	Not likely (Low2Box)	Yes	No
		A	B	C	D	E	F	G	H
Base: All respondents									
Unweighted Base	1003	578	423	541	452	475	515	315	515
Weighted Base	1003	564	437	516	477	461	529	346	493
Very confident	316	172	145	172	142	162	149	127	137
	32%	31%	33%	33%	30%	35%	28%	37%	28%
Somewhat confident	471	255	216	242	225	F	H		
	47%	45%	49%	47%	47%	199	267	166	235
Not really confident						43%	51%	48%	48%
	97	61	35	48	47	E			
Not at all confident	10%	11%	8%	9%	10%	42	55	29	53
						9%	10%	8%	11%
Don't know/Refused	37	25	12	18	19	16	21	16	17
	4%	5%	3%	4%	4%	4%	4%	5%	3%
	81	50	30	35	43	43	36	7	51
	8%	9%	7%	7%	9%	9%	7%	2%	10%
G									
TOPBOX & LOWBOX SUMMARY									
Confident (Top2Box)	788	427	361	414	368	361	416	293	372
	79%	76%	82%	80%	77%	78%	79%	85%	75%
Not confident (Low2Box)		A						H	
	135	86	47	67	66	58	77	45	70
	13%	15%	11%	13%	14%	13%	14%	13%	14%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D - E/F - G/H