

1. Do you have a family doctor whom you usually see for medical care?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Yes	840 82%	378 77%	462 88%	195 69%	336 83%	309 93%	117 89%	313 84%	274 82%	136 74%
No	176 17%	111 22%	65 12%	87 31%	67 17%	22 7%	15 11%	57 15%	55 17%	49 26%
Don't Know	5 0%	5 1%	0 -	3 1%	2 1%	0 -	0 -	1 0%	4 1%	0 -

2_1. (The fact that more than one in ten Canadians do not have a family doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very concerned	533 52%	224 45%	309 59%	114 40%	237 58%	182 55%	72 54%	189 51%	178 53%	94 51%
Somewhat concerned	320 31%	165 33%	155 29%	102 36%	113 28%	105 32%	32 24%	123 33%	110 33%	54 29%
Not very concerned	133 13%	73 15%	60 11%	56 20%	44 11%	33 10%	24 18%	50 13%	35 10%	25 13%
Not at all concerned	35 3%	31 6%	4 1%	13 5%	11 3%	10 3%	5 4%	9 2%	10 3%	11 6%
Summary										
Top2Box (Very/Somewhat concerned)	853 84%	390 79%	463 88%	216 76%	350 86%	288 87%	103 78%	312 84%	288 87%	149 80%
Low2Box (Not very/Not at all concerned)	168 16%	104 21%	64 12%	69 24%	56 14%	43 13%	29 22%	59 16%	44 13%	36 20%

2_2. (The length of time that it takes to get an appointment with your family doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very concerned	252 25%	112 23%	140 27%	80 28% E	118 29% E	54 16%	41 31%	87 24%	83 25%	41 22%
Somewhat concerned	303 30%	147 30%	156 30%	93 33%	116 29%	93 28%	37 28%	103 28%	108 33%	54 29%
Not very concerned	309 30%	151 31%	158 30%	92 32%	112 28%	105 32%	35 26%	125 34%	88 26%	61 33%
Not at all concerned	157 15%	84 17%	73 14%	19 7%	59 15% C	78 24% CD	20 15%	55 15%	53 16%	28 15%
Summary										
Top2Box (Very/Somewhat concerned)	555 54%	259 52%	296 56%	174 61% E	234 58% E	147 45%	78 59%	191 51%	191 58%	95 51%
Low2Box (Not very/Not at all concerned)	466 46%	235 48%	231 44%	111 39%	171 42%	183 55% CD	55 41%	180 49%	141 42%	90 49%

2_3. (The length of time that it takes to see a specialist doctor upon referral from a family doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very concerned	521 51%	213 43%	308 58%	124 43%	235 58%	163 49%	73 55%	188 51%	173 52%	87 47%
Somewhat concerned	332 33%	175 35%	157 30%	100 35%	129 32%	103 31%	32 24%	127 34%	108 32%	65 35%
Not very concerned	129 13%	80 16%	50 9%	42 15%	36 9%	51 15%	21 16%	44 12%	38 11%	27 15%
Not at all concerned	38 4%	26 5%	12 2%	20 7%	5 1%	13 4%	6 5%	12 3%	14 4%	6 3%
Summary										
Top2Box (Very/Somewhat concerned)	854 84%	389 79%	465 88%	223 78%	364 90%	266 80%	105 80%	315 85%	281 84%	152 82%
Low2Box (Not very/Not at all concerned)	167 16%	105 21%	62 12%	62 22%	41 10%	65 20%	27 20%	56 15%	52 16%	33 18%

2_4. (The length of time it takes to receive treatment following a consultation with a specialist doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very concerned	479 47%	203 41%	276 52% A	119 42%	210 52% C	150 45%	67 51%	166 45%	166 50%	81 44%
Somewhat concerned	369 36%	182 37%	187 35%	108 38%	148 37%	112 34%	40 30%	142 38%	113 34%	73 40%
Not very concerned	141 14%	86 17% B	55 10%	44 15%	40 10%	58 18% D	19 14%	54 15%	45 14%	23 12%
Not at all concerned	32 3%	24 5% B	8 2%	14 5%	7 2%	11 3%	7 5%	9 2%	8 3%	8 4%
Summary										
Top2Box (Very/Somewhat concerned)	848 83%	384 78%	463 88% A	227 80%	358 88% CE	262 79%	107 81%	308 83%	279 84%	154 83%
Low2Box (Not very/Not at all concerned)	173 17%	110 22% B	64 12%	58 20% D	47 12%	69 21% D	25 19%	63 17%	54 16%	31 17%

2. (Topbox (Very/Somewhat concerned) Summary) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
The length of time that it takes to see a specialist doctor upon referral from a family doctor	854 84%	389 79%	465 88% A	223 78%	364 90% CE	266 80%	105 80%	315 85%	281 84%	152 82%
The fact that more than one in ten Canadians do not have a family doctor	853 84%	390 79%	463 88% A	216 76%	350 86% C	288 87% C	103 78%	312 84%	288 87%	149 80%
The length of time it takes to receive treatment following a consultation with a specialist doctor	848 83%	384 78%	463 88% A	227 80%	358 88% CE	262 79%	107 81%	308 83%	279 84%	154 83%
The length of time that it takes to get an appointment with your family doctor	555 54%	259 52%	296 56%	174 61% E	234 58% E	147 45%	78 59%	191 51%	191 58%	95 51%

2. (Lowbox (Not very/Not at all concerned) Summary) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
The length of time that it takes to get an appointment with your family doctor	466 46%	235 48%	231 44%	111 39%	171 42%	183 55%	55 41%	180 49%	141 42%	90 49%
The length of time it takes to receive treatment following a consultation with a specialist doctor	173 17%	110 22%	64 12%	58 20%	47 12%	69 21%	25 19%	63 17%	54 16%	31 17%
The fact that more than one in ten Canadians do not have a family doctor	168 16%	104 21%	64 12%	69 24%	56 14%	43 13%	29 22%	59 16%	44 13%	36 20%
The length of time that it takes to see a specialist doctor upon referral from a family doctor	167 16%	105 21%	62 12%	62 22%	41 10%	65 20%	27 20%	56 15%	52 16%	33 18%

3_1. (Training more family doctors) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: Valid respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very useful	818 80%	378 76%	440 84%	203 71%	327 81%	288 87%	108 82%	295 79%	268 80%	147 79%
Somewhat useful	184 18%	101 20%	84 16%	70 25%	73 18%	41 12%	21 16%	71 19%	61 18%	31 17%
Not very useful	15 2%	14 3%	2 0%	9 3%	5 1%	1 0%	1 1%	6 2%	3 1%	6 3%
Not at all useful	3 0%	2 0%	1 0%	3 1%	1 0%	0 -	1 1%	0 -	1 0%	1 1%
Summary										
Top2Box (Very/Somewhat useful)	1002 98%	478 97%	524 99%	273 96%	400 99%	330 100%	130 98%	366 98%	329 99%	178 96%
Low2Box (Not very/Not at all useful)	19 2%	16 3%	3 1%	12 4%	5 1%	1 0%	2 2%	6 2%	4 1%	7 4%

3.2. (Establishing and managing lists of patients who are looking for a family doctor) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: Valid respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very useful	524 51%	222 45%	302 57%	133 47%	225 56%	166 50%	70 53%	199 54%	170 51%	84 45%
Somewhat useful	389 38%	213 43%	177 34%	122 43%	135 33%	132 40%	45 34%	136 37%	132 40%	77 42%
Not very useful	95 9%	50 10%	44 8%	23 8%	41 10%	30 9%	15 11%	34 9%	25 7%	22 12%
Not at all useful	13 1%	9 2%	4 1%	6 2%	4 1%	2 1%	2 2%	2 1%	6 2%	2 1%
Summary										
Top2Box (Very/Somewhat useful)	913 89%	434 88%	479 91%	255 90%	360 89%	298 90%	115 87%	335 90%	302 91%	161 87%
Low2Box (Not very/Not at all useful)	108 11%	60 12%	48 9%	30 10%	45 11%	33 10%	17 13%	36 10%	31 9%	24 13%

3_3. (Improving the scheduling of medical appointments) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: Valid respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very useful	533 52%	233 47%	300 57%	142 50%	214 53%	177 53%	77 59%	190 51%	172 52%	93 50%
Somewhat useful	395 39%	211 43%	185 35%	112 39%	152 38%	131 40%	45 34%	156 42%	130 39%	64 35%
Not very useful	81 8%	45 9%	37 7%	26 9%	35 9%	21 6%	9 7%	21 6%	25 7%	26 14%
Not at all useful	11 1%	6 1%	5 1%	5 2%	4 1%	2 1%	1 1%	3 1%	6 2%	1 1%
Summary										
Top2Box (Very/Somewhat useful)	929 91%	444 90%	485 92%	254 89%	366 90%	308 93%	122 92%	347 93%	302 91%	157 85%
Low2Box (Not very/Not at all useful)	92 9%	50 10%	42 8%	31 11%	39 10%	23 7%	10 8%	24 7%	31 9%	27 15%

3_4. (Improving access of family doctors to advanced diagnostic tests (eg. MRI, CT scans) for their patients) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: Valid respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very useful	689 67%	292 59%	396 75%	152 53%	291 72%	246 74%	96 73%	259 70%	229 69%	104 57%
Somewhat useful	291 29%	169 34%	122 23%	111 39%	104 26%	77 23%	31 23%	104 28%	88 26%	68 37%
Not very useful	33 3%	26 5%	7 1%	17 6%	9 2%	7 2%	4 3%	6 2%	14 4%	8 5%
Not at all useful	8 1%	7 1%	1 0%	5 2%	1 0%	1 0%	1 1%	1 0%	2 1%	4 2%
Summary										
Top2Box (Very/Somewhat useful)	980 96%	461 93%	519 98%	263 92%	395 97%	323 97%	127 96%	364 98%	317 95%	173 93%
Low2Box (Not very/Not at all useful)	41 4%	33 7%	8 2%	22 8%	11 3%	8 3%	5 4%	8 2%	16 5%	12 7%

3_5. (Improving coordination between family doctors and other specialists) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: Valid respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very useful	671 66%	289 58%	383 73%	152 53%	281 69%	238 72%	92 70%	245 66%	219 66%	115 62%
Somewhat useful	312 31%	184 37%	128 24%	115 40%	111 27%	87 26%	33 25%	116 31%	103 31%	61 33%
Not very useful	31 3%	16 3%	15 3%	15 5%	12 3%	5 1%	6 5%	7 2%	12 4%	6 3%
Not at all useful	6 1%	5 1%	1 0%	3 1%	2 1%	1 0%	1 1%	3 1%	0 -	2 1%
Summary										
Top2Box (Very/Somewhat useful)	983 96%	473 96%	511 97%	267 94%	391 97%	325 98%	125 95%	361 97%	321 96%	176 96%
Low2Box (Not very/Not at all useful)	38 4%	21 4%	16 3%	18 6%	14 3%	6 2%	7 5%	10 3%	12 4%	8 4%

3_6. (Increasing the use of teams of family doctors and other health care providers working together) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: Valid respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Very useful	591 58%	259 52%	332 63%	132 46%	249 61%	209 63%	79 60%	214 58%	187 56%	110 60%
Somewhat useful	379 37%	199 40%	180 34%	127 45%	139 34%	113 34%	48 36%	143 39%	126 38%	61 33%
Not very useful	43 4%	29 6%	13 3%	20 7%	15 4%	8 2%	4 3%	13 4%	16 5%	9 5%
Not at all useful	9 1%	8 2%	1 0%	6 2%	2 1%	1 0%	1 1%	0 -	4 1%	4 2%
Summary										
Top2Box (Very/Somewhat useful)	969 95%	457 93%	512 97%	259 91%	388 96%	322 97%	127 96%	358 96%	313 94%	172 93%
Low2Box (Not very/Not at all useful)	52 5%	37 7%	15 3%	26 9%	17 4%	9 3%	5 4%	13 4%	20 6%	13 7%

3. (Top2box (Very/Somewhat useful) Summary) O Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Training more family doctors	1002 98%	478 97%	524 99% A	273 96%	400 99% C	330 100% C	130 98%	366 98%	329 99%	178 96%
Improving coordination between family doctors and other specialists	983 96%	473 96%	511 97%	267 94%	391 97%	325 98% C	125 95%	361 97%	321 96%	176 96%
Improving access of family doctors to advanced diagnostic tests (eg. MRI, CT scans) for their patients	980 96%	461 93%	519 98% A	263 92%	395 97% C	323 97% C	127 96%	364 98% I	317 95%	173 93%
Increasing the use of teams of family doctors and other health care providers working together	969 95%	457 93%	512 97% A	259 91%	388 96% C	322 97% C	127 96%	358 96%	313 94%	172 93%
Improving the scheduling of medical appointments	929 91%	444 90%	485 92%	254 89%	366 90%	308 93%	122 92%	347 93% I	302 91%	157 85%
Establishing and managing lists of patients who are looking for a family doctor	913 89%	434 88%	479 91%	255 90%	360 89%	298 90%	115 87%	335 90%	302 91%	161 87%

3. (Low2box (Not very/Not at all useful) Summary) O Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. * small base

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	1021	520	501	234	373	414	104	284	471	162
Weighted	1021	494	527	285	405	331	132*	371	333	185
Establishing and managing lists of patients who are looking for a family doctor	108 11%	60 12%	48 9%	30 10%	45 11%	33 10%	17 13%	36 10%	31 9%	24 13%
Improving the scheduling of medical appointments	92 9%	50 10%	42 8%	31 11%	39 10%	23 7%	10 8%	24 7%	31 9%	27 15% G
Increasing the use of teams of family doctors and other health care providers working together	52 5%	37 7% B	15 3%	26 9% DE	17 4%	9 3%	5 4%	13 4%	20 6%	13 7%
Improving access of family doctors to advanced diagnostic tests (eg. MRI, CT scans) for their patients	41 4%	33 7% B	8 2%	22 8% DE	11 3%	8 3%	5 4%	8 2%	16 5%	12 7% G
Improving coordination between family doctors and other specialists	38 4%	21 4%	16 3%	18 6% E	14 3%	6 2%	7 5%	10 3%	12 4%	8 4%
Training more family doctors	19 2%	16 3% B	3 1%	12 4% DE	5 1%	1 0%	2 2%	6 2%	4 1%	7 4%