

1. Do you have a family doctor whom you usually see for medical care?

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	REGION								HOUSEHOLD INCOME			HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
	A	B	C	D	E	F	G	H	I	J	K		
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Yes	840 82%	119 88%	85 82%	55 83%	346 89%	169 68%	65 86%	178 75%	285 85%	377 84%	115 83%	726 82%	
		E	E	E	E	E	E	G	G	G	G	G	
No	176 17%	14 10%	19 18%	11 17%	43 11%	78 31%	10 14%	55 23%	49 15%	72 16%	23 17%	153 17%	
						ABDF		HI					
Don't Know	5 0%	2 2%	0 -	0 -	1 0%	2 1%	0 -	4 2%	1 0%	0 -	0 -	5 1%	
								I					

2_1. (The fact that more than one in ten Canadians do not have a family doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very concerned	533 52%	66 49%	46 44%	21 32%	221 57%	138 55%	41 54%	136 58%	174 52%	222 49%	62 45%	471 53%	
Somewhat concerned	320 31%	42 32%	38 37%	29 43%	120 31%	70 28%	20 26%	64 27%	106 32%	151 34%	47 34%	273 31%	
Not very concerned	133 13%	22 16%	18 17%	13 19%	42 11%	28 11%	11 14%	26 11%	45 13%	62 14%	27 19%	107 12%	
Not at all concerned	35 3%	5 3%	2 2%	3 5%	8 2%	14 5%	4 5%	11 4%	10 3%	15 3%	3 2%	32 4%	
Summary													
Top2Box (Very/Somewhat concerned)	853 84%	108 80%	84 81%	50 76%	341 87%	208 83%	61 80%	200 84%	280 84%	373 83%	109 79%	744 84%	
Low2Box (Not very/Not at all concerned)	168 16%	26 20%	20 19%	16 24%	50 13%	41 17%	15 20%	37 16%	55 16%	76 17%	29 21%	139 16%	

2.2. (The length of time that it takes to get an appointment with your family doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very concerned	252 25%	23 17%	26 25%	16 24%	77 20%	92 37%	19 25%	73 31%	81 24%	98 22%	52 38%	200 23%	
Somewhat concerned	303 30%	39 29%	37 35%	26 39%	104 27%	76 31%	21 28%	79 34%	85 25%	139 31%	35 25%	268 30%	
Not very concerned	309 30%	46 34%	29 28%	23 35%	134 34%	55 22%	21 28%	54 23%	115 34%	141 31%	35 25%	274 31%	
Not at all concerned	157 15%	26 20%	12 11%	1 2%	77 20%	26 10%	15 20%	31 13%	54 16%	72 16%	15 11%	142 16%	
Summary													
Top2Box (Very/Somewhat concerned)	555 54%	62 46%	63 60%	42 63%	181 46%	168 67%	40 52%	152 64%	166 50%	237 53%	87 63%	468 53%	
Low2Box (Not very/Not at all concerned)	466 46%	73 54%	41 40%	24 37%	210 54%	81 33%	36 48%	85 36%	168 50%	213 47%	51 37%	415 47%	

2.3. (The length of time that it takes to see a specialist doctor upon referral from a family doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very concerned	521 51%	72 54%	56 54%	37 55%	185 47%	129 52%	42 55%	127 54%	162 48%	233 52%	81 59%	440 50%	
Somewhat concerned	332 33%	41 31%	35 33%	19 29%	132 34%	82 33%	23 31%	74 31%	107 32%	151 34%	37 27%	295 33%	
Not very concerned	129 13%	13 10%	13 12%	9 14%	58 15%	29 12%	7 10%	22 9%	54 16%	53 12%	16 11%	114 13%	
Not at all concerned	38 4%	8 6%	1 1%	1 2%	16 4%	9 4%	3 4%	14 6%	12 4%	12 3%	4 3%	34 4%	
Summary													
Top2Box (Very/Somewhat concerned)	854 84%	113 84%	91 87%	56 84%	317 81%	211 85%	65 86%	200 85%	269 80%	384 85%	119 86%	735 83%	
Low2Box (Not very/Not at all concerned)	167 16%	21 16%	13 13%	10 16%	74 19%	38 15%	10 14%	36 15%	66 20%	65 15%	19 14%	148 17%	

2.4. (The length of time it takes to receive treatment following a consultation with a specialist doctor) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very concerned	479 47%	59 44%	50 48%	35 52%	173 44%	124 50%	38 51%	116 49%	151 45%	212 47%	71 51%	408 46%	
Somewhat concerned	369 36%	51 38%	39 38%	22 33%	146 37%	84 34%	26 35%	86 36%	112 34%	171 38%	44 32%	325 37%	
Not very concerned	141 14%	22 16%	12 12%	10 15%	57 15%	32 13%	9 12%	25 10%	65 19%	52 12%	18 13%	123 14%	
Not at all concerned	32 3%	4 3%	2 2%	0 -	15 4%	9 4%	2 3%	10 4%	7 2%	15 3%	5 4%	27 3%	
Summary													
Top2Box (Very/Somewhat concerned)	848 83%	110 81%	89 86%	56 85%	319 82%	209 84%	64 85%	202 85%	263 79%	383 85%	114 83%	733 83%	
Low2Box (Not very/Not at all concerned)	173 17%	25 19%	15 14%	10 15%	72 18%	41 16%	11 15%	35 15%	72 21%	67 15%	23 17%	150 17%	

2. (Topbox (Very/Somewhat concerned) Summary) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
The length of time that it takes to see a specialist doctor upon referral from a family doctor	854 84%	113 84%	91 87%	56 84%	317 81%	211 85%	65 86%	200 85%	269 80%	384 85%	119 86%	735 83%	
The fact that more than one in ten Canadians do not have a family doctor	853 84%	108 80%	84 81%	50 76%	341 87%	208 83%	61 80%	200 84%	280 84%	373 83%	109 79%	744 84%	
The length of time it takes to receive treatment following a consultation with a specialist doctor	848 83%	110 81%	89 86%	56 85%	319 82%	209 84%	64 85%	202 85%	263 79%	383 85%	114 83%	733 83%	
The length of time that it takes to get an appointment with your family doctor	555 54%	62 46%	63 60%	42 63%	181 46%	168 67%	40 52%	152 64%	166 50%	237 53%	87 63%	468 53%	
			D			ADF		HI			K		

2. (Lowbox (Not very/Not at all concerned) Summary) Please use the scale below to rate your level of concern about each of the following issues in Canada today.

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
The length of time that it takes to get an appointment with your family doctor	466 46%	73 54% E	41 40%	24 37%	210 54% BE	81 33%	36 48% E	85 36%	168 50% G	213 47% G	51 37%	415 47% J	
The length of time it takes to receive treatment following a consultation with a specialist doctor	173 17%	25 19%	15 14%	10 15%	72 18%	41 16%	11 15%	35 15%	72 21% I	67 15%	23 17%	150 17%	
The fact that more than one in ten Canadians do not have a family doctor	168 16%	26 20%	20 19%	16 24%	50 13%	41 17%	15 20%	37 16%	55 16%	76 17%	29 21%	139 16%	
The length of time that it takes to see a specialist doctor upon referral from a family doctor	167 16%	21 16%	13 13%	10 16%	74 19%	38 15%	10 14%	36 15%	66 20%	65 15%	19 14%	148 17%	

3_1. (Training more family doctors) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: Valid respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very useful	818 80%	99 74%	94 90%	39 59%	320 82%	203 81%	63 83%	190 80%	259 77%	369 82%	108 78%	710 80%	
Somewhat useful	184 18%	35 26%	11 10%	24 37%	65 17%	38 15%	11 14%	41 17%	70 21%	73 16%	30 22%	155 18%	
Not very useful	15 2%	0 -	0 -	3 4%	6 2%	7 3%	0 -	3 1%	5 1%	7 2%	1 0%	15 2%	
Not at all useful	3 0%	0 -	0 -	0 -	0 -	2 1%	2 2%	2 1%	1 0%	0 -	0 -	3 0%	
Summary													
Top2Box (Very/Somewhat useful)	1002 98%	135 100%	104 100%	64 96%	385 98%	241 97%	74 98%	231 98%	329 98%	442 98%	137 100%	865 98%	
Low2Box (Not very/Not at all useful)	19 2%	0 -	0 -	3 4%	6 2%	8 3%	2 2%	6 2%	6 2%	7 2%	1 0%	18 2%	

3_2. (Establishing and managing lists of patients who are looking for a family doctor) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: Valid respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very useful	524 51%	52 38%	46 44%	35 53%	207 53%	144 58%	39 52%	138 58%	158 47%	228 51%	71 52%	452 51%	
Somewhat useful	389 38%	66 49%	48 46%	24 36%	138 35%	85 34%	29 38%	75 32%	134 40%	180 40%	55 40%	334 38%	
Not very useful	95 9%	15 11%	9 8%	7 11%	41 11%	18 7%	5 7%	19 8%	39 12%	36 8%	11 8%	84 10%	
Not at all useful	13 1%	2 2%	1 1%	0 -	5 1%	1 1%	3 4%	4 2%	4 1%	5 1%	1 0%	12 1%	
Summary													
Top2Box (Very/Somewhat useful)	913 89%	117 87%	94 90%	59 89%	345 88%	230 92%	68 90%	213 90%	292 87%	408 91%	127 92%	786 89%	
Low2Box (Not very/Not at all useful)	108 11%	17 13%	10 10%	7 11%	46 12%	19 8%	8 10%	23 10%	43 13%	42 9%	11 8%	97 11%	

3_3. (Improving the scheduling of medical appointments) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: Valid respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very useful	533 52%	67 49%	60 57%	29 44%	200 51%	134 54%	44 58%	132 56%	173 52%	228 51%	80 58%	453 51%	
Somewhat useful	395 39%	58 43%	38 37%	34 51%	152 39%	89 36%	24 31%	89 38%	135 40%	171 38%	44 32%	351 40%	
Not very useful	81 8%	10 7%	5 5%	3 5%	32 8%	24 10%	6 8%	13 5%	22 6%	47 10%	13 9%	68 8%	
Not at all useful	11 1%	0 -	1 1%	0 -	6 2%	2 1%	2 3%	2 1%	6 2%	3 1%	1 0%	11 1%	
Summary													
Top2Box (Very/Somewhat useful)	929 91%	125 93%	98 94%	63 95%	353 90%	223 89%	68 89%	221 94%	308 92%	400 89%	124 90%	804 91%	
Low2Box (Not very/Not at all useful)	92 9%	10 7%	6 6%	3 5%	38 10%	26 11%	8 11%	15 6%	27 8%	50 11%	14 10%	79 9%	

3_4. (Improving access of family doctors to advanced diagnostic tests (eg. MRI, CT scans) for their patients) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: Valid respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very useful	689 67%	89 66%	80 77%	43 65%	275 70%	149 60%	53 70%	152 64%	227 68%	310 69%	89 65%	599 68%	
Somewhat useful	291 29%	45 33%	23 22%	19 29%	103 26%	82 33%	19 26%	73 31%	92 27%	126 28%	43 31%	248 28%	
Not very useful	33 3%	1 1%	2 2%	2 4%	12 3%	14 6%	2 3%	9 4%	14 4%	10 2%	4 3%	29 3%	
Not at all useful	8 1%	0 -	0 -	1 2%	1 0%	4 1%	2 2%	2 1%	2 1%	3 1%	1 1%	7 1%	
Summary													
Top2Box (Very/Somewhat useful)	980 96%	133 99%	103 98%	63 94%	378 97%	232 93%	72 95%	225 95%	318 95%	436 97%	132 96%	847 96%	
Low2Box (Not very/Not at all useful)	41 4%	1 1%	2 2%	4 6%	13 3%	18 7%	4 5%	11 5%	16 5%	14 3%	5 4%	36 4%	

3_5. (Improving coordination between family doctors and other specialists) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: Valid respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very useful	671 66%	86 64%	81 78% DE	44 67%	254 65%	157 63%	49 65%	154 65%	209 62%	308 68%	86 63%	585 66%	
Somewhat useful	312 31%	42 31%	22 21%	22 33%	120 31%	84 34% B	22 29%	72 30%	118 35% I	123 27%	47 34%	265 30%	
Not very useful	31 3%	7 5%	0 -	0 -	15 4%	6 3%	4 5% B	10 4%	6 2%	15 3%	4 3%	27 3%	
Not at all useful	6 1%	0 -	1 1%	0 -	2 1%	2 1%	1 2%	1 0%	2 1%	3 1%	0 -	6 1%	
Summary													
Top2Box (Very/Somewhat useful)	983 96%	128 95%	103 99%	66 100%	374 96%	241 97%	71 94%	226 95%	327 98%	431 96%	134 97%	850 96%	
Low2Box (Not very/Not at all useful)	38 4%	7 5%	1 1%	0 -	17 4%	8 3%	5 6%	11 5%	8 2%	19 4%	4 3%	33 4%	

3.6. (Increasing the use of teams of family doctors and other health care providers working together) Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: Valid respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Very useful	591 58%	65 48%	61 59%	38 57%	242 62%	139 56%	46 61%	126 53%	195 58%	269 60%	83 60%	508 58%	
Somewhat useful	379 37%	63 47%	38 37%	27 40%	130 33%	96 39%	24 32%	96 41%	118 35%	164 36%	48 35%	331 37%	
Not very useful	43 4%	7 5%	5 4%	1 1%	17 4%	11 4%	3 4%	11 5%	17 5%	15 3%	6 4%	37 4%	
Not at all useful	9 1%	0 -	0 -	1 2%	3 1%	3 1%	2 3%	4 1%	4 1%	2 0%	1 1%	8 1%	
Summary													
Top2Box (Very/Somewhat useful)	969 95%	128 95%	100 96%	64 97%	372 95%	235 94%	70 93%	222 94%	314 94%	433 96%	131 95%	839 95%	
Low2Box (Not very/Not at all useful)	52 5%	7 5%	5 4%	2 3%	19 5%	14 6%	5 7%	14 6%	21 6%	16 4%	7 5%	45 5%	

3. (Top2box (Very/Somewhat useful) Summary) O Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883
Training more family doctors	1002 98%	135 100%	104 100%	64 96%	385 98%	241 97%	74 98%	231 98%	329 98%	442 98%	137 100%	865 98%
Improving coordination between family doctors and other specialists	983 96%	128 95%	103 99%	66 100%	374 96%	241 97%	71 94%	226 95%	327 98%	431 96%	134 97%	850 96%
Improving access of family doctors to advanced diagnostic tests (eg. MRI, CT scans) for their patients	980 96%	133 99%	103 98%	63 94%	378 97%	232 93%	72 95%	225 95%	318 95%	436 97%	132 96%	847 96%
Increasing the use of teams of family doctors and other health care providers working together	969 95%	128 95%	100 96%	64 97%	372 95%	235 94%	70 93%	222 94%	314 94%	433 96%	131 95%	839 95%
Improving the scheduling of medical appointments	929 91%	125 93%	98 94%	63 95%	353 90%	223 89%	68 89%	221 94%	308 92%	400 89%	124 90%	804 91%
Establishing and managing lists of patients who are looking for a family doctor	913 89%	117 87%	94 90%	59 89%	345 88%	230 92%	68 90%	213 90%	292 87%	408 91%	127 92%	786 89%

3. (Low2box (Not very/Not at all useful) Summary) O Please use the scale below to rate how useful you think each of the following activities would be in improving access to family doctors and specialists in Canada.

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K Overlap formulae used. * small base

	Total	REGION							HOUSEHOLD INCOME			HOUSEHOLD	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	
		A	B	C	D	E	F	G	H	I	J	K	
Base: All respondents	1021	75	104	46	338	352	106	229	314	478	136	885	
Weighted	1021	135*	104*	66*	391	249	76*	236	335	450	138	883	
Establishing and managing lists of patients who are looking for a family doctor	108 11%	17 13%	10 10%	7 11%	46 12%	19 8%	8 10%	23 10%	43 13%	42 9%	11 8%	97 11%	
Improving the scheduling of medical appointments	92 9%	10 7%	6 6%	3 5%	38 10%	26 11%	8 11%	15 6%	27 8%	50 11%	14 10%	79 9%	
Increasing the use of teams of family doctors and other health care providers working together	52 5%	7 5%	5 4%	2 3%	19 5%	14 6%	5 7%	14 6%	21 6%	16 4%	7 5%	45 5%	
Improving access of family doctors to advanced diagnostic tests (eg. MRI, CT scans) for their patients	41 4%	1 1%	2 2%	4 6%	13 3%	18 7%	4 5%	11 5%	16 5%	14 3%	5 4%	36 4%	
Improving coordination between family doctors and other specialists	38 4%	7 5%	1 1%	0 -	17 4%	8 3%	5 6%	11 5%	8 2%	19 4%	4 3%	33 4%	
Training more family doctors	19 2%	0 -	0 -	3 4%	6 2%	8 3%	2 2%	6 2%	6 2%	7 2%	1 0%	18 2%	