

1_1. (Juvenile Arthritis) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	148 7%	49 5%	99 10% A	24 4%	65 8% C	59 9% C	12 5%	58 8%	51 8%	28 8%
Some	451 22%	179 18%	272 26% A	92 16%	186 23% C	172 26% C	43 19%	190 25% I	153 23%	64 18%
A little	679 34%	316 32%	363 35%	192 34%	253 32%	233 36%	63 27%	250 33%	228 35% F	137 38% F
None	743 37%	434 44% B	308 30%	255 45% DE	297 37% E	191 29%	113 49% GHI	267 35%	227 34%	136 37%
Summary										
Top2Box (A lot/ Some)	599 30%	228 23%	371 36% A	117 21%	252 31% C	231 35% C	55 24%	248 32% FI	204 31%	92 25%
Low2Box (A little/ None)	1422 70%	750 77% B	671 64%	447 79% DE	551 69%	424 65%	176 76% G	517 68%	455 69%	274 75% G

1_2. (Juvenile Diabetes) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	419 21%	148 15%	271 26% A	82 15%	181 23% C	155 24% C	40 17%	152 20%	155 24%	72 20%
Some	675 33%	297 30%	379 36% A	176 31%	259 32%	240 37%	69 30%	260 34%	218 33%	128 35%
A little	629 31%	346 35% B	283 27%	192 34%	243 30%	194 30%	74 32%	239 31%	196 30%	120 33%
None	298 15%	188 19% B	109 10%	114 20% DE	118 15% E	65 10%	49 21% GHI	114 15%	90 14%	45 12%
Summary										
Top2Box (A lot/ Some)	1094 54%	444 45%	650 62% A	258 46%	441 55% C	396 60% CD	109 47%	412 54%	373 57% F	201 55%
Low2Box (A little/ None)	927 46%	534 55% B	393 38%	306 54% DE	362 45% E	259 40%	122 53% H	353 46%	286 43%	165 45%

1_3. (Asthma) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	736 36%	275 28%	460 44% A	184 33%	308 38% C	244 37%	69 30%	295 39% F	244 37%	127 35%
Some	727 36%	382 39% B	345 33%	209 37%	268 33%	250 38%	78 34%	270 35%	244 37%	135 37%
A little	414 20%	229 23% B	185 18%	118 21%	168 21%	127 19%	47 20%	152 20%	123 19%	91 25% H
None	145 7%	92 9% B	52 5%	53 9% E	58 7%	33 5%	37 16% GHI	48 6%	47 7% I	13 3%
Summary										
Top2Box (A lot/ Some)	1463 72%	657 67%	806 77% A	392 70%	576 72%	495 76% C	147 64%	566 74% F	488 74% F	262 72%
Low2Box (A little/ None)	558 28%	321 33% B	237 23%	171 30% E	227 28%	160 24%	84 36% GH	199 26%	171 26%	104 28%

1_4. (Cystic Fibrosis) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	260 13%	102 10%	158 15% A	64 11%	106 13%	89 14%	24 10%	106 14%	83 13%	47 13%
Some	632 31%	295 30%	337 32%	153 27%	243 30%	236 36% CD	73 31%	234 31%	210 32%	115 31%
A little	726 36%	352 36%	373 36%	198 35%	282 35%	246 38%	67 29%	280 37%	245 37% F	133 36%
None	403 20%	229 23% B	174 17%	149 26% DE	171 21% E	83 13%	68 29% GHI	144 19%	121 18%	71 19%
Summary										
Top2Box (A lot/ Some)	892 44%	397 41%	495 47% A	217 39%	349 44%	326 50% CD	96 42%	341 45%	293 44%	162 44%
Low2Box (A little/ None)	1129 56%	581 59% B	548 53%	347 61% E	453 56% E	329 50%	135 58%	424 55%	366 56%	204 56%

1_5. (Cerebral Palsy) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	252 12%	99 10%	153 15% A	44 8%	110 14% C	99 15% C	29 13%	87 11%	88 13%	47 13%
Some	634 31%	279 29%	355 34% A	167 30%	244 30%	223 34%	69 30%	247 32%	212 32%	106 29%
A little	717 35%	353 36%	363 35%	197 35%	277 34%	243 37%	76 33%	274 36%	231 35%	135 37%
None	419 21%	247 25% B	172 16%	156 28% DE	172 21% E	91 14%	57 25%	157 21%	128 19%	77 21%
Summary										
Top2Box (A lot/ Some)	885 44%	378 39%	508 49% A	211 37%	353 44% C	321 49% C	98 42%	334 44%	300 46%	154 42%
Low2Box (A little/ None)	1136 56%	600 61% B	535 51%	353 63% DE	449 56%	334 51%	133 58%	431 56%	359 54%	212 58%

1_6. (Cancer) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	610 30%	251 26%	359 34% A	141 25%	251 31% C	218 33% C	70 30%	255 33% I	196 30%	89 24%
Some	726 36%	338 35%	388 37%	183 32%	276 34%	267 41% CD	78 34%	274 36%	231 35%	143 39%
A little	495 25%	273 28% B	222 21%	159 28% E	200 25%	136 21%	51 22%	173 23%	164 25%	108 29% G
None	189 9%	116 12% B	73 7%	81 14% DE	75 9% E	34 5%	32 14% GI	63 8%	68 10%	26 7%
Summary										
Top2Box (A lot/ Some)	1336 66%	589 60%	747 72% A	324 57%	527 66% C	485 74% CD	148 64%	529 69%	428 65%	232 63%
Low2Box (A little/ None)	685 34%	389 40% B	296 28%	240 43% DE	275 34% E	170 26%	83 36%	236 31%	231 35%	134 37%

1_7. (Epilepsy) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	241 12%	99 10%	142 14% A	65 11%	101 13%	76 12%	19 8%	80 10%	103 16% FG	39 11%
Some	681 34%	322 33%	358 34%	175 31%	267 33%	239 37%	72 31%	265 35%	214 32%	129 35%
A little	734 36%	354 36%	379 36%	207 37%	285 36%	241 37%	87 37%	280 37%	227 34%	140 38%
None	366 18%	203 21% B	163 16%	117 21% E	150 19%	99 15%	54 23% I	140 18%	115 17%	57 16%
Summary										
Top2Box (A lot/ Some)	922 46%	421 43%	500 48% A	239 42%	368 46%	315 48%	91 39%	345 45%	317 48% F	169 46%
Low2Box (A little/ None)	1099 54%	557 57% B	542 52%	324 58%	435 54%	340 52%	140 61% H	420 55%	341 52%	197 54%

1_8. (Heart conditions) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	245 12%	102 10%	143 14% A	50 9%	105 13% C	89 14% C	27 12%	109 14% I	82 12% I	27 7%
Some	647 32%	289 30%	358 34% A	170 30%	244 30%	233 36% D	68 29%	240 31%	219 33%	120 33%
A little	703 35%	355 36%	348 33%	209 37%	276 34%	219 33%	70 30%	251 33%	231 35%	150 41% FG
None	427 21%	232 24% B	194 19%	135 24% E	177 22% E	114 17%	66 28% GHI	165 22%	127 19%	69 19%
Summary										
Top2Box (A lot/ Some)	891 44%	391 40%	501 48% A	220 39%	349 44%	322 49% CD	95 41%	349 46%	301 46%	146 40%
Low2Box (A little/ None)	1130 56%	587 60% B	542 52%	344 61% E	453 56% E	333 51%	136 59%	416 54%	358 54%	220 60%

1_9. (HIV/AIDS) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
A lot	328 16%	155 16%	173 17%	76 14%	131 16%	121 19% C	27 12%	115 15%	122 18% F	64 18%
Some	607 30%	293 30%	314 30%	150 27%	244 30%	213 32% C	59 26%	231 30%	205 31%	111 30%
A little	705 35%	328 33%	378 36%	195 35%	273 34%	237 36%	88 38%	273 36%	214 32%	131 36%
None	381 19%	203 21% B	178 17%	143 25% DE	155 19% E	84 13%	57 25% HI	146 19%	118 18%	59 16%
Summary										
Top2Box (A lot/ Some)	935 46%	448 46%	487 47%	226 40%	375 47% C	334 51% C	86 37%	346 45% F	327 50% F	176 48% F
Low2Box (A little/ None)	1086 54%	530 54%	556 53%	338 60% DE	427 53%	321 49%	145 63% GHI	419 55%	332 50%	190 52%

1. (Top2box Summary) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Asthma	1463 72%	657 67%	806 77% A	392 70%	576 72%	495 76% C	147 64%	566 74% F	488 74% F	262 72%
Cancer	1336 66%	589 60%	747 72% A	324 57%	527 66% C	485 74% CD	148 64%	529 69%	428 65%	232 63%
Juvenile Diabetes	1094 54%	444 45%	650 62% A	258 46%	441 55% C	396 60% CD	109 47%	412 54%	373 57% F	201 55%
HIV/AIDS	935 46%	448 46%	487 47%	226 40%	375 47% C	334 51% C	86 37%	346 45% F	327 50% F	176 48% F
Epilepsy	922 46%	421 43%	500 48% A	239 42%	368 46%	315 48%	91 39%	345 45%	317 48% F	169 46%
Cystic Fibrosis	892 44%	397 41%	495 47% A	217 39%	349 44%	326 50% CD	96 42%	341 45%	293 44%	162 44%
Heart conditions	891 44%	391 40%	501 48% A	220 39%	349 44%	322 49% CD	95 41%	349 46%	301 46%	146 40%
Cerebral Palsy	885 44%	378 39%	508 49% A	211 37%	353 44% C	321 49% C	98 42%	334 44%	300 46%	154 42%
Juvenile Arthritis	599 30%	228 23%	371 36% A	117 21%	252 31% C	231 35% C	55 24%	248 32% FI	204 31%	92 25%

1. (Low2box Summary) How much have you heard, seen or read about the following illnesses that affect children?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Juvenile Arthritis	1422 70% B	750 77% B	671 64% DE	447 79% DE	551 69% DE	424 65% DE	176 76% G	517 68% G	455 69% G	274 75% G
Cerebral Palsy	1136 56% B	600 61% B	535 51% DE	353 63% DE	449 56% DE	334 51% DE	133 58% DE	431 56% DE	359 54% DE	212 58% DE
Heart conditions	1130 56% B	587 60% B	542 52% E	344 61% E	453 56% E	333 51% E	136 59% E	416 54% E	358 54% E	220 60% E
Cystic Fibrosis	1129 56% B	581 59% B	548 53% E	347 61% E	453 56% E	329 50% E	135 58% E	424 55% E	366 56% E	204 56% E
Epilepsy	1099 54% B	557 57% B	542 52% H	324 58% H	435 54% H	340 52% H	140 61% H	420 55% H	341 52% H	197 54% H
HIV/AIDS	1086 54% DE	530 54% DE	556 53% DE	338 60% DE	427 53% DE	321 49% DE	145 63% GHI	419 55% GHI	332 50% GHI	190 52% GHI
Juvenile Diabetes	927 46% B	534 55% B	393 38% DE	306 54% DE	362 45% E	259 40% E	122 53% H	353 46% H	286 43% H	165 45% H
Cancer	685 34% B	389 40% B	296 28% DE	240 43% DE	275 34% E	170 26% E	83 36% E	236 31% E	231 35% E	134 37% E
Asthma	558 28% B	321 33% B	237 23% E	171 30% E	227 28% E	160 24% E	84 36% GH	199 26% GH	171 26% GH	104 28% GH

2. Would you say that you are very familiar, somewhat familiar, not very familiar or not at all familiar with what juvenile arthritis is? That is, its risk factors, treatments, symptoms or complications.

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Very familiar	65 3%	21 2%	43 4% A	16 3%	32 4%	17 3%	6 2%	21 3%	20 3%	17 5%
Somewhat familiar	327 16%	123 13%	204 20% A	97 17%	121 15%	109 17%	27 12%	118 15%	124 19% F	58 16%
Not very familiar	940 47%	464 47%	476 46%	238 42%	380 47%	321 49% C	106 46%	358 47%	316 48%	160 44%
Not at all familiar	689 34%	370 38% B	319 31%	213 38% E	268 33%	208 32%	93 40% H	269 35% H	198 30%	130 36%
Summary										
Top2Box (Very/ Somewhat familiar)	392 19%	145 15%	247 24% A	112 20%	154 19%	126 19%	33 14%	139 18%	145 22% F	75 21%
Low2Box (Not very/ Not at all familiar)	1629 81%	834 85% B	796 76%	452 80%	649 81%	529 81%	198 86% H	626 82%	514 78%	291 79%

3_1. (Arthritis is one of the most common chronic illnesses affecting children.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Strongly agree	53 3%	24 2%	30 3%	16 3%	25 3%	12 2%	6 3%	25 3%	16 2%	6 2%
Somewhat agree	524 26%	232 24%	292 28% A	119 21%	231 29% C	173 26% C	60 26%	215 28% I	172 26%	77 21%
Somewhat disagree	1133 56%	558 57%	575 55%	329 58%	435 54%	369 56%	132 57%	402 53%	371 56%	227 62% G
Strongly disagree	311 15%	165 17%	146 14%	100 18%	111 14%	100 15%	33 14%	123 16%	100 15%	55 15%
Summary										
Top2Box (Agree)	577 29%	255 26%	322 31% A	135 24%	256 32% C	185 28%	66 29%	240 31% I	188 28%	83 23%
Low2Box (Disagree)	1444 71%	723 74% B	721 69%	429 76% D	546 68%	469 72%	165 71%	525 69%	471 72%	283 77% G

3_2. (The symptoms associated with juvenile arthritis are always mild.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Strongly agree	28 1%	17 2%	11 1%	8 1%	16 2% E	4 1%	3 1%	14 2%	5 1%	6 2%
Somewhat agree	304 15%	187 19% B	117 11%	85 15%	116 14%	103 16%	48 21% GH	107 14%	90 14%	59 16%
Somewhat disagree	1165 58%	598 61% B	567 54%	332 59%	464 58%	368 56%	141 61%	435 57%	384 58%	205 56%
Strongly disagree	524 26%	176 18%	348 33% A	139 25%	205 26%	180 27%	39 17%	209 27% F	180 27% F	97 26% F
Summary										
Top2Box (Agree)	332 16%	204 21% B	128 12%	92 16%	133 17%	107 16%	51 22% GH	121 16%	95 14%	65 18%
Low2Box (Disagree)	1689 84%	774 79%	915 88% A	471 84%	670 83%	548 84%	180 78%	644 84% F	564 86% F	301 82%

3_3. (Juvenile arthritis runs in families.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Strongly agree	103 5%	47 5%	56 5%	33 6%	40 5%	30 5%	14 6%	38 5%	33 5%	18 5%
Somewhat agree	1110 55%	539 55%	571 55%	318 56%	446 56%	345 53%	108 47%	413 54%	351 53%	238 65% FGH
Somewhat disagree	687 34%	340 35%	347 33%	177 31%	274 34%	236 36%	91 39% I	262 34% I	238 36% I	96 26%
Strongly disagree	121 6%	52 5%	69 7%	36 6%	42 5%	43 7%	18 8%	51 7%	38 6%	14 4%
Summary										
Top2Box (Agree)	1213 60%	586 60%	627 60%	351 62%	486 61%	375 57%	122 53%	452 59%	384 58%	256 70% FGH
Low2Box (Disagree)	808 40%	392 40%	416 40%	213 38%	316 39%	280 43%	110 47% I	313 41% I	275 42% I	110 30%

3_4. (There is no cure for juvenile arthritis.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Strongly agree	222 11%	78 8%	144 14% A	60 11%	98 12%	64 10%	16 7%	85 11%	77 12% F	44 12%
Somewhat agree	997 49%	458 47%	539 52% A	279 49%	404 50%	314 48%	113 49%	371 49%	315 48%	198 54%
Somewhat disagree	689 34%	384 39% B	305 29%	192 34%	265 33%	233 36%	83 36%	265 35%	226 34%	115 31%
Strongly disagree	113 6%	59 6%	54 5%	33 6%	36 5%	43 7%	19 8% I	44 6% I	41 6% I	9 2%
Summary										
Top2Box (Agree)	1219 60%	536 55%	683 66% A	339 60%	501 62%	379 58%	129 56%	456 60%	392 59%	242 66% F
Low2Box (Disagree)	802 40%	443 45% B	360 34%	225 40%	301 38%	276 42%	103 44% I	308 40%	267 41%	124 34%

3_5. (Juvenile arthritis continues into adulthood.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Strongly agree	308 15%	109 11%	199 19% A	74 13%	128 16%	105 16%	37 16% I	132 17% I	108 16% I	31 9%
Somewhat agree	1300 64%	665 68% B	635 61%	369 65%	507 63%	423 65%	142 61%	466 61%	426 65%	266 73% FGH
Somewhat disagree	352 17%	174 18%	179 17%	104 18%	143 18%	105 16%	46 20%	138 18%	107 16%	61 17%
Strongly disagree	61 3%	31 3%	30 3%	17 3%	24 3%	21 3%	7 3%	30 4%	18 3%	7 2%
Summary										
Top2Box (Agree)	1607 80%	774 79%	834 80%	443 79%	635 79%	529 81%	179 77%	597 78%	534 81%	297 81%
Low2Box (Disagree)	414 20%	205 21%	209 20%	121 21%	167 21%	126 19%	53 23%	168 22%	125 19%	68 19%

3_6. (Children with arthritis should not participate in physical activities or sports.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Strongly agree	49 2%	23 2%	26 2%	13 2%	26 3%	10 2%	8 4%	18 2%	13 2%	9 2%
Somewhat agree	258 13%	149 15% B	108 10%	91 16% E	112 14% E	55 8%	39 17% H	102 13%	76 12%	40 11%
Somewhat disagree	1157 57%	580 59%	577 55%	332 59%	447 56%	378 58%	130 56%	416 54%	386 59%	225 62%
Strongly disagree	557 28%	226 23%	332 32% A	127 23%	218 27%	212 32% CD	53 23%	230 30%	183 28%	91 25%
Summary										
Top2Box (Agree)	307 15%	172 18% B	134 13%	104 19% E	137 17% E	65 10%	48 21% HI	120 16%	90 14%	49 13%
Low2Box (Disagree)	1714 85%	806 82%	909 87% A	459 81%	665 83%	590 90% CD	184 79%	645 84%	569 86% F	316 87% F

3_7. (The only symptom of juvenile arthritis is painful, achy joints.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Strongly agree	65 3%	32 3%	32 3%	18 3%	30 4%	16 2%	15 7% HI	31 4% H	12 2%	6 2%
Somewhat agree	628 31%	360 37% B	268 26%	156 28%	241 30%	231 35% CD	88 38% H	254 33% H	178 27%	108 29%
Somewhat disagree	1066 53%	502 51%	563 54%	314 56%	425 53%	326 50%	108 47%	383 50%	364 55% FG	210 57% F
Strongly disagree	263 13%	84 9%	179 17% A	76 13%	105 13%	82 12%	20 9%	96 13%	104 16% F	42 11%
Summary										
Top2Box (Agree)	693 34%	392 40% B	300 29%	174 31%	272 34%	247 38% C	103 45% HI	285 37% H	190 29%	114 31%
Low2Box (Disagree)	1328 66%	586 60%	742 71% A	390 69% E	530 66%	408 62%	128 55%	479 63%	469 71% FG	252 69% F

3. (Topbox Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Juvenile arthritis continues into adulthood.	1607 80%	774 79%	834 80%	443 79%	635 79%	529 81%	179 77%	597 78%	534 81%	297 81%
There is no cure for juvenile arthritis.	1219 60%	536 55%	683 66% A	339 60%	501 62%	379 58%	129 56%	456 60%	392 59%	242 66% F
Juvenile arthritis runs in families.	1213 60%	586 60%	627 60%	351 62%	486 61%	375 57%	122 53%	452 59%	384 58%	256 70% FGH
The only symptom of juvenile arthritis is painful, achy joints.	693 34%	392 40% B	300 29%	174 31%	272 34%	247 38% C	103 45% HI	285 37% H	190 29%	114 31%
Arthritis is one of the most common chronic illnesses affecting children.	577 29%	255 26%	322 31% A	135 24%	256 32% C	185 28%	66 29%	240 31% I	188 28%	83 23%
The symptoms associated with juvenile arthritis are always mild.	332 16%	204 21% B	128 12%	92 16%	133 17%	107 16%	51 22% GH	121 16%	95 14%	65 18%
Children with arthritis should not participate in physical activities or sports.	307 15%	172 18% B	134 13%	104 19% E	137 17% E	65 10%	48 21% HI	120 16%	90 14%	49 13%

3. (Lowbox Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Children with arthritis should not participate in physical activities or sports.	1714 85%	806 82%	909 87% A	459 81%	665 83%	590 90% CD	184 79%	645 84%	569 86% F	316 87% F
The symptoms associated with juvenile arthritis are always mild.	1689 84%	774 79%	915 88% A	471 84%	670 83%	548 84%	180 78%	644 84% F	564 86% F	301 82%
Arthritis is one of the most common chronic illnesses affecting children.	1444 71%	723 74% B	721 69%	429 76% D	546 68%	469 72%	165 71%	525 69%	471 72%	283 77% G
The only symptom of juvenile arthritis is painful, achy joints.	1328 66%	586 60%	742 71% A	390 69% E	530 66%	408 62%	128 55%	479 63%	469 71% FG	252 69% F
Juvenile arthritis runs in families.	808 40%	392 40%	416 40%	213 38%	316 39%	280 43%	110 47% I	313 41% I	275 42% I	110 30%
There is no cure for juvenile arthritis.	802 40%	443 45% B	360 34%	225 40%	301 38%	276 42%	103 44% I	308 40%	267 41%	124 34%
Juvenile arthritis continues into adulthood.	414 20%	205 21%	209 20%	121 21%	167 21%	126 19%	53 23%	168 22%	125 19%	68 19%

4_1. (Swelling of the joints) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	1875 93%	885 91%	990 95% A	507 90%	746 93%	622 95% C	199 86%	712 93% F	621 94% F	343 94% F
No	146 7%	93 9% B	53 5%	57 10% E	57 7%	33 5%	32 14% GHI	53 7%	38 6%	22 6%

4_2. (Inflammation of the eyes) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	648 32%	279 28%	369 35% A	183 32%	256 32%	209 32%	40 17%	220 29% F	232 35% FG	156 43% FGH
No	1373 68%	700 72% B	674 65%	381 68%	546 68%	446 68%	191 83% GHI	545 71% HI	426 65% I	210 57%

4_3. (Stunted or uneven growth) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	1488 74%	698 71%	790 76% A	443 79% DE	581 72%	464 71%	149 64%	527 69%	517 78% FG	296 81% FG
No	533 26%	280 29% B	253 24%	121 21%	221 28% C	191 29% C	83 36% HI	238 31% HI	142 22%	70 19%

4_4. (Skin rash) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	608 30%	265 27%	343 33% A	168 30%	257 32%	183 28%	34 15%	216 28% F	219 33% FG	139 38% FG
No	1413 70%	713 73% B	700 67%	396 70%	545 68%	472 72%	197 85% GHI	549 72% HI	439 67%	227 62%

4_5. (Inflammation of internal organs) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	1016 50%	441 45%	575 55% A	267 47%	419 52%	330 50%	88 38%	374 49% F	353 54% F	201 55% F
No	1005 50%	537 55% B	468 45%	297 53%	383 48%	325 50%	144 62% GHI	391 51%	306 46%	165 45%

4_6. (Difficulty with dental care) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	909 45%	409 42%	501 48% A	278 49% E	360 45%	272 42%	68 29%	306 40% F	336 51% FG	199 54% FG
No	1112 55%	570 58% B	542 52%	286 51%	442 55%	383 58% C	164 71% GHI	458 60% HI	323 49%	167 46%

4_7. (Overactive immune system) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	885 44%	395 40%	489 47% A	238 42%	351 44%	296 45%	70 30%	309 40% F	317 48% FG	188 51% FG
No	1136 56%	583 60% B	554 53%	326 58%	451 56%	359 55%	161 70% GHI	456 60% HI	342 52%	178 49%

4_8. (Higher incidence of infection) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Yes	907 45%	384 39%	523 50% A	248 44%	348 43%	311 47%	89 38%	311 41%	320 49% FG	187 51% FG
No	1114 55%	594 61% B	520 50%	316 56%	454 57%	344 53%	143 62% HI	454 59% HI	338 51%	179 49%

4. (Yes Summary) Which of the following, if any, do you believe to be possible complications of juvenile arthritis?

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All respondents	2021	1019	1002	495	788	738	199	657	929	236
Weighted	2021	978	1043	564	802	655	231	765	659	366
Swelling of the joints	1875 93%	885 91%	990 95% A	507 90%	746 93%	622 95% C	199 86%	712 93% F	621 94% F	343 94% F
Stunted or uneven growth	1488 74%	698 71%	790 76% A	443 79% DE	581 72%	464 71%	149 64%	527 69% FG	517 78% FG	296 81% FG
Inflammation of internal organs	1016 50%	441 45%	575 55% A	267 47%	419 52%	330 50%	88 38%	374 49% F	353 54% F	201 55% F
Difficulty with dental care	909 45%	409 42%	501 48% A	278 49% E	360 45%	272 42%	68 29%	306 40% F	336 51% FG	199 54% FG
Higher incidence of infection	907 45%	384 39%	523 50% A	248 44%	348 43%	311 47%	89 38%	311 41%	320 49% FG	187 51% FG
Overactive immune system	885 44%	395 40%	489 47% A	238 42%	351 44%	296 45%	70 30%	309 40% F	317 48% FG	188 51% FG
Inflammation of the eyes	648 32%	279 28%	369 35% A	183 32%	256 32%	209 32%	40 17%	220 29% F	232 35% FG	156 43% FGH
Skin rash	608 30%	265 27%	343 33% A	168 30%	257 32%	183 28%	34 15%	216 28% F	219 33% FG	139 38% FG