



# Canadian Online Ipsos-Reid Express

## Arthritis Banner 1

### Table of Contents

<a href="#">1</a>	1_1. (Arthritis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">2</a>	1_2. (Diabetes) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">3</a>	1_3. (Asthma) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">4</a>	1_4. (Cystic Fibrosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">5</a>	1_5. (Cerebral Palsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">6</a>	1_6. (Cancer) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">7</a>	1_7. (Epilepsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">8</a>	1_8. (Heart conditions) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">9</a>	1_9. (HIV/AIDS) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">10</a>	1_10. (Multiple Sclerosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
<a href="#">11</a>	2. (Rank 1) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
<a href="#">12</a>	2. (Rank 2) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
<a href="#">13</a>	2. (Rank 3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
<a href="#">14</a>	2. (Ranked 1/2/3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
<a href="#">15</a>	3. Would you say that you are very familiar, somewhat familiar, not very familiar or not at all familiar with what arthritis is? That is, its risk factors, treatments, symptoms or complications.
<a href="#">16</a>	4_1. (Arthritis primarily affects older Canadians past working age.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
<a href="#">17</a>	4_2. (Workers with arthritis are able to perform the same duties as their co-workers.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
<a href="#">18</a>	4_3. (Workers with arthritis don't require special accommodation by their employer.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
<a href="#">19</a>	4_4. (With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
<a href="#">20</a>	4. (Top2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
<a href="#">21</a>	4. (Low2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
<a href="#">22</a>	5. With your current knowledge of arthritis and its symptoms, what do you consider to be the major physical impact on patients?

1\_1. (Arthritis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	154	78	76	8	55	90	19	67	49	19
	15%	16%	15%	3%	14%	28%	22%	16%	15%	10%
No	847	407	440	271	C	CD	I	342	277	163
	85%	84%	85%	97%	86%	72%	78%	84%	85%	90%
				DE	E					F

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_2. (Diabetes) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	114	76	38	5	44	65	15	51	38	11
	11%	16%	7%	2%	11%	20%	18%	12%	12%	6%
No		B		C	CD	I	I			
	887	408	479	274	353	259	69	359	288	170
	89%	84%	93%	98%	89%	80%	82%	88%	88%	94%
		A	DE	E						FG

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_3. (Asthma) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	103	31	72	33	32	38	9	46	39	10
	10%	6%	14%	12%	8%	12%	10%	11%	12%	5%
No		A	A					I	I	
	898	454	444	246	366	286	75	363	288	172
	90%	94%	86%	88%	92%	88%	90%	89%	88%	95%
		B								GH

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_4. (Cystic Fibrosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	1	1	0	1	0	0	0	0	1	0
	0	0	-	0	-	-	-	-	0	-
No	1000	484	517	278	397	324	84	409	325	181
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_5. (Cerebral Palsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	2	2	0	1	1	1	0	0	2	0
	0	0	-	0	0	0	-	-	1%	-
No	999	482	517	278	397	324	84	409	324	181
	100%	100%	100%	100%	100%	100%	100%	100%	99%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_6. (Cancer) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	32	20	13	1	11	20	3	8	12	9
	3%	4%	2%	0	3%	6%	3%	2%	4%	5%
No					C	CD				
	969	465	504	278	386	304	81	401	314	172
	97%	96%	98%	100%	97%	94%	97%	98%	96%	95%
				DE	E					

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_7. (Epilepsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	525	476	228	374	399	72	336	459	134
Weighted	1001	484	517	279	397	324	84*	409	326	181
Yes	10	5	5	2	7	2	1	2	5	2
	1%	1%	1%	1%	2%	1%	2%	1%	1%	1%
No	991	480	512	278	391	323	83	407	322	180
	99%	99%	99%	99%	98%	99%	98%	99%	99%	99%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base



1\_8. (Heart conditions) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	78	60	18	2	25	51	13	30	23	13
	8%	12%	4%	1%	6%	16%	15%	7%	7%	7%
No		B			C	CD	GH			
	923	425	498	278	372	273	71	379	304	168
	92%	88%	96%	99%	94%	84%	85%	93%	93%	93%
		A		DE	E			F	F	

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_9. (HIV/AIDS) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	2	2	0	1	1	1	0	1	1	0
	0	0	-	0	0	0	-	0	0	-
No	999	482	517	278	397	323	84	408	325	181
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

1\_10. (Multiple Sclerosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Yes	9	3	6	1	6	2	0	4	4	1
	1%	1%	1%	0	1%	1%	-	1%	1%	1%
No	992	481	511	278	392	322	84	405	323	180
	99%	99%	99%	100%	99%	99%	100%	99%	99%	99%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

2. (Rank 1) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	484	517	279	397	324	84*	409	326	181
Arthritis	78 8%	48 10%	30 6%	34 12%	25 6%	19 6%	13 15%	27 7%	18 6%	20 11%
Diabetes	64 6%	B 31 6%	32 6%	DE 9 3%	34 9%	20 6%	GH 5 5%	24 6%	17 5%	18 10%
Asthma	83 8%	37 8%	46 9%	20 7%	36 9%	27 8%	7 8%	27 7%	28 9%	21 12%
Cystic fibrosis	30 3%	17 3%	13 3%	19 7%	8 2%	3 1%	6 7%	10 2%	7 2%	8 4%
Cerebral palsy	40 4%	15 3%	25 5%	DE 19 7%	10 3%	11 3%	GH 3 4%	15 4%	12 4%	9 5%
Cancer	369 37%	D 163 34%	206 40%	103 37%	158 40%	108 33%	21 25%	165 40%	128 39%	55 30%
Epilepsy	16 2%	12 2%	4 1%	4 1%	6 2%	6 2%	4 4%	FI 5 1%	F 6 2%	1 1%
Heart conditions	230 23%	B 121 25%	110 21%	35 13%	96 24%	99 31%	19 22%	99 24%	80 24%	33 18%
HIV/AIDS	27 3%	C 19 4%	8 2%	9 3%	7 2%	11 3%	C 5 7%	C 9 2%	9 3%	3 2%
	64	B 21	43	27	18	20	G 2	29	20	13

2. (Rank 1) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Multiple Sclerosis	6%	4%	8% A	10% D	4%	6%	3%	7%	6%	7%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

2. (Rank 2) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	484	517	279	397	324	84*	409	326	181
Arthritis	97 10%	53 11%	44 9%	30 11%	31 8%	36 11%	7 8%	36 9%	30 9%	24 14%
Diabetes	108 11%	58 12%	50 10%	26 9%	48 12%	34 10%	6 7%	40 10%	44 13%	18 10%
Asthma	100 10%	42 9%	58 11%	22 8%	44 11%	34 10%	12 14%	41 10%	29 9%	17 10%
Cystic fibrosis	40 4%	13 3%	26 5%	16 6%	11 3%	12 4%	4 5%	20 5%	13 4%	3 2%
Cerebral palsy	53 5%	26 5%	27 5%	24 9%	15 4%	14 4%	4 4%	28 7%	11 3%	11 6%
Cancer	191 19%	90 19%	100 19%	29 11%	87 22%	74 23%	21 25%	73 18%	66 20%	30 16%
Epilepsy	18 2%	10 2%	8 2%	9 3%	7 2%	3 1%	1 2%	5 1%	6 2%	6 3%
Heart conditions	276 28%	137 28%	138 27%	78 28%	116 29%	81 25%	22 26%	108 26%	93 29%	53 29%
HIV/AIDS	26 3%	16 3%	10 2%	8 3%	9 2%	9 3%	0 -	13 3%	12 4%	2 1%
	92	38	54	37	29	27	7	45	23	18

2. (Rank 2) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Multiple Sclerosis	9%	8%	10%	13%	7%	8%	8%	11%	7%	10%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

2. (Rank 3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	484	517	279	397	324	84*	409	326	181
Arthritis	123 12%	64 13%	60 12%	29 10%	42 10%	53 16%	4 5%	55 13%	45 14%	20 11%
Diabetes	163 16%	81 17%	83 16%	40 14%	75 19%	48 15%	8 10%	68 17%	53 16%	34 19%
Asthma	111 11%	64 13%	47 9%	18 6%	52 13%	42 13%	13 15%	39 9%	43 13%	17 9%
Cystic fibrosis	51 5%	22 5%	28 5%	22 8%	19 5%	9 3%	3 4%	21 5%	17 5%	10 5%
Cerebral palsy	63 6%	29 6%	34 6%	21 8%	22 5%	20 6%	8 10%	26 6%	18 5%	11 6%
Cancer	134 13%	69 14%	65 12%	37 13%	56 14%	41 13%	12 15%	49 12%	44 13%	28 16%
Epilepsy	34 3%	17 4%	17 3%	17 6%	9 2%	9 3%	2 3%	13 3%	15 5%	4 2%
Heart conditions	164 16%	71 15%	93 18%	42 15%	69 17%	53 16%	17 20%	68 17%	50 15%	29 16%
HIV/AIDS	39 4%	19 4%	21 4%	11 4%	15 4%	14 4%	7 9%	18 4%	11 3%	3 2%
	117	48	69	43	39	36	9	52	32	25



2. (Rank 3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Multiple Sclerosis	12%	10%	13%	15%	10%	11%	10%	13%	10%	14%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

2. (Ranked 1/2/3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Arthritis	299	165	134	93	98	108	23	118	93	65
	30%	34%	26%	33%	25%	33%	28%	29%	29%	36%
Diabetes	335	B	D	D	D	D	D	D	D	D
	33%	170	165	76	157	102	19	131	114	70
		35%	32%	27%	40%	31%	23%	32%	35%	39%
Asthma	294	143	151	60	131	104	32	107	101	55
	29%	30%	29%	21%	33%	32%	37%	26%	31%	31%
Cystic fibrosis	120	53	67	57	39	24	13	50	36	20
	12%	11%	13%	20%	10%	7%	16%	12%	11%	11%
Cerebral palsy	156	71	85	64	47	45	15	69	41	31
	16%	15%	16%	23%	12%	14%	18%	17%	12%	17%
Cancer	693	323	371	169	301	223	55	287	238	113
	69%	67%	72%	61%	76%	69%	66%	70%	73%	62%
Epilepsy	68	38	30	29	22	17	7	24	27	10
	7%	8%	6%	10%	6%	5%	9%	6%	8%	6%
Heart conditions	671	330	341	156	281	234	57	276	223	115
	67%	68%	66%	56%	71%	72%	68%	67%	68%	63%
HIV/AIDS	92	54	39	27	31	34	13	40	32	8
	9%	11%	7%	10%	8%	11%	15%	10%	10%	4%
	274	107	167	106	86	82	18	126	75	55

2. (Ranked 1/2/3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Multiple Sclerosis	27%	22%	32%	38%	22%	25%	21%	31%	23%	31%
			A	DE				H		

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

3. Would you say that you are very familiar, somewhat familiar, not very familiar or not at all familiar with what arthritis is? That is, its risk factors, treatments, symptoms or complications.

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Very familiar	152	76	76	34	49	70	17	58	55	23
	15%	16%	15%	12%	12%	22%	20%	14%	17%	13%
Somewhat familiar	482	222	260	146	190	146	40	200	146	96
	48%	46%	50%	52%	48%	45%	47%	49%	45%	53%
Not very familiar	263	135	128	64	120	79	17	103	97	46
	26%	28%	25%	23%	30%	24%	20%	25%	30%	26%
Not at all familiar	104	51	53	36	39	29	11	49	28	16
	10%	11%	10%	13%	10%	9%	13%	12%	9%	9%
Summary										
Top2Box (Familiar)	634	298	336	179	239	216	56	258	201	119
	63%	62%	65%	64%	60%	67%	67%	63%	62%	65%
Low2Box (Not familiar)	367	186	181	100	159	108	28	152	125	63
	37%	38%	35%	36%	40%	33%	33%	37%	38%	35%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

4\_1. (Arthritis primarily affects older Canadians past working age.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

		GENDER		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Strongly agree	35 4%	19 4%	16 3%	17 6%	6 1%	13 4%	3 3%	11 3%	16 5%	6 3%
Somewhat agree	233 23%	134 28%	99 19%	91 33%	79 20%	62 19%	19 23%	88 22%	79 24%	46 25%
Somewhat disagree	423 42%	201 42%	221 43%	121 43%	169 42%	133 41%	25 30%	174 43%	140 43%	83 46%
Strongly disagree	310 31%	130 27%	180 35%	51 18%	143 36%	116 36%	37 44%	136 33%	91 28%	46 26%
Summary										
Top2Box (Agree)	268 27%	153 31%	115 22%	108 39%	85 21%	75 23%	22 26%	99 24%	95 29%	51 28%
Low2Box (Disagree)	733 73%	332 69%	401 78%	172 61%	312 79%	249 77%	62 74%	310 76%	231 71%	130 72%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

4\_2. (Workers with arthritis are able to perform the same duties as their co-workers.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Strongly agree	41 4%	21 4%	20 4%	7 3%	14 4%	19 6%	3 3%	18 5%	15 4%	5 3%
Somewhat agree	322 32%	168 35%	154 30%	95 34%	129 33%	97 30%	42 50%	112 27%	104 32%	64 35%
Somewhat disagree	485 48%	227 47%	258 50%	139 50%	190 48%	156 48%	25 30%	217 53%	160 49%	83 46%
Strongly disagree	153 15%	69 14%	85 16%	37 13%	64 16%	52 16%	15 17%	62 15%	48 15%	29 16%
Summary										
Top2Box (Agree)	362 36%	188 39%	174 34%	102 37%	143 36%	117 36%	45 53%	130 32%	118 36%	69 38%
Low2Box (Disagree)	639 64%	296 61%	342 66%	177 63%	254 64%	208 64%	40 47%	279 68%	208 64%	112 62%
								F	F	F

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

4\_3. (Workers with arthritis don't require special accommodation by their employer.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Strongly agree	35	11	24	10	13	11	4	19	12	1
	4%	2%	5%	4%	3%	4%	5%	5%	4%	0
							I	I	I	
Somewhat agree	217	125	92	51	75	91	22	97	63	35
	22%	26%	18%	18%	19%	28%	26%	24%	19%	19%
		B				CD				
Somewhat disagree	542	258	284	161	216	165	46	216	185	95
	54%	53%	55%	58%	54%	51%	54%	53%	57%	53%
Strongly disagree	206	90	116	57	93	56	12	77	66	50
	21%	19%	22%	20%	23%	17%	15%	19%	20%	28%
					E					FG
Summary										
Top2Box (Agree)	253	137	116	61	88	103	26	116	75	36
	25%	28%	22%	22%	22%	32%	31%	28%	23%	20%
		B				CD				
Low2Box (Disagree)	748	348	400	218	309	221	58	293	251	145
	75%	72%	78%	78%	78%	68%	69%	72%	77%	80%
			A	E	E					

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

4\_4. (With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A 525	B 476	C 228	D 374	E 399	F 72	G 336	H 459	I 134
Weighted	1001	484	517	279	397	324	84*	409	326	181
Strongly agree	27 3%	12 2%	15 3%	10 3%	9 2%	9 3%	4 5%	11 3%	8 3%	4 2%
Somewhat agree	201 20%	105 22%	96 19%	68 24%	75 19%	58 18%	17 20%	76 19%	68 21%	40 22%
Somewhat disagree	520 52%	244 50%	276 53%	150 54%	213 54%	156 48%	39 46%	228 56%	171 52%	82 45%
Strongly disagree	253 25%	124 26%	130 25%	52 19%	101 25%	101 31%	25 29%	94 23%	79 24%	55 31%
Summary						C		I		
Top2Box (Agree)	228 23%	117 24%	111 22%	77 28%	83 21%	68 21%	21 25%	87 21%	76 23%	44 24%
Low2Box (Disagree)	773 77%	368 76%	405 78%	202 72%	314 79%	257 79%	64 75%	322 79%	250 77%	137 76%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base



4. (Top2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Arthritis primarily affects older Canadians past working age.	268	153	115	108	85	75	22	99	95	51
	27%	31%	22%	39%	21%	23%	26%	24%	29%	28%
		B		DE						
Workers with arthritis are able to perform the same duties as their co-workers.	362	188	174	102	143	117	45	130	118	69
	36%	39%	34%	37%	36%	36%	53%	32%	36%	38%
							GHI			
Workers with arthritis don't require special accommodation by their employer.	253	137	116	61	88	103	26	116	75	36
	25%	28%	22%	22%	22%	32%	31%	28%	23%	20%
		B				CD				
With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.	228	117	111	77	83	68	21	87	76	44
	23%	24%	22%	28%	21%	21%	25%	21%	23%	24%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

4. (Low2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Arthritis primarily affects older Canadians past working age.	733	332	401	172	312	249	62	310	231	130
	73%	69%	78%	61%	79%	77%	74%	76%	71%	72%
		A	C	C						
Workers with arthritis are able to perform the same duties as their co-workers.	639	296	342	177	254	208	40	279	208	112
	64%	61%	66%	63%	64%	64%	47%	68%	64%	62%
			F	F	F					
Workers with arthritis don't require special accommodation by their employer.	748	348	400	218	309	221	58	293	251	145
	75%	72%	78%	78%	78%	68%	69%	72%	77%	80%
		A	E	E						
With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.	773	368	405	202	314	257	64	322	250	137
	77%	76%	78%	72%	79%	79%	75%	79%	77%	76%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base

5. With your current knowledge of arthritis and its symptoms, what do you consider to be the major physical impact on patients?

	Total	GENDER		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I
Weighted	1001	525	476	228	374	399	72	336	459	134
		484	517	279	397	324	84*	409	326	181
Performing in the workplace	474	249	225	142	195	136	38	200	147	89
	47%	51%	44%	51%	49%	42%	46%	49%	45%	49%
Managing home/family life	394	B	E	103	147	143	34	164	134	63
	39%	34%	44%	37%	37%	44%	40%	40%	41%	35%
Engaging in social activities	133	A	A	34	55	45	12	46	46	30
	13%	15%	12%	12%	14%	14%	14%	11%	14%	17%

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I Overlap formulae used. \* small base