



Canadian Online Ipsos-Reid Express

Arthritis Banner 2

Table of Contents

1	1_1. (Arthritis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
2	1_2. (Diabetes) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
3	1_3. (Asthma) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
4	1_4. (Cystic Fibrosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
5	1_5. (Cerebral Palsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
6	1_6. (Cancer) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
7	1_7. (Epilepsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
8	1_8. (Heart conditions) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
9	1_9. (HIV/AIDS) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
10	1_10. (Multiple Sclerosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?
11	2. (Rank 1) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
12	2. (Rank 2) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
13	2. (Rank 3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
14	2. (Ranked 1/2/3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.
15	3. Would you say that you are very familiar, somewhat familiar, not very familiar or not at all familiar with what arthritis is? That is, its risk factors, treatments, symptoms or complications.
16	4_1. (Arthritis primarily affects older Canadians past working age.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
17	4_2. (Workers with arthritis are able to perform the same duties as their co-workers.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
18	4_3. (Workers with arthritis don't require special accommodation by their employer.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
19	4_4. (With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
20	4. (Top2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
21	4. (Low2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?
22	5. With your current knowledge of arthritis and its symptoms, what do you consider to be the major physical impact on patients?

1_1. (Arthritis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	154	18	22	12	70	23	8	51	46	57	17	137	22	131
	15%	14%	22%	18%	18%	9%	11%	23%	15%	12%	9%	17%	12%	16%
No	847	114	80	54	313	221	66	169	261	417	171	676	161	686
	85%	86%	78%	82%	82%	91%	89%	77%	85%	88%	91%	83%	88%	84%
			E		E			HI				J		
						BD			G	G	K			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_2. (Diabetes) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	114	12	12	7	45	30	9	29	31	55	11	103	22	92
	11%	9%	12%	11%	12%	12%	12%	13%	10%	12%	6%	13%	12%	11%
No	887	120	90	58	339	214	65	191	276	420	177	J 710	161	726
	89%	91%	88%	89%	88%	88%	88%	87%	90%	88%	94%	K 87%	88%	89%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_3. (Asthma) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	103	10	15	10	38	26	6	46	29	29	16	88	15	88
	10%	7%	15%	15%	10%	10%	8%	21%	9%	6%	8%	11%	8%	11%
No	898	122	87	56	346	219	68	174	278	445	172	725	168	730
	90%	93%	85%	85%	90%	90%	92%	79%	91%	94%	92%	89%	92%	89%
								G	G	G				

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_4. (Cystic Fibrosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	1	0	0	0	1	0	0	0	0	1	0	1	0	1
	0	-	-	-	0	-	-	-	-	0	-	0	-	0
No	1000	132	102	65	382	244	74	220	307	473	188	812	183	817
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_5. (Cerebral Palsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	2	1	0	0	1	0	0	1	0	1	0	2	0	2
	0	0	-	-	0	-	-	1%	-	0	-	0	-	0
No	999	132	102	65	382	244	74	219	307	473	188	811	183	816
	100%	100%	100%	100%	100%	100%	100%	99%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_6. (Cancer) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	32	3	6	2	15	5	1	9	8	14	2	30	6	26
	3%	2%	6%	3%	4%	2%	1%	4%	3%	3%	1%	4%	3%	3%
No	969	129	96	63	368	239	74	210	299	460	186	783	177	792
	97%	98%	94%	97%	96%	98%	99%	96%	97%	97%	99%	96%	97%	97%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_7. (Epilepsy) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	10	0	1	0	6	3	1	5	0	4	1	9	0	10
	1%	-	1%	-	2%	1%	1%	2%	-	1%	0	1%	-	1%
No	991	132	101	65	378	242	73	H	307	470	187	804	183	808
	99%	100%	99%	100%	98%	99%	99%	214	100%	99%	100%	99%	100%	99%
								G						

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_8. (Heart conditions) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	78	10	17	8	28	11	5	27	23	29	6	72	16	62
	8%	7%	17% ADEF	13% E	7%	5%	6%	12% I	7%	6%	3%	9% J	9%	8%
No	923	122	85	57	356	233	69	193	284	446	182	741	167	756
	92%	93% B	83%	87%	93% B	95% BC	94% B	88%	93%	94% G	97% K	91%	91%	92%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_9. (HIV/AIDS) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	2	1	0	0	1	1	0	2	0	1	0	2	0	2
	0	0	-	-	0	0	-	1%	-	0	-	0	-	0
No	999	132	102	65	382	243	74	218	307	473	188	811	183	816
	100%	100%	100%	100%	100%	100%	100%	99%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

1_10. (Multiple Sclerosis) In the last 3 years, have you been treated for or been diagnosed with any of the following health problems?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Yes	9	0	2	0	5	2	0	4	2	3	1	8	1	8
	1%	-	2%	-	1%	1%	-	2%	1%	1%	0	1%	1%	1%
No	992	132	100	65	379	242	74	216	305	471	187	805	182	810
	99%	100%	98%	100%	99%	99%	100%	98%	99%	99%	100%	99%	99%	99%

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

2. (Rank 1) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Arthritis	78 8%	9 7%	5 5%	14 21% ABDEF	26 7%	18 7%	7 9%	20 9%	23 7%	35 7%	13 7%	65 8%	10 6%	68 8%
Diabetes	64 6%	10 7%	9 8%	5 8%	25 7%	12 5%	3 4%	8 3%	23 7%	33 7%	14 8%	49 6%	9 5%	54 7%
Asthma	83 8%	10 7%	8 8%	3 4%	36 9%	15 6%	11 15% CE	21 9%	23 7%	40 8%	16 9%	66 8%	15 8%	68 8%
Cystic fibrosis	30 3%	3 3%	3 3%	2 2%	12 3%	9 4%	1 2%	10 4%	10 3%	10 2%	10 5%	20 2%	5 3%	25 3%
Cerebral palsy	40 4%	8 6% DF	2 2%	3 4%	9 2%	18 7% DF	0 - DF	12 5%	6 2%	22 5%	7 4%	33 4%	8 5%	32 4%
Cancer	369 37%	46 35% DF	29 28%	25 38%	139 36%	106 44%	24 33%	69 31%	112 37%	188 40%	76 40%	293 36%	70 38%	300 37%
Epilepsy	16 2%	2 2%	3 3%	0 - B	5 1%	4 2%	2 2%	7 3%	4 1%	5 1%	1 1%	15 2%	1 1%	14 2%
Heart conditions	230 23%	34 26%	26 26%	10 15%	103 27%	39 16%	19 26%	46 21%	75 25%	108 23%	30 16%	200 25%	49 27%	182 22%
HIV/AIDS	27 3%	3 2% E	4 4%	2 3%	10 2%	7 3%	1 1%	12 6%	5 2%	10 2%	6 3%	21 3%	3 2%	24 3%
Multiple Sclerosis	64 6%	6 5%	13 13%	3 5% AD	19 5%	16 6%	6 8%	15 7%	26 8%	24 5%	13 7%	51 6%	12 7%	52 6%

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

2. (Rank 2) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Arthritis	97	16	8	5	44	17	7	23	25	49	17	80	12	85
	10%	12%	8%	8%	12%	7%	10%	10%	8%	10%	9%	10%	6%	10%
Diabetes	108	11	13	5	50	20	8	20	40	47	21	87	12	95
	11%	8%	13%	8%	13%	8%	11%	9%	13%	10%	11%	11%	7%	12%
Asthma	100	10	11	4	38	29	7	16	33	51	20	80	23	77
	10%	8%	11%	7%	10%	12%	10%	7%	11%	11%	11%	10%	13%	9%
Cystic fibrosis	40	5	7	4	14	10	0	13	11	16	5	35	12	28
	4%	4%	7%	6%	4%	4%	-	6%	4%	3%	3%	4%	6%	3%
Cerebral palsy	53	7	7	1	20	14	5	8	24	21	13	40	10	44
	5%	6%	6%	1%	5%	6%	7%	4%	8%	4%	7%	5%	5%	5%
Cancer	191	27	22	8	71	44	17	37	55	98	25	165	35	156
	19%	21%	22%	13%	19%	18%	23%	17%	18%	21%	13%	20%	19%	19%
Epilepsy	18	3	2	0	10	4	0	8	3	7	6	12	1	17
	2%	2%	2%	-	3%	2%	-	4%	1%	1%	3%	1%	1%	2%
Heart conditions	276	37	23	31	94	70	21	67	68	141	55	221	55	221
	28%	28%	23%	47%	24%	29%	28%	30%	22%	30%	29%	27%	30%	27%
HIV/AIDS	26	5	2	1	9	8	0	4	11	11	5	21	4	22
	3%	4%	2%	1%	2%	3%	1%	2%	4%	2%	3%	3%	2%	3%
Multiple Sclerosis	92	12	7	6	33	27	8	23	36	34	21	71	20	72
	9%	9%	7%	9%	9%	11%	10%	10%	12%	7%	11%	9%	11%	9%

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

2. (Rank 3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Arthritis	123	22	14	7	45	23	11	24	48	52	28	96	24	99
	12%	17%	13%	11%	12%	9%	15%	11%	16%	11%	15%	12%	13%	12%
Diabetes	163	E	12	16	57	33	17	38	41	85	32	131	34	130
	16%	21%	12%	25%	15%	14%	23%	17%	13%	18%	17%	16%	18%	16%
Asthma	111	E	12	5	46	29	7	26	32	53	21	91	14	97
	11%	10%	11%	8%	12%	12%	9%	12%	11%	11%	11%	11%	8%	12%
Cystic fibrosis	51	10	6	1	19	11	3	12	13	25	14	37	9	42
	5%	8%	6%	1%	5%	5%	4%	5%	4%	5%	7%	5%	5%	5%
Cerebral palsy	63	6	9	3	18	25	1	12	25	25	12	51	10	53
	6%	5%	9%	5%	5%	10%	2%	6%	8%	5%	6%	6%	5%	6%
Cancer	134	14	16	9	57	27	11	24	42	68	19	115	31	102
	13%	10%	15%	14%	15%	11%	15%	11%	14%	14%	10%	14%	17%	13%
Epilepsy	34	2	3	2	15	11	1	13	12	9	5	30	6	29
	3%	1%	3%	3%	4%	4%	2%	6%	4%	2%	3%	4%	3%	4%
Heart conditions	164	20	15	9	75	32	13	31	55	77	29	135	18	147
	16%	15%	15%	13%	20%	13%	18%	14%	18%	16%	16%	17%	10%	18%
HIV/AIDS	39	1	2	0	19	14	5	13	13	13	8	31	6	33
	4%	0	2%	-	5%	6%	7%	6%	4%	3%	4%	4%	4%	4%
Multiple Sclerosis	117	16	14	12	33	40	4	26	24	67	21	96	31	86
	12%	12%	13%	19%	8%	16%	5%	12%	8%	14%	11%	12%	17%	11%
				DF		DF				H			M	

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

2. (Ranked 1/2/3) Which of the following diseases do you believe are most frequently associated with workplace absences, or lead to long-term disability? Please rank in order of the top 3 diseases by placing a 1 next to the disease most associated with workplace absences/disability, a 2 next to the disease that ranks second, and a 3 next to the disease that ranks third.

		REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Arthritis	299	47	27	26	115	57	25	67	95	136	59	240	46	253
	30%	36%	27%	41%	30%	23%	34%	31%	31%	29%	31%	30%	25%	31%
Diabetes	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	335	48	34	26	132	66	28	65	103	166	67	268	55	280
Asthma	33%	37%	33%	40%	34%	27%	38%	30%	34%	35%	36%	33%	30%	34%
	294	34	31	12	120	73	25	63	88	143	57	237	53	242
Cystic fibrosis	29%	25%	30%	19%	31%	30%	34%	29%	29%	30%	30%	29%	29%	30%
	120	18	16	6	44	31	4	35	35	51	28	92	26	94
Cerebral palsy	12%	14%	15%	10%	12%	13%	6%	16%	11%	11%	15%	11%	14%	12%
	156	22	18	6	47	57	6	33	56	67	32	124	28	129
Cancer	16%	17%	17%	10%	12%	23%	9%	15%	18%	14%	17%	15%	15%	16%
	693	87	66	42	267	178	53	130	210	354	120	574	136	558
Epilepsy	69%	66%	65%	65%	70%	73%	71%	59%	68%	75%	64%	71%	74%	68%
	68	6	8	2	30	19	3	29	19	20	12	56	8	60
Heart conditions	7%	5%	8%	3%	8%	8%	4%	13%	6%	4%	6%	7%	5%	7%
	671	91	65	49	271	141	54	145	199	327	115	556	121	550
HIV/AIDS	67%	69%	63%	75%	71%	58%	72%	66%	65%	69%	61%	68%	66%	67%
	92	9	8	3	38	29	6	29	29	34	20	73	13	79
Multiple Sclerosis	9%	6%	8%	4%	10%	12%	9%	13%	10%	7%	10%	9%	7%	10%
	274	34	34	21	85	83	17	64	85	125	55	219	64	210
	27%	26%	33%	33%	22%	34%	23%	29%	28%	26%	29%	27%	35%	26%
			D			D							M	

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

3. Would you say that you are very familiar, somewhat familiar, not very familiar or not at all familiar with what arthritis is? That is, its risk factors, treatments, symptoms or complications.

		REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Very familiar	152	19	14	9	73	23	14	46	45	62	17	136	18	134
	15%	15%	14%	14%	19%	9%	19%	21%	15%	13%	9%	17%	10%	16%
					E		E	I				J		L
Somewhat familiar	482	76	60	35	213	60	38	98	148	236	84	398	82	400
	48%	57%	59%	54%	55%	25%	51%	44%	48%	50%	45%	49%	45%	49%
		E	E	E	E		E							
Not very familiar	263	28	26	16	69	104	20	53	82	128	61	202	61	202
	26%	21%	26%	24%	18%	43%	26%	24%	27%	27%	32%	25%	33%	25%
						ABCD							M	
Not at all familiar	104	9	2	5	29	56	2	24	32	49	27	77	22	82
	10%	7%	2%	8%	8%	23%	3%	11%	10%	10%	14%	10%	12%	10%
					B	ABCD								
Summary														
Top2Box (Familiar)	634	95	74	44	285	83	52	143	193	298	101	534	100	534
	63%	72%	72%	68%	74%	34%	70%	65%	63%	63%	53%	66%	55%	65%
		E	E	E	E		E					J		L
Low2Box (Not familiar)	367	37	28	21	98	161	22	77	114	177	87	279	83	284
	37%	28%	28%	32%	26%	66%	30%	35%	37%	37%	47%	34%	45%	35%
						ABCD					K		M	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

4_1. (Arthritis primarily affects older Canadians past working age.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Strongly agree	35	2	7	2	14	10	1	7	13	15	6	29	5	30
	4%	1%	7%	2%	4%	4%	2%	3%	4%	3%	3%	4%	3%	4%
Somewhat agree	233	35	27	13	82	70	7	56	77	99	51	182	36	197
	23%	26%	26%	20%	21%	28%	10%	25%	25%	21%	27%	22%	20%	24%
Somewhat disagree	423	50	39	24	156	117	37	89	115	220	83	340	74	349
	42%	38%	38%	37%	41%	48%	49%	40%	37%	46%	44%	42%	40%	43%
Strongly disagree	310	45	30	26	132	48	29	68	102	140	48	262	68	242
	31%	34%	29%	40%	34%	20%	39%	31%	33%	30%	26%	32%	37%	30%
Summary		E		E	E		E			H				
Top2Box (Agree)	268	36	33	15	96	79	9	63	90	114	57	211	41	227
	27%	27%	33%	23%	25%	32%	12%	29%	29%	24%	30%	26%	22%	28%
Low2Box (Disagree)	733	96	69	50	288	165	66	156	217	360	131	602	142	591
	73%	73%	67%	77%	75%	68%	88%	71%	71%	76%	70%	74%	78%	72%
							ABDE							

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

4_2. (Workers with arthritis are able to perform the same duties as their co-workers.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

		REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Strongly agree	41	8	7	1	10	9	6	7	12	22	2	39	13	28
	4%	6%	7%	2%	3%	4%	8%	3%	4%	5%	1%	5%	7%	3%
							D					J	M	
Somewhat agree	322	44	41	29	127	63	18	77	86	158	60	261	60	261
	32%	33%	40%	44%	33%	26%	24%	35%	28%	33%	32%	32%	33%	32%
			EF	EF										
Somewhat disagree	485	55	41	28	177	140	44	103	159	223	96	389	77	408
	48%	42%	40%	43%	46%	57%	60%	47%	52%	47%	51%	48%	42%	50%
						ABD	ABD							
Strongly disagree	153	25	13	7	70	32	6	32	49	72	30	123	33	121
	15%	19%	13%	11%	18%	13%	8%	15%	16%	15%	16%	15%	18%	15%
		F			F									
Summary														
Top2Box (Agree)	362	52	48	30	137	72	24	84	98	180	62	301	73	289
	36%	39%	47%	46%	36%	29%	32%	38%	32%	38%	33%	37%	40%	35%
			E	E										
Low2Box (Disagree)	639	81	54	35	246	172	50	135	209	295	126	512	110	529
	64%	61%	53%	54%	64%	71%	68%	62%	68%	62%	67%	63%	60%	65%
						BC								

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

4_3. (Workers with arthritis don't require special accommodation by their employer.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Strongly agree	35 4%	7 5%	5 5%	0 -	10 3%	12 5%	1 2%	8 4%	10 3%	18 4%	7 3%	29 4%	10 5%	25 3%
Somewhat agree	217 22%	27 20%	23 22%	19 29%	74 19%	65 27%	10 14%	46 21%	66 21%	106 22%	37 19%	181 22%	43 23%	174 21%
Somewhat disagree	542 54%	65 49%	59 58%	30 46%	217 57%	125 51%	46 62%	121 55%	167 55%	254 54%	109 58%	434 53%	94 52%	448 55%
Strongly disagree	206 21%	34 26%	15 15%	16 25%	82 21%	43 17%	16 22%	45 20%	64 21%	97 20%	36 19%	170 21%	36 19%	170 21%
Summary		B												
Top2Box (Agree)	253 25%	34 25%	28 27%	19 29%	84 22%	77 31%	12 16%	54 25%	75 25%	123 26%	43 23%	209 26%	53 29%	200 24%
Low2Box (Disagree)	748 75%	98 75%	74 73%	46 71%	300 78%	167 69%	62 84%	166 75%	231 75%	351 74%	145 77%	603 74%	130 71%	618 76%
				E		E								

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

4_4. (With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
Base: All Respondents	1001	A	B	C	D	E	F	G	H	I	J	K	L	M
Weighted	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
		132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Strongly agree	27	4	2	1	9	9	3	9	4	15	5	23	7	20
	3%	3%	2%	2%	2%	4%	4%	4%	1%	3%	3%	3%	4%	2%
Somewhat agree	201	22	17	11	70	66	14	48	65	88	47	154	33	168
	20%	17%	17%	17%	18%	27%	19%	22%	21%	19%	25%	19%	18%	20%
Somewhat disagree	520	78	46	38	200	121	37	101	161	257	98	421	99	421
	52%	59%	45%	58%	52%	50%	50%	46%	53%	54%	52%	52%	54%	51%
Strongly disagree	253	B	37	15	104	48	21	63	77	114	38	215	44	209
	25%	21%	36%	24%	27%	20%	28%	28%	25%	24%	20%	26%	24%	26%
		AE		E										
Summary														
Top2Box (Agree)	228	26	19	12	79	75	16	56	69	103	52	177	40	188
	23%	20%	19%	19%	21%	31%	22%	26%	22%	22%	27%	22%	22%	23%
Low2Box (Disagree)	773	106	83	53	304	169	58	163	238	371	137	636	143	630
	77%	80%	81%	81%	79%	69%	78%	74%	78%	78%	73%	78%	78%	77%
		E	E		E									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

4. (Top2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Arthritis primarily affects older Canadians past working age.	268 27%	36 27%	33 33%	15 23%	96 25%	79 32%	9 12%	63 29%	90 29%	114 24%	57 30%	211 26%	41 22%	227 28%
		F	F		F	F								
Workers with arthritis are able to perform the same duties as their co-workers.	362 36%	52 39%	48 47%	30 46%	137 36%	72 29%	24 32%	84 38%	98 32%	180 38%	62 33%	301 37%	73 40%	289 35%
			E	E										
Workers with arthritis don't require special accommodation by their employer.	253 25%	34 25%	28 27%	19 29%	84 22%	77 31%	12 16%	54 25%	75 25%	123 26%	43 23%	209 26%	53 29%	200 24%
						DF								
With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.	228 23%	26 20%	19 19%	12 19%	79 21%	75 31%	16 22%	56 26%	69 22%	103 22%	52 27%	177 22%	40 22%	188 23%
						ABD								

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

4. (Low2box Summary) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with the following statements?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Arthritis primarily affects older Canadians past working age.	733 73%	96 73%	69 67%	50 77%	288 75%	165 68%	66 88% ABDE	156 71%	217 71%	360 76%	131 70%	602 74%	142 78%	591 72%
Workers with arthritis are able to perform the same duties as their co-workers.	639 64%	81 61%	54 53%	35 54%	246 64%	172 71%	50 68% BC	135 62%	209 68%	295 62%	126 67%	512 63%	110 60%	529 65%
Workers with arthritis don't require special accommodation by their employer.	748 75%	98 75%	74 73%	46 71%	300 78% E	167 69%	62 84% E	166 75%	231 75%	351 74%	145 77%	603 74%	130 71%	618 76%
With advances in health care (joint replacements, drugs), arthritis is not a pressing health concern in Canada.	773 77%	106 80% E	83 81% E	53 81%	304 79% E	169 69%	58 78%	163 74%	238 78%	371 78%	137 73%	636 78%	143 78%	630 77%

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base

5. With your current knowledge of arthritis and its symptoms, what do you consider to be the major physical impact on patients?

	Total	REGION						HOUSEHOLD INCOME			HOUSEHOLD COMPOSITION		CITYSIZE	
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$30K	\$30K - <\$60K	\$60K+	Kids	No Kids	Rural	Urban
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	1001	156	98	61	357	240	89	222	311	468	167	834	183	818
Weighted	1001	132	102*	65*	383	244	74*	220	307	474	188	813	183	818
Performing in the workplace	474	60	45	29	161	142	38	112	156	206	97	377	101	373
	47%	45%	44%	45%	42%	58%	51%	51%	51%	43%	51%	46%	55%	46%
Managing home/family life	394	54	43	29	167	72	29	80	119	194	61	333	63	331
	39%	41%	42%	44%	44%	30%	39%	37%	39%	41%	32%	41%	34%	40%
Engaging in social activities	133	E	E	E	E									
	13%	18	14	7	56	30	8	27	32	74	31	103	19	114
		14%	14%	11%	14%	12%	11%	12%	10%	16%	16%	13%	10%	14%
									H					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I - J/K - L/M Overlap formulae used. * small base