

1_1. [If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

											DEM B				DEM A												
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C				
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive		
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460		
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463		
If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines																											
Strongly agree	550	240	310	146	190	215	61	196	204	89	149	92	124	186	525	23	2	0	291	81	57	121	151	143	256		
	54.0%	49.0%	60.0%	52.0%	51.0%	60.0%	53.0%	57.0%	52.0%	57.0%	50.0%	56.0%	62.0%	54.0%	54.0%	54.0%	100.0%	-	52.0%	58.0%	55.0%	57.0%	52.0%	55.0%	55.0%		
Somewhat agree	310	166	144	94	114	101	40	102	118	51	98	45	53	114	298	12	0	0	172	39	30	68	76	83	151		
	31.0%	34.0%	28.0%	33.0%	30.0%	29.0%	34.0%	30.0%	30.0%	33.0%	33.0%	28.0%	26.0%	33.0%	31.0%	27.0%	-	-	31.0%	28.0%	29.0%	32.0%	26.0%	32.0%	33.0%		
Somewhat disagree	92	52	40	26	43	22	6	28	47	11	32	18	15	27	87	4	0	1	52	13	14	13	38	22	33		
	9.0%	11.0%	8.0%	9.0%	12.0%	6.0%	5.0%	8.0%	12.0%	7.0%	11.0%	11.0%	8.0%	8.0%	9.0%	9.0%	-	100.0%	9.0%	9.0%	13.0%	6.0%	13.0%	8.0%	7.0%		
Strongly disagree	60	33	27	16	27	17	9	18	28	5	21	10	9	20	56	4	0	0	40	5	3	11	25	11	24		
	6.0%	7.0%	5.0%	6.0%	7.0%	5.0%	8.0%	5.0%	7.0%	3.0%	7.0%	6.0%	4.0%	6.0%	6.0%	10.0%	-	-	7.0%	4.0%	3.0%	5.0%	9.0%	4.0%	5.0%		
Summary																											
Top2Box (Agree)	860	406	454	240	304	316	101	297	322	140	247	137	176	299	823	35	2	0	463	120	88	189	227	227	407		
	85.0%	83.0%	87.0%	85.0%	81.0%	89.0%	87.0%	86.0%	81.0%	90.0%	82.0%	83.0%	88.0%	86.0%	85.0%	81.0%	100.0%	-	83.0%	87.0%	84.0%	89.0%	78.0%	87.0%	88.0%		
Low2Box (Disagree)	152	85	67	42	70	39	15	47	75	16	53	27	24	47	143	8	0	1	93	18	17	24	63	33	56		
	15.0%	17.0%	13.0%	15.0%	19.0%	11.0%	13.0%	14.0%	19.0%	10.0%	18.0%	17.0%	12.0%	14.0%	15.0%	19.0%	-	100.0%	17.0%	13.0%	16.0%	11.0%	22.0%	13.0%	12.0%		

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

1_2. [Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

												DEM B				DEM A											
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C				
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive		
Base: All Respondents	1012	468	544	271	304	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460		
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463		
Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients																											
Strongly agree	440	215	225	110	152	178	60	146	159	76	148	60	85	147	424	15	1	0	233	54	57	97	123	100	218		
	43.0%	44.0%	43.0%	39.0%	41.0%	50.0% CD	52.0% H	42.0%	40.0%	49.0%	49.0%	37.0%	43.0%	42.0%	44.0%	34.0%	47.0%	-	42.0%	39.0%	54.0% RS	45.0%	42.0%	38.0%	47.0% W		
Somewhat agree	362	168	194	119	141	102	35	123	152	51	99	69	75	119	343	16	1	1	215	58	28	61	102	102	157		
	36.0%	34.0%	37.0%	42.0%	38.0%	29.0% E	31.0%	36.0%	38.0%	33.0%	33.0%	42.0%	37.0%	34.0%	36.0%	37.0%	53.0%	100.0%	39.0% TU	42.0%	27.0%	28.0%	35.0%	39.0%	34.0%		
Somewhat disagree	125	62	63	36	46	43	13	47	49	17	31	23	23	48	115	10	0	0	59	16	11	38	34	35	56		
	12.0%	13.0%	12.0%	13.0%	12.0%	12.0%	11.0%	14.0%	12.0%	11.0%	10.0%	14.0%	11.0%	14.0%	12.0%	22.0%	-	-	11.0%	12.0%	11.0%	18.0% R	12.0%	13.0%	12.0%		
Strongly disagree	85	45	40	17	36	32	8	27	38	12	22	12	17	33	82	3	0	0	48	11	8	18	31	23	31		
	8.0%	9.0%	8.0%	6.0%	10.0%	9.0%	7.0%	8.0%	10.0%	8.0%	7.0%	7.0%	9.0%	10.0%	8.0%	7.0%	-	-	9.0%	8.0%	8.0%	8.0%	11.0%	9.0%	7.0%		
Summary																											
Top2Box (Agree)	802	383	418	229	293	280	95	269	310	127	247	129	160	265	768	31	2	1	448	112	85	157	225	202	376		
	79.0%	78.0%	80.0%	81.0%	78.0%	79.0%	82.0%	78.0%	78.0%	82.0%	82.0%	78.0%	80.0%	77.0%	80.0%	71.0%	100.0%	100.0%	81.0%	80.0%	81.0%	74.0%	78.0%	78.0%	81.0%		
Low2Box (Disagree)	210	107	103	53	82	75	20	75	86	28	53	36	40	81	197	13	0	0	107	27	19	56	65	58	87		
	21.0%	22.0%	20.0%	19.0%	22.0%	21.0%	18.0%	22.0%	22.0%	18.0%	18.0%	22.0%	20.0%	23.0%	20.0%	29.0%	-	-	19.0%	20.0%	19.0%	26.0% R	22.0%	22.0%	19.0%		

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base: ** very small base (under 30) ineligible for sig testing

1_3. [Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage...] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

											DEM B				DEM A											
			GENDER		AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C		
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive	
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460	
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463	
Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage...																										
Strongly agree	285	137	149	61	100	123	30	105	101	50	79	48	54	104	277	9	0	0	150	35	27	74	68	71	146	
	28.0%	28.0%	29.0%	22.0%	27.0%	35.0% CD	26.0%	31.0%	25.0%	32.0%	26.0%	29.0%	27.0%	30.0%	29.0%	20.0%	-	-	27.0%	25.0%	26.0%	34.0% R	24.0%	27.0%	32.0% V	
Somewhat agree	322	146	176	112	103	107	32	104	133	53	87	59	75	101	302	19	1	0	183	56	28	56	92	89	141	
	32.0%	30.0%	34.0%	40.0%	27.0%	30.0%	27.0%	30.0%	33.0%	34.0%	29.0%	36.0%	38.0%	29.0%	31.0%	44.0%	53.0%	-	33.0%	41.0%	27.0%	26.0%	32.0%	34.0%	31.0%	
Somewhat disagree	233	119	114	63	91	79	35	82	83	33	72	36	38	87	217	14	1	1	116	33	29	55	63	59	111	
	23.0%	24.0%	22.0%	22.0%	24.0%	22.0%	30.0% H	24.0%	21.0%	21.0%	24.0%	22.0%	19.0%	25.0%	22.0%	32.0%	47.0%	100.0%	21.0%	24.0%	28.0%	26.0%	22.0%	23.0%	24.0%	
Strongly disagree	172	89	83	46	80	46	19	53	80	20	63	22	33	54	170	2	0	0	107	15	20	29	66	41	65	
	17.0%	18.0%	16.0%	16.0%	21.0% E	13.0%	17.0%	15.0%	20.0% I	13.0%	21.0% K	13.0%	16.0%	16.0%	18.0% O	4.0%	-	-	19.0% S	11.0%	20.0%	14.0%	23.0% WX	16.0%	14.0%	
Summary																										
Top2Box (Agree)	607	283	324	173	203	231	62	209	234	103	166	107	129	205	579	28	1	0	332	91	55	129	160	160	288	
	60.0%	58.0%	62.0%	61.0%	54.0%	65.0% F	53.0%	61.0%	59.0%	66.0%	55.0%	65.0%	65.0%	59.0%	60.0%	64.0%	53.0%	-	60.0%	66.0% T	52.0%	61.0%	55.0%	62.0%	62.0%	
Low2Box (Disagree)	405	208	197	109	171	124	54	134	163	53	134	58	71	141	387	16	1	1	223	48	50	84	129	100	175	
	40.0%	42.0%	38.0%	39.0%	46.0% E	35.0%	47.0% I	39.0%	41.0%	34.0%	45.0% L	35.0%	35.0%	41.0%	40.0%	36.0%	47.0%	100.0%	40.0%	34.0%	48.0% S	39.0%	45.0%	38.0%	38.0%	

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

1_4. [If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect...] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

											DEM B				DEM A												
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C				
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X			
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460		
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463		
If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect...																											
Strongly agree	384	194	190	89	134	161	53	130	135	66	123	55	71	135	363	19	1	0	206	45	51	82	116	87	181		
	38.0%	40.0%	36.0%	31.0%	36.0%	45.0% CD	46.0% H	38.0%	34.0%	42.0%	41.0%	33.0%	36.0%	39.0%	38.0%	44.0%	53.0%	-	37.0%	32.0%	49.0% RS	38.0%	40.0%	33.0%	39.0%		
Somewhat agree	323	143	180	95	133	95	25	109	142	47	90	53	75	105	307	15	1	0	182	53	27	61	86	90	147		
	32.0%	29.0%	35.0%	34.0%	36.0% E	27.0%	22.0%	32.0%	36.0% F	30.0%	30.0%	32.0%	37.0%	30.0%	32.0%	34.0%	47.0%	-	33.0%	38.0%	26.0%	29.0%	30.0%	35.0%	32.0%		
Somewhat disagree	187	88	99	70	62	55	21	68	72	27	53	33	38	63	179	7	0	1	102	27	14	44	53	49	85		
	18.0%	18.0%	19.0%	25.0% DE	17.0%	16.0%	18.0%	20.0%	18.0%	17.0%	18.0%	20.0%	19.0%	18.0%	19.0%	15.0%	-	100.0%	18.0%	19.0%	13.0%	21.0%	18.0%	19.0%	18.0%		
Strongly disagree	119	67	52	29	45	45	17	37	48	16	34	24	17	43	116	3	0	0	66	15	12	26	35	34	50		
	12.0%	14.0%	10.0%	10.0%	12.0%	13.0%	15.0%	11.0%	12.0%	11.0%	11.0%	15.0%	8.0%	13.0%	12.0%	7.0%	-	-	12.0%	11.0%	12.0%	12.0%	12.0%	13.0%	11.0%		
Summary																											
Top2Box (Agree)	706	337	370	184	267	255	78	239	277	113	212	108	146	240	670	34	2	0	388	97	78	143	201	177	328		
	70.0%	69.0%	71.0%	65.0%	71.0%	72.0%	67.0%	70.0%	70.0%	72.0%	71.0%	65.0%	73.0%	69.0%	69.0%	78.0%	100.0%	-	70.0%	70.0%	75.0%	67.0%	70.0%	68.0%	71.0%		
Low2Box (Disagree)	306	154	152	99	107	100	38	104	120	43	88	57	54	107	295	10	0	1	168	41	26	70	88	83	135		
	30.0%	31.0%	29.0%	35.0%	29.0%	28.0%	33.0%	30.0%	30.0%	28.0%	29.0%	35.0%	27.0%	31.0%	31.0%	22.0%	-	100.0%	30.0%	30.0%	25.0%	33.0%	30.0%	32.0%	29.0%		

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

1. [SUMMARY - TOP2BOX (AGREE)] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

											DEM B				DEM A											
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive	
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460	
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463	
If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines	860	406	454	240	304	316	101	297	322	140	247	137	176	299	823	35	2	0	463	120	88	189	227	227	407	
	85.0%	83.0%	87.0%	85.0%	81.0%	89.0% D	87.0%	86.0%	81.0%	90.0% H	82.0%	83.0%	88.0%	86.0%	85.0%	81.0%	100.0%	-	83.0%	87.0%	84.0%	89.0%	78.0%	87.0%	88.0% V	
Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients	802	383	418	229	293	280	95	269	310	127	247	129	160	265	768	31	2	1	448	112	85	157	225	202	376	
	79.0%	78.0%	80.0%	81.0%	78.0%	79.0%	82.0%	78.0%	78.0%	82.0%	82.0%	78.0%	80.0%	77.0%	80.0%	71.0%	100.0%	100.0%	81.0% U	80.0%	81.0%	74.0%	78.0%	78.0%	81.0%	
If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect the health of Canadians	706	337	370	184	267	255	78	239	277	113	212	108	146	240	670	34	2	0	388	97	78	143	201	177	328	
	70.0%	69.0%	71.0%	65.0%	71.0%	72.0%	67.0%	70.0%	70.0%	72.0%	71.0%	65.0%	73.0%	69.0%	69.0%	78.0%	100.0%	-	70.0%	70.0%	75.0%	67.0%	70.0%	68.0%	71.0%	
Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage, side-effect...	607	283	324	173	203	231	62	209	234	103	166	107	129	205	579	28	1	0	332	91	55	129	160	160	288	
	60.0%	58.0%	62.0%	61.0%	54.0%	65.0% D	53.0%	61.0%	59.0%	66.0% F	55.0%	65.0%	65.0% J	59.0%	60.0%	64.0%	53.0%	-	60.0%	66.0% T	52.0%	61.0%	55.0%	62.0%	62.0%	

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

1. [SUMMARY - LOW2BOX (DISAGREE)] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

											DEM B				DEM A										
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C		
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463
Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage, side-effect...																									
	405	208	197	109	171	124	54	134	163	53	134	58	71	141	387	16	1	1	223	48	50	84	129	100	175
	40.0%	42.0%	38.0%	39.0%	46.0% E	35.0%	47.0% I	39.0%	41.0%	34.0%	45.0% L	35.0%	35.0%	41.0%	40.0%	36.0%	47.0%	100.0%	40.0%	34.0%	48.0% S	39.0%	45.0%	38.0%	38.0%
If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect the health of Canadians																									
	306	154	152	99	107	100	38	104	120	43	88	57	54	107	295	10	0	1	168	41	26	70	88	83	135
	30.0%	31.0%	29.0%	35.0%	29.0%	28.0%	33.0%	30.0%	30.0%	28.0%	29.0%	35.0%	27.0%	31.0%	31.0%	22.0%	-	100.0%	30.0%	30.0%	25.0%	33.0%	30.0%	32.0%	29.0%
Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients																									
	210	107	103	53	82	75	20	75	86	28	53	36	40	81	197	13	0	0	107	27	19	56	65	58	87
	21.0%	22.0%	20.0%	19.0%	22.0%	21.0%	18.0%	22.0%	22.0%	18.0%	18.0%	22.0%	20.0%	23.0%	20.0%	29.0%	-	-	19.0%	20.0%	19.0%	26.0% R	22.0%	22.0%	19.0%
If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines																									
	152	85	67	42	70	39	15	47	75	16	53	27	24	47	143	8	0	1	93	18	17	24	63	33	56
	15.0%	17.0%	13.0%	15.0%	19.0% E	11.0%	13.0%	14.0%	19.0% I	10.0%	18.0%	17.0%	12.0%	14.0%	15.0%	19.0%	-	100.0%	17.0%	13.0%	16.0%	11.0%	22.0% WX	13.0%	12.0%

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

2.1. [Research on the effectiveness, safety and risks of medical marijuana] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

											DEM B				DEM A														
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C						
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive				
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460				
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463				
Research on the effectiveness, safety and risks of medical marijuana																													
Very important	615	266	349	156	214	245	73	213	236	93	181	102	126	206	588	25	2	0	333	87	59	135	177	161	277				
	61.0%	54.0%	67.0%	55.0%	57.0%	69.0%	63.0%	62.0%	59.0%	60.0%	60.0%	62.0%	63.0%	60.0%	61.0%	58.0%	100.0%	-	60.0%	63.0%	57.0%	63.0%	61.0%	62.0%	60.0%				
Somewhat important	293	158	135	96	118	78	24	95	123	51	86	42	59	105	279	12	0	1	168	36	29	60	75	76	141				
	29.0%	32.0%	26.0%	34.0%	32.0%	22.0%	21.0%	28.0%	31.0%	33.0%	29.0%	26.0%	30.0%	30.0%	29.0%	29.0%	-	100.0%	30.0%	26.0%	28.0%	28.0%	26.0%	29.0%	31.0%				
Not very important	77	55	22	23	28	26	13	25	29	10	22	16	12	27	72	5	0	0	35	12	13	16	23	18	36				
	8.0%	11.0%	4.0%	8.0%	8.0%	7.0%	11.0%	7.0%	7.0%	7.0%	7.0%	10.0%	6.0%	8.0%	7.0%	11.0%	-	-	6.0%	9.0%	13.0%	8.0%	8.0%	7.0%	8.0%				
Not at all important	28	12	16	7	14	7	6	11	9	2	11	4	4	9	26	1	0	0	19	3	3	2	15	4	9				
	3.0%	2.0%	3.0%	2.0%	4.0%	2.0%	5.0%	3.0%	2.0%	1.0%	4.0%	3.0%	2.0%	2.0%	3.0%	3.0%	-	-	3.0%	2.0%	3.0%	1.0%	5.0%	2.0%	2.0%				
Summary																													
Top2Box (Very/ Somewhat Important)	908	424	484	253	332	323	97	308	359	143	267	144	185	311	867	37	2	1	502	123	88	195	252	237	419				
	90.0%	86.0%	93.0%	89.0%	89.0%	91.0%	84.0%	90.0%	90.0%	92.0%	89.0%	88.0%	92.0%	90.0%	90.0%	86.0%	100.0%	100.0%	90.0%	89.0%	85.0%	91.0%	87.0%	91.0%	90.0%				
Low2Box (Not Very/ Not At All Important)	104	67	37	30	42	32	18	36	38	12	33	20	16	35	98	6	0	0	54	16	16	18	38	22	44				
	10.0%	14.0%	7.0%	11.0%	11.0%	9.0%	16.0%	10.0%	10.0%	8.0%	11.0%	12.0%	8.0%	10.0%	10.0%	14.0%	-	-	10.0%	11.0%	15.0%	9.0%	13.0%	9.0%	10.0%				

Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

2.2. [Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

												DEM B				DEM A												
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C					
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive			
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460			
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463			
Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol																												
Very important	652	286	366	171	217	264	77	228	255	92	191	103	136	221	622	27	2	0	354	89	67	142	180	171	301			
	64.0%	58.0%	70.0%	60.0%	58.0%	74.0% CD	66.0%	66.0%	64.0%	59.0%	64.0%	63.0%	68.0%	64.0%	64.0%	63.0%	100.0%	-	64.0%	64.0%	64.0%	67.0%	62.0%	66.0%	65.0%			
Somewhat important	295	165	130	93	133	70	27	93	120	55	87	49	54	105	282	12	0	1	165	42	30	59	85	74	137			
	29.0%	34.0%	25.0%	33.0%	35.0%	20.0%	24.0%	27.0%	30.0%	35.0%	29.0%	30.0%	27.0%	30.0%	29.0%	28.0%	-	100.0%	30.0%	30.0%	29.0%	28.0%	29.0%	28.0%	30.0%			
Not very important	49	32	18	16	16	17	9	13	20	7	18	9	8	14	46	3	0	0	28	5	7	9	17	11	21			
	5.0%	6.0%	3.0%	6.0%	4.0%	5.0%	7.0%	4.0%	5.0%	5.0%	6.0%	5.0%	4.0%	4.0%	5.0%	7.0%	-	-	5.0%	4.0%	6.0%	4.0%	6.0%	4.0%	4.0%			
Not at all important	16	9	7	3	8	5	3	10	1	2	4	3	2	7	15	1	0	0	9	3	1	3	7	4	5			
	2.0%	2.0%	1.0%	1.0%	2.0%	1.0%	3.0% H	3.0% H	0	1.0%	1.0%	2.0%	1.0%	2.0%	2.0%	3.0%	-	-	2.0%	2.0%	1.0%	1.0%	2.0%	2.0%	1.0%			
Summary																												
Top2Box (Very/ Somewhat Important)	947	451	496	263	350	333	104	321	375	146	278	153	190	326	904	39	2	1	518	131	97	201	265	244	438			
	94.0%	92.0%	95.0% A	93.0%	94.0%	94.0%	90.0%	93.0%	95.0%	94.0%	93.0%	93.0%	95.0%	94.0%	94.0%	91.0%	100.0%	100.0%	93.0%	95.0%	93.0%	94.0%	92.0%	94.0%	95.0%			
Low2Box (Not Very/ Not At All Important)	65	40	25	19	24	22	12	23	21	9	22	12	10	20	61	4	0	0	37	8	8	12	24	15	25			
	6.0%	8.0% B	5.0%	7.0%	6.0%	6.0%	10.0%	7.0%	5.0%	6.0%	7.0%	7.0%	5.0%	6.0%	6.0%	9.0%	-	-	7.0%	5.0%	7.0%	6.0%	8.0%	6.0%	5.0%			

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

2.3. [Guidelines for physicians on prescribing the use of medical marijuana] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

											DEM B				DEM A													
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C					
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive			
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460			
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463			
Guidelines for physicians on prescribing the use of medical marijuana																												
Very important	623	272	352	144	225	255	63	234	239	88	173	100	126	225	596	25	2	0	340	83	65	135	165	162	296			
	62.0%	55.0%	68.0%	51.0%	60.0%	72.0%	55.0%	68.0%	60.0%	56.0%	58.0%	61.0%	63.0%	65.0%	62.0%	57.0%	100.0%	-	61.0%	60.0%	63.0%	63.0%	57.0%	62.0%	64.0%			
Somewhat important	307	172	135	108	122	77	39	90	127	52	97	54	54	102	292	14	0	1	170	44	30	64	95	71	141			
	30.0%	35.0%	26.0%	38.0%	33.0%	22.0%	33.0%	26.0%	32.0%	33.0%	32.0%	33.0%	27.0%	30.0%	30.0%	31.0%	-	100.0%	31.0%	31.0%	28.0%	30.0%	33.0%	28.0%	30.0%			
Not very important	63	40	23	26	20	17	8	15	27	12	22	9	18	15	59	4	0	0	35	9	8	11	18	23	22			
	6.0%	8.0%	4.0%	9.0%	5.0%	5.0%	7.0%	4.0%	7.0%	8.0%	7.0%	5.0%	9.0%	4.0%	6.0%	9.0%	-	-	6.0%	6.0%	7.0%	5.0%	6.0%	9.0%	5.0%			
Not at all important	18	7	11	5	8	6	6	5	4	4	8	2	3	5	17	1	0	0	11	3	2	3	11	3	4			
	2.0%	1.0%	2.0%	2.0%	2.0%	2.0%	5.0%	1.0%	1.0%	3.0%	3.0%	1.0%	1.0%	1.0%	2.0%	3.0%	-	-	2.0%	2.0%	2.0%	1.0%	4.0%	1.0%	1.0%			
Summary																												
Top2Box (Very/ Somewhat Important)	931	443	487	252	347	332	102	323	366	140	270	154	180	327	889	38	2	1	510	127	95	199	260	234	437			
	92.0%	90.0%	93.0%	89.0%	93.0%	93.0%	88.0%	94.0%	92.0%	90.0%	90.0%	93.0%	90.0%	94.0%	92.0%	89.0%	100.0%	100.0%	92.0%	91.0%	91.0%	93.0%	90.0%	90.0%	94.0%			
Low2Box (Not Very/ Not At All Important)	81	48	34	31	28	23	14	20	31	16	30	11	21	20	76	5	0	0	46	12	9	14	29	26	26			
	8.0%	10.0%	7.0%	11.0%	7.0%	7.0%	12.0%	6.0%	8.0%	10.0%	10.0%	7.0%	10.0%	6.0%	8.0%	11.0%	-	-	8.0%	9.0%	9.0%	7.0%	10.0%	10.0%	6.0%			
Proportions/Means: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing																												

2. [SUMMARY - TOP2BOX (VERY/ SOMEWHAT IMPORTANT)] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

											DEM B				DEM A										
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C		
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463
Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol																									
	947	451	496	263	350	333	104	321	375	146	278	153	190	326	904	39	2	1	518	131	97	201	265	244	438
	94.0%	92.0%	95.0%	93.0%	94.0%	94.0%	90.0%	93.0%	95.0%	94.0%	93.0%	93.0%	95.0%	94.0%	94.0%	91.0%	100.0%	100.0%	93.0%	95.0%	93.0%	94.0%	92.0%	94.0%	95.0%
Guidelines for physicians on prescribing the use of medical marijuana			A																						
	931	443	487	252	347	332	102	323	366	140	270	154	180	327	889	38	2	1	510	127	95	199	260	234	437
	92.0%	90.0%	93.0%	89.0%	93.0%	93.0%	88.0%	94.0%	92.0%	90.0%	90.0%	93.0%	90.0%	94.0%	92.0%	89.0%	100.0%	100.0%	92.0%	91.0%	91.0%	93.0%	90.0%	90.0%	94.0%
Research on the effectiveness, safety and risks of medical marijuana								F						JL										VW	
	908	424	484	253	332	323	97	308	359	143	267	144	185	311	867	37	2	1	502	123	88	195	252	237	419
	90.0%	86.0%	93.0%	89.0%	89.0%	91.0%	84.0%	90.0%	90.0%	92.0%	89.0%	88.0%	92.0%	90.0%	90.0%	86.0%	100.0%	100.0%	90.0%	89.0%	85.0%	91.0%	87.0%	91.0%	90.0%
			A																						

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

2. [SUMMARY - LOW2BOX (NOT VERY/ NOT AT ALL IMPORTANT)] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

											DEM B				DEM A												
	GENDER			AGE			EDUCATION				Use social media				Use the internet				Visit social networking sites				DEM C				
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Daily/few times a day	Weekly/few times weekly	About once a month / few times a month	Never	Active	Passive	Inactive		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X			
Base: All Respondents	1012	468	544	271	394	347	103	311	441	157	299	165	201	347	967	42	2	1	559	140	104	209	290	262	460		
Weighted	1012	491	521	282	374	355	116	344	397	156	300	165	200	347	965	43*	2**	1**	556	139	104	213	290	259	463		
Research on the effectiveness, safety and risks of medical marijuana	104	67	37	30	42	32	18	36	38	12	33	20	16	35	98	6	0	0	54	16	16	18	38	22	44		
	10.0%	14.0%	7.0%	11.0%	11.0%	9.0%	16.0%	10.0%	10.0%	8.0%	11.0%	12.0%	8.0%	10.0%	10.0%	14.0%	-	-	10.0%	11.0%	15.0%	9.0%	13.0%	9.0%	10.0%		
Guidelines for physicians on prescribing the use of medical marijuana	81	48	34	31	28	23	14	20	31	16	30	11	21	20	76	5	0	0	46	12	9	14	29	26	26		
	8.0%	10.0%	7.0%	11.0%	7.0%	7.0%	12.0% G	6.0%	8.0%	10.0%	10.0% M	7.0%	10.0% M	6.0%	8.0%	11.0%	-	-	8.0%	9.0%	9.0%	7.0%	10.0% X	10.0% X	6.0%		
Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol	65	40	25	19	24	22	12	23	21	9	22	12	10	20	61	4	0	0	37	8	8	12	24	15	25		
	6.0%	8.0% B	5.0%	7.0%	6.0%	6.0%	10.0%	7.0%	5.0%	6.0%	7.0%	7.0%	5.0%	6.0%	6.0%	9.0%	-	-	7.0%	5.0%	7.0%	6.0%	8.0%	6.0%	5.0%		

Proportions/Mean: Columns Tested (5% risk level) - A/B - C/D/E - F/G/H/I - J/K/L/M - N/O/P/Q - R/S/T/U - V/W/X Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing