

1_1. [If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines													
Strongly agree	550	78	66	30	217	114	45	176	81	136	63	126	389
	54.0%	58.0%	62.0%	45.0%	56.0%	47.0%	62.0%	51.0%	50.0%	58.0%	51.0%	52.0%	55.0%
Somewhat agree			CE		E		CE						
	310	34	23	23	114	98	18	116	50	60	43	74	217
	31.0%	25.0%	21.0%	35.0%	29.0%	40.0%	25.0%	34.0%	31.0%	26.0%	35.0%	31.0%	31.0%
Somewhat disagree				B		ABDF		I					
	92	13	13	9	28	20	7	27	17	30	11	24	61
	9.0%	10.0%	13.0%	14.0%	7.0%	8.0%	10.0%	8.0%	10.0%	13.0%	9.0%	10.0%	9.0%
Strongly disagree													
	60	10	5	4	28	11	2	23	15	8	6	18	38
	6.0%	7.0%	5.0%	6.0%	7.0%	5.0%	3.0%	7.0%	9.0%	3.0%	5.0%	7.0%	5.0%
Summary													
Top2Box (Agree)	860	113	89	52	331	212	63	292	132	196	107	200	606
	85.0%	83.0%	83.0%	80.0%	85.0%	87.0%	87.0%	85.0%	81.0%	84.0%	86.0%	83.0%	86.0%
Low2Box (Disagree)													
	152	23	19	13	57	31	9	50	32	38	17	42	99
	15.0%	17.0%	17.0%	20.0%	15.0%	13.0%	13.0%	15.0%	19.0%	16.0%	14.0%	17.0%	14.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

1_2. [Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients													
Strongly agree	440	62	47	24	160	108	39	153	71	97	44	101	314
	43.0%	46.0%	43.0%	36.0%	41.0%	44.0%	55.0%	45.0%	43.0%	42.0%	36.0%	42.0%	45.0%
Somewhat agree							CD						
	362	44	38	28	140	90	22	114	57	83	55	91	245
	36.0%	33.0%	35.0%	42.0%	36.0%	37.0%	31.0%	33.0%	35.0%	36.0%	45.0%	37.0%	35.0%
Somewhat disagree											G		
	125	19	15	4	53	28	5	50	18	32	11	29	90
Strongly disagree	12.0%	14.0%	14.0%	7.0%	14.0%	12.0%	7.0%	15.0%	11.0%	14.0%	9.0%	12.0%	13.0%
Strongly disagree	85	11	8	10	34	17	5	25	18	21	13	21	57
	8.0%	8.0%	7.0%	15.0%	9.0%	7.0%	7.0%	7.0%	11.0%	9.0%	11.0%	9.0%	8.0%
Summary				E									
	802	106	84	51	301	198	61	267	128	180	100	192	558
Top2Box (Agree)	79.0%	78.0%	79.0%	78.0%	78.0%	81.0%	85.0%	78.0%	78.0%	77.0%	80.0%	79.0%	79.0%
Low2Box (Disagree)	210	29	23	14	87	46	10	75	36	53	24	50	147
	21.0%	22.0%	21.0%	22.0%	22.0%	19.0%	15.0%	22.0%	22.0%	23.0%	20.0%	21.0%	21.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

1_3. [Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage...] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage...													
Strongly agree	285	45	39	13	97	69	23	91	39	73	36	66	198
	28.0%	33.0%	36.0%	19.0%	25.0%	28.0%	32.0%	27.0%	24.0%	31.0%	29.0%	27.0%	28.0%
Somewhat agree	322	36	34	18	125	86	23	109	51	73	35	87	218
	32.0%	26.0%	31.0%	28.0%	32.0%	36.0%	32.0%	32.0%	31.0%	31.0%	28.0%	36.0%	31.0%
Somewhat disagree	233	27	18	20	94	61	13	80	39	55	31	53	164
	23.0%	20.0%	16.0%	30.0%	24.0%	25.0%	18.0%	23.0%	24.0%	24.0%	25.0%	22.0%	23.0%
Strongly disagree	172	28	17	15	72	27	13	62	35	32	22	36	125
	17.0%	20.0%	16.0%	23.0%	19.0%	11.0%	18.0%	18.0%	22.0%	14.0%	18.0%	15.0%	18.0%
Summary													
Top2Box (Agree)	607	81	73	31	221	155	46	200	89	146	71	153	416
	60.0%	59.0%	68.0%	47.0%	57.0%	64.0%	64.0%	58.0%	55.0%	63.0%	57.0%	63.0%	59.0%
Low2Box (Disagree)	405	55	35	35	167	88	26	143	74	88	53	89	289
	40.0%	41.0%	32.0%	53.0%	43.0%	36.0%	36.0%	42.0%	45.0%	37.0%	43.0%	37.0%	41.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

1_4. [If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect...] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect...													
Strongly agree	384	55	46	25	147	79	32	123	61	85	50	84	278
	38.0%	40.0%	43.0%	38.0%	38.0%	33.0%	44.0%	36.0%	37.0%	36.0%	40.0%	35.0%	39.0%
Somewhat agree	323	46	30	19	121	83	24	117	51	71	29	91	213
	32.0%	34.0%	28.0%	28.0%	31.0%	34.0%	33.0%	34.0%	31.0%	30.0%	23.0%	38.0%	30.0%
Somewhat disagree	187	23	17	14	72	52	10	70	26	45	26	40	132
	18.0%	17.0%	15.0%	21.0%	19.0%	21.0%	13.0%	20.0%	16.0%	19.0%	21.0%	17.0%	19.0%
Strongly disagree	119	12	15	8	47	29	6	32	25	33	19	26	83
	12.0%	9.0%	14.0%	12.0%	12.0%	12.0%	9.0%	9.0%	15.0%	14.0%	15.0%	11.0%	12.0%
Summary													
Top2Box (Agree)	706	101	75	44	268	162	56	240	113	156	79	175	491
	70.0%	75.0%	70.0%	67.0%	69.0%	67.0%	78.0%	70.0%	69.0%	67.0%	63.0%	72.0%	70.0%
Low2Box (Disagree)	306	34	32	22	120	81	16	102	51	78	45	67	215
	30.0%	25.0%	30.0%	33.0%	31.0%	33.0%	22.0%	30.0%	31.0%	33.0%	37.0%	28.0%	30.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

1. [SUMMARY - TOP2BOX (AGREE)] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines	860	113	89	52	331	212	63	292	132	196	107	200	606
	85.0%	83.0%	83.0%	80.0%	85.0%	87.0%	87.0%	85.0%	81.0%	84.0%	86.0%	83.0%	86.0%
Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients	802	106	84	51	301	198	61	267	128	180	100	192	558
	79.0%	78.0%	79.0%	78.0%	78.0%	81.0%	85.0%	78.0%	78.0%	77.0%	80.0%	79.0%	79.0%
If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect the health of Canadians	706	101	75	44	268	162	56	240	113	156	79	175	491
	70.0%	75.0%	70.0%	67.0%	69.0%	67.0%	78.0%	70.0%	69.0%	67.0%	63.0%	72.0%	70.0%
Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage, side-effect...	607	81	73	31	221	155	46	200	89	146	71	153	416
	60.0%	59.0%	68.0%	47.0%	57.0%	64.0%	64.0%	58.0%	55.0%	63.0%	57.0%	63.0%	59.0%
			CD			C	C						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

1. [SUMMARY - LOW2BOX (DISAGREE)] Please indicate whether you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Until such time as research on the effectiveness and safety of medical marijuana and official guidelines are developed for physicians including dosage, side-effect...													
	405	55	35	35	167	88	26	143	74	88	53	89	289
	40.0%	41.0%	32.0%	53.0%	43.0%	36.0%	36.0%	42.0%	45.0%	37.0%	43.0%	37.0%	41.0%
				BEF	B								
If Health Canada removes itself from the process for authorizing medical marijuana it is not meeting its commitment and responsibilities to protect the health of Canadians													
	306	34	32	22	120	81	16	102	51	78	45	67	215
	30.0%	25.0%	30.0%	33.0%	31.0%	33.0%	22.0%	30.0%	31.0%	33.0%	37.0%	28.0%	30.0%
Health Canada has a responsibility to maintain its role and continue to authorize the use of medical marijuana for patients													
	210	29	23	14	87	46	10	75	36	53	24	50	147
	21.0%	22.0%	21.0%	22.0%	22.0%	19.0%	15.0%	22.0%	22.0%	23.0%	20.0%	21.0%	21.0%
If medical marijuana is to be prescribed to patients, it should go through the same rigorous testing and approval as other medicines													
	152	23	19	13	57	31	9	50	32	38	17	42	99
	15.0%	17.0%	17.0%	20.0%	15.0%	13.0%	13.0%	15.0%	19.0%	16.0%	14.0%	17.0%	14.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

2_1. [Research on the effectiveness, safety and risks of medical marijuana] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Research on the effectiveness, safety and risks of medical marijuana													
Very important	615	82	79	32	255	118	50	196	97	143	66	140	425
	61.0%	60.0%	74.0%	48.0%	66.0%	49.0%	69.0%	57.0%	59.0%	61.0%	54.0%	58.0%	60.0%
		E	ACE		CE		CE						
Somewhat important	293	38	21	25	95	96	18	107	50	63	44	78	205
	29.0%	28.0%	20.0%	38.0%	25.0%	39.0%	25.0%	31.0%	31.0%	27.0%	36.0%	32.0%	29.0%
				BD		ABDF							
Not very important	77	8	6	6	29	25	3	28	12	23	10	15	57
	8.0%	6.0%	6.0%	9.0%	7.0%	10.0%	4.0%	8.0%	8.0%	10.0%	8.0%	6.0%	8.0%
Not at all important	28	7	1	4	9	5	2	11	4	5	3	9	18
	3.0%	5.0%	1.0%	6.0%	2.0%	2.0%	3.0%	3.0%	2.0%	2.0%	2.0%	4.0%	3.0%
Summary													
Top2Box (Very/ Somewhat Important)	908	120	100	57	350	214	67	303	147	206	111	218	630
	90.0%	89.0%	93.0%	86.0%	90.0%	88.0%	93.0%	88.0%	90.0%	88.0%	89.0%	90.0%	89.0%
Low2Box (Not Very/ Not At All Important)	104	15	7	9	38	30	5	39	16	28	13	24	75
	10.0%	11.0%	7.0%	14.0%	10.0%	12.0%	7.0%	12.0%	10.0%	12.0%	11.0%	10.0%	11.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

2.2. [Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-60K	60k-100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol													
Very important	652	90	79	37	260	136	49	207	105	156	68	148	461
	64.0%	66.0%	74.0%	56.0%	67.0%	56.0%	69.0%	61.0%	64.0%	67.0%	55.0%	61.0%	65.0%
Somewhat important	295	37	24	21	106	89	19	107	48	66	51	80	199
	29.0%	27.0%	22.0%	32.0%	27.0%	36.0%	26.0%	31.0%	29.0%	28.0%	41.0%	33.0%	28.0%
Not very important	49	6	3	6	17	16	1	22	9	9	3	9	34
	5.0%	5.0%	3.0%	9.0%	4.0%	7.0%	1.0%	6.0%	6.0%	4.0%	3.0%	4.0%	5.0%
Not at all important	16	3	1	2	5	2	3	6	2	3	2	5	11
	2.0%	2.0%	1.0%	3.0%	1.0%	1.0%	4.0%	2.0%	1.0%	1.0%	2.0%	2.0%	2.0%
Summary													
Top2Box (Very/ Somewhat Important)	947	127	104	58	366	225	68	314	153	221	118	228	661
	94.0%	94.0%	96.0%	88.0%	94.0%	92.0%	94.0%	92.0%	93.0%	95.0%	96.0%	94.0%	94.0%
Low2Box (Not Very/ Not At All Important)	65	9	4	8	22	18	4	28	11	12	5	14	44
	6.0%	6.0%	4.0%	12.0%	6.0%	8.0%	6.0%	8.0%	7.0%	5.0%	4.0%	6.0%	6.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

2.3. [Guidelines for physicians on prescribing the use of medical marijuana] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Guidelines for physicians on prescribing the use of medical marijuana													
Very important	623	86	81	33	251	123	48	198	94	150	71	150	433
	62.0%	64.0%	76.0%	51.0%	65.0%	51.0%	67.0%	58.0%	57.0%	64.0%	57.0%	62.0%	61.0%
		E	CDE		CE		CE						
Somewhat important	307	43	20	24	108	94	19	112	60	63	39	75	217
	30.0%	32.0%	18.0%	36.0%	28.0%	39.0%	26.0%	33.0%	37.0%	27.0%	31.0%	31.0%	31.0%
		B		B		BDF							
Not very important	63	3	5	6	22	24	3	25	9	16	9	14	41
	6.0%	2.0%	5.0%	9.0%	6.0%	10.0%	4.0%	7.0%	6.0%	7.0%	8.0%	6.0%	6.0%
				A		A							
Not at all important	18	4	1	3	7	2	2	8	1	3	5	4	14
	2.0%	3.0%	1.0%	4.0%	2.0%	1.0%	3.0%	2.0%	1.0%	1.0%	4.0%	2.0%	2.0%
Summary													
Top2Box (Very/ Somewhat Important)	931	129	101	57	359	217	67	310	153	214	110	224	650
	92.0%	95.0%	94.0%	87.0%	92.0%	89.0%	94.0%	91.0%	94.0%	92.0%	89.0%	93.0%	92.0%
		C											
Low2Box (Not Very/ Not At All Important)	81	7	6	9	29	26	5	32	10	20	14	18	55
	8.0%	5.0%	6.0%	13.0%	8.0%	11.0%	6.0%	9.0%	6.0%	8.0%	11.0%	7.0%	8.0%
				A									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

2. [SUMMARY - TOP2BOX (VERY/ SOMEWHAT IMPORTANT)] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol	947	127	104	58	366	225	68	314	153	221	118	228	661
	94.0%	94.0%	96.0%	88.0%	94.0%	92.0%	94.0%	92.0%	93.0%	95.0%	96.0%	94.0%	94.0%
			C		C								
Guidelines for physicians on prescribing the use of medical marijuana	931	129	101	57	359	217	67	310	153	214	110	224	650
	92.0%	95.0%	94.0%	87.0%	92.0%	89.0%	94.0%	91.0%	94.0%	92.0%	89.0%	93.0%	92.0%
		C											
Research on the effectiveness, safety and risks of medical marijuana	908	120	100	57	350	214	67	303	147	206	111	218	630
	90.0%	89.0%	93.0%	86.0%	90.0%	88.0%	93.0%	88.0%	90.0%	88.0%	89.0%	90.0%	89.0%

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base

2. [SUMMARY - LOW2BOX (NOT VERY/ NOT AT ALL IMPORTANT)] To what extent is it important that each of these items be put in place before Health Canada remove itself from the medical marijuana authorization process. Please indicate whether each is very important, somewhat important, not very important or not at all important.

		REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	<40k	40k-<60K	60k-<100k	100k+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L
Base: All Respondents	1012	114	110	78	386	248	76	339	162	234	128	250	698
Weighted	1012	136	107	66*	388	243	72*	342	164	233	124	242	705
Research on the effectiveness, safety and risks of medical marijuana	104	15	7	9	38	30	5	39	16	28	13	24	75
	10.0%	11.0%	7.0%	14.0%	10.0%	12.0%	7.0%	12.0%	10.0%	12.0%	11.0%	10.0%	11.0%
Guidelines for physicians on prescribing the use of medical marijuana	81	7	6	9	29	26	5	32	10	20	14	18	55
	8.0%	5.0%	6.0%	13.0%	8.0%	11.0%	6.0%	9.0%	6.0%	8.0%	11.0%	7.0%	8.0%
				A									
Research on the interaction of medical marijuana and commonly prescribed drugs like those used to control blood pressure and cholesterol	65	9	4	8	22	18	4	28	11	12	5	14	44
	6.0%	6.0%	4.0%	12.0%	6.0%	8.0%	6.0%	8.0%	7.0%	5.0%	4.0%	6.0%	6.0%
				BD									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F - G/H/I/J - K/L Overlap formulae used. * small base