

1. If you encountered someone experiencing a severe allergic reaction and they needed your help, how prepared would you be to assist that individual?

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
I would know exactly what to do.	370	159	210	117	140	113	39	121	151	59
	37%	33%	40%	42%	37%	32%	34%	35%	38%	38%
			A	E			*			
I would be uncertain of what to do.	532	266	266	135	202	195	64	179	212	77
	53%	54%	51%	48%	54%	55%	55%	52%	54%	49%
							*			
I wouldn't have any idea of what to do.	107	64	43	29	31	46	13	42	33	20
	11%	13%	8%	10%	8%	13%	11%	12%	8%	13%
		B					*			

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

2. If you encountered someone experiencing a severe allergic reaction and they needed your help, how would you likely react in that situation.

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
I would be calm and in control.	622	299	324	175	230	217	77	191	254	100
	62%	61%	62%	62%	62%	61%	66%	56%	64%	64%
							*		G	
I would be unsure and lack confidence.	353	176	178	86	136	131	36	139	128	51
	35%	36%	34%	31%	36%	37%	31%	41%	32%	33%
							*	H		
I would panic and be of little help.	33	15	18	20	7	6	3	12	13	5
	3%	3%	4%	7%	2%	2%	3%	3%	3%	3%
				DE			*			

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_1. [I know the symptoms of anaphylaxis, and I'd be able to recognize a severe reaction.]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
I know the symptoms of anaphylaxis, and I'd be able to recognize a severe reaction.										
Strongly agree	157	57	99	52	55	50	16	47	62	31
	16%	12%	19%	18%	15%	14%	14%	14%	16%	20%
			A				*			
Somewhat agree	350	165	185	99	131	120	34	111	143	61
	35%	34%	36%	35%	35%	34%	29%	33%	36%	40%
							*			
Somewhat disagree	312	149	162	86	119	107	47	105	119	41
	31%	30%	31%	31%	32%	30%	41%	31%	30%	27%
							I*			
Strongly disagree	191	118	74	45	68	78	19	79	72	22
	19%	24%	14%	16%	18%	22%	17%	23%	18%	14%
		B					*	I		
Summary										
Top2Box (Agree)	506	222	284	150	187	169	50	159	205	93
	50%	45%	55%	53%	50%	48%	43%	46%	52%	60%
			A				*			FGH
Low2Box (Disagree)	503	267	236	131	187	185	66	184	190	63
	50%	55%	45%	47%	50%	52%	57%	54%	48%	40%
		B					I*	I	I	

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_2. [Allergic reactions usually occur many hours after exposure to the allergen, so there's lots of time to provide treatment.]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
Allergic reactions usually occur many hours after exposure to the allergen, so there's lots of time to provide treatment.										
Strongly agree	30	15	15	14	8	8	4	5	16	6
	3%	3%	3%	5%	2%	2%	3%	2%	4%	4%
							*			
Somewhat agree	117	67	50	40	48	28	19	40	41	16
	12%	14%	10%	14%	13%	8%	16%	12%	10%	11%
Somewhat disagree				E	E		*			
	302	170	132	73	128	101	34	112	111	44
	30%	35%	25%	26%	34%	29%	30%	33%	28%	28%
		B			C		*			
Strongly disagree	560	237	324	154	189	217	59	185	227	89
	56%	48%	62%	55%	51%	61%	51%	54%	57%	57%
			A			D	*			
Summary										
Top2Box (Agree)	147	82	64	55	56	36	22	45	57	22
	15%	17%	12%	19%	15%	10%	19%	13%	14%	14%
				E			*			
Low2Box (Disagree)	862	407	455	227	317	318	93	297	339	133
	85%	83%	88%	81%	85%	90%	81%	87%	86%	86%
						C	*			

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_3. [I'm familiar with auto-injectors, and I'd know how to use one.]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
I'm familiar with auto-injectors, and I'd know how to use one.										
Strongly agree	180	84	96	56	68	56	19	55	77	30
	18%	17%	19%	20%	18%	16%	16%	16%	20%	19%
							*			
Somewhat agree	317	140	176	100	107	109	35	97	135	49
	31%	29%	34%	36%	29%	31%	30%	28%	34%	32%
							*			
Somewhat disagree	301	157	144	82	109	110	35	119	103	44
	30%	32%	28%	29%	29%	31%	30%	35%	26%	29%
							*	H		
Strongly disagree	212	109	102	44	89	79	27	72	80	32
	21%	22%	20%	16%	24%	22%	24%	21%	20%	21%
					C		*			
Summary										
Top2Box (Agree)	496	224	273	156	175	165	53	152	213	79
	49%	46%	52%	55%	47%	47%	46%	44%	54%	51%
							*		G	
Low2Box (Disagree)	513	266	247	125	198	189	63	191	183	76
	51%	54%	48%	45%	53%	53%	54%	56%	46%	49%
							*	H		

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_4. [I'd be terrified of injecting someone with an auto-injector incorrectly and hurting or harming the individual.]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
I'd be terrified of injecting someone with an auto-injector incorrectly and hurting or harming the individual.										
Strongly agree	103	46	57	47	34	22	20	39	30	14
	10%	9%	11%	17%	9%	6%	17%	11%	8%	9%
				DE			H*			
Somewhat agree	290	136	155	94	95	101	32	113	106	40
	29%	28%	30%	33%	26%	29%	27%	33%	27%	25%
				D			*			
Somewhat disagree	363	189	175	82	148	133	42	103	155	64
	36%	39%	34%	29%	40%	38%	36%	30%	39%	41%
					C		*		G	G
Strongly disagree	252	119	133	58	96	98	22	88	104	38
	25%	24%	26%	21%	26%	28%	19%	26%	26%	25%
							*			
Summary										
Top2Box (Agree)	394	182	212	141	129	123	52	152	136	54
	39%	37%	41%	50%	35%	35%	45%	44%	35%	35%
				DE			*	HI		
Low2Box (Disagree)	615	307	308	140	244	231	64	191	259	102
	61%	63%	59%	50%	65%	65%	55%	56%	65%	65%
					C	C	*		G	G

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_5. [After epinephrine has been administered by an auto-injector, the next most important action is to make sure the individual goes home to rest.]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
After epinephrine has been administered by an auto-injector, the next most important action is to make sure the individual goes home to rest.										
Strongly agree	91	42	49	24	32	35	21	30	29	12
	9%	9%	9%	9%	9%	10%	18%	9%	7%	8%
							GHI*			
Somewhat agree	260	133	128	75	89	96	32	100	89	39
	26%	27%	25%	27%	24%	27%	27%	29%	22%	25%
							*			
Somewhat disagree	289	145	144	76	122	92	29	102	118	40
	29%	30%	28%	27%	33%	26%	25%	30%	30%	26%
							*			
Strongly disagree	369	170	199	107	131	132	35	110	160	64
	37%	35%	38%	38%	35%	37%	30%	32%	40%	41%
							*		G	G
Summary										
Top2Box (Agree)	351	174	177	99	121	131	52	130	117	51
	35%	36%	34%	35%	32%	37%	45%	38%	30%	33%
							H*	H		
Low2Box (Disagree)	658	315	343	182	252	223	64	212	278	104
	65%	64%	66%	65%	68%	63%	55%	62%	70%	67%
							*		FG	

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3_6. [I would have more confidence in using an auto-injector if someone verbally walked me through the steps of using it.]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
I would have more confidence in using an auto-injector if someone verbally walked me through the steps of using it.										
Strongly agree	361	165	196	115	121	125	44	123	143	52
	36%	34%	38%	41%	33%	35%	38%	36%	36%	33%
							*			
Somewhat agree	453	228	225	114	177	162	43	154	180	76
	45%	47%	43%	41%	47%	46%	37%	45%	46%	49%
							*			
Somewhat disagree	129	62	68	34	50	46	19	38	54	18
	13%	13%	13%	12%	13%	13%	17%	11%	14%	12%
							*			
Strongly disagree	65	34	31	19	25	22	10	27	19	10
	6%	7%	6%	7%	7%	6%	8%	8%	5%	6%
							*			
Summary										
Top2Box (Agree)	814	393	421	229	298	286	87	277	323	127
	81%	80%	81%	81%	80%	81%	75%	81%	82%	82%
							*			
Low2Box (Disagree)	195	96	99	52	75	68	29	65	73	28
	19%	20%	19%	19%	20%	19%	25%	19%	18%	18%
							*			

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3. [SUMMARY - TOP2BOX (AGREE)]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
I would have more confidence in using an auto-injector if someone verbally walked me through the steps of using it.	814	393	421	229	298	286	87	277	323	127
	81%	80%	81%	81%	80%	81%	75%	81%	82%	82%
							*			
I know the symptoms of anaphylaxis, and I'd be able to recognize a severe reaction.	506	222	284	150	187	169	50	159	205	93
	50%	45%	55%	53%	50%	48%	43%	46%	52%	60%
			A				*			FGH
I'm familiar with auto-injectors, and I'd know how to use one.	496	224	273	156	175	165	53	152	213	79
	49%	46%	52%	55%	47%	47%	46%	44%	54%	51%
							*		G	
I'd be terrified of injecting someone with an auto-injector incorrectly and hurting or harming the individual.	394	182	212	141	129	123	52	152	136	54
	39%	37%	41%	50%	35%	35%	45%	44%	35%	35%
				DE			*	HI		
After epinephrine has been administered by an auto-injector, the next most important action is to make sure the individual goes home to rest.	351	174	177	99	121	131	52	130	117	51
	35%	36%	34%	35%	32%	37%	45%	38%	30%	33%
							H*	H		
Allergic reactions usually occur many hours after exposure to the allergen, so there's lots of time to provide treatment.	147	82	64	55	56	36	22	45	57	22
	15%	17%	12%	19%	15%	10%	19%	13%	14%	14%
				E			*			

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

3. [SUMMARY - LOW2BOX (DISAGREE)]

To what extent do you agree or disagree with the following statements:

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	1009	481	528	261	399	349	68	203	475	263
Weighted	1009	489	520	282	373	354	116	342	396	155
Allergic reactions usually occur many hours after exposure to the allergen, so there's lots of time to provide treatment.	862	407	455	227	317	318	93	297	339	133
	85%	83%	88%	81%	85%	90%	81%	87%	86%	86%
						C	*			
After epinephrine has been administered by an auto-injector, the next most important action is to make sure the individual goes home to rest.	658	315	343	182	252	223	64	212	278	104
	65%	64%	66%	65%	68%	63%	55%	62%	70%	67%
I'd be terrified of injecting someone with an auto-injector incorrectly and hurting or harming the individual.							*		FG	
	615	307	308	140	244	231	64	191	259	102
	61%	63%	59%	50%	65%	65%	55%	56%	65%	65%
I'm familiar with auto-injectors, and I'd know how to use one.					C	C	*		G	G
	513	266	247	125	198	189	63	191	183	76
	51%	54%	48%	45%	53%	53%	54%	56%	46%	49%
							*	H		
I know the symptoms of anaphylaxis, and I'd be able to recognize a severe reaction.	503	267	236	131	187	185	66	184	190	63
	50%	55%	45%	47%	50%	52%	57%	54%	48%	40%
		B					I*	I	I	
I would have more confidence in using an auto-injector if someone verbally walked me through the steps of using it.	195	96	99	52	75	68	29	65	73	28
	19%	20%	19%	19%	20%	19%	25%	19%	18%	18%
							*			

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)