

Are you a regulated healthcare provider/practitioner? (i.e. nurse, doctor, pharmacist, physiotherapist, etc.)

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Yes	127	65	63	68	35	24	5	31	58	34
	5%	5%	5%	10%	4%	3%	2%	3%	6%	9%
				DE						FGH
No	2413	1170	1243	640	899	874	237	884	934	358
	95%	95%	95%	90%	96%	97%	98%	97%	94%	91%
					C	C	I	I	I	

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

If a federal election were held tomorrow, which of the following best describes how committed you are to actually go out and vote?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Nothing short of an unforeseen emergency could stop me from getting to the voting booth and casting my vote	1456 57%	751 61%	705 54%	302 43%	521 56%	633 70%	87 36%	510 56%	587 59%	272 70%
Not Certain (Net)		B			C	CD		F	F	FGH
	1084 43%	484 39%	600 46%	406 57%	413 44%	266 30%	155 64%	406 44%	405 41%	119 30%
			A	DE	E		GHI	I	I	
I would do my best to vote, but sometimes things get in the way	648 25%	296 24%	352 27%	248 35%	237 25%	162 18%	61 25%	240 26%	258 26%	89 23%
				DE	E					
I might vote, but I won't make a special effort to do so	213 8%	103 8%	110 8%	84 12%	72 8%	57 6%	49 20%	78 9%	70 7%	16 4%
				DE			GHI	I	I	
I probably won't vote	106 4%	42 3%	64 5%	42 6%	51 5%	12 1%	24 10%	45 5%	34 3%	2 1%
				E	E		HI	I	I	
I definitely won't vote	118 5%	43 3%	75 6%	31 4%	53 6%	34 4%	20 8%	42 5%	43 4%	12 3%
			A				I			

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Which of the following best describes your religious identity?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Atheist / Agnostic/Humanist	273	141	132	124	95	55	27	84	100	63
	11%	11%	10%	17%	10%	6%	11%	9%	10%	16%
				DE	E					GH
Buddhist	20	14	6	10	6	4	2	2	9	7
	1%	1%	*	1%	1%	*	1%	*	1%	2%
										G
Hindu	18	11	6	9	8	1	-	8	4	6
	1%	1%	*	1%	1%	*	-	1%	*	1%
				E						H
Jewish	32	15	17	15	7	11	1	10	10	10
	1%	1%	1%	2%	1%	1%	*	1%	1%	3%
										H
Muslim	36	19	17	21	12	3	-	12	11	12
	1%	2%	1%	3%	1%	*	-	1%	1%	3%
				E						FGH
Protestant or other Christian	626	264	362	134	201	290	70	220	248	88
	25%	21%	28%	19%	22%	32%	29%	24%	25%	22%
			A			CD				
Roman Catholic	699	367	333	92	289	319	56	261	275	107
	28%	30%	25%	13%	31%	35%	23%	29%	28%	27%
					C	C				
Sikh	6	4	3	6	-	1	-	3	3	1
	*	*	*	1%	-	*	-	*	*	*
				D						
Other	110	46	64	42	42	25	20	31	49	10
	4%	4%	5%	6%	4%	3%	8%	3%	5%	2%
				E			GI		I	
No Religious Identity	626	324	302	226	233	166	53	250	249	73
	25%	26%	23%	32%	25%	19%	22%	27%	25%	19%
				DE	E			I	I	
Don't know/Refused	94	29	65	28	42	24	13	34	32	15
	4%	2%	5%	4%	5%	3%	5%	4%	3%	4%
			A							

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

How often do you attend church, temple, mosque services at your place of worship?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Regular (Net)	373	178	195	120	108	145	34	136	133	70
	15%	14%	15%	17%	12%	16%	14%	15%	13%	18%
				D		D				H
More than once a week	105	46	59	35	29	41	14	44	34	13
	4%	4%	5%	5%	3%	5%	6%	5%	3%	3%
Once a week	268	133	136	85	79	104	20	91	99	57
	11%	11%	10%	12%	8%	12%	8%	10%	10%	15%
										GH
Occasional (Net)	264	123	141	59	117	88	15	81	120	48
	10%	10%	11%	8%	13%	10%	6%	9%	12%	12%
					C					
Less than once a week but more than once a month	104	48	56	23	45	36	3	26	55	20
	4%	4%	4%	3%	5%	4%	1%	3%	6%	5%
									G	
Less than once a month	160	75	85	36	71	52	12	54	65	28
	6%	6%	7%	5%	8%	6%	5%	6%	7%	7%
Infrequent/Non (Net)	1903	934	970	529	709	666	192	699	738	273
	75%	76%	74%	75%	76%	74%	79%	76%	74%	70%
							I	I	I	
Once or twice a year	590	290	300	154	203	233	47	191	248	104
	23%	24%	23%	22%	22%	26%	19%	21%	25%	26%
										G
Never	1314	644	670	375	506	433	146	508	490	170
	52%	52%	51%	53%	54%	48%	60%	56%	49%	43%
					E		HI	HI	I	

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

As you may know, The Supreme Court of Canada recently ruled that competent Canadians will soon have the right to a physician's assistance to die. Adults with a grievous and irremediable medical condition (due to illness, injury or disability) that causes enduring suffering that is intolerable to the individual, and who clearly consent to the termination of their life, will soon have the right to a physician's assistance to die. Do you support or oppose the Supreme Court's decision?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Strongly support	1296	635	661	358	456	481	125	444	532	195
	51%	51%	51%	51%	49%	54%	52%	48%	54%	50%
Somewhat support	872	447	424	244	336	292	79	331	327	135
	34%	36%	33%	34%	36%	33%	33%	36%	33%	34%
Somewhat oppose	187	79	109	66	66	55	24	66	64	34
	7%	6%	8%	9%	7%	6%	10%	7%	6%	9%
Strongly oppose	185	74	111	40	76	70	14	75	69	27
	7%	6%	9%	6%	8%	8%	6%	8%	7%	7%
A										
Summary										
Top2Box (Support)	2168	1083	1085	602	792	773	204	774	859	330
	85%	88%	83%	85%	85%	86%	84%	85%	87%	84%
B										
Low2Box (Oppose)	372	152	220	105	142	125	38	141	133	61
	15%	12%	17%	15%	15%	14%	16%	15%	13%	16%
A										

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

When implemented, the Supreme Court's decision will allow physician-assisted dying for patients who are competent at the time of the request and at the time the request is carried out. It does not address physician-assisted dying for patients who are competent at the time of the request, but not at the time the request is to be carried out (i.e. in a coma or late-stage dementia). Which of the following is closest to your point of view?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Physician-assisted death should only be available for patients who are competent at the time of the request and at the time the request	911	445	465	317	310	284	82	367	329	134
	36%	36%	36%	45%	33%	32%	34%	40%	33%	34%
Physician-assisted death should be available for patients who are competent at the time of the request, even if they are no longer competent at	1629	789	840	391	625	614	160	549	663	258
	64%	64%	64%	55%	67%	68%	66%	60%	67%	66%
				DE				H		
					C	C			G	

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Assuming the patient meets all the other criteria for an assisted death and has otherwise been approved, would you support or oppose physician-assisted dying for patients who have a scheduled assisted death and who are competent at the time of the request but not competent at the time the assisted death is to be carried out? For example, a patient and her doctor agree on Friday to schedule an assisted death on the following Monday, but over the weekend the patient slips into a coma.

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Strongly support	1154	564	589	262	435	456	117	391	471	176
	45%	46%	45%	37%	47%	51%	48%	43%	47%	45%
Somewhat support	930	473	457	282	343	304	70	358	354	148
	37%	38%	35%	40%	37%	34%	29%	39%	36%	38%
Somewhat oppose	267	127	140	108	88	71	36	93	96	42
	11%	10%	11%	15%	9%	8%	15%	10%	10%	11%
Strongly oppose	190	70	119	55	67	67	19	73	71	26
	7%	6%	9%	8%	7%	7%	8%	8%	7%	7%
Summary										
Top2Box (Support)	2083	1037	1046	545	778	760	186	749	825	324
	82%	84%	80%	77%	83%	85%	77%	82%	83%	83%
Low2Box (Oppose)	457	197	259	163	156	138	56	167	167	68
	18%	16%	20%	23%	17%	15%	23%	18%	17%	17%

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Assuming the patient meets all the other criteria for a physician assisted death, would you support or oppose physician assisted death for patients who are competent at the time of the request but not competent at the time the request is carried out, as long as the person has a diagnosis of a grievous and irremediable medical condition when the request is made? For example, if a patient has a diagnosis of dementia and requests to have assistance to die when they become bedridden and unable to bathe, shave and toilet themselves, but is no longer competent when these conditions arise.

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Strongly support	1110	535	575	277	403	430	115	375	449	171
	44%	43%	44%	39%	43%	48%	48%	41%	45%	44%
Somewhat support	934	476	458	278	351	305	75	359	358	142
	37%	39%	35%	39%	38%	34%	31%	39%	36%	36%
Somewhat oppose	315	155	160	104	114	97	36	113	112	55
	12%	13%	12%	15%	12%	11%	15%	12%	11%	14%
Strongly oppose	181	68	113	48	66	66	16	69	73	23
	7%	6%	9%	7%	7%	7%	6%	7%	7%	6%
A										
Summary										
Top2Box (Support)	2044	1011	1033	555	754	735	191	734	806	313
	80%	82%	79%	78%	81%	82%	79%	80%	81%	80%
Low2Box (Oppose)	496	224	272	153	180	163	51	181	185	79
	20%	18%	21%	22%	19%	18%	21%	20%	19%	20%

- Column Proportions:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B,C/D/E,F/G/H/I
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Would you support physician assisted dying for patients who are competent at the time of the request even if they do not have a grievous and irremediable medical condition? For example, a person may wish to write advance instructions specifying that they are to receive an assisted death if they have a stroke and are unable to move or communicate, even if they have not been diagnosed as at risk of having a stroke when they write their advance instructions.

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Strongly support	848	431	417	221	318	309	94	301	342	111
	33%	35%	32%	31%	34%	34%	39%	33%	34%	28%
Somewhat support	952	465	486	252	364	336	88	335	375	154
	37%	38%	37%	36%	39%	37%	36%	37%	38%	39%
Somewhat oppose	473	234	239	153	165	155	40	173	176	84
	19%	19%	18%	22%	18%	17%	17%	19%	18%	21%
Strongly oppose	268	104	163	80	88	99	20	106	99	42
	11%	8%	13%	11%	9%	11%	8%	12%	10%	11%
A										
Summary										
Top2Box (Support)	1799	897	903	474	681	644	181	636	717	265
	71%	73%	69%	67%	73%	72%	75%	69%	72%	68%
C										
Low2Box (Oppose)	741	338	403	234	253	254	61	280	274	126
	29%	27%	31%	33%	27%	28%	25%	31%	28%	32%
D										

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Are you permanently or severely physically disabled, such that you are unable to carry out the basic activities of daily living without assistance?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Yes	94	48	46	30	42	22	15	37	33	9
	4%	4%	4%	4%	5%	2%	6%	4%	3%	2%
					E					
No	2446	1187	1259	678	892	876	227	879	958	382
	96%	96%	96%	96%	95%	98%	94%	96%	97%	98%
						D				

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Have you been close to someone who suffered terribly before they died?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Yes (Net)	1609	734	875	401	591	617	145	602	634	228
	63%	59%	67%	57%	63%	69%	60%	66%	64%	58%
			A		C	CD		I	I	
Yes, a family member	1309	576	733	316	486	506	119	511	504	175
	52%	47%	56%	45%	52%	56%	49%	56%	51%	45%
			A		C	C		I	I	
Yes, a friend	313	163	150	75	111	127	23	109	134	47
	12%	13%	12%	11%	12%	14%	9%	12%	14%	12%
Yes, a colleague	63	42	21	16	30	18	2	25	25	11
	2%	3%	2%	2%	3%	2%	1%	3%	3%	3%
			B							
Yes, someone in another social circle	172	84	88	52	56	64	14	60	65	33
	7%	7%	7%	7%	6%	7%	6%	7%	7%	8%
No	931	501	430	307	344	281	97	314	357	163
	37%	41%	33%	43%	37%	31%	40%	34%	36%	42%
			B		DE	E				GH

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I
 Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Have you ever known someone who was diagnosed with dementia?

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents	2530	1065	1465	652	932	946	128	499	1098	805
Weighted	2540	1235	1305	708	934	898	242	916	991	391
Yes (Net)	1464	648	816	340	496	629	120	529	586	229
	58%	52%	63%	48%	53%	70%	50%	58%	59%	58%
			A			CD				
I have a dementia diagnosis	12	9	4	10	2	1	-	4	6	2
	*	1%	*	1%	*	*	-	*	1%	*
				DE						
Yes, a family member	935	390	545	212	332	391	67	323	395	150
	37%	32%	42%	30%	36%	44%	28%	35%	40%	38%
			A			CD			F	F
Yes, a friend	228	111	117	38	71	119	14	103	77	34
	9%	9%	9%	5%	8%	13%	6%	11%	8%	9%
						CD		H		
Yes, a colleague	42	28	14	15	9	18	-	12	18	12
	2%	2%	1%	2%	1%	2%	-	1%	2%	3%
										FG
Yes, someone in another social circle	221	102	119	53	72	96	17	84	82	37
	9%	8%	9%	8%	8%	11%	7%	9%	8%	10%
Yes, other	200	91	110	50	56	94	29	48	93	30
	8%	7%	8%	7%	6%	11%	12%	5%	9%	8%
						D	G		G	
No	1076	587	489	368	439	269	122	387	405	162
	42%	48%	37%	52%	47%	30%	50%	42%	41%	42%
		B		E	E					

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)