

Are you a regulated healthcare provider/practitioner? (i.e. nurse, doctor, pharmacist, physiotherapist, etc.)

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Yes	127	13	11	9	61	26	8	4	38	23	33	28	45	82
	5%	4%	4%	6%	6%	4%	5%	5%	5%	6%	5%	6%	7%	4%
													M	
No	2413	330	261	157	922	588	155	68	647	383	623	443	620	1792
	95%	96%	96%	94%	94%	96%	95%	95%	95%	94%	95%	94%	93%	96%
														L

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

If a federal election were held tomorrow, which of the following best describes how committed you are to actually go out and vote?

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Nothing short of an unforeseen emergency could stop me from getting to the voting booth and casting my vote	1456	208	159	88	562	347	92	42	306	241	381	341	329	1127
Not Certain (Net)	57%	61%	59%	53%	57%	57%	56%	58%	45%	59%	58%	73%	49%	60%
										H	H	HIJ		L
	1084	135	112	78	421	267	71	30	379	165	275	129	337	748
	43%	39%	41%	47%	43%	43%	44%	42%	55%	41%	42%	27%	51%	40%
									IJK	K	K		M	
I would do my best to vote, but sometimes things get in the way	648	79	74	52	257	135	51	22	182	120	180	89	211	436
	25%	23%	27%	31%	26%	22%	31%	31%	27%	30%	27%	19%	32%	23%
				AE			AE	AE	K	K	K		M	
I might vote, but I won't make a special effort to do so	213	35	16	15	79	57	11	3	98	24	41	15	62	151
	8%	10%	6%	9%	8%	9%	7%	4%	14%	6%	6%	3%	9%	8%
		G				G			IJK		K			
I probably won't vote	106	9	10	6	42	35	4	1	55	3	23	9	29	76
	4%	3%	4%	3%	4%	6%	2%	1%	8%	1%	3%	2%	4%	4%
						G			IJK		I			
I definitely won't vote	118	12	12	6	44	40	5	4	44	17	32	17	34	84
	5%	3%	4%	4%	4%	7%	3%	5%	6%	4%	5%	4%	5%	4%

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Which of the following best describes your religious identity?

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Atheist / Agnostic/Humanist	273	43	36	12	97	72	14	6	92	51	66	48	75	198
	11%	12%	13%	7%	10%	12%	9%	9%	13%	13%	10%	10%	11%	11%
Buddhist	20	3	7	1	8	1	*	*	3	9	3	5	7	13
	1%	1%	3%	1%	1%	*	*	*	*	2%	*	1%	1%	1%
			DEF							HJ				
Hindu	18	1	2	*	7	8	-	-	7	2	1	7	4	13
	1%	*	1%	*	1%	1%	-	-	1%	*	*	1%	1%	1%
												J		
Jewish	32	3	1	1	20	7	1	1	8	5	9	7	6	26
	1%	1%	*	1%	2%	1%	1%	1%	1%	1%	1%	2%	1%	1%
Muslim	36	3	2	1	21	8	*	*	9	8	10	6	15	21
	1%	1%	1%	1%	2%	1%	*	*	1%	2%	1%	1%	2%	1%
Protestant or other Christian	626	92	80	62	288	48	55	24	177	106	158	92	167	458
	25%	27%	30%	37%	29%	8%	34%	34%	26%	26%	24%	20%	25%	24%
		E	E	ADE	E		E	E	K					
Roman Catholic	699	38	45	32	239	304	42	17	128	100	201	174	173	527
	28%	11%	17%	19%	24%	49%	25%	24%	19%	25%	31%	37%	26%	28%
				A	AB	ABCDGF	AB	AB			H	HI		
Sikh	6	1	-	-	6	-	-	-	2	-	1	1	1	5
	*	*	-	-	1%	-	-	-	*	-	*	*	*	*
Other	110	20	19	8	48	4	10	4	51	13	23	11	30	80
	4%	6%	7%	5%	5%	1%	6%	6%	7%	3%	4%	2%	4%	4%
		E	E	E	E		E	E	IJK					
No Religious Identity	626	121	70	43	215	142	34	16	189	101	161	108	160	466
	25%	35%	26%	26%	22%	23%	21%	22%	28%	25%	25%	23%	24%	25%
		BCDEFG												
Don't know/Refused	94	19	9	5	34	21	6	2	20	10	22	11	28	66
	4%	6%	3%	3%	3%	3%	4%	3%	3%	2%	3%	2%	4%	4%

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

How often do you attend church, temple, mosque services at your place of worship?

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Regular (Net)	373	48	37	33	196	33	26	12	82	78	96	58	112	261
	15%	14%	14%	20%	20%	5%	16%	17%	12%	19%	15%	12%	17%	14%
		E	E	E	ABE		E	E		HK				
More than once a week	105	16	9	9	57	8	6	1	29	18	26	18	39	66
	4%	5%	3%	5%	6%	1%	4%	2%	4%	5%	4%	4%	6%	4%
		E		E	EG								M	
Once a week	268	32	28	24	139	25	20	11	53	60	70	40	74	195
	11%	9%	10%	15%	14%	4%	12%	16%	8%	15%	11%	9%	11%	10%
		E	E	E	AE		E	AE		HK				
Occasional (Net)	264	33	30	18	106	53	24	10	84	40	58	44	80	184
	10%	10%	11%	11%	11%	9%	15%	13%	12%	10%	9%	9%	12%	10%
							E							
Less than once a week but more than once a month	104	11	15	11	30	27	10	3	34	16	24	18	26	78
	4%	3%	6%	7%	3%	4%	6%	5%	5%	4%	4%	4%	4%	4%
				D			D							
Less than once a month	160	22	15	7	76	27	14	6	50	23	34	25	54	106
	6%	6%	5%	4%	8%	4%	8%	9%	7%	6%	5%	5%	8%	6%
							E	CE						
Infrequent/Non (Net)	1903	262	205	115	681	528	113	50	519	288	502	369	474	1430
	75%	76%	75%	69%	69%	86%	70%	69%	76%	71%	77%	78%	71%	76%
		D				ABCD FG					I		L	
Once or twice a year	590	56	55	41	221	177	40	18	156	84	155	120	165	424
	23%	16%	20%	25%	22%	29%	24%	25%	23%	21%	24%	26%	25%	23%
				A	A	ABD	A	A						
Never	1314	205	150	74	460	352	73	31	363	204	347	249	308	1005
	52%	60%	55%	44%	47%	57%	45%	44%	53%	50%	53%	53%	46%	54%
		CDFG	CDFG			CDFG								L

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

As you may know, The Supreme Court of Canada recently ruled that competent Canadians will soon have the right to a physician's assistance to die. Adults with a grievous and irremediable medical condition (due to illness, injury or disability) that causes enduring suffering that is intolerable to the individual, and who clearly consent to the termination of their life, will soon have the right to a physician's assistance to die. Do you support or oppose the Supreme Court's decision?

	REGION								HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Strongly support	1296	197	142	73	488	310	86	39	333	205	347	268	307	989
	51%	58%	53%	44%	50%	50%	53%	54%	49%	51%	53%	57%	46%	53%
		CD						C				H		L
Somewhat support	872	96	95	66	339	222	54	21	222	140	215	160	235	637
	34%	28%	35%	40%	35%	36%	33%	29%	32%	35%	33%	34%	35%	34%
				AG	A	A								
Somewhat oppose	187	25	16	13	88	35	10	6	65	26	47	24	64	123
	7%	7%	6%	8%	9%	6%	6%	9%	10%	6%	7%	5%	10%	7%
									K				M	
Strongly oppose	185	25	18	14	67	48	13	6	65	34	47	18	60	125
	7%	7%	7%	9%	7%	8%	8%	9%	10%	8%	7%	4%	9%	7%
									K	K	K			
Summary														
Top2Box (Support)	2168	293	238	139	827	531	140	59	554	345	562	428	542	1626
	85%	86%	88%	83%	84%	87%	86%	83%	81%	85%	86%	91%	81%	87%
												HIJ		L
Low2Box (Oppose)	372	50	34	28	156	83	23	12	131	60	94	42	124	248
	15%	14%	12%	17%	16%	13%	14%	17%	19%	15%	14%	9%	19%	13%
									K	K	K		M	

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

When implemented, the Supreme Court's decision will allow physician-assisted dying for patients who are competent at the time of the request and at the time the request is carried out. It does not address physician-assisted dying for patients who are competent at the time of the request, but not at the time the request is to be carried out (i.e. in a coma or late-stage dementia). Which of the following is closest to your point of view?

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Physician-assisted death should only be available for patients who are competent at the time of the request and at the time the	911	128	87	61	356	229	50	22	258	150	240	148	273	638
	36%	37%	32%	37%	36%	37%	31%	31%	38%	37%	37%	32%	41%	34%
													M	
Physician-assisted death should be available for patients who are competent at the time of the request, even if they are no longer	1629	215	184	105	627	385	113	49	427	256	416	322	393	1237
	64%	63%	68%	63%	64%	63%	69%	69%	62%	63%	63%	68%	59%	66%
														L

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Assuming the patient meets all the other criteria for an assisted death and has otherwise been approved, would you support or oppose physician-assisted dying for patients who have a scheduled assisted death and who are competent at the time of the request but not competent at the time the assisted death is to be carried out? For example, a patient and her doctor agree on Friday to schedule an assisted death on the following Monday, but over the weekend the patient slips into a coma.

	REGION								HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Strongly support	1154	170	119	65	448	273	78	34	291	185	303	241	272	882
	45%	50%	44%	39%	46%	44%	48%	48%	43%	46%	46%	51%	41%	47%
		C										H		L
Somewhat support	930	116	102	69	351	235	57	24	242	141	256	167	258	672
	37%	34%	38%	41%	36%	38%	35%	34%	35%	35%	39%	35%	39%	36%
Somewhat oppose	267	36	28	21	106	62	14	7	77	45	55	44	85	183
	11%	10%	10%	13%	11%	10%	9%	10%	11%	11%	8%	9%	13%	10%
Strongly oppose	190	21	22	11	78	44	13	6	75	35	43	18	51	138
	7%	6%	8%	7%	8%	7%	8%	8%	11%	9%	7%	4%	8%	7%
									JK	K				
Summary														
Top2Box (Support)	2083	286	221	134	799	508	135	59	533	326	559	408	530	1554
	82%	84%	81%	81%	81%	83%	83%	82%	78%	80%	85%	87%	80%	83%
											H	HI		
Low2Box (Oppose)	457	57	51	32	183	106	28	13	152	80	97	62	136	321
	18%	16%	19%	19%	19%	17%	17%	18%	22%	20%	15%	13%	20%	17%
									JK	K				

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Assuming the patient meets all the other criteria for a physician assisted death, would you support or oppose physician assisted death for patients who are competent at the time of the request but not competent at the time the request is carried out, as long as the person has a diagnosis of a grievous and irremediable medical condition when the request is made? For example, if a patient has a diagnosis of dementia and requests to have assistance to die when they become bedridden and unable to bathe, shave and toilet themselves, but is no longer competent when these conditions arise.

	REGION								HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Strongly support	1110	152	131	69	434	244	80	35	265	184	291	240	264	846
	44%	44%	48%	41%	44%	40%	49%	49%	39%	45%	44%	51%	40%	45%
							E	E				H		L
Somewhat support	934	127	87	64	361	243	54	23	256	136	241	177	248	687
	37%	37%	32%	38%	37%	39%	33%	32%	37%	33%	37%	38%	37%	37%
Somewhat oppose	315	40	31	23	121	84	16	9	97	55	77	37	100	215
	12%	12%	11%	14%	12%	14%	10%	12%	14%	14%	12%	8%	15%	11%
									K	K				
Strongly oppose	181	24	23	11	67	44	13	5	66	31	47	15	55	126
	7%	7%	8%	6%	7%	7%	8%	6%	10%	8%	7%	3%	8%	7%
									K	K	K			
Summary														
Top2Box (Support)	2044	279	218	132	795	487	134	59	521	319	532	418	511	1533
	80%	81%	80%	80%	81%	79%	82%	82%	76%	79%	81%	89%	77%	82%
												HIJ		L
Low2Box (Oppose)	496	64	54	34	188	128	29	13	163	87	124	53	155	341
	20%	19%	20%	20%	19%	21%	18%	18%	24%	21%	19%	11%	23%	18%
									K	K	K		M	

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Would you support physician assisted dying for patients who are competent at the time of the request even if they do not have a grievous and irremediable medical condition? For example, a person may wish to write advance instructions specifying that they are to receive an assisted death if they have a stroke and are unable to move or communicate, even if they have not been diagnosed as at risk of having a stroke when they write their advance instructions.

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Strongly support	848	131	112	54	328	167	57	23	220	143	219	163	211	637
	33%	38%	41%	32%	33%	27%	35%	33%	32%	35%	33%	35%	32%	34%
		E	DE											
Somewhat support	952	121	76	62	361	268	63	28	242	147	240	197	246	705
	37%	35%	28%	37%	37%	44%	39%	39%	35%	36%	37%	42%	37%	38%
				B	B	AB	B	B						
Somewhat oppose	473	56	54	34	196	109	25	13	137	74	124	78	140	334
	19%	16%	20%	20%	20%	18%	16%	18%	20%	18%	19%	17%	21%	18%
Strongly oppose	268	36	29	17	98	70	18	7	85	42	73	32	69	198
	11%	10%	11%	10%	10%	11%	11%	10%	12%	10%	11%	7%	10%	11%
									K		K			
Summary														
Top2Box (Support)	1799	252	188	116	689	435	120	51	462	291	459	360	457	1342
	71%	73%	69%	70%	70%	71%	74%	72%	68%	72%	70%	77%	69%	72%
												HJ		
Low2Box (Oppose)	741	91	83	51	294	179	43	20	222	115	197	110	209	532
	29%	27%	31%	30%	30%	29%	26%	28%	32%	28%	30%	23%	31%	28%
									K		K			

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Are you permanently or severely physically disabled, such that you are unable to carry out the basic activities of daily living without assistance?

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Yes	94	13	11	3	46	17	5	2	51	8	18	10	30	65
	4%	4%	4%	2%	5%	3%	3%	3%	7%	2%	3%	2%	4%	3%
									IJK					
No	2446	330	260	163	936	597	158	69	634	397	638	460	636	1810
	96%	96%	96%	98%	95%	97%	97%	97%	93%	98%	97%	98%	96%	97%
										H	H	H		

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Have you been close to someone who suffered terribly before they died?

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Yes (Net)	1609	208	183	112	604	398	104	48	465	235	410	301	426	1183
	63%	61%	68%	67%	61%	65%	64%	68%	68%	58%	62%	64%	64%	63%
									I					
Yes, a family member	1309	173	153	95	486	316	85	39	371	189	337	246	338	970
	52%	51%	56%	57%	49%	52%	52%	55%	54%	47%	51%	52%	51%	52%
Yes, a friend														
	313	52	31	23	116	69	23	10	94	42	89	56	88	225
	12%	15%	12%	14%	12%	11%	14%	13%	14%	10%	14%	12%	13%	12%
Yes, a colleague														
	63	9	7	4	19	21	3	2	22	7	15	8	18	45
	2%	3%	3%	2%	2%	3%	2%	2%	3%	2%	2%	2%	3%	2%
Yes, someone in another social circle														
	172	18	20	8	61	53	12	5	47	22	36	40	47	125
	7%	5%	8%	5%	6%	9%	7%	6%	7%	5%	5%	9%	7%	7%
No														
	931	135	88	54	379	217	59	23	220	170	246	169	240	691
	37%	39%	32%	33%	39%	35%	36%	32%	32%	42%	38%	36%	36%	37%
										H				

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Have you ever known someone who was diagnosed with dementia?

		REGION							HOUSEHOLD INCOME				HOUSEHOLD	
	Total	BC	AB	SK/MB	Ontario	Quebec	Atlantic	Nova Scotia	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids
		A	B	C	D	E	F	G	H	I	J	K	L	M
Base: All Respondents	2530	400	300	250	800	350	430	300	592	379	689	531	682	1848
Weighted	2540	343	271	166	983	614	163	72	685	406	656	470	666	1874
Yes (Net)	1464	224	181	112	620	217	111	51	377	245	372	274	368	1097
	58%	65%	67%	67%	63%	35%	68%	71%	55%	60%	57%	58%	55%	59%
		E	E	E	E		E	DE						
I have a dementia diagnosis	12	2	-	*	6	4	-	-	7	1	3	1	5	7
	*	1%	-	*	1%	1%	-	-	1%	*	*	*	1%	*
Yes, a family member	935	142	135	71	387	133	68	32	223	159	239	189	247	688
	37%	41%	50%	42%	39%	22%	42%	45%	33%	39%	36%	40%	37%	37%
		E	DE	E	E		E	E				H		
Yes, a friend	228	45	18	18	103	18	27	10	55	35	63	43	50	178
	9%	13%	7%	11%	10%	3%	17%	14%	8%	9%	10%	9%	7%	10%
		BE	E	E	E		BDE	BE						
Yes, a colleague	42	8	5	3	18	7	2	2	10	8	12	10	9	34
	2%	2%	2%	2%	2%	1%	1%	2%	1%	2%	2%	2%	1%	2%
Yes, someone in another social circle	221	40	25	12	85	46	12	6	62	38	56	39	63	158
	9%	12%	9%	7%	9%	7%	8%	8%	9%	9%	9%	8%	9%	8%
Yes, other	200	26	21	14	101	21	18	8	69	34	42	23	44	156
	8%	7%	8%	9%	10%	3%	11%	11%	10%	8%	6%	5%	7%	8%
		E	E	E	E		E	E	K					
No	1076	119	90	55	363	398	52	21	308	161	284	196	298	778
	42%	35%	33%	33%	37%	65%	32%	29%	45%	40%	43%	42%	45%	41%
					G	ABCDG								

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F/G, H/I/J/K, L/M
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)