

When you think of the different chronic conditions/diseases that the human body could develop, which ones come to mind?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: All Respondents	2548	135	1001	775	141	236	260	1216	1332	456	980	954	158
Base: All Respondents (wtd)	2548	183	609	976	158	275	347	1236	1312	460	903	961	224
Autoimmune/ Rheumatic (Net)	924	76	166	377	57	100	149	368	556	130	273	406	115
	36%	41%	27%	39%	36%	36%	43%	30%	42%	28%	30%	42%	51%
		B		B		B	B		I			KL	KL
Arthritis	742	64	117	314	52	75	120	302	440	117	208	322	95
	29%	35%	19%	32%	33%	27%	35%	25%	34%	26%	23%	34%	42%
		B		B	B	B	B		I			KL	KL
Osteoarthritis	49	-	40	7	-	-	3	17	32	4	12	24	10
	2%	-	7%	1%	-	-	1%	1%	2%	1%	1%	3%	4%
			ACDEF										KL
Fibromyalgia	103	13	24	34	8	12	12	17	86	9	38	48	8
	4%	7%	4%	4%	5%	5%	4%	1%	7%	2%	4%	5%	4%
									I			K	
Gout	34	4	1	16	1	4	8	16	18	5	12	16	1
	1%	2%	0%	2%	1%	2%	2%	1%	1%	1%	1%	2%	0%
		B		B		B	B						
Lupus	69	6	3	27	7	10	16	19	51	8	16	33	12
	3%	3%	1%	3%	5%	4%	5%	2%	4%	2%	2%	3%	6%
		B		B	B	B	B		I				KL
Rheumatism	16	-	10	5	-	1	1	9	7	-	5	8	3
	1%	-	2%	1%	-	0%	0%	1%	1%	-	1%	1%	1%
			C										
Psoriasis	22	2	4	9	2	3	2	11	11	2	11	6	3
	1%	1%	1%	1%	1%	1%	1%	1%	1%	0%	1%	1%	1%
Eczema	37	-	6	14	3	5	9	13	24	4	17	12	4
	2%	-	1%	1%	2%	2%	3%	1%	2%	1%	2%	1%	2%
Shingles	13	2	4	5	1	1	2	10	3	1	4	9	-
	1%	1%	1%	1%	1%	0%	1%	1%	0%	0%	0%	1%	-
Joint and muscle pains	28	1	1	9	1	8	8	18	10	3	12	13	-
	1%	1%	0%	1%	1%	3%	2%	2%	1%	1%	1%	1%	-
						BC	B						
Autoimmune diseases (unspecified)	15	-	1	6	-	6	3	3	12	3	2	8	3
	1%	-	0%	1%	-	2%	1%	0%	1%	1%	0%	1%	1%
						B							
Cancer (Net)	1295	103	314	465	89	150	175	627	668	237	416	514	128
	51%	56%	52%	48%	56%	54%	51%	51%	51%	52%	46%	54%	57%
												L	L
Cancer (unspecified)	1289	103	313	462	89	149	174	627	662	235	416	510	128
	51%	56%	51%	47%	56%	54%	50%	51%	51%	51%	46%	53%	57%
												L	L
Leukemia	14	1	3	8	2	-	-	6	8	5	1	8	-
	1%	1%	1%	1%	1%	-	-	1%	1%	1%	0%	1%	-

										L		L	
Other cancer mentions	11	-	4	4	1	1	1	3	8	1	1	8	-
	0%	-	1%	0%	1%	0%	0%	0%	1%	0%	0%	1%	-
Cardiovascular (Net)	949	68	215	395	52	91	128	386	563	145	256	432	116
	37%	37%	35%	41%	33%	33%	37%	31%	43%	32%	28%	45%	52%
				B					I			KL	KL
Heart/ cardiovascular diseases	689	58	115	305	39	70	102	284	405	102	182	317	89
	27%	31%	19%	31%	25%	26%	29%	23%	31%	22%	20%	33%	40%
		B		B		B	B		I			KL	KL
Hypertension/ high blood pressure	294	16	82	116	20	24	37	104	189	45	80	141	27
	12%	9%	13%	12%	13%	9%	11%	8%	14%	10%	9%	15%	12%
									I			KL	
Cholesterol/ high cholesterol	149	14	57	53	11	6	7	37	112	23	41	74	11
	6%	8%	9%	5%	7%	2%	2%	3%	9%	5%	5%	8%	5%
		EF	CEF	F	EF				I			L	
Stroke	79	3	12	39	2	13	9	32	47	12	25	35	7
	3%	2%	2%	4%	1%	5%	3%	3%	4%	3%	3%	4%	3%
				B		B							
Atrioventricular Canal Defect (AVC)	18	-	18	-	-	-	-	8	11	3	8	4	4
	1%	-	3%	-	-	-	-	1%	1%	1%	1%	0%	2%
			CEF										
Arteriosclerosis / atherosclerosis	11	1	2	4	-	3	1	3	8	1	2	5	4
	0%	1%	0%	0%	-	1%	0%	0%	1%	0%	0%	1%	2%
													L
Angina	9	-	7	2	-	-	-	2	7	-	1	8	-
	0%	-	1%	0%	-	-	-	0%	1%	-	0%	1%	-
			C									L	
Low blood pressure	4	-	4	-	-	-	-	-	4	1	1	2	-
	0%	-	1%	-	-	-	-	-	0%	0%	0%	0%	-
			C										
Digestive/ Gastrointestinal (Net)	407	38	64	157	28	47	73	146	261	74	157	153	23
	16%	21%	11%	16%	18%	17%	21%	12%	20%	16%	17%	16%	10%
		B		B	B	B	B		I				
Crohn's disease	213	23	30	83	20	22	36	71	143	31	99	76	7
	8%	12%	5%	9%	13%	8%	10%	6%	11%	7%	11%	8%	3%
		B		B	B		B		I		KN		
Irritable bowel syndrome (IBS)	82	6	12	42	3	10	9	19	63	16	30	33	4
	3%	4%	2%	4%	2%	4%	3%	2%	5%	4%	3%	3%	2%
				B					I				
Inflammatory Bowel Disease (IBD)	6	-	1	2	1	1	1	3	3	-	3	4	-
	0%	-	0%	0%	1%	0%	0%	0%	0%	-	0%	0%	-
Celiac disease	76	10	6	26	7	9	19	23	53	16	29	27	3
	3%	5%	1%	3%	4%	3%	5%	2%	4%	4%	3%	3%	1%
		B		B	B	B	BC		I				
Colitis	72	6	4	31	7	12	13	26	46	12	27	29	5
	3%	3%	1%	3%	4%	4%	4%	2%	4%	3%	3%	3%	2%
		B		B	B	B	B						
Acid reflux/ GERD/ heart burn	32	5	3	14	1	3	6	16	16	5	9	17	1
	1%	3%	1%	1%	1%	1%	2%	1%	1%	1%	1%	2%	0%
Ulcers	19	-	4	10	1	-	4	8	10	9	4	5	1
	1%	-	1%	1%	0%	-	1%	1%	1%	2%	0%	1%	0%
										LM			
Lactose intolerance	18	2	1	8	2	1	5	7	11	7	8	4	-
	1%	1%	0%	1%	1%	0%	2%	1%	1%	2%	1%	0%	-

							B			M			
Gluten intolerance	18	1	1	8	4	3	1	3	15	3	9	6	-
	1%	1%	0%	1%	3%	1%	0%	0%	1%	1%	1%	1%	-
					B				I				
Diverticulitis	9	-	1	3	1	3	1	2	6	*	3	1	4
	0%	-	0%	0%	1%	1%	0%	0%	1%	0%	0%	0%	2%
													KLM
Constipation	8	-	2	3	-	1	2	5	3	*	5	2	1
	0%	-	0%	0%	-	0%	1%	0%	0%	0%	1%	0%	0%
Digestive/ gastrointestinal diseases (unspecified)	25	1	10	9	-	1	4	9	15	3	6	10	6
	1%	1%	2%	1%	-	0%	1%	1%	1%	1%	1%	1%	3%
Vision (Net)	52	8	5	23	3	5	9	26	26	5	16	24	7
	2%	4%	1%	2%	2%	2%	3%	2%	2%	1%	2%	3%	3%
		B		B									
Glaucoma	24	5	2	11	2	2	2	8	16	3	6	10	4
	1%	3%	0%	1%	1%	1%	1%	1%	1%	1%	1%	1%	2%
		B											
Cataracts	11	1	-	1	1	1	7	6	5	1	2	5	3
	0%	1%	-	0%	1%	0%	2%	1%	0%	0%	0%	1%	1%
							BC						
Macular degeneration	5	1	-	3	-	1	1	3	2	-	2	1	2
	0%	0%	-	0%	-	1%	0%	0%	0%	-	0%	0%	1%
Loss of vision/ blindness	6	1	-	3	-	-	1	6	-	-	1	4	-
	0%	1%	-	0%	-	-	0%	0%	-	-	0%	0%	-
								J					
Eyesight/ vision conditions (unspecified)	10	-	3	7	-	-	-	6	3	1	4	5	-
	0%	-	1%	1%	-	-	-	1%	0%	0%	0%	1%	-
Neurological/ Neuropsychiatric (Net)	548	48	120	202	37	62	79	209	339	106	180	208	54
	22%	26%	20%	21%	23%	22%	23%	17%	26%	23%	20%	22%	24%
									I				
Multiple Sclerosis (MS)	227	17	46	83	15	29	37	66	160	25	62	109	31
	9%	9%	8%	9%	10%	11%	11%	5%	12%	6%	7%	11%	14%
									I			KL	KL
Alzheimer's	191	18	62	63	9	16	22	88	102	44	66	61	20
	8%	10%	10%	7%	6%	6%	6%	7%	8%	10%	7%	6%	9%
			C										
Parkinson's disease	96	10	29	44	4	5	5	37	59	16	34	36	11
	4%	6%	5%	5%	3%	2%	1%	3%	5%	3%	4%	4%	5%
		F	F	F									
Amyotrophic Lateral Sclerosis (ALS)	43	6	2	16	9	5	4	14	28	11	7	17	8
	2%	3%	0%	2%	6%	2%	1%	1%	2%	2%	1%	2%	4%
		B		B	BCF	B				L			L
Depression	79	8	15	27	6	10	14	24	55	26	33	20	1
	3%	5%	2%	3%	4%	4%	4%	2%	4%	6%	4%	2%	0%
									I	MN			
Dementia	58	4	2	25	2	17	9	16	42	12	20	22	4
	2%	2%	0%	3%	1%	6%	3%	1%	3%	3%	2%	2%	2%
		B		B		BCD	B		I				
Epilepsy	28	5	5	12	1	2	2	7	21	8	7	9	4
	1%	3%	1%	1%	1%	1%	1%	1%	2%	2%	1%	1%	2%
									I				
Anxiety	25	2	5	10	1	2	5	9	16	8	12	5	-
	1%	1%	1%	1%	0%	1%	1%	1%	1%	2%	1%	1%	-

										M			
Fatigue	21	-	4	7	2	3	6	11	10	4	9	8	-
	1%	-	1%	1%	1%	1%	2%	1%	1%	1%	1%	1%	-
Bipolar disorder	13	-	1	7	2	2	1	3	10	5	3	4	-
	1%	-	0%	1%	1%	1%	0%	0%	1%	1%	0%	0%	-
Schizophrenia	10	-	2	3	3	-	2	6	4	5	3	2	-
	0%	-	0%	0%	2%	-	1%	1%	0%	1%	0%	0%	-
Cerebral Palsy	15	2	2	10	-	2	-	5	10	2	1	4	8
	1%	1%	0%	1%	-	1%	-	0%	1%	0%	0%	0%	4%
													KLM
Mental illness (unspecified)	20	7	4	6	-	3	-	9	11	7	6	7	-
	1%	4%	1%	1%	-	1%	-	1%	1%	2%	1%	1%	-
		BCDF											
Respiratory (Net)	278	18	79	88	21	31	41	105	173	65	85	97	30
	11%	10%	13%	9%	13%	11%	12%	9%	13%	14%	10%	10%	14%
			C						I	L			
Asthma	245	13	67	79	21	28	37	89	156	61	76	84	24
	10%	7%	11%	8%	13%	10%	11%	7%	12%	13%	8%	9%	11%
									I	LM			
Bronchitis	49	5	16	19	-	3	5	19	31	5	10	16	18
	2%	3%	3%	2%	-	1%	2%	2%	2%	1%	1%	2%	8%
													KLM
Respiratory diseases (unspecified)	7	-	5	2	-	-	-	3	4	*	4	2	-
	0%	-	1%	0%	-	-	-	0%	0%	0%	1%	0%	-
Pulmonary (Net)	175	19	38	66	6	21	25	61	114	21	30	95	29
	7%	10%	6%	7%	4%	8%	7%	5%	9%	5%	3%	10%	13%
									I			KL	KL
Chronic Obstructive Pulmonary Disease (COPD/ MPOC)	124	17	7	55	4	19	22	44	80	13	22	68	20
	5%	10%	1%	6%	2%	7%	6%	4%	6%	3%	3%	7%	9%
		BD		B		B	B		I			KL	KL
Emphysema	34	4	18	5	1	3	3	14	21	2	10	21	2
	1%	2%	3%	1%	0%	1%	1%	1%	2%	0%	1%	2%	1%
			C									K	
Pneumonia	20	-	11	4	1	1	2	5	14	6	-	7	7
	1%	-	2%	0%	1%	0%	1%	0%	1%	1%	-	1%	3%
			C							L		L	LM
Tuberculosis	8	-	*	5	-	1	1	4	4	1	1	4	2
	0%	-	0%	1%	-	1%	0%	0%	0%	0%	0%	0%	1%
Pulmonary diseases (unspecified)	3	-	2	1	-	-	-	2	1	-	1	1	-
	0%	-	0%	0%	-	-	-	0%	0%	-	0%	0%	-
Common Illnesses (Net)	235	10	71	84	10	28	32	115	120	52	88	83	13
	9%	6%	12%	9%	6%	10%	9%	9%	9%	11%	10%	9%	6%
Allergies (unspecified)	62	1	23	20	3	6	9	23	40	12	25	22	3
	2%	1%	4%	2%	2%	2%	3%	2%	3%	3%	3%	2%	2%
Migraines/ headaches	71	1	24	26	3	10	8	30	42	15	25	30	1
	3%	1%	4%	3%	2%	4%	2%	2%	3%	3%	3%	3%	0%
Cold/ cough/ flu	43	1	17	15	-	3	7	28	15	11	12	12	7
	2%	0%	3%	2%	-	1%	2%	2%	1%	2%	1%	1%	3%

Back pain	56	6	14	20	2	8	7	37	20	9	26	21	-
	2%	3%	2%	2%	2%	3%	2%	3%	2%	2%	3%	2%	-
								J					
Sinus/ sinusitis/ sinus infection	12	-	2	6	-	2	2	4	8	1	6	3	2
	1%	-	0%	1%	-	1%	1%	0%	1%	0%	1%	0%	1%
Sleep apnea	14	2	-	6	-	5	-	6	7	4	4	4	1
	1%	1%	-	1%	-	2%	-	1%	1%	1%	1%	0%	0%
		B				BF							
Insomnia	4	-	2	1	-	-	1	2	2	3	*	1	1
	0%	-	0%	0%	-	-	0%	0%	0%	1%	*	0%	0%
Pain (unspecified)	18	1	4	7	2	-	4	8	10	2	8	7	-
	1%	0%	1%	1%	2%	-	1%	1%	1%	1%	1%	1%	-
Diabetes	1141	87	268	415	78	121	172	470	672	209	363	457	112
	45%	48%	44%	43%	49%	44%	50%	38%	51%	46%	40%	48%	50%
									I			L	
Obesity	78	4	20	31	2	5	16	29	50	23	27	26	2
	3%	2%	3%	3%	2%	2%	5%	2%	4%	5%	3%	3%	1%
										N			
HIV/ AIDS	66	1	15	25	7	6	12	30	36	18	24	18	6
	3%	1%	2%	3%	5%	2%	4%	2%	3%	4%	3%	2%	3%
					A								
Osteoporosis	69	5	12	20	6	8	18	25	45	18	11	34	7
	3%	3%	2%	2%	4%	3%	5%	2%	3%	4%	1%	4%	3%
							BC			L		L	
Kidney disease	82	7	11	30	2	14	17	29	52	6	16	42	19
	3%	4%	2%	3%	1%	5%	5%	2%	4%	1%	2%	4%	8%
						B	B		I			KL	KL
Lung disease	53	4	8	29	1	5	7	17	36	1	8	39	5
	2%	2%	1%	3%	0%	2%	2%	1%	3%	0%	1%	4%	2%
				B					I			KL	K
Liver disease	53	2	5	33	1	7	4	28	25	2	15	34	2
	2%	1%	1%	3%	1%	3%	1%	2%	2%	1%	2%	4%	1%
				B								KL	
Cirrhosis	11	1	4	1	-	-	5	4	7	2	1	7	1
	0%	0%	1%	0%	-	-	1%	0%	1%	0%	0%	1%	0%
							C						
Thyroid disease	38	3	4	14	3	3	11	9	28	11	9	16	2
	2%	1%	1%	1%	2%	1%	3%	1%	2%	2%	1%	2%	1%
							B		I				
Hepatitis (A, B and C)	31	1	3	12	8	-	7	20	11	2	11	17	1
	1%	0%	1%	1%	5%	-	2%	2%	1%	1%	1%	2%	0%
					ABCE								
Anemia	20	-	9	6	1	3	1	4	15	6	7	5	2
	1%	-	2%	1%	1%	1%	0%	0%	1%	1%	1%	1%	1%
									I				
Tumors	14	-	3	3	-	2	5	3	10	5	1	7	-
	1%	-	1%	0%	-	1%	2%	0%	1%	1%	0%	1%	-
										L			
Cystic Fibrosis	12	-	3	3	-	5	1	2	10	1	4	6	2
	1%	-	0%	0%	-	2%	0%	0%	1%	0%	0%	1%	1%
						C			I				
Muscular dystrophy	13	-	1	5	-	2	4	3	10	-	2	5	6
	1%	-	0%	1%	-	1%	1%	0%	1%	-	0%	1%	3%

													KLM
Other	390	32	91	150	24	37	56	186	204	86	128	152	24
	15%	17%	15%	15%	15%	13%	16%	15%	16%	19%	14%	16%	11%
Nothing	73	6	18	41	4	4	2	52	22	11	29	30	4
	3%	3%	3%	4%	2%	1%	1%	4%	2%	3%	3%	3%	2%
			F	F				J					
Don't know	93	1	22	32	7	14	17	59	34	23	49	17	4
	4%	1%	4%	3%	4%	5%	5%	5%	3%	5%	6%	2%	2%
						A	A	J		M	M		
Sigma	8160	631	1793	3137	521	882	1197	3346	4815	1435	2536	3367	822
	320%	344%	294%	322%	330%	321%	345%	271%	367%	312%	281%	350%	366%

Overlap formula used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

How concerned are you about personally developing the following conditions/diseases?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Hypertension/High blood pressure	1498	121	276	625	96	159	222	721	778	256	506	598	137
	59%	66%	46%	64%	61%	58%	64%	59%	60%	56%	57%	62%	62%
		B		B	B	B	B					KL	
Heart disease or stroke	1741	137	330	714	111	194	255	833	907	280	592	696	173
	69%	75%	54%	73%	71%	70%	74%	68%	69%	61%	66%	73%	77%
		B		B	B	B	B					KL	KL
Diabetes	1371	112	232	578	96	150	203	667	704	243	499	525	103
	54%	62%	38%	59%	61%	55%	59%	54%	54%	53%	56%	55%	46%
		B		B	B	B	B						
Cancer	1869	144	399	755	120	198	253	856	1013	323	678	704	164
	74%	78%	66%	78%	76%	72%	73%	69%	77%	70%	76%	73%	73%
		B		B	B		B		I				
Obesity	1171	102	226	483	81	130	148	525	646	199	423	464	84
	46%	56%	37%	50%	52%	47%	43%	43%	49%	43%	47%	49%	38%
		BF		B	B	B			I			N	

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
[Table of Contents](#)

How concerned are you about personally developing the following conditions/diseases?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Aware Of Hypertension/High blood pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Aware Of Hypertension/High blood pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
Very concerned	532	51	80	219	45	65	72	249	284	84	158	251	40
	21%	28%	13%	23%	29%	24%	21%	20%	22%	18%	18%	26%	18%
		B		B	B	B	B					KL	
Somewhat concerned	966	70	196	405	50	94	150	472	494	172	349	347	98
	38%	38%	33%	42%	32%	34%	44%	39%	38%	38%	39%	36%	44%
				B			BD						
Not really concerned	812	52	254	276	51	90	88	388	424	151	310	281	70
	32%	29%	42%	28%	32%	33%	26%	32%	32%	33%	35%	29%	31%
			ACEF								M		
Not at all concerned	224	10	72	72	12	24	34	119	105	51	78	79	16
	9%	6%	12%	7%	7%	9%	10%	10%	8%	11%	9%	8%	7%
			AC										
Sigma	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Top2Box (Very/ Somewhat concerned)	1498	121	276	625	96	159	222	721	778	256	506	598	137
	59%	66%	46%	64%	61%	58%	64%	59%	60%	56%	57%	62%	62%
		B		B	B	B	B					KL	
Low2Box (Not really/ at all concerned)	1036	63	326	348	62	114	123	507	529	201	388	360	86
	41%	34%	54%	36%	40%	42%	36%	41%	41%	44%	43%	38%	39%
			ACDEF							M	M		

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

How concerned are you about personally developing the following conditions/diseases?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Aware Of Heart disease or stroke	2541	135	996	774	141	236	259	1213	1328	455	975	953	158
Base: Aware Of Heart disease or stroke (wtd)	2542	183	606	975	158	275	345	1233	1309	459	899	961	224
Very concerned	627	54	103	265	50	76	78	289	338	114	205	261	48
	25%	30%	17%	27%	32%	28%	23%	24%	26%	25%	23%	27%	21%
		B		B	B	B							
Somewhat concerned	1113	83	227	449	61	118	177	544	570	166	387	435	125
	44%	45%	37%	46%	39%	43%	51%	44%	44%	36%	43%	45%	56%
				B			BD				K	K	KLM
Not really concerned	654	42	233	207	40	63	68	320	334	143	248	216	47
	26%	23%	38%	21%	26%	23%	20%	26%	26%	31%	28%	23%	21%
			ACDEF							MN	M		
Not at all concerned	148	4	43	54	6	19	22	80	68	36	59	49	5
	6%	2%	7%	6%	4%	7%	6%	7%	5%	8%	7%	5%	2%
										N			
Sigma	2542	183	606	975	158	275	345	1233	1309	459	899	961	224
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Top2Box (Very/ Somewhat concerned)	1741	137	330	714	111	194	255	833	907	280	592	696	173
	69%	75%	54%	73%	71%	70%	74%	68%	69%	61%	66%	73%	77%
		B		B	B	B	B					KL	KL
Low2Box (Not really/ at all concerned)	802	46	276	261	47	81	90	400	402	179	306	265	52
	32%	25%	46%	27%	30%	30%	26%	32%	31%	39%	34%	28%	23%
			ACDEF							MN	MN		

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

How concerned are you about personally developing the following conditions/diseases?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Aware Of Diabetes	2540	134	998	773	141	235	259	1212	1328	456	974	952	158
Base: Aware Of Diabetes (wtd)	2540	182	608	973	158	273	345	1230	1309	460	896	960	224
Very concerned	528	48	75	225	42	66	72	243	285	98	176	219	35
	21%	26%	12%	23%	27%	24%	21%	20%	22%	21%	20%	23%	15%
		B		B	B	B	B						
Somewhat concerned	842	65	157	353	54	83	131	424	419	145	323	306	69
	33%	35%	26%	36%	34%	31%	38%	34%	32%	32%	36%	32%	31%
		B		B			B						
Not really concerned	865	57	274	304	40	91	99	400	465	155	298	319	93
	34%	31%	45%	31%	26%	33%	29%	33%	36%	34%	33%	33%	41%
			ACDEF										
Not at all concerned	304	13	102	92	22	32	43	163	141	61	99	116	28
	12%	7%	17%	10%	14%	12%	12%	13%	11%	13%	11%	12%	13%
			AC										
Sigma	2540	182	608	973	158	273	345	1230	1309	460	896	960	224
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Top2Box (Very/ Somewhat concerned)	1371	112	232	578	96	150	203	667	704	243	499	525	103
	54%	62%	38%	59%	61%	55%	59%	54%	54%	53%	56%	55%	46%
		B		B	B	B	B						
Low2Box (Not really/ at all concerned)	1169	70	375	396	62	124	142	563	606	217	396	435	121
	46%	39%	62%	41%	40%	45%	41%	46%	46%	47%	44%	45%	54%
			ACDEF										

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

How concerned are you about personally developing the following conditions/diseases?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Aware Of Cancer	2541	135	997	773	141	236	259	1213	1328	455	975	953	158
Base: Aware Of Cancer (wtd)	2542	183	607	973	158	275	345	1232	1309	459	898	961	224
Very concerned	760	67	133	329	60	80	91	313	447	155	278	279	47
	30%	37%	22%	34%	38%	29%	26%	25%	34%	34%	31%	29%	21%
		B		BF	BF	B			I	N	N		
Somewhat concerned	1109	77	266	426	60	118	162	543	566	167	399	426	117
	44%	42%	44%	44%	38%	43%	47%	44%	43%	37%	45%	44%	52%
											K	K	K
Not really concerned	550	39	169	179	31	54	78	304	246	109	176	209	56
	22%	21%	28%	18%	20%	20%	23%	25%	19%	24%	20%	22%	25%
			CE					J					
Not at all concerned	123	1	39	38	7	23	15	73	50	27	44	47	4
	5%	1%	6%	4%	5%	8%	4%	6%	4%	6%	5%	5%	2%
			AC			AC		J					
Sigma	2542	183	607	973	158	275	345	1232	1309	459	898	961	224
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Top2Box (Very/ Somewhat concerned)	1869	144	399	755	120	198	253	856	1013	323	678	704	164
	74%	78%	66%	78%	76%	72%	73%	69%	77%	70%	76%	73%	73%
		B		B	B		B		I				
Low2Box (Not really/ at all concerned)	673	40	208	218	38	77	93	377	296	136	220	256	60
	27%	22%	34%	22%	24%	28%	27%	31%	23%	30%	25%	27%	27%
			ACDF					J					

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

How concerned are you about personally developing the following conditions/diseases?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Aware Of Obesity	2535	135	994	770	141	236	259	1207	1328	456	973	948	158
Base: Aware Of Obesity (wtd)	2536	183	605	970	158	275	344	1226	1311	460	896	956	224
Very concerned	471	47	73	202	44	54	51	192	278	100	178	170	23
	19%	26%	12%	21%	28%	20%	15%	16%	21%	22%	20%	18%	10%
		BF		BF	BF	B			I	N	N	N	
Somewhat concerned	700	56	153	281	37	76	97	332	368	100	245	294	61
	28%	30%	25%	29%	24%	28%	28%	27%	28%	22%	27%	31%	27%
												K	
Not really concerned	830	55	227	307	44	82	114	407	423	157	286	284	103
	33%	30%	38%	32%	28%	30%	33%	33%	32%	34%	32%	30%	46%
			C										KLM
Not at all concerned	536	26	152	180	33	63	82	294	242	103	188	208	37
	21%	14%	25%	19%	21%	23%	24%	24%	18%	23%	21%	22%	16%
			AC				A	J					
Sigma	2536	183	605	970	158	275	344	1226	1311	460	896	956	224
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Top2Box (Very/ Somewhat concerned)	1171	102	226	483	81	130	148	525	646	199	423	464	84
	46%	56%	37%	50%	52%	47%	43%	43%	49%	43%	47%	49%	38%
		BF		B	B	B			I			N	
Low2Box (Not really/ at all concerned)	1365	81	379	487	77	145	196	701	664	260	473	492	140
	54%	44%	63%	50%	49%	53%	57%	57%	51%	57%	53%	52%	62%
			ACDE				A	J					M

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

Approximately what percentage of Canadian adults do you think currently have hypertension/high blood pressure?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Is Aware Of Hypertension/high Blood Pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Is Aware Of Hypertension/high Blood Pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
Approximately 1%	22	-	9	11	-	1	1	17	6	5	12	2	3
	1%	-	2%	1%	-	1%	0%	1%	0%	1%	1%	0%	1%
								J			M		
Approximately 5%	110	5	32	31	6	19	16	69	41	24	61	18	6
	4%	3%	5%	3%	4%	7%	5%	6%	3%	5%	7%	2%	3%
						C		J		M	M		
Approximately 10%	312	21	89	123	16	27	37	185	127	78	141	79	14
	12%	12%	15%	13%	10%	10%	11%	15%	10%	17%	16%	8%	6%
								J		MN	MN		
Approximately 20%	502	20	131	186	37	54	75	269	233	106	195	163	39
	20%	11%	22%	19%	23%	20%	22%	22%	18%	23%	22%	17%	18%
			A	A	A		A	J		M	M		
Approximately 25%	560	34	135	216	38	56	82	243	317	115	192	196	57
	22%	19%	23%	22%	24%	20%	24%	20%	24%	25%	21%	20%	26%
									I				
Over 25%	1028	102	207	406	62	116	134	445	583	131	294	500	104
	41%	56%	34%	42%	39%	43%	39%	36%	45%	29%	33%	52%	46%
		BCDEF		B		B			I			KL	KL
Sigma	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

Approximately what percentage of Canadian adults do you think currently have hypertension/high blood pressure?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Is Aware Of Hypertension/high Blood Pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Is Aware Of Hypertension/high Blood Pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
Approximately 1%	36	2	14	13	-	5	2	29	7	7	24	4	1
	1%	1%	2%	1%	-	2%	1%	2%	1%	2%	3%	0%	1%
								J		M	M		
Approximately 5%	197	9	52	67	13	28	29	139	58	61	99	31	6
	8%	5%	9%	7%	8%	10%	8%	11%	5%	13%	11%	3%	3%
								J		MN	MN		
Approximately 10%	452	24	125	184	24	35	59	271	181	102	192	132	26
	18%	13%	21%	19%	15%	13%	17%	22%	14%	22%	22%	14%	12%
			AE					J		MN	MN		
Approximately 20%	562	43	150	205	29	56	79	260	302	114	196	196	56
	22%	23%	25%	21%	18%	21%	23%	21%	23%	25%	22%	21%	25%
Approximately 25%	520	37	117	189	43	57	77	233	286	107	169	202	42
	21%	20%	19%	19%	27%	21%	22%	19%	22%	23%	19%	21%	19%
Over 25%	768	70	143	314	50	92	99	295	473	68	215	394	92
	30%	38%	24%	32%	31%	34%	29%	24%	36%	15%	24%	41%	41%
		B		B		B			I		K	KL	KL
Sigma	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

The following are factors that increase the risk of developing hypertension/high blood pressure. In your mind, what percentage of responsibility does each of these factors play in the onset of hypertension/high blood pressure?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Is Aware Of Hypertension/high Blood Pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Is Aware Of Hypertension/high Blood Pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
0%	66	2	16	21	7	4	16	41	25	12	16	29	9
	3%	1%	3%	2%	4%	2%	5%	3%	2%	3%	2%	3%	4%
1% to 20%	999	71	250	367	48	123	140	479	520	196	334	377	91
	39%	39%	42%	38%	31%	45%	40%	39%	40%	43%	37%	39%	41%
			D			D							
21% to 40%	1109	93	232	434	81	110	159	537	571	196	415	414	84
	44%	51%	39%	45%	51%	40%	46%	44%	44%	43%	46%	43%	37%
		B		B	B		B						
41% to 60%	309	13	90	131	19	33	23	145	164	50	114	114	31
	12%	7%	15%	13%	12%	12%	7%	12%	13%	11%	13%	12%	14%
			AF	F									
61% to 80%	47	5	13	18	3	2	6	22	25	3	13	22	8
	2%	3%	2%	2%	2%	1%	2%	2%	2%	1%	2%	2%	4%
													K
81% to 100%	5	-	1	2	-	1	1	3	2	1	2	3	-
	0%	-	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-
Sigma	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Mean (Incl. 0)	27.3	25.8	27.6	28.1	28.8	25.6	25.9	27	27.5	26.5	27.7	27.1	27.6
Std. Dev.	15.4	14.3	16.4	15.2	14.5	15.3	15.3	15.7	15.1	14.9	14.7	15.9	16.9
Std. Err.	0.3	1.1	0.7	0.5	1.2	0.9	0.8	0.4	0.4	0.7	0.5	0.5	1.1
Median (Incl. 0)	25	25	25	25	30	25	25	25	25	25	25	25	25
Mean (Excl. 0)	28	26.1	28.4	28.7	30.1	26	27.2	27.9	28.1	27.2	28.3	28	28.8
				E	AE*								
Std. Dev.	14.9	14.1	15.9	14.7	13.5	15	14.5	15.2	14.7	14.4	14.3	15.4	16.2
Std. Err.	0.3	1	0.7	0.5	1.1	0.9	0.8	0.4	0.4	0.7	0.5	0.5	1.1
Median (Excl. 0)	25	25	25	25	30	25	25	25	25	25	25	25	25

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

The following are factors that increase the risk of developing hypertension/high blood pressure. In your mind, what percentage of responsibility does each of these factors play in the onset of hypertension/high blood pressure?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Is Aware Of Hypertension/high Blood Pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Is Aware Of Hypertension/high Blood Pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
0%	125	13	31	46	7	11	17	67	58	12	55	54	4
	5%	7%	5%	5%	4%	4%	5%	6%	4%	3%	6%	6%	2%
											K	K	
1% to 20%	1314	96	312	492	82	136	196	617	697	253	436	504	121
	52%	52%	52%	51%	52%	50%	57%	50%	53%	55%	49%	53%	54%
										L			
21% to 40%	900	65	201	368	55	100	111	438	463	153	342	328	77
	36%	35%	33%	38%	35%	37%	32%	36%	35%	34%	38%	34%	35%
41% to 60%	173	7	51	59	15	23	17	91	82	34	53	67	19
	7%	4%	9%	6%	9%	9%	5%	7%	6%	7%	6%	7%	8%
61% to 80%	19	3	5	7	-	-	4	12	8	6	5	5	3
	1%	1%	1%	1%	-	-	1%	1%	1%	1%	1%	1%	1%
81% to 100%	4	-	1	-	-	2	-	4	-	-	4	-	-
	0%	-	0%	-	-	1%	-	0%	-	-	0%	-	-
						C							
Sigma	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Mean (Incl. 0)	21.9	20.2	22.2	21.9	21.9	23	21.6	22.6	21.3	23.2	22.1	21	22.9
								J		M			
Std. Dev.	13.8	13.8	14.8	13.4	13.7	13.7	13.4	14.5	13.1	13.3	14	13.6	14.7
Std. Err.	0.3	1	0.6	0.4	1.1	0.8	0.7	0.4	0.4	0.6	0.5	0.4	1
Median (Incl. 0)	20	20	20	20	20	20	20	20	20	20	20	20	20
Mean (Excl. 0)	23.1	21.7	23.5	23	22.9	24	22.7	23.9	22.3	23.8	23.5	22.3	23.4
		*			*			J					
Std. Dev.	13.2	13.1	14.2	12.7	13.2	13.2	12.8	13.8	12.6	13	13.2	13	14.5
Std. Err.	0.3	1	0.6	0.4	1.1	0.8	0.7	0.4	0.4	0.6	0.5	0.4	1
Median (Excl. 0)	20	20	20	20	20	20	20	20	20	20	20	20	20

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

The following are factors that increase the risk of developing hypertension/high blood pressure. In your mind, what percentage of responsibility does each of these factors play in the onset of hypertension/high blood pressure?

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Is Aware Of Hypertension/high Blood Pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Is Aware Of Hypertension/high Blood Pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
0%	7	-	4	-	-	1	2	5	2	-	5	1	1
	0%	-	1%	-	-	1%	1%	0%	0%	-	1%	0%	1%
			C										
1% to 20%	145	9	45	47	13	14	16	84	61	27	50	51	16
	6%	5%	7%	5%	8%	5%	5%	7%	5%	6%	6%	5%	7%
			C					J					
21% to 40%	775	50	184	309	51	84	96	384	390	156	276	272	71
	31%	27%	31%	32%	33%	31%	28%	31%	30%	34%	31%	28%	32%
41% to 60%	991	65	223	421	57	95	130	460	532	161	368	376	86
	39%	36%	37%	43%	36%	35%	38%	37%	41%	35%	41%	39%	39%
				BE									
61% to 80%	541	54	124	169	34	70	89	251	290	101	179	216	45
	21%	29%	21%	17%	22%	26%	26%	20%	22%	22%	20%	23%	20%
		BC				C	C						
81% to 100%	76	5	23	25	3	9	11	44	32	12	18	42	4
	3%	3%	4%	3%	2%	3%	3%	4%	3%	3%	2%	4%	2%
												L	
Sigma	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Summary													
Mean (Incl. 0)	50.8	53.9	50.2	50	49.3	51.4	52.5	50.4	51.2	50.3	50.2	51.9	49.5
		C											
Std. Dev.	18.7	18.8	19.8	17.7	18.3	19.5	19.1	19.5	17.9	18.3	18.2	19.4	18.8
Std. Err.	0.4	1.4	0.8	0.6	1.5	1.2	1	0.6	0.5	0.9	0.6	0.6	1.3
Median (Incl. 0)	50	50	50	50	50	50	50	50	50	50	50	50	50
Mean (Excl. 0)	50.9	53.9	50.5	50	49.3	51.6	52.8	50.5	51.3	50.3	50.5	51.9	49.8
		C					C						
Std. Dev.	18.6	18.8	19.5	17.7	18.3	19.2	18.7	19.3	17.8	18.3	17.9	19.4	18.5
Std. Err.	0.4	1.4	0.8	0.6	1.5	1.2	1	0.6	0.5	0.9	0.6	0.6	1.2
Median (Excl. 0)	50	50	50	50	50	50	50	50	50	50	50	50	50

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

[SUMMARY - TOP2BOX (SUBSTANTIALLY/ SOMEWHAT DECREASES THE RISK)] Impact of consuming different types of food

	Provinces							Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Is Aware Of Hypertension/high Blood Pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Is Aware Of Hypertension/high Blood Pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
Nuts	1591	108	386	590	106	173	229	765	826	244	495	684	169
	63%	59%	64%	61%	67%	63%	66%	62%	63%	53%	55%	71%	76%
Milk												KL	KL
	817	52	233	299	58	78	96	381	436	143	259	336	79
	32%	29%	39%	31%	37%	29%	28%	31%	33%	31%	29%	35%	35%
Yogurt			ACEF									L	
	1361	105	347	514	78	139	177	677	684	204	421	600	136
	54%	57%	58%	53%	50%	51%	51%	55%	52%	45%	47%	63%	61%
Cheese												KL	KL
	472	18	169	153	34	34	66	233	239	72	166	185	50
	19%	10%	28%	16%	21%	13%	19%	19%	18%	16%	19%	19%	22%
Fruit and vegetables			ACEF		A		A						
	2236	169	521	840	144	250	313	1064	1172	392	755	879	209
	88%	92%	86%	86%	91%	91%	91%	87%	90%	86%	85%	92%	94%
Salty snacks								I				KL	KL
	97	3	30	32	10	7	15	63	34	23	47	18	9
	4%	2%	5%	3%	6%	3%	4%	5%	3%	5%	5%	2%	4%
Whole grains								J		M	M		
	1871	143	464	684	118	205	257	891	980	293	614	788	177
	74%	78%	77%	70%	75%	75%	75%	73%	75%	64%	69%	82%	79%
White meat and poultry			C									KL	KL
	1305	104	312	489	95	140	166	548	757	174	401	586	145
	52%	57%	52%	50%	60%	51%	48%	45%	58%	38%	45%	61%	65%
Salt					F				I		K	KL	KL
	96	7	29	32	7	8	12	55	41	18	42	34	3
	4%	4%	5%	3%	5%	3%	4%	5%	3%	4%	5%	4%	1%
Fish													
	1973	148	486	744	125	208	261	905	1068	287	643	836	207
	78%	81%	81%	77%	79%	76%	76%	74%	82%	63%	72%	87%	93%
Legumes									I		K	KL	KL
	1922	136	481	713	129	203	261	879	1043	309	642	788	183
	76%	74%	80%	73%	82%	75%	76%	72%	80%	68%	72%	82%	82%
Processed meats and deli meats			C						I			KL	KL
	129	6	35	44	10	12	21	75	54	27	57	41	4
	5%	4%	6%	5%	6%	4%	6%	6%	4%	6%	6%	4%	2%
Red meat											N		
	226	13	82	72	15	20	24	131	95	52	88	70	16
	9%	7%	14%	7%	10%	7%	7%	11%	7%	11%	10%	7%	7%
Milk/Cheese/Yogurt (Net)			ACEF					J		M			
	1524	115	385	566	99	160	198	757	766	239	493	643	150
	60%	63%	64%	58%	63%	59%							

Overlap formula used

- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)
- Column Means:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U
Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)

For each of the following foods, please indicate if you think that consuming it on a regular basis decreases or increases your risk of developing hypertension/high blood pressure.

		Provinces						Gender		Age 1			
	Total	Atlantic	Quebec	Ontario	Prairies	Alberta	British Columbia	Men	Women	18-29	30-49	50-69	70+
		A	B	C	D	E	F	I	J	K	L	M	N
Base: Is Aware Of Hypertension/high Blood Pressure	2532	135	990	772	141	235	259	1208	1324	454	972	949	157
Base: Is Aware Of Hypertension/high Blood Pressure (wtd)	2535	183	603	972	158	273	345	1228	1307	458	895	959	223
Nuts	241	22	47	102	13	34	24	130	111	62	88	81	11
	10%	12%	8%	11%	8%	12%	7%	11%	9%	14%	10%	9%	5%
										MN			
Milk	300	16	58	105	26	47	48	188	113	81	119	90	10
	12%	9%	10%	11%	17%	17%	14%	15%	9%	18%	13%	9%	4%
					B	ABC		J		MN	MN		
Yogurt	141	5	29	59	8	20	19	78	63	54	57	25	5
	6%	3%	5%	6%	5%	7%	6%	6%	5%	12%	6%	3%	2%
										LMN	M		
Cheese	1047	96	196	425	61	114	155	492	555	207	340	408	92
	41%	52%	33%	44%	38%	42%	45%	40%	43%	45%	38%	43%	41%
		BD		B		B	B			L			
Fruit and vegetables	42	-	15	20	4	-	3	27	15	13	22	6	1
	2%	-	2%	2%	2%	-	1%	2%	1%	3%	2%	1%	0%
			E	E	E					M	M		
Salty snacks	2274	176	528	879	142	248	301	1058	1215	402	766	900	206
	90%	96%	88%	90%	90%	91%	87%	86%	93%	88%	86%	94%	92%
		BF							I			KL	
Whole grains	94	3	17	36	12	12	14	49	46	41	41	13	-
	4%	2%	3%	4%	8%	4%	4%	4%	4%	9%	5%	1%	-
					AB					LMN	MN		
White meat and poultry	242	14	55	97	15	29	32	151	91	93	87	57	5
	10%	8%	9%	10%	10%	11%	9%	12%	7%	20%	10%	6%	2%
								J		LMN	MN		
Salt	2287	172	539	882	140	250	305	1081	1206	412	777	890	208
	90%	94%	89%	91%	89%	92%	88%	88%	92%	90%	87%	93%	93%
									I			L	
Fish	87	3	16	38	6	10	13	62	26	43	34	10	-
	3%	2%	3%	4%	4%	4%	4%	5%	2%	9%	4%	1%	-
								J		LMN	MN		
Legumes	71	7	18	31	3	6	6	45	26	25	29	14	3
	3%	4%	3%	3%	2%	2%	2%	4%	2%	6%	3%	1%	1%
								J		MN	M		
Processed meats and deli meats	2160	171	494	817	137	240	301	1004	1156	373	718	863	205
	85%	93%	82%	84%	86%	88%	87%	82%	89%	82%	80%	90%	92%
		BC							I			KL	KL
Red meat	1788	142	384	718	108	187	249	823	966	307	596	717	168
	71%	78%	64%	74%	68%	68%	72%	67%	74%	67%	67%	75%	75%
		B		B			B		I			KL	

Overlap formula used
- Column Proportions:
Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F, G/H, I/J, K/L/M/N, O/P, Q/R/S, T/U

Minimum Base: 30 (**), Small Base: 100 (*)

[Table of Contents](#)