

Please indicate your level of agreement with each of the following statements. - Mental health problems are preventable

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Top 2 Box (Net)	279	161	119	101	98	80	14	47	124	94
	35%	41%	29%	44%	34%	28%	31%	32%	33%	39%
Strongly agree		B		DE			*			
	60	34	26	30	19	12	4	8	30	19
	8%	9%	6%	13%	6%	4%	8%	5%	8%	8%
Somewhat agree				DE			*			
	219	127	92	71	79	69	10	39	94	75
	27%	32%	23%	31%	27%	24%	23%	27%	25%	32%
Neither agree nor disagree		B					*			
	186	92	94	47	66	72	11	32	87	57
	23%	23%	23%	21%	23%	25%	25%	22%	23%	24%
Bottom 2 Box (Net)							*			
	338	141	196	82	125	131	20	67	163	88
	42%	36%	48%	35%	43%	46%	44%	46%	44%	37%
Somewhat disagree		A					*			
	233	107	125	64	82	86	9	51	109	63
	29%	27%	31%	28%	29%	30%	21%	35%	29%	26%
Strongly disagree							*			
	105	34	71	17	42	45	10	15	55	25
	13%	9%	17%	8%	15%	16%	23%	11%	15%	10%
Sigma		A					GI*			
	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Please indicate your level of agreement with each of the following statements. - Mental illnesses are preventable

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Top 2 Box (Net)	206	122	84	77	81	48	14	31	83	79
	26%	31%	21%	33%	28%	17%	31%	21%	22%	33%
Strongly agree		B		E	E		*			GH
	36	21	15	18	13	6	2	3	16	15
	5%	5%	4%	8%	4%	2%	5%	2%	4%	6%
Somewhat agree				E			*			
	170	101	70	59	69	42	11	28	67	64
	21%	26%	17%	26%	24%	15%	25%	20%	18%	27%
Neither agree nor disagree		B		E	E		*			H
	199	104	95	55	67	77	11	38	97	53
	25%	26%	23%	24%	23%	27%	25%	26%	26%	22%
Bottom 2 Box (Net)							*			
	398	169	229	99	140	159	20	76	194	107
	50%	43%	56%	43%	49%	56%	45%	53%	52%	45%
Somewhat disagree		A				C	*			
	264	122	142	73	86	105	13	55	125	71
	33%	31%	35%	32%	30%	37%	29%	38%	33%	30%
Strongly disagree							*			
	133	46	87	25	54	54	7	21	69	36
	17%	12%	21%	11%	19%	19%	16%	15%	19%	15%
Sigma		A			C	C	*			
	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Please indicate your level of agreement with each of the following statements. - Substance use is preventable

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Top 2 Box (Net)	633	305	329	192	220	221	38	111	301	183
	79%	77%	80%	83%	76%	78%	84%	77%	81%	77%
							*			
Strongly agree	265	136	129	93	80	91	19	42	127	76
	33%	34%	32%	40%	28%	32%	43%	29%	34%	32%
				D			*			
Somewhat agree	369	169	200	99	140	130	19	69	174	107
	46%	43%	49%	43%	48%	46%	42%	48%	47%	45%
							*			
Neither agree nor disagree	93	43	50	22	38	33	4	20	42	27
	12%	11%	12%	9%	13%	12%	9%	14%	11%	11%
							*			
Bottom 2 Box (Net)	77	46	30	17	30	29	3	14	31	29
	10%	12%	7%	7%	10%	10%	7%	10%	8%	12%
		B					*			
Somewhat disagree	66	41	25	12	28	26	3	9	26	28
	8%	10%	6%	5%	10%	9%	7%	6%	7%	12%
		B					*			H
Strongly disagree	11	5	6	5	3	4	-	5	5	1
	1%	1%	1%	2%	1%	1%	-	4%	1%	*
							*	I		
Sigma	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Please indicate your level of agreement with each of the following statements. - Addictions are preventable

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Top 2 Box (Net)	584	295	289	179	208	197	34	103	273	174
	73%	75%	71%	78%	72%	69%	74%	71%	73%	73%
Strongly agree	219	118	100	77	61	81	10	41	110	59
	27%	30%	25%	33%	21%	28%	21%	28%	29%	25%
				D			*			
Somewhat agree	365	177	188	102	147	117	24	63	163	115
	45%	45%	46%	44%	51%	41%	53%	43%	44%	48%
				E			*			
Neither agree nor disagree	114	52	61	30	37	47	7	23	53	31
	14%	13%	15%	13%	13%	17%	15%	16%	14%	13%
							*			
Bottom 2 Box (Net)	105	47	58	21	44	40	5	19	48	34
	13%	12%	14%	9%	15%	14%	10%	13%	13%	14%
				C			*			
Somewhat disagree	97	43	54	18	42	36	5	16	44	32
	12%	11%	13%	8%	15%	13%	10%	11%	12%	13%
				C			*			
Strongly disagree	9	4	5	3	2	4	-	3	4	2
	1%	1%	1%	1%	1%	1%	-	2%	1%	1%
							*			
Sigma	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Should each of the following be given higher, the same, or lower funding priority as physical health conditions when it comes to health care dollars spent by the BC provincial government? - Mental health conditions

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Higher priority than physical health	183	95	89	64	74	45	17	38	80	49
	23%	24%	22%	28%	26%	16%	37%	26%	21%	20%
				E	E		HI*			
The same priority as physical health	596	286	310	159	204	233	28	103	283	182
	74%	73%	76%	69%	71%	82%	61%	71%	76%	76%
						CD	*		F	F
Lower priority than physical health	24	13	11	7	11	6	1	4	11	8
	3%	3%	3%	3%	4%	2%	2%	3%	3%	3%
							*			
Sigma	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Should each of the following be given higher, the same, or lower funding priority as physical health conditions when it comes to health care dollars spent by the BC provincial government? - Addictions

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Higher priority than physical health	90	47	43	28	36	26	9	18	42	22
	11%	12%	11%	12%	12%	9%	19%	12%	11%	9%
							*			
The same priority as physical health	572	259	313	161	198	212	29	97	272	174
	71%	66%	77%	70%	69%	75%	63%	67%	73%	73%
			A				*			
Lower priority than physical health	141	88	53	40	54	46	8	30	60	43
	18%	22%	13%	18%	19%	16%	18%	21%	16%	18%
		B					*			
Sigma	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Please indicate your level of agreement with the following statements: - If I become unwell I should have access to services which assess and treat mental health conditions equal to physical health conditions.

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Top 2 Box (Net)	699	332	367	194	247	258	37	120	333	209
	87%	84%	90%	84%	86%	91%	81%	83%	89%	87%
Strongly agree			A			C	*			
	426	179	246	130	144	152	25	67	209	125
	53%	46%	60%	56%	50%	54%	55%	46%	56%	52%
Somewhat agree			A				*			
	273	153	120	64	103	106	12	53	124	84
	34%	39%	29%	28%	36%	37%	26%	36%	33%	35%
Neither agree nor disagree			B			C	*			
	79	42	37	31	28	20	9	19	29	22
	10%	11%	9%	13%	10%	7%	19%	13%	8%	9%
Bottom 2 Box (Net)				E			H*			
	25	20	5	6	13	7	-	6	11	8
	3%	5%	1%	3%	5%	2%	-	4%	3%	3%
Somewhat disagree			B				*			
	22	17	4	5	11	5	-	6	7	8
	3%	4%	1%	2%	4%	2%	-	4%	2%	3%
Strongly disagree			B				*			
	4	3	1	1	2	1	-	-	4	-
	*	1%	*	*	1%	*	-	-	1%	-
Sigma							*			
	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Please indicate your level of agreement with the following statements: - Prevention and early identification of mental illness is one of the top ten most important issues facing British Columbia today.

	Total	Gender		AGE			EDUCATION			
		Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Top 2 Box (Net)	617	289	328	177	215	225	34	101	294	189
	77%	73%	80%	77%	74%	79%	76%	69%	79%	79%
Strongly agree			A				*		G	G
	250	105	145	78	86	87	16	35	122	78
	31%	27%	35%	34%	30%	30%	35%	24%	33%	32%
Somewhat agree			A				*			
	368	184	184	99	129	139	18	66	173	111
	46%	47%	45%	43%	45%	49%	41%	45%	46%	46%
Neither agree nor disagree							*			
	144	79	65	44	53	47	11	37	60	35
	18%	20%	16%	19%	19%	16%	24%	25%	16%	15%
Bottom 2 Box (Net)							*	HI		
	41	26	15	9	20	12	-	8	19	15
	5%	7%	4%	4%	7%	4%	-	5%	5%	6%
Somewhat disagree							*			
	37	23	13	9	17	10	-	8	17	12
	5%	6%	3%	4%	6%	4%	-	5%	4%	5%
Strongly disagree							*			
	5	3	2	1	3	1	-	-	2	3
	1%	1%	1%	*	1%	*	-	-	1%	1%
Sigma							*			
	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)

Should investments in community based services (services outside of hospitals e.g., non-profit mental health services) be higher, the same, or lower than investments in hospitals?

		Gender		AGE			EDUCATION			
	Total	Male	Female	18-34	35-54	55+	<HS	HS	Post Sec	Univ Grad
		A	B	C	D	E	F	G	H	I
Base: All Respondents (unwtd)	803	333	470	244	271	288	45	145	377	236
Base: All Respondents (wtd)	803	394	409	230	289	284	45	145	373	239
Higher	173	83	90	55	60	58	3	26	81	63
	22%	21%	22%	24%	21%	21%	6%	18%	22%	26%
							*		F	F
The same	549	254	295	151	204	195	37	106	258	148
	68%	65%	72%	65%	71%	68%	83%	73%	69%	62%
			A				I*	I		
Lower	81	57	24	25	25	31	5	14	34	28
	10%	14%	6%	11%	9%	11%	12%	9%	9%	12%
		B					*			
Sigma	803	394	409	230	289	284	45	145	373	239
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formula used

- Column Proportions:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

- Column Means:

Columns Tested (5%): A/B,C/D/E,F/G/H/I

Minimum Base: 30 (\*\*), Small Base: 100 (\*)

[Table of Contents](#)